S0865-1

VITAL STATISTICS
OF
CALIFORNIA

1979-1980

Douglas X. Patino
Secretary
Health and Welfare Agency

Beverlee A. Myers
Director
Department of Health Services

Edmund G. Brown Jr.
Governor
State of California

STATE OF CALIFORNIA

DEPARTMENT OF HEALTH SERVICES

Center for Health Statistics

Kay Moser, Chief

This report was prepared by Maria Cheung and Robert Mielke in the Health Demographics Unit, Center for Health Statistics. Inquiries regarding this report or the data should be directed to Gwendolyn Doebbert, Manager of the Health Demographics Unit, Center for Health Statistics, Department of Health Services, 714 P Street, Sacramento, CA 95814, or by telephoning her at (916) 445-7026.

Special acknowledgment is given to Frank Norris, Chief of the Health Status Research Section, Center for Health Statistics, and Chairperson of the departmental Vital Statistics Users Committee, for his major contributions to California's vital statistics.

This report was made possible through the assistance of the following staff in support units of the Department:

Data Processing

Donna Anderson
Anne Berner
Nancy England
Denny Smith
Lucie Villones

Clerical

Phyllis Thompson
Susana Cruz
Dorothy Dendorfer
Barbara Ferreira
Sandy Ficenec
Jeanne Kochanski
Karen Marion
Richard Mertens
Bernice Ouye
Roberta Smith
Betty Swails

Composing

Erika Loutzenhiser
Sandra Henderson
Karen Miyagawa
Rosemary Prince
Ron Vikre (Graphics)

Valuable assistance from the following individuals is also gratefully acknowledged: Beth Berkov, Clarence Brown, Margaret Deane, Florence Morrison, Anthony Oreglia, Merle Shields, Roger Smith, Michiko Tashiro, Evelyn Yip and members of the Vital Statistics Users Committee, Department of Health Services; and Linda Gage, Elizabeth Hoag, Patricia Landingham, Mary Schlosser, and William Schooling, Population Research Unit, Department of Finance.

PREFACE

This annual vital statistics report contains information on California's vital events and also trend data for selected topics. The purpose of the report is to present information which can be used as a basis for health policy decisions, planning, and epidemiologic research; it is also designed to provide California governmental agencies, businesses, and industries, as well as the citizens of this State, with information on the vital statistics of their State.

The sources of the data included in this report are certificates of live birth, death, fetal death, registry of marriage, and reports of marriage dissolution granted, which occurred during 1979 and 1980, and which were registered with the Department of Health Services. The report also contains population estimates and 1980 Census data; the estimates were prepared by the Department of Finance and are included so that crude rates can be calculated when desired.

The section entitled "Sources, Quality, Definitions, and Limitations of Data," located in the back of this publication, gives information needed for correct interpretation and analysis of the data contained in the report. It also contains a description of the vital statistics registration system in California and the definitions used to calculate the rates and ratios used throughout the report.

NOTE: Population estimates used as denominators for calculating rates of vital events in this publication were prepared by the Population Research Unit of the California Department of Finance. The estimates employed include the resident military and civilian populations, as of July 1, for each year.

The April 1, 1980 Census counts have shown that previous population estimates for the years 1970–1980 were too low. The Population Research Unit has prepared new July 1 estimates for the decade, which are adjusted upward to the 1980 Census. All vital rates in this publication were calculated with the new population estimates in the denominators. Consequently, they may differ from, and generally are lower than, rates previously published for the years 1970 through 1980.

SYMBOLS USED IN TABLES

Data not available	---
Category not applicable	. . .
Quantity zero	—
Quantity more than zero but less than 0.05	0.0

CONTENTS

Page

ACKNOWLEDGMENTS ii
PREFACE iii
HIGHLIGHTS vii

1. REVIEW OF VITAL STATISTICS OF CALIFORNIA 1

VITAL AND POPULATION STATISTICS: TABLES AND FIGURES 1, 16–29

VITAL STATISTICS OF CALIFORNIA, 1979 AND 1980: DISCUSSION 2

LIVE BIRTHS 2

- Fertility Rates and Age-Specific Live Birth Rates 2
- Women of Childbearing Age 3
- Birth Order 3
- Age of Mother and Live Birth Order 4
- Age of Mother and Estimated Marital Status 4
- Estimated Marital Status and Birth Order 4
- Estimated Marital Status and Race 5
- Birth Rates by Estimated Marital Status 5

INFANT DEATHS 5

- Steady Decline 5
- Age and Sex 5
- Age-Adjusted Death Rate by Race of Child 6
- Cause of Death 7

MARRIAGES 7

- Total Marriages 7
- Nonlicensed Marriages 7
- Growth in Nonlicensed Marriages 7
- Concentration of Nonlicensed Marriages in Few Counties 8
- Reasons for Growth and Concentration 8
- New Legislation 8
- Nevada Marriages 8
- Characteristics of Licensed Marriages 9
- First Marriages 9
- Remarriages 9
- Previous Marital Status 10
- Median Age at Marriage 10
- Median Age and Marriage Order 10
- Youthful Marriages 10

Page

MARRIAGE DISSOLUTIONS 11

Regional Distribution 11
California and the United States 11
Characteristics of the Divorcing Population 12

DEATHS 12

Crude Death Rate 12
Sex and Age 13
Age-Specific Death Rates 13
Ten Leading Causes of Death 14
Leading Causes of Death by Sex and Age 14

2. LIVE BIRTH TABLES AND FIGURES 31

3. FETAL DEATH TABLES 123

4. INFANT DEATH TABLES AND FIGURES 131

5. MARRIAGE TABLES AND FIGURES 137

6. MARRIAGE DISSOLUTION TABLES AND FIGURES 173

7. DEATH TABLES AND FIGURES 181

8. SOURCES, QUALITY, DEFINITIONS, AND LIMITATIONS OF DATA 527

VITAL STATISTICS REGISTRATION 528

History of Vital Statistics Registration 528
Registration Systems at Present 528

SOURCES AND QUALITY OF VITAL STATISTICS DATA 530

Records 530
Births, Deaths, and Fetal Deaths 530
California Birth Cohort File 530
Marriages and Marriage Dissolutions 531
Quality Control Procedures 531

DEFINITIONS 532

RATES AND RATIOS 534

Population 534
Calculation of Rates and Ratios 534

Page

LIMITATIONS OF DATA 536

Cause of Death 536
Tabulations of Cause of Death 537
Variability of Rates 537
Time Periods and Geographic Bases 538
Race and Ethnicity 538
Age 538
Length of Gestation 538
Marital Status 539

9. **APPENDIX** 541

CERTIFICATES, MEDICAL DATA SUPPLEMENTAL WORKSHEET, AND LISTS OF VARIABLES 543

HIGHLIGHTS

Live Births	In 1980, there were 402,720 resident births in California, the highest number ever recorded in the State. This marked the seventh straight year of increases, and was 6.2 percent above the 1979 total (379,187). The crude birth rate also increased, from 16.3 per 1,000 population in 1979, to 16.9 per 1,000 in 1980.
• General fertility rate	California's general fertility rate was 70.7 per 1,000 women of childbearing age, up from 68.1 in 1979, and slightly above the United States rate for 1980 (69.2).
• Older mothers	The number and rate of live births to women in their thirties continued to rise in 1979 and 1980. Between 1979 and 1980, the age-specific birth rate increased 8.8 percent for women 35–39 years old and 7.8 percent for 30–34-year-olds, compared with a 4.6 percent gain for all ages combined.
• Birth order	Live birth rates increased for all birth orders in 1979 and again in 1980. Rates showing the biggest percent increases were for third- and higher-order births in 1979, and for first-, third-, and fourth-order in 1980.
• Out-of-hospital births	The percent of live births occurring out of hospital moved down to 1.3 percent in 1980, from 1.4 percent in 1979, and 1.6 in 1978. This halted a steady upward trend in recent years.
• Unmarried mothers	In 1980, over one-fifth (20.7 percent) of live births were born to unmarried mothers. This marked the ninth straight year of increases in the percent of unmarried mothers. The proportion of unmarried mothers increased in all age groups in 1980 compared to 1979.
Fetal Deaths	The number of fetal deaths in California increased in both 1979 and 1980. From 3,103 in 1978, fetal deaths rose to 3,372 in 1979, and to 3,594 in 1980. The fetal death ratio increased from 8.7 per 1,000 live births in 1978, to 8.9 per 1,000 in 1979 and 1980. This was the first rise in the California fetal death ratio since the mid-1960s.

Infant Deaths	There were 4,451 infant deaths in California in 1980, up from 4,278 in 1978. But the infant death rate continued downward in 1980, to 11.1 per 1,000 live births, from 11.3 in 1979. Between 1970 and 1980, California's infant death rate decreased steadily, dropping 35.5 percent over the decade. The drop in infant death rate in 1980 was concentrated entirely among infants under a month old (neonates); the rate for older infants remained unchanged.
• Sex	Male infant deaths outnumbered female by a ratio of roughly three to two.
• Sex and age	In 1980, nearly half (48 percent) of neonatal deaths occurred during the first day of life. The most typical neonatal death was a male less than a day old.
• Cause of death	Several conditions that generally originate in the perinatal period accounted for 46 to 47 percent of infant deaths in 1979 and 1980. Congenital anomalies caused about one-fifth of male deaths, and a quarter of female infant deaths in both 1979 and 1980. Sudden Infant Death Syndrome accounted for approximately 16 percent of male infant deaths, and 13 to 14 percent of female infant deaths in 1979 and 1980, respectively.
Marriages	The 1980 total marriage rate in California moved up to 8.9 per 1,000 population, from 8.6 in 1979. This marked the third straight year of increases, and is the highest rate recorded in California in over 30 years.
• Licensed marriages	Among licensed marriages, first marriages increased for both brides and grooms in 1980. This was the third straight year of increases, following declines in six of the preceding seven years (1971–1977).
• Nonlicensed marriages	Nonlicensed marriages (Section 4213, California Civil Code) climbed from a rate of 0.1 per 1,000 population in 1972, to 2.0 per 1,000 in 1980, a 1,900.0 percent increase in 8 years.

Marriage Dissolutions	In 1980, the California marriage dissolution rate dropped to 5.8 per 1,000 population, from 5.9 per 1,000 in 1979. Climbing steadily since 1971, the marriage dissolution rate peaked at 6.1 in 1976, then fluctuated between 5.8 and 5.9, ever since. (Note: rates include decrees of marriage dissolution and judgments of nullity combined).
Deaths	In 1980, there were 186,428 resident deaths in California, up from 177,214 in 1979. The crude death rate rose to 7.8 per 1,000 population in 1980, from 7.6 in 1979.
• Age-specific death rate	The increase in the 1980 death rate was concentrated entirely among the aged (65 and over). Death rates for younger age groups were unchanged, or down slightly.
• Leading causes of death	The ten leading causes of death remained unchanged in 1979 and 1980. The ten have remained the same since 1977, when homicide was added to the list, in ninth place. In 1980, homicide advanced to eighth place in rank, replacing suicide in that position. The death rate for seven of the ten leading causes increased in 1980 over 1979.
• Leading causes by sex and age	In 1980, well over half the deaths of 1- to 34-year-old males were due to violent causes—accidents, suicide, and homicide. The same was true for females ages 15 through 34.

1. REVIEW OF VITAL STATISTICS OF CALIFORNIA

Page

Vital Statistics of California, 1979 and 1980: Discussion 2

Table 1–1. Population, deaths, live births, marriages, divorces, and annulments: California, 1940–1980 17
1–2. Live births, infant, neonatal, fetal, and maternal deaths: California, 1940–1980 18
1–3. Deaths, live births, fetal deaths, maternal deaths, and infant deaths by age: California counties, 1979 20
1–4. Deaths, live births, fetal deaths, maternal deaths, and infant deaths by age: California counties, 1980 21
1–5. Total population by age and sex: California, April 1, 1980 24
1–6. Total population and population density: California counties, July 1, 1970 and 1980 25
1–7. Intercensal estimates of total population: California counties, July 1, 1970–1979 28

Figure 1–A. 1980 vital events in California 16
1–B. Vital statistics rates, California, 1970–1980 19
1–C. Population of California, by age and sex: April 1, 1970 22
1–D. Population of California, by age and sex: April 1, 1980 23
1–E. Population density: California counties, July 1, 1980 26
1–F. Percent change in population density in California counties between July 1, 1970 and 1980 27

VITAL STATISTICS OF CALIFORNIA
1979 AND 1980

LIVE BIRTHS

- In 1980, California's live birth rate moved up to 16.9 per 1,000 population, 3.7 percent above the 1979 rate (16.3; see Table 1–4). The birth rate has increased each year, except 1975, since 1973. In 1973, California's birth rate dropped to 14.3 per 1,000 population, the lowest level in 37 years. This was the bottom of a downward trend that began in the 1960s, with decreases every year, except 1969 and 1970, through 1973. By 1980, the birth rate had risen to 18.2 percent above that of 1973 (16.9 vs. 14.3).

- Many demographers explain that the low birth rates of the late 1960s and early 1970s resulted partially from the trend among more and more young women to delay having their first child until they were older. Also, women who were in their later childbearing ages during this period had already borne the number of children they wanted at earlier ages. The recent rise in birth rates reflects the decision by many of the younger women of the early 1970s to go ahead and have their children, and is thus a sort of "catch-up" phenomenon.

- Increasing participation of women in the work force may explain some of the delay in first (and higher-order) births. Many women have been choosing to establish their careers before becoming mothers. Additionally, it appears that many couples have delayed family formation during the 1970s until after they felt financially more secure.

Fertility Rates and Age-Specific Live Birth Rates

- In 1980, California's general fertility rate was 70.7 live births per 1,000 women of childbearing age, up 3.8 percent from the 1979 rate (68.1; see Table 2–2). Beginning at 84.3 in 1970, the general fertility rate declined steeply to 64.5 in 1973, a 23.5 percent drop in three years. It fluctuated slightly above this level for the next five years, then rose 3.8 percent in 1979, and again in 1980.

- California age-specific birth rates exhibited differing patterns. Between ages 20 and 39, with few exceptions, the rates increased each year from 1975 through 1980. The biggest and most consistent increases were among 30–39 year-olds. The birth rates for age groups 30–34 and 35–39 each increased by 28.5 percent between 1975 and 1980 (from 52.7 to 67.7, and 19.3 to 24.8, respectively). Over the same period, rates for ages 20–29 advanced proportionally much less (by 0.9 percent for 20–24 year-olds, and 7.5 percent for 25–29 year-olds).

- Though much lower, birth rates for women ages 40–44 advanced from a low of 4.2 per 1,000 in 1976, to 5.1 in 1980, a 21.4 percent gain.

- The birth rate among teenage women (15–19) declined sharply between 1970 and 1978, from 68.6 to 51.4 per 1,000 in 1978, a 25.1 percent decrease. The rate increased by 2.1 percent in 1979, and another 0.4 percent in 1980, to 52.7 per 1,000 teenage women.

- In 1979 and 1980, birth rates increased for all age groups except the youngest (under 15), and the oldest (45 and over). Between 1979 and 1980, the biggest percent increase in age-specific birth rates occurred to women in their thirties: the rate went up 8.3 percent for both 30- to 34-year-old women, and women ages 35 to 39. The next highest percent growth was among 40–44-year-olds, up 6.3 percent. During the same period, there was a 3.8 percent gain for all ages combined.

- In 1970, the general fertility rate for the United States was 87.9 live births per 1,000 women of childbearing age, 3.6 points higher than the California rate of 84.3 (Table 2–2). California rates remained below United States rates until 1980, when the United States rate was 69.2 compared to 70.7 for California (Table 2–2).

- In the 1970s, the age-specific live birth rates were generally lower for California than for the United States. Exceptions were rates among 20–24-year-olds for the years 1975 through 1978, for which California rates were higher. Beginning in 1976, California rates for women ages 35 to 39 exceeded the United States rates. In 1977, rates for California women 40 to 44 exceeded those in the United States. Finally, by 1979, the birth rates for California women at all ages from 30 on up exceeded those for the United States.

Women of Childbearing Age

- In 1980, there were an estimated 5,692,394 women of childbearing age (15–44 years old) residing in California. Over one-tenth (10.7 percent) of women of childbearing age in the United States lived in California. As shown in Table 2–1, the distribution of California women by age group differed slightly from that of women in the United States as a whole: a slightly greater proportion were between ages 25 and 34, and lesser proportions were below age 20, and from ages 40 to 44. The median age of California women of childbearing age in 1980 was 28.0 years, compared to 27.7 years for the United States.

Birth Order

- Table 2–3 and Figure 2–B show the general fertility rate and live birth rates by birth order from 1970 through 1980 for California and the United States. Birth rates for all birth orders showed net declines between 1970 and 1980 in both California and the United States. The greatest net percent decreases in California were in the fifth, fourth, and third orders, with decreases of 53.3 percent, 35.9 percent, and 19.7 percent, respectively.

- Though birth rates in California were lower in 1980 than in 1970, the general fertility rate began to increase in 1976, and, with a slight decline in 1978, continued upward through 1980 (from 64.6 in 1975 to 70.7 in 1980). California birth rates for first, second, and third orders showed the same general pattern of increase after 1975, while fourth and fifth order birth rates did not increase until 1979, continuing upward in 1980.

- In the United States, birth rates for first and second orders increased in 1977, went down in 1978, then continued upward in 1979 (1980 data are not yet available). Third-order births showed the same general pattern. After declining steeply between 1970 and 1976, fourth-order births have shown no distinct trend, while fifth and higher orders continued to decrease through 1979.

- Since 1975, the largest percent increase in California birth rates was for third-order births. Their rate climbed 17.2 percent, from 8.7 to 10.2 per 1,000 women of childbearing age. This was followed by the increase in the first-birth rate, up 11.4 percent (from 28.1 to 31.3), and the fourth-order, up 10.8 percent (from 3.7 to 4.1).

Age of Mother and Live Birth Order

- Though, as seen in Table 2–3, birth rates for all birth orders showed net declines between 1970 and 1980, for women at specified ages, the birth rate for first and second orders *increased* over the same period. Rates enclosed in brackets in Table 2–4 exceed the corresponding 1970 rates. They show that for first-order births, the rates for mothers between ages 25 and 39 increased over 1970 levels, and the increase was already evident by 1978. The increases continued, and by 1980, first-order birth rates were higher than 1970 rates by 18.3 percent for mothers 25 to 29 years old, 8.3 percent for ages 30 to 34, and, most dramatically, by 53.8 percent for women ages 35 through 39. (Corresponding rates were 40.0 per 1,000 women ages 25–29 in 1980 vs. 33.8 in 1970, 16.8 vs. 9.2 for ages 30–34, and 4.0 vs. 2.6 for ages 35–39).

- The 1980 percent increases in second-order birth rates over 1970 rates were even more striking: For mothers ages 30 through 34, the second-order rate was up 47.0 percent (from 14.9 to 21.9 in 1980), while for women ages 35 through 39, it was up 47.4 percent (from 3.8 to 5.6) over 1970.

Age of Mother and Estimated Marital Status

- Live births to unmarried mothers made up over one-fifth (20.7 percent) of California's total live births in 1980 (Table 2–23). The proportion of nonmarital births in 1980 (20.7 percent) was over one and a half (1.6) times that in 1970 (12.6 percent).

- In 1980, nearly one-third of all live births to unmarried mothers were born to mothers under age 20. This was a decline from 35.6 percent in 1979 (Table 2–27).

- By contrast, only 8.7 percent of births to married mothers in 1980 were born to mothers under 20 years old.

- Between 1970 and 1980, the percent of all nonmarital live births born to women under age 20 decreased by nearly 10 percentage points (from 42.8 to 33.2 percent).

- By contrast, the percent of all nonmarital births born to women ages 25–29 more than doubled between 1970 and 1980, from 6.0 percent, to 12.5 percent in 1980. For 20–24-year-olds also, the percent nearly doubled, from 11.4 in 1970, to 22.6 percent in 1980 (Table 2–25).

Estimated Marital Status and Birth Order

- First-order births made up 55.9 percent of nonmarital live births in 1980, compared with only 40.8 percent among births to married mothers. Correspondingly, second- and third-order births showed greater percentages among married mothers, 32.4 and 15.2 percent, as compared with 23.3 and 11.1 percent, respectively, among unmarried mothers. The differences for fourth or fifth and higher orders were much less; 6.0 and 5.0 percent of married vs. 4.9 and 4.5 percent of nonmarital births were fourth and fifth or higher order, respectively.

Estimated Marital Status and Race

- The percent of total births estimated to be nonmarital was higher in 1980 (20.7 percent) than in 1979 (19.6 percent) for all races (Table 2–26). This increase is a continuation of a long upward trend.

- Between 1970 and 1980, births to unmarried White and Black mothers increased as a proportion of all births each year except one, 1971. (Comparable figures for other races not shown.)

- In 1980, an estimated 17.9 percent of White and 56.5 percent of Black live births were nonmarital. Between 1970 and 1980, White nonmarital births almost doubled as a proportion of total live births, increasing from 9.8 to 17.9 percent. During the same period, the percentage of Black births which were estimated to be nonmarital increased more slowly, from 42.3 to 56.5 percent (see Table 2–26).

- By 1980, almost three-fourths (71.3 percent) of California's estimated nonmarital births, or 59,464 births, were delivered to White mothers. One-third that many nonmarital births (19,500), were to Black mothers, accounting for 23.4 percent of the total estimated 83,373 nonmarital births to Californians in 1980 (Table 2–25); (comparable figures for other races are not shown).

Birth Rates by Estimated Marital Status

- Birth rates by estimated marital status are a more sensitive and reliable measure of fertility trends by marital status than the percent changes indicated in the sections above. However, the appropriate population denominators are not available at this time to compute these rates.

INFANT DEATHS

Steady Decline

- Infant death rates have declined steadily from 1960 through 1980, except for a slight rise in 1965. The 1980 infant death rate was 11.1 per 1,000 live births, 1.8 percent below the 1979 level of 11.3, and 52.4 percent below, or less than half, the 1960 rate (23.3) (Tables 1–5 and 4–2).

- Many factors are believed to have contributed to the decline in infant mortality. Among these are improved prenatal care and increased availability of infant intensive care units. Additionally, later family formation and improved family planning have resulted in childbearing at more favorable ages and intervals.

- The annual mortality rate for neonates (under 28 days) also went down with relative consistency from 1960 to 1980, when it fell to a low of 7.2 deaths per 1,000 live births, a 58.1 percent drop from the 1960 rate of 17.2. The 1980 neonatal death rate was 2.7 percent below the 1979 rate of 7.4 per 1,000 live births. The postneonatal death rate (1–11 months), though not dropping as consistently, was down 36.1 percent, from 6.1 in 1960, to 3.9 in both 1979 and 1980. The reduction in the overall infant mortality rate has been attributed primarily to greater improvements in mortality among neonates.

Age and Sex

- Despite this improvement in neonatal mortality, neonates (under 28 days) continued to constitute nearly two-thirds (64.8 percent) of total infant deaths in 1980. Approximately one-half of these younger infants were less than a day old, and four-fifths were under one week of age (Table 4–1).

- Whereas slightly over 51 percent of all babies born in 1980 were male, slightly over 56 percent of all infants dying in 1980 were male. Males outnumbered females in each specified infant age group (Tables 2–10 and 4–1).

Age-Adjusted Death Rate by Race of Child

- The infant and perinatal death rates in Table 4–3 and Figure 4–C have been adjusted for age of mother and were calculated for single births only, using the California Birth Cohort File.[1] The age adjustment and restriction to single births enable more accurate comparisons to be made over time. (Due to these and other technicalities, rates in Table 4–3 do not match those in Tables 1–2 or 4–2, and are generally lower.) The 1980 data from the Cohort File are provisional, and 1980 postneonatal and infant death rates were not available at press time.

- Between 1979 and 1980, the perinatal death rate for single births dropped from 14.8 per 1,000 births to 14.6 in 1980, or 1.4 percent. The improvement was entirely due to a drop in the neonatal rate, from 6.4 to 6.3 per 1,000 in 1980. The fetal death rate remained unchanged at 8.4 per 1,000 births for both 1979 and 1980.

- In the 20 years between 1960 and 1980, the perinatal death rate went down by 46.1 percent, from 27.1 per 1,000 total births in 1960, to 14.6 in 1980. Most of this improvement was in the neonatal component of the perinatal rate. The neonatal death rate declined 59.4 percent between 1960 and 1980, while the fetal death rate went down only 28.8 percent.

- There was a general downtrend in infant and perinatal death rates for all races from 1960 to 1980. However, the percent decline for Blacks was less than that of other races. For example, the perinatal death rate dropped 49.8 percent over the period for White Spanish,[2] 48.0 percent for White Non-Spanish, but only 39.2 percent for Blacks.

- Blacks had the highest age-adjusted death rates (fetal, neonatal, perinatal, postneonatal, and infant death rates), ranging in the benchmark years 1960 and 1980 from 58.5 percent higher, to more than double the White Non-Spanish rates, which were generally the lowest. White Spanish were in between, with rates ranging from only 2.0 percent above, to 26.9 percent above White Non-Spanish rates in 1960 and 1980.

- White Spanish showed the greatest percent decline in all age-adjusted death rates except the neonatal. For example, the White Spanish fetal death ratio declined 40.9 percent between 1960 and 1980, while for White Non-Spanish and for Blacks it dropped only 25.9 and 25.3 percent, respectively. Starting in 1960 with rates higher than White Non-Spanish, the improvement brought the White Spanish fetal, postneonatal, and infant death rates down to the White Non-Spanish level by 1979 and 1980 (8.1, 3.3, and 9.2, vs. 8.0, 3.4, and 9.2 for White Non-Spanish, respectively.

- Because the Black age-adjusted rates came down less rapidly than White Non-Spanish rates, the gap between the two races in infant mortality increased over the 1960–1980 period. This was most remarkable for neonatal deaths: In 1960, the Black rate of 23.3 per 1,000 total single births was 58.5 percent above the White Non-Spanish rate (14.7). But by 1980, the Black rate (11.3) was *117.3* percent above the White Non-Spanish rate (5.2), despite a greater than 50 percent drop (51.5) in the Black neonatal rate (the White Non-Spanish declined 64.6 percent).

---

[1] The Birth Cohort File contains records of all the live births and fetal deaths of 20 or more weeks' gestation for each calendar year, linked with the death records of infants in the cohort who die during their first year of life. For a description of the Birth Cohort File, see Chapter 8, pp. 530–531.

[2] The category "White Spanish" used in the California Birth Cohort data is not strictly comparable to the "Mexican-American" category used in this report for live births and fetal deaths. See Chapter 8, p. 531.

Cause of Death

- The five leading causes of infant deaths are shown in Table 7–2. Sudden Infant Death Syndrome, to which more and more infant deaths are attributed (16.1 percent of male and 13.7 percent of female infant deaths in 1980), is discussed on page 15.

MARRIAGES

Total Marriages

- After hitting a high point in 1972, total marriages in California decreased in number in 1973 and 1974. An uptrend began in 1975, which continued through 1980, when total marriages reached 210,864. This is the highest number of marriages ever recorded in California.

- California's total marriage rate declined from a high point of 8.6 in 1972, to 8.1 per 1,000 population in 1974, then fluctuated around that level through 1977. It increased in each of the following 3 years, reaching 8.9 per 1,000 in 1980. This is the highest marriage rate recorded in California since 1947, at the end of the World War II "marriage boom."

Nonlicensed Marriages

- Section 4213 of the California Civil Code (enacted in 1878), allows unmarried couples who have been living together to marry confidentially, without obtaining a license or health certificate. For the first time, beginning in March 1972, an amendment required the reporting of these nonlicensed marriages to county clerks, who in turn report the total number to the State Registrar of Vital Statistics.[3]

Growth in Nonlicensed Marriages

- Since 1972, nonlicensed marriages have increased rapidly. By 1980, they numbered 48,040, or more than 1 of every 5 marriages in California.

- Nonlicensed marriages grew by 3,624.0 percent from 1972 to 1980. This contrasts sharply with the net decline of 7.4 percent in licensed marriages during the same period, despite increases in the last 3 years (see bottom row of Table 5–1). Nonlicensed marriages accounted for all of the increase in total marriages in 1975 through 1977; licensed marriages actually decreased in those years.

- By 1974, California nonlicensed marriages had increased enough to affect the marriage rate for the United States. Including them raises the United States crude rate by one- to two-tenths of a point (Table 5–2). In recognition of their increasing importance, the National Center for Health Statistics began including California nonlicensed marriages in its published totals for the United States, starting with 1978 data.

---

[3] For more detail on Section 4213 marriages, see *Vital Statistics of California, 1978*, State of California, Department of Health Services, Chapter 5; see also, a Data Matters Topical Report, *California Nonlicensed Marriages—A First Look at Their Characteristics*, No. 81-10037, December, 1981, State of California, Department of Health Services, Center for Health Statistics.

Concentration of Nonlicensed Marriages in Few Counties

- The phenomenal growth in nonlicensed marriages has not been uniform throughout the State. Certain counties have dominated. Each year since reporting began, Los Angeles and San Diego have consistently shown higher nonlicensed marriage rates than the statewide average. The elevated rates in these counties have large impact, since they are the State's first and third most populous counties, respectively (1980).

- In recent years, the top three counties in nonlicensed marriage rates were, in rank order, El Dorado, San Bernardino, and San Diego. El Dorado was the growth leader, with better than a 500 percent increase in rate over the 1978–1980 period.[4] Table 5–3 summarizes the rate and percent of nonlicensed marriages, and ranks the counties that were above the statewide average in any of the years 1978 through 1980.

Reasons for Growth and Concentration

- No surveys have been conducted to explain the growing popularity of nonlicensed marriages in California. However, it seems likely that convenience may be the main factor. No trip to the county clerk's office is needed, and the expense and delay of blood tests and the physician's examination are avoided. Commercial promotion of these advantages by wedding chapels is undoubtedly also an important factor.

- It appears that variation in the commercial promotion of Section 4213 marriages is a key factor in their rapid growth in certain counties. For example, El Dorado and San Bernardino, the two leading counties in nonlicensed marriage rates, are located on the main routes to Reno and Las Vegas, respectively. Wedding chapels in these two counties apparently are attracting some of the California couples who have traditionally gone to Nevada to be married.

New Legislation

- Legislation which took effect January 1, 1982 establishes new requirements for California nonlicensed marriages.[5] Among its provisions, it requires brides and grooms to swear under oath that they meet the requirements of the law. A county clerk or other county official, or a notary public, must witness the oath and authorize performance of the marriage. It is too early to tell whether these new requirements will affect the volume of nonlicensed marriages. By reducing the convenience advantage over licensed marriages, the requirements may render Section 4213 marriages less popular.

Nevada Marriages

- Large numbers of California couples marry in Nevada each year. As a result, the reported California marriage rate has been below that of the United States over the years, since only in-state marriages have been counted.

---

[4] See Data Matters Topical Report, *California Nonlicensed Marriages—A First Look at Their Characteristics*, No. 81-10037, December, 1981, State of California, Department of Health Services, Center for Health Statistics.

[5] Senate Bill 659, Chapter 872; signed by the Governor September 26, 1981.

- It is estimated that 55 percent of total Nevada marriages involve California residents. Table 5–4 shows the effect of including these marriages in California statistics. Doing so raises California's marriage rate by a third (33.5 percent), on the average, or by an average of 2.8 points per year. Most importantly, it raises California's marriage rate above that of the United States by an average of six-tenths of a point, or 6.0 percent a year. It appears that Californians are actually no less, and probably slightly more, likely to marry than are other Americans.

Characteristics of Licensed Marriages

- No demographic details are available for California couples who obtain Nevada marriages or in-state nonlicensed marriages. However, the licensed marriage reporting system enables us to describe the majority of California couples who marry, since 59.4 percent of the estimated 1980 total (including those who married in Nevada) obtained licenses and married in-State.

First Marriages

- The percent of first marriages increased among both brides and grooms in 1980, to 71.2 for brides and 69.2 for grooms. This marked a continuation of an upturn that began in 1978, after declines in six of the preceding eight years for brides, and eight of the preceding nine years for grooms (Tables 5–5 and 5–6).

- Primary marriages–first for both the bride and the groom–increased in 1980 for the third straight year. The percent increase was greater for primary marriages than for total licensed marriages in each of the years 1978 through 1980 (Table 5–7).

- Marriages of never-married brides to previously married grooms have increased consistently, from a low of 7.5 percent of all marriages in 1967, to 11.9 percent in 1978 and again in 1980, after dropping slightly in 1979 (Table 5–5).

- In 1979 and 1980, there was a remarkable upsurge of marriages of never-married grooms to previously married brides (see Tables 5–7 and 5–8). With the exception of 1970 (see footnote a, Tables 5–7 and 5–8), the 6.6 and 7.1 percent increases in 1979 and 1980 were by far the largest increments in this marriage combination during the 15 years ending with 1980, and exceeded the percent growth in total licensed marriages in 1979 and 1980.

Remarriages

- In 1968, 23.2 percent of all marriages of brides, and the same proportion for grooms, were remarriages. For both, remarriages increased through 1977, to 29.7 percent for brides, and 32.1 percent for grooms. Since then, remarriages declined to 28.6 percent of all marriages for brides in 1980, and 30.6 percent for grooms (see Tables 5–5 and 5–6).

- From 1969 through 1978, grooms were increasingly more likely to have been previously married than were brides. The percentage of remarriages among them was higher than among brides, and the gap grew from 0.2 percentage points in 1969, to 2.5 in 1978. The gap narrowed afterward to 2.0 percentage points in 1980 (30.6 percent for grooms vs. 28.6 percent for brides) (Tables 5–5 and 5–6).

Previous Marital Status

- Among 1980 licensed marriages, there were 3,252 more single (never-married) brides, than there were single grooms (Table 5–9). The difference was almost entirely (96.1 percent) because more divorced grooms were remarrying than were divorced brides.

- Reflecting the long uptrend in marriage dissolutions, marriages in which one or both partners had been divorced increased substantially over the 1966–1977 period, from a low of 28.0 percent of all marriages in 1968, to 39.0 percent in 1977 (see Table 5–10). In 1978, this proportion remained unchanged, after nine straight years of increases. In the next 2 years, it dropped slightly, to 38.5 percent in 1980. It is too early to be certain, but this halt in divorced-partner marriages may be a reflection of the leveling off of the California marriage dissolution rate since 1976.

Median Age at Marriage

- The median age of brides increased from 21.5 to 24.2 years between 1966 and 1980, a net gain of 2.7 years. For grooms, corresponding median figures were 23.9 and 26.6 years, the net gain equaling that for brides. The median age increased in 12 of the 14 years between 1966 and 1980 for both brides and grooms (Table 5–11).

Median Age and Marriage Order

- Between 1966 and 1980, median age at first marriage steadily increased for brides, from 20.2 to 22.4 years, and somewhat less consistently for grooms, from 22.5 to 24.3 years (Table 5–11). Primary marriages–first for both the bride and groom–generally showed much the same increases in median ages as first marriages, but were from 0.2 to 0.4 years younger for brides, and 0.3 to 0.5 years younger for grooms (Table 5–12).

- While median age at first marriage was increasing, it was decreasing for second- or higher-order marriages, for both brides and grooms, through 1976. It dropped from 34.3 to 31.8 years for brides (a net 2.5 years), and from 38.6 to 35.5 years for grooms (down 3.1 years). But since 1976, median age at second or higher marriage has again been creeping up, to 32.6 for brides, and 35.9 years for grooms in 1980.

Youthful Marriages

- Youthful marriages, defined as primary marriages, with bride under age 20, and groom under 21, dropped from about 30 percent of all primary marriages in 1966, to only 13 percent in 1980 (Table 5–13). Proportionally, the biggest decline was for marriages wherein both the bride and groom were under 18, and those with bride under 18 and groom ages 18–20. As a percent of all licensed marriages, youthful marriages declined each year, except 1972, from 20.0 percent in 1966 to only 7.7 percent in 1980. Table 5–14 and Figures 5–B and 5–C summarize trends over the 1966–1980 period in youthful, older primary, and nonprimary marriages (remarriages for one or both partners).

- Older primary marriages increased substantially in 1979 and 1980, up 6.3 and 5.4 percent, respectively. This followed a downtrend from 1973 through 1977, which turned around in 1978 with a 3.9 percent increase.

MARRIAGE DISSOLUTIONS

- In 1980, there were 138,361 final decrees of dissolution of marriage and judgment of nullity in California, only 480 more than were granted in 1979, a gain of less than 1 percent (0.3). The 1979 total of 137,881 was 3.6 percent above 1978's 133,096 decrees (Tables 6–3 and 6–4).

- California's 1980 marriage dissolution rate dropped to 5.8 per 1,000 population,[6] down from 5.9 per 1,000 in 1979. The marriage dissolution rate peaked at 6.1 in 1976, after climbing steadily since 1971. It has fluctuated between 5.8 and 5.9 per 1,000 population in the 4 years following 1976.

- It is too early to be certain, but California's recent experience may be a harbinger of stable, or even decreasing, marriage dissolution rates in the future. Many researchers have predicted a modification or even a reversal in divorce rates during the 1980s, partly because fewer marriages were being formed in the 1970s, and partly because the steadily rising median age at first marriage has resulted in the formation of fewer high-risk youthful marriages.

Regional Distribution

- Marriage dissolution rates for California metropolitan counties exceeded those of nonmetropolitan counties (by 0.5 to 0.7 of a point) throughout the 1960s and through 1970 (Table 6–1). The gap decreased during the 1970s, and by 1977 (not shown), had reversed. In 1980, nonmetropolitan counties had a rate two-tenths of a point higher than metropolitan counties, 6.0 vs. 5.8 per 1,000 population. In California, the metropolitan-nonmetropolitan distinction has never been large, and has grown less, as the number of counties included by the Bureau of the Census in Standard Metropolitan Statistical Areas has grown from 22 in 1966, to 30 of California's 58 counties in 1980.

- Shasta County had the highest rate of marriage dissolutions in California in 1980, as it has for many years, with 8.6 marriage dissolutions per 1,000 population. Shasta's 1980 rate was nearly one and a half times the state average (Table 6–5). Four of the six high-ranking counties, Del Norte, Humboldt, Mendocino, and Shasta, share three characteristics: low population density, heavy average rainfall, and dependence on the timber industry. The industry is subject to high seasonal unemployment and mobility, which may contribute to marital stress. Low population density (less than 50 persons per square mile in each of the 4 counties), and high average precipitation contribute to isolation and indoor confinement, which may increase marital tensions.

California and the United States

- Table 6–2 and Figure 6–B show that California's divorce-annulment rate has been higher than the national rate over the 21-year period ending in 1980. Except for the jump in 1965, caused by a shortened waiting period in divorce proceedings, California's rate exceeded the national during the 1960s by about 1.0 per 1,000 population.

---

[6] Revised rate (one-tenth higher than 1980 rate previously published) includes a net additional 3,178 belated decrees reported by several counties, notably Los Angeles (Los Angeles total revised upward by 3,186, 3 smaller counties, a total of 22, while Calaveras was revised downward by 30 decrees).

- In 1970, an unusually large number of pending California marriage dissolutions suddenly became final, because the Family Law Act (effective January 1, 1970) shortened the minimum waiting period from one year, to six months. The 1970 surge in marriage dissolutions drove California's rate to 60 percent above that of the United States (5.6 compared to 3.5 per 1,000). Since then, the differential has been narrowing. By 1980, the State's rate exceeded the national by only 9.4 percent (5.8 compared to 5.3 per 1,000).

- Over the 1960–1980 period, the divorce-annulment rate in the United States advanced 140.9 percent, or an average of 7.0 percent per year. The California rate increased less rapidly, 87.1 percent, or 4.4 percent a year on the average. If these long-term trends persist, the United States divorce rate will eventually equal or overtake California's.

- Since California is the most populous state and its divorce rate has long been relatively high and rising, the State has sometimes been suspected of being responsible for the rising national rate. The "United States Excluding California" line in Figure 6–B shows this to be untrue. Even without California's influence, the national rate would be rising—relatively more rapidly than California's—and would be generally only one-tenth of a point lower (–0.1 per 1,000 population) than the total United States rates. In 1980, for the first time, the volume of divorces in the United States was so large that the United States divorce rate remained unchanged when California data were excluded.

- California's marriage dissolution rate ranked ninth in 1980, and tenth in 1979 among the 33 states that report reliable divorce statistics,[7] In first, second, and third rank were Wyoming (8.5 per 1,000 population), Alaska (8.4 per 1,000), and Idaho (7.3) in 1980, and Alaska (8.7), Wyoming (8.1), and Tennessee (7.4) in 1979.

Characteristics of the Divorcing Population

- Legislation passed in 1977 (Chapter 676), implemented January 1, 1978, repealed sections of the California Health and Safety Code[8] that provided for collection and reporting of demographic data on divorcing couples. From 1978 onward, county clerks now send to the State Registrar reports of final decrees that show only type decree, county case number, spouses' names, and date of decree.

- Previously, a variety of social and demographic data, including children involved, were collected. Interested readers are referred to "Vital Statistics of California, 1977," Chapter 3, which describes trends in characteristics of the divorcing population over the 1966–1977 period.

DEATHS

Crude Death Rate

- In 1980, the death rate rose to 7.8 per 1,000 population, a 2.6 percent increase over 1979. Not since 1936 has the California death rate shown an equally large one-year percent gain. Other large increments occurred in 1937 (up 2.5 percent), and in 1960 (up 2.4 percent). A future report will deal with possible reasons for the large percent gain in California's 1980 death rate.

---

[7] The 30 states in the Divorce Registration Area, plus California, North Dakota, and Texas, are included, per communication from National Center for Health Statistics. Excluded are: Arizona, Arkansas, Colorado, Delaware, Florida, Indiana, Louisana, Maine, Minnesota, Mississippi, Nevada, New Jersey, New Mexico, North Carolina, Oklahoma, Washington, and West Virginia.

[8] Sections 10363, 10364, 10366, 10368, 10369, and 10371.

- During the 1960s, the California death rate fluctuated slightly but generally went downward. It remained at 8.3 per 1,000 population for the first four years of the 1970–1980 decade, then declined to 7.6 per 1,000 by 1977. After increasing a tenth of a point in 1978, the death rate returned to 7.6 in 1979, an 8.4 percent decline from 1970 (see Table 1–1). Despite the large relative increase to 7.8 per 1,000 population in 1980, the 1980 death rate was 6.0 percent below that of 1970.

Sex and Age

- While over half of the 1979 and 1980 deaths were male, female deaths comprised a slowly but steadily rising proportion of total deaths–from 45.6 percent in 1978 to 46.5 percent in 1980, thus decreasing the differential in deaths between the sexes (Tables 7–7 and 7–9).

- More than half (55.4 percent) of the deaths in 1980 were of persons 70 years and older. Male decedents outnumbered females in each specified age group, except "80 years and over." In general, the ratio of male to female decedents increased with age up to 20–24 years, when it was nearly 4 males to 1 female. From age 25 upward, the ratio gradually decreased and dropped to less than 1 male to 1 female at 80 or older (Table 7–7).

- In 1980, the median age for male decedents was 68.4 years, and for female, 75.9. In general, both men and women have been living slightly longer each year. However, the improvement has tended to be somewhat greater for women than for men.

Age-Specific Death Rates

- Changes in the age-specific death rates during the years 1977–1980 varied among sex and age groups (Table 7–6). The majority of the rates dropped between 1978 and 1979, but rose between 1979 and 1980. The largest rate gain in 1980 (7.2 percent) occurred among 5–14-year-old females, and was entirely responsible for the rise in death rate for this age group in 1980. The rate for 5–14-year-old males continued to fall in 1980, as it had in the two prior years. The biggest rate loss in 1980 was among girls, 1–4 years old (–12.8 percent). For the 1–4-year-olds, both sexes were responsible for the increase in death rate between 1977 and 1978 (up 12.3 percent), whereas the decreases in the following two years were mainly attributed to declines in the female death rate.

- The gain of 3.0 percent in the death rate for 15–24-year-old males in 1979 was responsible for the only rate increase for this age group during 1978 through 1980.

- The death rate for 25–44-year-old women fell consistently from 1978 to 1980 and was responsible for a 0.4 percent decline in rate for this age group in 1978, and the main contributor to the 1.1 percent decline in 1979. However, among 25–44-year-olds, the decrease in female death rate (1.0 percent) in 1980 was overtaken by a greater rate increase for males (1.8 percent), resulting in an overall rate gain in this age group for 1980.

- While the mortality rate for 45–64-year-olds, both sexes combined, remained the same in 1980 as in 1979, the male rate dropped 0.1 percent and the female rate rose 0.2 percent between the 2 years.

- Changes in the death rate for the 65–74 and 85 and over age groups were in the same direction for both sexes combined, and separately: increases in 1978 and 1980, and decreases in 1979. The rise in the 1980 death rate for 75–84-year-olds resulted from increases in both male and female mortality.

Ten Leading Causes of Death

- Diseases of the heart, malignant neoplasms, cerebrovascular disease, and accidents and adverse effects continued, in that order, to be the leading causes of death in California in 1980 (Table 7–1).

- Heart diseases and malignant neoplasms, the first two ranking causes of death, accounted for approximately six-tenths of total deaths in both 1979 and 1980 (Table 7–1). The death rate from heart diseases increased from 271.0 in 1979 to 278.8 in 1980, a 2.9 percent rise. The rate for the next 2 leading causes also increased–up 1.6 percent for malignant neoplasms, and up 1.0 percent for cerebrovascular disease.

- With the 1979 adoption of the Ninth Revision of the ICD (International Classification of Diseases) Codes to classify causes of death, an extraordinary change took place in the rank order of respiratory diseases for 1979 and 1980. The category "Chronic obstructive pulmonary disease and allied conditions" under the ninth revision has been expanded to include some diseases and conditions which were not considered to be part of respiratory diseases under the eighth revision. As a result, the death rate from chronic obstructive pulmonary diseases appeared to be strikingly higher than the eighth revision category "respiratory diseases commonly designated as obstructive." Respiratory diseases leaped into the fifth leading cause of death in 1979 (up from eighth place in 1978), when ranked among other causes. Hence, caution should be taken in comparing data coded under the two different revisions–complex adjustments are necessary to make them comparable.

- A dramatic 25.1 percent increase in the 1980 pneumonia and influenza death rate appears to be attributable to an influenza epidemic that began near the end of 1980. This substantial rate increase in deaths from influenza and pneumonia contributed greatly to the extraordinary 2.6 percent climb in the overall death rate between 1979 and 1980 (Table 7–1). However, "pneumonia and influenza" moved down from fifth place to sixth in 1979 and 1980, and, as in 1978, was followed in rank order by "chronic liver disease and cirrhosis."

- The homicide rate rose substantially (14.2 percent) between 1979 and 1980. Huge rate increases during the 1970s, averaging nearly 10 percent per year (9.9), placed homicide among the 10 leading causes of death in 1977 for the first time ever. Continuing upward, the homicide rate moved from ninth to eighth place in 1980.

- Suicide was the seventh leading cause of death from 1970 through 1978, fell to eighth in 1979, and to ninth place in 1980, switching positions with homicide.

Leading Causes of Death by Sex and Age

- Increasing attention has been given to the large and growing proportion of traumatic deaths among 1- to 44-year-olds. In 1980, "accidents and adverse effects" was the leading cause of death for both males and females during these ages (excepting 35–44-year-old women, for whom it was the second leading cause of death) (Table 7–2). For ages 1–4, fatalities were mostly due to accidents not involving motor vehicles. But the majority of older accident victims were killed by motor vehicles. This was especially notable in the 15–24-year age group.

- In 1980, homicide fatalities ranked second among 15–24-year-olds of both sexes, and males aged 25–34. Homicide was also an important cause of death among children and young teens. It ranked fourth among 1–4-year-olds, and third among 5–14-year-olds, and accounted for nearly 5 percent, and 6 percent, respectively, of the fatalities among them.

- In 1980, among infants under 1 year old, the deaths of 403 males and 266 females were attributed to Sudden Infant Death Syndrome (SIDS), Ninth Revision ICDA List Number 798.0. Formerly known as "crib death," SIDS is defined as the sudden, unexpected death of a previously healthy baby, usually between one and six months old. The actual cause of death in SIDS remains unknown, even though the circumstances of death are a recognized syndrome.

  For this reason, SIDS is not ranked among the five leading causes of death in Table 7–2 (it is included in the residual "All other causes"). If counted separately, in 1980 SIDS accounted for 16.1 percent of male infant deaths, and 13.7 percent of female infant deaths, and ranked third as a cause of infant death for both.

- "Diseases of the heart" was the leading cause of death for both sexes among the aged (65 and over), and for middle-aged males (45–64). It was the second ranking cause of death for females aged 45–64, and males aged 35–44. It appeared among the five leading causes of death in all younger age groups, as well, for one sex or the other (it ranked fifth for both sexes between the ages of 5 and 34).

- Cancer was among the five leading causes of death in 1980 for both sexes at all ages, except among infants under one year old. It ranked first among females aged 35 through 64 and second for males after age 45.

- Between the ages of 5 and 14, for both sexes, cancer was the second leading cause of death.

- Chronic liver disease and cirrhosis was the third leading cause of death for males and females aged 45 to 54, and for males 55–64.

- For males, cerebrovascular disease was the third leading cause of death for age 65 and older. For females, it ranked third for ages 65 to 74, and second for age 75 and over.

Figure 1–A

1980 VITAL EVENTS IN CALIFORNIA

On an average day in California there were:


1,100
Live
Births
10
Fetal
Deaths
23,773,000
Estimated
Population
576
Marriages
378
Marriage
Dissolutions
131
Nonlicensed
Marriages
445
Licensed
Marriages
509
Deaths
12
Infant
Deaths
29
Accident
Deaths
181
Heart
Disease
Deaths
110
Cancer
Deaths

Note: There were 366 days in 1980, a leap year.

Source: State of California, Department of Health Services, Birth, Death, Fetal Death, Marriage, and Marriage Dissolution Records.
State of California, Department of Finance, Population Research Unit, Interim Estimates, Adjusted to 1980 Census, March 1981.

Table 1–1

POPULATION, DEATHS, LIVE BIRTHS, MARRIAGES, DIVORCES AND ANNULMENTS CALIFORNIA, 1940–1980

YEAR	POPULATION	DEATHS[1]		LIVE BIRTHS[1]		MARRIAGES[2, 3]		DIVORCES AND ANNULMENTS[2, 4]		DIVORCES[2, 4]	ANNULMENTS[2, 4]
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Number
1940	6,907,387	80,293	11.6	111,840	16.2	45,070	6.5	22,979	3.3	20,613[a]	2,366
1941	7,237,000	81,627	11.3	125,052	17.3	48,887	6.8	24,809	3.4	22,058[a]	2,751
1942	7,735,000	85,041	11.0	153,120	19.8	76,014	9.8	26,228	3.4	22,962[a]	3,266
1943	8,506,000	89,517	10.5	173,103	20.4	91,808	10.8	29,061	3.4	24,600[a]	4,461
1944	8,945,000	91,509	10.2	176,988	19.8	94,517	10.6	35,595	4.0	30,463[a]	5,132
1945	9,344,000	91,875	9.8	182,111	19.5	102,862	11.0	42,938	4.6	36,723[a]	6,215
1946	9,559,000	94,356	9.9	217,222	22.7	108,063	11.3	48,897	5.1	42,227[a]	6,670
1947	9,832,000	95,231	9.7	243,808	24.8	94,461	9.6	51,336	5.2	45,997[a]	5,339
1948	10,064,000	98,425	9.8	239,518	23.8	88,242	8.8	42,539	4.2	37,585	4,954
1949	10,337,000	100,290	9.7	244,905	23.7	77,873	7.5	38,440	3.7	33,645	4,795
1950	10,586,223	98,583	9.3	244,457	23.1	79,360	7.5	38,833	3.7	34,362	4,471
1951	11,130,000	103,770	9.3	260,259	23.4	76,648	6.9	38,542	3.5	33,737	4,805
1952	11,638,000	108,175	9.3	281,073	24.2	78,833	6.8	41,398	3.6	36,682	4,716
1953	12,101,000	109,513	9.0	296,944	24.5	79,662	6.6	40,196	3.3	35,389	4,807
1954	12,517,000	109,402	8.7	306,037	24.4	77,947	6.2	42,093	3.4	37,273	4,820
1955	13,004,000	114,419	8.8	313,164	24.1	81,939	6.3	41,599	3.2	36,894	4,705
1956	13,581,000	119,786	8.8	333,834	24.6	87,452	6.4	42,471	3.1	37,461	5,010
1957	14,177,000	123,940	8.7	350,525	24.7	92,607	6.5	43,999	3.1	38,936	5,063
1958	14,741,000	125,594	8.5	349,220	23.7	96,034	6.5	43,700	3.0	38,593	5,107
1959	15,288,000	128,208	8.4	358,682	23.5	101,314	6.6	47,572	3.1	42,112	5,460
1960	15,717,204	135,334	8.6	371,799	23.7	105,352	6.7	49,511	3.2	44,045	5,466
1961	16,412,000	137,169	8.4	381,198	23.2	109,699	6.7	51,644	3.1	46,001	5,643
1962	16,951,000	141,185	8.3	378,347	22.3	114,128	6.7	54,011	3.2	48,027	5,984
1963	17,530,000	147,592	8.4	380,505	21.7	121.359	6.9	56,273	3.2	50,139	6,134
1964	18,026,000	150,760	8.4	374,587	20.8	129,104	7.2	59,094	3.3	52,507	6,587
1965	18,464,000	152,677	8.3	355,074	19.2	136,090	7.4	69,926	3.8	62,999	6,927
1966	18,831,000	157,219	8.3	337,623	17.9	144,085	7.7	69,145	3.7	62,641	6,504
1967	19,174,700	156,592	8.2	336,584	17.6	150,000	7.8	70,043	3.7	63,139	6,904
1968	19,432,000	160,636	8.3	339,221	17.5	161,944	8.3	75,412	3.9	67,795	7,617
1969	19,744,700	165,917	8.4	352,937	17.9	166,832	8.4	81,544	4.1	73,325	8,219
1970	20,039,000	166,382	8.3	362,652	18.1	172,388	8.6	112,942	5.6	107,307	5,635
1971	20,347,000	169,349	8.3	329,826	16.2	168,049	8.3	108,297	5.3	102,849	5,448
1972	20,593,000	170,026	8.3	306,375	14.9	176,993	8.6	110,718	5.4	105,765	4,953
1973	20,881,000	172,798	8.3	297,834	14.3	172,176	8.2	117,503	5.6	112,854	4,649
1974	21,191,000	170,475	8.0	311,668	14.7	171,437	8.1	121,712	5.7	117,218	4,494
1975	21,557,000	170,797	7.9	317,318	14.7	173,864	8.1	128,489	6.0	124,236	4,253
1976	21,956,000	171,095	7.8	332,105	15.1	181,396	8.3	133,817	6.1	129,786	4,031
1977	22,371,000	170,441	7.6	347,576	15.5	181,424	8.1	132,178	5.9	128,205	3,973
1978	22,850,000	175,878	7.7	356,156	15.6	188,051	8.2	133,096	5.8	129,609	3,487
1979	23,295,000	177,214	7.6	379,187	16.3	199,697	8.6	137,881	5.9	134,698	3,183
1980	23,773,000	186,428	7.8	402,720	16.9	210,864	8.9	138,361	5.8	135,162	3,199

[1] By place of occurrence, 1940—1944. By place of residence, 1945 forward.

[2] By place of occurrence.

[3] Includes nonlicensed marriages beginning in 1972; figures presented differ from those published in previous reports, which include licensed marriages only.

[4] From January 1, 1970 forward, the Family Law Act replaced the term "divorce" with "dissolution of marriage," and "annulment" with "judgment of nullity."

[a] Includes annulments for San Bernardino County.

Note: Rates are per 1,000 population.

Source: State of California, Department of Health Services, Birth, Death, Marriage, and Marriage Dissolution Records.

State of California, Department of Finance, Population Research Unit, Interim July 1 State Estimates, Adjusted to April 1, 1980 Census, March 1981.

Table 1–2

LIVE BIRTHS, INFANT, NEONATAL, FETAL AND MATERNAL DEATHS CALIFORNIA, 1940–1980

(By place of occurrence, 1940–1944; by place of residence, 1945–1980)

YEAR	LIVE BIRTHS	INFANT DEATHS		NEONATAL DEATHS		FETAL DEATHS		MATERNAL DEATHS	
		Number	Rate[1]	Number	Rate[1]	Number	Ratio[1]	Number	Rate[2]
1940	111,840	4,428	39.6	2,846	25.4	2,280	20.4	318	28.4
1941	125,052	4,579	36.6	3,111	24.9	2,491	19.9	289	23.1
1942	153,120	5,382	35.1	3,639	23.8	2,909	19.0	312	20.4
1943	173,103	5,981	34.6	3,937	22.7	3,219	18.6	358	20.7
1944	176,988	6,158	34.8	4,228	23.9	3,390	19.2	302	17.1
1945	182,111	5,978	32.8	4,107	22.6	3,434	18.9	297	16.3
1946	217,222	6,676	30.7	4,883	22.5	3,994	18.4	270	12.4
1947	243,808	7,204	29.5	5,186	21.3	4,026	16.5	235	9.6
1948	239,518	6,858	28.6	5,002	20.9	3,850	16.1	207	8.6
1949	244,905	6,571	26.8	4,765	19.5	3,761	15.4	163	6.7
1950	244,457	6,095	24.9	4,501	18.4	3,703	15.1	135	5.5
1951	260,259	6,377	24.5	4,743	18.2	3,812	14.6	132	5.1
1952	281,073	6,885	24.5	5,111	18.2	4,140	14.7	150	5.3
1953	296,944	7,278	24.5	5,427	18.3	4,289	14.4	130	4.4
1954	306,037	7,248	23.7	5,433	17.8	4,274	14.0	106	3.5
1955	313,164	7,400	23.6	5,672	18.1	4,409	14.1	117	3.7
1956	333,834	7,998	24.0	6,064	18.2	4,423	13.2	103	3.1
1957	350,525	8,704	24.8	6,475	18.5	4,617	13.2	127	3.6
1958	349,220	8,571	24.5	6,482	18.6	4,615	13.2	103	2.9
1959	358,682	8,470	23.6	6,294	17.5	4,714	13.1	106	3.0
1960	371,799	8,663	23.3	6,405	17.2	4,778	12.9	107	2.9
1961	381,198	8,871	23.3	6,570	17.2	4,897	12.8	100	2.6
1962	378,347	8,664	22.9	6,443	17.0	4,790	12.7	110	2.9
1963	380,505	8,488	22.3	6,333	16.6	4,770	12.5	108	2.8
1964	374,587	8,143	21.7	6,042	16.1	4,711	12.6	104	2.8
1965	355,074	7,845	22.1	5,720	16.1	4,514	12.7	104	2.9
1966	337,623	7,043	20.9	5,204	15.4	4,079	12.1	71	2.1
1967	336,584	6,582	19.6	4,891	14.5	4,030	12.0	95	2.8
1968	339,221	6,437	19.0	4,774	14.1	4,080	12.0	67	2.0
1969	352,937	6,466	18.3	4,798	13.6	4,110	11.6	72	2.0
1970	362,652	6,243	17.2	4,592	12.7	4,082	11.3	77	2.1
1971	329,826	5,440	16.5	3,922	11.9	3,542	10.7	52	1.6
1972	306,375	4,877	15.9	3,467	11.3	3,147	10.3	54	1.8
1973	297,834	4,351	14.6	3,065	10.3	3,039	10.2	47	1.6
1974	311,668	4,274	13.7	2,959	9.5	3,163	10.1	47	1.5
1975	317,318	4,256	13.4	2,919	9.2	3,031	9.6	47	1.5
1976	332,105	4,134	12.4	2,826	8.5	3,193	9.6	42	1.3
1977	347,576	4,192	12.1	2,752	7.9	3,051	8.8	38	1.1
1978	356,156	4,235	11.9	2,741	7.7	3,089	8.7	39	1.1
1979	379,187	4,278	11.3	2,788	7.4	3,372	8.9	43	1.1
1980	402,720	4,451	11.1	2,886	7.2	3,594	8.9	45	1.1

[1] Per 1,000 live births.
[2] Per 10,000 live births.

Note: Infant deaths are those under one year. Neonatal deaths are those under 28 days.

Maternal deaths are those due to complications of pregnancy, childbirth and the puerperium (Ninth Revision International List Numbers 630–676).

Fetal deaths registration is believed to be incomplete.

Source: State of California, Department of Health Services, Birth, Death, and Fetal Death Records.

Figure 1–B

VITAL STATISTICS RATES
CALIFORNIA, 1970–1980



1 Per 1,000 live births.
2 Includes judgments of nullity.

Source: Tables 1–1 and 1–2.

Table 1–3

DEATHS, LIVE BIRTHS, FETAL DEATHS, MATERNAL DEATHS, AND INFANT DEATHS BY AGE CALIFORNIA COUNTIES, 1979

(By place of occurrence and by place of residence; infant deaths by place of residence)

COUNTY	DEATHS			LIVE BIRTHS			FETAL DEATHS			MATERNAL DEATHS		INFANT DEATHS BY AGE					
		Residence			Residence			Residence				Total		Neonatal		1–11 Months	
	Occurrence	Number	Rate	Occurrence	Number	Rate	Occurrence	Number	Ratio	Occurrence	Residence	Number	Rate	Number	Rate	Number	Rat
California	177,873	177,214	7.6	379,232	379,187	16.3	3,408	3,372	8.9	43	43	4,278	11.3	2,788	7.4	1,490	3.9
Alameda	8,863	8,723	7.9	18,213	16,688	15.1	316	173	10.4	2	1	160	9.6	100	6.0	60	3.6
Alpine	2	3	a	1	14	12.7	—	—	—	—	—	—	—	—	—	—	—
Amador	169	188	10.1	119	243	13.0	—	1	a,b	—	—	2	a,b	1	a,b	1	a,b
Butte	1,439	1,407	10.1	1,922	1,815	13.1	14	13	7.2	—	—	16	8.8	10	5.5	6	3.3
Calaveras	160	200	10.0	76	216	10.9	—	1	a,b	—	—	1	a,b	—	—	1	a,b
Colusa	101	130	9.9	120	211	16.1	—	1	a,b	—	—	1	a,b	—	—	1	a,b
Contra Costa	4,139	4,346	6.7	7,156	9,314	14.4	47	74	7.9	—	1	94	10.1	54	5.8	40	4.3
Del Norte	165	179	10.1	310	324	18.3	4	4	a,b	—	—	7	b	2	a,b	5	b
El Dorado	485	550	6.8	843	1,239	15.3	6	9	7.3	—	—	6	4.8	5	4.0	1	a
Fresno	3,959	3,623	7.2	9,967	9,363	18.5	87	86	9.2	—	—	105	11.2	75	8.0	30	3.2
Glenn	132	197	9.4	218	393	18.7	2	3	a,b	—	—	9	b	7	b	2	a,b
Humboldt	865	885	8.2	1,716	1,689	15.6	8	11	6.5	—	—	12	7.1	5	3.0	7	4.1
Imperial	627	630	7.0	2,020	2,002	22.2	13	15	7.5	2	2	22	11.0	13	6.5	9	4.5
Inyo	213	208	11.5	283	223	12.3	2	2	a,b	—	—	4	a,b	4	a,b	—	—
Kern	2,940	3,051	7.7	7,639	7,710	19.6	81	82	10.6	—	—	94	12.2	61	7.9	33	4.3
Kings	415	476	6.5	1,605	1,500	20.4	18	16	10.7	—	—	16	10.7	13	8.7	3	a
Lake	339	475	13.6	64	428	12.3	—	2	a,b	—	—	4	a,b	2	a,b	2	a,b
Lassen	124	160	7.5	214	338	15.9	2	3	a,b	—	—	8	b	3	a,b	5	b
Los Angeles	59,892	58,783	7.9	131,264	126,212	17.1	1,261	1,215	9.6	16	16	1,572	12.5	1,030	8.2	542	4.3
Madera	401	514	8.5	609	1,205	20.0	3	6	5.0	—	—	15	12.4	11	9.1	4	a
Marin	1,469	1,475	6.6	1,448	2,312	10.4	7	11	4.8	—	—	23	9.9	13	5.6	10	4.3
Mariposa	86	92	8.7	94	120	11.3	—	—	—	—	—	3	a,b	2	a,b	1	a,b
Mendocino	562	598	9.2	1,217	1,076	16.5	14	14	13.0	—	—	13	12.1	11	10.2	2	a
Merced	719	885	6.7	2,656	2,685	20.4	22	26	9.7	—	—	21	7.8	17	6.3	4	a
Modoc	57	69	8.2	85	145	17.3	—	—	—	—	—	5	b	2	a,b	3	a,b
Mono	58	44	5.4	68	157	19.1	—	1	a,b	—	—	4	a,b	3	a,b	1	a,b
Monterey	1,865	1,894	6.6	5,468	5,737	20.0	44	51	8.9	—	—	72	12.6	44	7.7	28	4.9
Napa	1,114	936	9.5	796	1,093	11.1	6	8	7.3	—	—	12	11.0	8	7.3	4	a
Nevada	470	425	8.8	845	678	14.0	5	2	a,b	—	—	9	b	6	b	3	a,b
Orange	11,068	11,734	6.2	27,226	29,282	15.4	184	205	7.0	4	4	324	11.1	207	7.1	117	4.0
Placer	842	857	7.5	1,259	1,603	14.1	4	11	6.9	—	—	16	10.0	8	5.0	8	5.0
Plumas	129	127	7.6	294	286	17.1	2	2	a,b	—	—	5	b	2	a,b	3	a,b
Riverside	5,462	6,173	9.6	9,408	10,950	17.1	61	87	7.9	1	—	126	11.5	83	7.6	43	3.9
Sacramento	6,070	5,749	7.5	13,689	12,357	16.1	132	117	9.5	2	2	138	11.2	86	7.0	52	4.2
San Benito	148	189	7.7	349	485	19.9	5	8	b	—	—	6	b	3	a,b	3	a,b
San Bernardino	7,302	6,636	7.8	15,733	15,614	18.3	128	106	6.8	2	3	171	11.0	106	6.8	65	4.2
San Diego	13,122	12,694	6.9	30,029	29,361	16.0	275	261	8.9	5	5	312	10.6	203	6.9	109	3.7
San Francisco	8,086	7,601	11.2	12,860	8,313	12.2	113	89	10.7	3	3	97	11.7	52	6.3	45	5.4
San Joaquin	2,909	3,047	9.0	5,511	5,771	17.1	42	52	9.0	—	—	77	13.3	48	8.3	29	5.0
San Luis Obispo	1,240	1,235	8.2	1,774	1,938	12.8	12	10	5.2	—	—	21	10.8	13	6.7	8	4.1
San Mateo	3,879	4,195	7.1	4,817	7,806	13.3	36	68	8.7	2	2	79	10.1	52	6.7	27	3.5
Santa Barbara	2,253	2,235	7.5	4,301	4,148	14.0	43	46	11.1	—	—	43	10.4	30	7.2	13	3.1
Santa Clara	7,871	7,207	5.6	21,172	19,827	15.5	166	184	9.3	2	2	204	10.3	147	7.4	57	2.9
Santa Cruz	1,485	1,569	8.5	2,773	2,788	15.1	21	25	9.0	—	—	31	11.1	19	6.8	12	4.3
Shasta	988	924	8.2	1,919	1,748	15.5	11	10	5.7	—	—	15	8.6	8	4.6	7	4.0
Sierra	16	27	8.7	17	37	11.9	—	—	—	—	—	1	a,b	1	a,b	—	—
Siskiyou	310	388	10.0	422	639	16.4	3	7	b	—	—	8	b	5	b	3	a,b
Solano	1,465	1,476	6.6	4,161	4,154	18.5	35	40	9.6	—	—	42	10.1	29	7.0	13	3.1
Sonoma	2,562	2,638	9.0	3,793	4,225	14.4	23	30	7.1	—	—	44	10.4	31	7.3	13	3.1
Stanislaus	2,237	2,085	8.0	5,049	4,555	17.4	37	35	7.7	—	—	42	9.2	33	7.2	9	2.0
Sutter	338	390	7.5	1,556	798	15.4	8	9	b	—	—	6	b	2	a,b	4	a,b
Tehama	281	366	9.8	458	523	14.0	—	1	a,b	—	—	3	a,b	3	a,b	—	—
Trinity	82	92	7.9	97	200	17.1	1	2	a,b	—	—	—	a,b	—	—	—	—
Tulare	1,705	1,911	7.9	4,364	4,881	20.3	41	49	10.0	1	1	48	9.8	37	7.6	11	2.3
Tuolumne	256	280	8.5	568	490	14.8	4	3	a,b	—	—	8	a,b	5	b	3	a,b
Ventura	2,843	3,065	6.0	7,145	8,629	16.9	49	63	7.3	1	1	76	8.8	54	6.3	22	2.5
Yolo	730	760	6.8	1,135	1,619	14.5	9	14	8.6	—	—	14	8.6	11	6.8	3	a
Yuba	364	418	8.5	317	1,030	20.8	1	8	7.8	—	—	11	10.7	8	7.8	3	a

a Rates and ratios are not calculated for fewer than 5 events.
b Fetal death ratios and infant death rates are not calculated for counties reporting fewer than 1,000 live births.

Note: Maternal deaths are those due to complications of pregnancy, childbirth, and the puerperium, Ninth Revision International List Numbers 630–676.
Infant deaths are those under 1 year. Neonatal deaths are those under 28 days.
Fetal deaths of 20 weeks or more gestation are required by law to be registered. However, fetal death registration is believed to be incomplete.
Death and live birth rates are per 1,000 estimated population. Infant death rates and fetal death ratios are per 1,000 live births.

Source: State of California, Department of Health Services, Birth, Death, and Fetal Death Records.
State of California, Department of Finance, Intercensal Estimates of July 1 Total Population, Adjusted to April 1, 1980 Census, March 1981.

Table 1–4

DEATHS, LIVE BIRTHS, FETAL DEATHS, MATERNAL DEATHS, AND INFANT DEATHS BY AGE CALIFORNIA COUNTIES, 1980

(By place of occurrence and by place of residence; infant deaths by place of residence)

COUNTY	DEATHS			LIVE BIRTHS			FETAL DEATHS			MATERNAL DEATHS		INFANT DEATHS BY AGE					
		Residence			Residence			Residence				Total		Neonatal		1—11 Months	
	Occurrence	Number	Rate	Occurrence	Number	Rate	Occurrence	Number	Ratio	Occurrence	Residence	Number	Rate	Number	Rate	Number	Rate
California	187,410	186,428	7.8	403,007	402,720	16.9	3,652	3,594	8.9	45	45	4,451	11.1	2,886	7.2	1,565	3.9
Alameda	9,527	9,358	8.5	18,431	16,762	15.2	548	205	12.2	4	4	192	11.5	125	7.5	67	4.0
Alpine	7	5	4.5	—	11	10.0	—	—	—	—	—	—	—	—	—	—	—
Amador	171	220	11.2	131	242	12.3	—	—	—	—	—	6	b	3	a,b	3	a,b
Butte	1,480	1,439	9.9	2,170	2,053	14.1	13	21	10.2	—	—	21	10.2	15	7.3	6	2.9
Calaveras	151	184	8.8	70	247	11.8	—	2	a,b	—	—	2	a,b	2	a,b	—	—
Colusa	112	135	10.6	171	257	20.2	2	2	a,b	—	—	1	a,b	1	a,b	—	—
Contra Costa	4,393	4,548	6.9	7,341	9,516	14.4	58	104	10.9	—	1	94	9.9	58	6.1	36	3.8
Del Norte	181	180	9.8	337	339	18.4	3	3	a,b	—	—	5	b	3	a,b	2	a,b
El Dorado	509	589	6.7	988	1,378	15.7	5	10	7.3	—	—	21	15.2	11	8.0	10	7.3
Fresno	4,448	4,060	7.8	10,878	10,249	19.8	99	85	8.3	—	—	114	11.1	74	7.2	40	3.9
Glenn	147	215	10.0	201	386	18.0	—	1	a,b	—	—	6	b	2	a,b	4	a,b
Humboldt	889	893	8.3	1,902	1,868	17.3	14	17	9.1	1	—	14	7.5	6	3.2	8	4.3
Imperial	715	726	7.8	2,288	2,260	24.3	5	9	4.0	—	—	12	5.3	7	3.1	5	2.2
Inyo	202	181	10.1	338	262	14.6	5	6	b	—	—	1	a,b	1	a,b	—	—
Kern	3,153	3,273	8.1	8,286	8,354	20.6	98	93	11.1	1	1	108	12.9	71	8.5	37	4.4
Kings	471	532	7.2	1,785	1,662	22.6	17	15	9.0	—	—	17	10.2	9	5.4	8	4.8
Lake	359	513	13.9	68	479	13.0	—	4	a,b	—	—	6	b	4	a,b	2	a,b
Lassen	128	158	7.2	221	351	16.1	—	2	a,b	—	—	3	a,b	2	a,b	1	a,b
Los Angeles	62,601	61,329	8.2	137,236	133,109	17.8	1,193	1,148	8.6	24	24	1,583	11.9	1,082	8.1	501	3.8
Madera	385	499	7.8	674	1,292	20.2	6	15	11.6	—	—	14	10.8	11	8.5	3	a
Marin	1,604	1,630	7.3	1,504	2,332	10.5	2	13	5.6	—	—	17	7.3	10	4.3	7	3.0
Mariposa	88	98	8.6	91	126	11.1	1	1	a,b	—	—	3	a,b	2	a,b	1	a,b
Mendocino	571	584	8.7	1,332	1,186	17.6	10	11	9.3	—	—	16	13.5	8	6.7	8	6.7
Merced	838	982	7.3	2,960	2,960	21.9	22	20	6.8	—	—	25	8.4	18	6.1	7	2.4
Modoc	60	79	9.2	79	142	16.5	2	2	a,b	—	—	—	—	—	—	—	—
Mono	43	33	3.8	63	124	14.4	3	3	a,b	—	—	2	a,b	2	a,b	—	—
Monterey	1,929	1,994	6.9	5,833	6,156	21.2	33	50	8.1	—	—	65	10.6	45	7.3	20	3.2
Napa	1,082	933	9.4	944	1,273	12.8	6	12	9.4	—	—	8	6.3	5	3.9	3	a
Nevada	510	500	9.5	956	801	15.2	6	8	b	—	—	6	b	3	a,b	3	a,b
Orange	11,360	11,956	6.2	30,436	31,605	16.3	191	206	6.5	4	4	292	9.2	198	6.3	94	3.0
Placer	984	944	8.0	1,522	1,770	14.9	6	16	9.0	—	—	15	8.5	8	4.5	7	4.0
Plumas	156	165	9.4	296	283	16.1	—	1	a,b	—	—	3	a,b	2	a,b	1	a,b
Riverside	6,014	6,733	10.0	10,486	12,048	17.9	81	88	7.3	2	3	177	14.7	124	10.3	53	4.4
Sacramento	6,281	5,962	7.6	14,466	13,102	16.6	129	126	9.6	—	—	132	10.1	68	5.2	64	4.9
San Benito	130	165	6.6	313	475	18.9	—	1	a,b	—	—	7	b	2	a,b	5	b
San Bernardino	7,974	7,196	8.0	17,182	17,160	19.0	116	115	6.7	1	—	206	12.0	127	7.4	79	4.6
San Diego	14,047	13,616	7.3	31,692	30,931	16.5	270	262	8.5	2	2	352	11.4	223	7.2	129	4.2
San Francisco	8,196	7,836	11.6	12,587	8,213	12.1	124	100	12.2	1	—	86	10.5	46	5.6	40	4.9
San Joaquin	3,037	3,114	8.9	5,913	6,307	18.0	45	64	10.1	1	1	71	11.3	34	5.4	37	5.9
San Luis Obispo	1,311	1,358	8.7	1,990	2,153	13.8	16	19	8.8	—	—	15	7.0	8	3.7	7	3.3
San Mateo	4,175	4,435	7.5	5,272	8,174	13.9	32	84	10.3	—	—	82	10.0	52	6.4	30	3.7
Santa Barbara	2,357	2,279	7.6	4,584	4,397	14.7	47	48	10.9	—	—	41	9.3	25	5.7	16	3.6
Santa Clara	8,293	7,610	5.9	22,782	21,299	16.4	172	249	11.7	1	1	206	9.7	136	6.4	70	3.3
Santa Cruz	1,525	1,596	8.4	2,947	2,946	15.6	32	35	11.9	—	—	30	10.2	20	6.8	10	3.4
Shasta	1,010	978	8.4	1,991	1,822	15.6	15	18	9.9	—	—	16	8.8	8	4.4	8	4.4
Sierra	21	25	8.1	20	35	11.3	—	—	—	—	—	—	—	—	—	—	—
Siskiyou	352	415	10.4	505	726	18.2	4	11	b	—	1	12	b	6	b	6	b
Solano	1,439	1,440	6.0	4,249	4,352	18.3	41	48	11.0	—	—	47	10.8	32	7.4	15	3.4
Sonoma	2,712	2,715	9.0	4,066	4,480	14.9	31	39	8.7	—	—	53	11.8	32	7.1	21	4.7
Stanislaus	2,324	2,183	8.2	5,486	4,984	18.7	39	51	10.2	—	—	38	7.6	23	4.6	15	3.0
Sutter	309	442	8.5	1,658	909	17.4	13	4	a,b	—	—	9	b	5	b	4	a,b
Tehama	320	424	10.8	498	597	15.2	6	9	b	1	1	8	b	4	a,b	4	a,b
Trinity	83	101	8.5	91	188	15.8	—	2	a,b	—	—	2	a,b	2	a,b	—	—
Tulare	1,799	2,057	8.3	4,692	5,322	21.5	26	44	8.3	—	—	61	11.5	31	5.8	30	5.6
Tuolumne	311	337	9.8	572	450	13.1	2	3	a,b	—	—	4	a,b	2	a,b	2	a,b
Ventura	2,947	3,234	6.0	7,881	9,104	17.0	54	63	6.9	2	2	88	9.7	66	7.2	22	2.4
Yolo	829	907	8.0	1,266	1,705	15.0	8	15	8.8	—	—	23	13.5	12	7.0	11	6.5
Yuba	360	335	6.7	286	1,006	20.2	1	11	10.9	—	—	13	12.9	10	9.9	3	a

a Rates and ratios are not calculated for fewer than 5 events.
b Fetal death ratios and infant death rates are not calculated for counties reporting fewer than 1,000 live births.

Note: Maternal deaths are those due to complications of pregnancy, childbirth, and the puerperium, Ninth Revision International List Numbers 630—676. Infant deaths are those under 1 year. Neonatal deaths are those under 28 days. Fetal deaths of 20 weeks or more gestation are required by law to be registered. However, fetal death registration is believed to be incomplete. Death and live birth rates are per 1,000 estimated population. Infant death rates and fetal death ratios are per 1,000 live births.

Source: State of California, Department of Health Services, Birth, Death, and Fetal Death Records.
State of California, Department of Finance, Interim July 1 Total Population Projections 1980—1990. Report 81 P—1, April 1981.

Figure 1–C

POPULATION OF CALIFORNIA, BY AGE AND SEX: APRIL 1, 1970



Source: U.S. Bureau of the Census, *U.S. Census of Population, 1970, California*, General Population Characteristics, PC (1)–B6, Table 19.

Figure 1–D

POPULATION OF CALIFORNIA, BY AGE AND SEX: APRIL 1, 1980



Source: Unpublished 1980 Census Counts by Age and Sex, U. S. Department of Commerce, Bureau of the Census.

Table 1–5

TOTAL POPULATION BY AGE AND SEX
CALIFORNIA, APRIL 1, 1980

AGE IN YEARS	TOTAL	MALE	FEMALE
All Ages	23,667,902	11,666,485	12,001,417
Under 1	377,712	193,310	184,402
1–2	675,881	346,015	329,866
3–4	654,807	334,314	320,493
5	320,673	163,663	157,010
6	309,167	158,123	151,044
7–9	1,020,508	521,964	498,544
10–13	1,428,394	727,943	700,451
14	367,625	187,297	180,328
15	394,656	200,403	194,253
16	413,416	210,884	202,532
17	426,119	218,898	207,221
18	432,864	222,428	210,436
19	463,410	239,071	224,339
20	468,066	243,276	224,790
21	464,384	240,503	223,881
22–24	1,423,515	729,289	694,226
25–29	2,232,964	1,132,811	1,100,153
30–34	2,010,051	1,008,606	1,001,445
35–44	2,814,938	1,405,997	1,408,941
45–54	2,359,934	1,157,215	1,202,719
55–59	1,202,140	573,119	629,021
60–61	422,068	200,105	221,963
62–64	570,360	267,502	302,858
65–74	1,470,978	648,108	822,870
75–84	725,255	271,347	453,908
85 and Over	218,017	64,294	153,723

Source: State of California, Department of Finance, State Census Data Center, April 1, 1980 Census data from Summary Tape File 1.

Table 1–6

TOTAL POPULATION AND POPULATION DENSITY, CALIFORNIA COUNTIES, JULY 1, 1970 AND 1980

COUNTY	1970 ESTIMATED POPULATION		1980 ESTIMATED POPULATION		PERCENT CHANGE IN DENSITY 1970 TO 1980
	Number[1]	Density[2]	Number[1]	Density[2]	
California	20,039,000	128.2	23,773,000	151.8	18.4
Alameda	1,073,000	1,463.0	1,105,400	1,508.0	3.1
Alpine	500	0.7	1,100	1.5	114.3
Amador	11,900	20.4	19,600	33.1	62.3
Butte	102,500	62.3	145,500	87.5	40.4
Calaveras	13,700	13.4	21,000	20.4	52.2
Colusa	12,400	10.8	12,700	11.0	1.9
Contra Costa	557,500	758.2	660,900	900.4	18.8
Del Norte	14,600	14.5	18,400	18.3	26.2
El Dorado	44,100	25.7	87,700	51.2	99.2
Fresno	413,800	69.4	517,200	86.7	24.9
Glenn	17,500	13.3	21,500	16.3	22.6
Humboldt	100,200	27.9	108,000	30.2	8.2
Imperial	74,400	17.5	92,900	21.7	24.0
Inyo	15,600	1.5	17,900	1.8	20.0
Kern	331,100	40.6	405,600	49.8	22.7
Kings	66,700	47.8	73,700	52.8	10.5
Lake	19,800	15.7	36,900	29.4	87.3
Lassen	16,900	3.7	21,800	4.8	29.7
Los Angeles	7,055,800	1,734.3	7,497,200	1,846.6	6.5
Madera	41,700	19.4	63,900	29.8	53.6
Marin	207,000	397.9	222,900	428.7	7.7
Mariposa	6,100	4.2	11,400	7.8	85.7
Mendocino	51,300	14.6	67,200	19.2	31.5
Merced	105,000	53.6	135,200	68.2	27.2
Modoc	7,500	1.8	8,600	2.1	16.7
Mono	4,100	1.4	8,600	2.8	100.0
Monterey	247,800	74.6	291,000	87.5	17.3
Napa	79,400	100.8	99,100	130.7	29.7
Nevada	26,500	27.2	52,700	53.9	98.2
Orange	1,431,900	1,832.0	1,941,100	2,482.2	35.5
Placer	78,000	54.5	118,400	83.1	52.5
Plumas	11,700	4.6	17,600	6.8	47.8
Riverside	461,600	64.3	671,800	93.6	45.6
Sacramento	636,700	653.1	788,300	801.9	22.8
San Benito	18,400	13.2	25,100	18.0	36.4
San Bernardino	685,300	34.1	903,700	44.9	31.7
San Diego	1,367,200	320.8	1,869,100	439.3	36.9
San Francisco	713,200	15,709.3	678,000	15,066.7	–4.1
San Joaquin	292,100	206.9	349,600	248.1	19.9
San Luis Obispo	106,600	33.5	156,500	47.2	40.9
San Mateo	557,100	1,245.8	588,900	1,297.1	4.1
Santa Barbara	265,800	97.1	299,500	109.4	12.7
Santa Clara	1,072,600	825.2	1,300,000	998.5	21.0
Santa Cruz	124,500	283.1	189,000	430.5	52.1
Shasta	78,000	20.6	116,600	30.7	49.0
Sierra	2,400	2.5	3,100	3.2	28.0
Siskiyou	33,200	5.3	40,000	6.3	18.9
Solano	172,500	209.6	238,300	288.1	37.5
Sonoma	206,500	128.8	301,600	191.0	48.3
Stanislaus	195,800	129.6	267,000	178.0	37.3
Sutter	42,100	69.9	52,300	86.2	23.3
Tehama	29,600	9.9	39,400	13.2	33.3
Trinity	7,600	2.4	11,900	3.7	54.2
Tulare	189,400	39.4	247,200	51.1	29.7
Tuolumne	22,300	9.9	34,300	15.1	52.5
Ventura	381,400	204.7	535,700	289.4	41.4
Yolo	92,700	90.2	113,800	110.1	22.1
Yuba	44,400	69.5	49,900	78.3	12.7

[1] Estimates are rounded independently and may not add to totals.

[2] Number of persons per square mile of land area.

Source: State of California, Department of Finance, Interim July 1 Total Population Projections, Report 81 P–1, April 1981, and Intercensal Estimates of July 1 Total Population, Adjusted to April 1, 1980 Census, March 1981.

California Statistical Abstract, 1972, Table A–1, p. 1; and 1980, Table A–1, p. 2.

Figure 1–E

POPULATION DENSITY
CALIFORNIA COUNTIES, JULY 1, 1980


Population Per Square Mile
0–9
10–24
25–50
51–99
100–499
500 and Over
DEL NORTE
SISKIYOU
MODOC
HUMBOLDT
TRINITY
SHASTA
LASSEN
TEHAMA
PLUMAS
MENDOCINO
GLENN
BUTTE
SIERRA
NEVADA
LAKE
COLUSA
SUTTER
YUBA
PLACER
SONOMA
YOLO
EL DORADO
NAPA
SACRAMENTO
ALPINE
AMADOR
SOLANO
CALAVERAS
MARIN
CONTRA COSTA
SAN JOAQUIN
TUOLUMNE
MONO
SAN FRANCISCO
ALAMEDA
STANISLAUS
MARIPOSA
SAN MATEO
SANTA CLARA
MERCED
MADERA
SANTA CRUZ
SAN BENITO
FRESNO
INYO
MONTEREY
KINGS
TULARE
SAN LUIS OBISPO
KERN
SAN BERNARDINO
SANTA BARBARA
VENTURA
LOS ANGELES
ORANGE
RIVERSIDE
SAN DIEGO
IMPERIAL

Source: Table 1–6.

Figure 1—F

PERCENT CHANGE IN POPULATION DENSITY IN CALIFORNIA COUNTIES BETWEEN JULY 1, 1970 AND 1980


PERCENT CHANGE
Decrease 0 to 9.9
Increase 0 to 9.9
10 to 19.9
20 to 29.9
30—49.9
50 and Over
DEL NORTE
SISKIYOU
MODOC
HUMBOLDT
TRINITY
SHASTA
LASSEN
TEHAMA
PLUMAS
MENDOCINO
GLENN
BUTTE
SIERRA
NEVADA
YUBA
COLUSA
SUT TER
LAKE
PLACER
YOLO
EL DORADO
SONOMA
NA
SACRA MENTO
AMA DOR
ALPINE
SOLANO
CALA VERAS
MARIN
CONTRA COSTA
SAN JOAQUIN
TUOLUMNE
MONO
SAN FRANCISCO
ALAMEDA
STANISLAUS
MARIPOSA
SAN MATEO
SANTA CLARA
MERCED
MADERA
SANTA CRUZ
SAN BENITO
FRESNO
INYO
MONTEREY
TULARE
KINGS
SAN LUIS OBISPO
KERN
SAN BERNARDINO
SANTA BARBARA
VENTURA
LOS ANGELES
ORANGE
RIVERSIDE
SAN DIEGO
IMPERIAL

Source: Table 1–6.

Table 1–7

INTERCENSAL ESTIMATES OF TOTAL POPULATION
CALIFORNIA COUNTIES, 1970–1979

COUNTY	JULY 1, 1970	JULY 1, 1971	JULY 1, 1972	JULY 1, 1973	JULY 1, 1974
California	20,039,000	20,347,000	20,593,000	20,881,000	21,191,000
Alameda	1,073,000	1,087,700	1,098,900	1,095,700	1,098,300
Alpine	500	600	600	700	700
Amador	11,900	12,800	12,900	13,900	15,000
Butte	102,500	106,000	110,500	113,900	118,000
Calaveras	13,700	13,800	14,300	14,800	15,400
Colusa	12,400	12,300	12,300	12,300	12,600
Contra Costa	557,500	567,700	572,300	576,600	583,600
Del Norte	14,600	15,100	15,300	15,500	16,000
El Dorado	44,100	47,200	49,900	52,700	56,100
Fresno	413,800	423,000	431,200	434,900	440,100
Glenn	17,500	17,700	18,200	18,700	19,100
Humboldt	100,200	101,300	102,400	104,600	105,800
Imperial	74,400	75,000	76,300	78,600	81,000
Inyo	15,600	16,200	16,700	17,000	17,000
Kern	331,100	338,600	343,500	346,600	349,600
Kings	66,700	67,400	67,700	68,900	68,100
Lake	19,800	21,100	22,500	23,700	24,900
Lassen	16,900	16,800	17,500	17,600	18,300
Los Angeles	7,055,800	7,092,400	7,074,900	7,088,200	7,119,100
Madera	41,700	43,200	44,400	45,300	47,300
Marin	207,000	211,000	212,500	215,300	214,100
Mariposa	6,100	6,500	7,000	7,500	8,000
Mendocino	51,300	52,400	53,300	55,700	57,300
Merced	105,000	108,500	110,600	113,300	117,100
Modoc	7,500	7,700	7,800	7,800	8,000
Mono	4,100	4,800	5,700	6,500	7,000
Monterey	247,800	252,900	256,400	261,400	265,300
Napa	79,400	81,200	83,900	86,200	88,900
Nevada	26,500	27,100	28,800	30,500	32,300
Orange	1,431,900	1,486,500	1,535,500	1,602,800	1,668,800
Placer	78,000	79,700	82,000	85,400	89,000
Plumas	11,700	12,000	12,600	13,400	13,800
Riverside	461,600	477,900	490,300	504,700	519,700
Sacramento	636,700	651,900	664,200	674,600	687,500
San Benito	18,400	19,000	19,500	20,000	20,500
San Bernardino	685,300	692,200	693,700	692,400	695,700
San Diego	1,367,200	1,382,700	1,429,700	1,481,700	1,531,600
San Francisco	713,200	712,500	706,000	705,200	699,400
San Joaquin	292,100	293,100	296,500	296,300	298,700
San Luis Obispo	106,600	110,800	114,400	120,200	127,300
San Mateo	557,100	560,200	562,000	567,500	573,600
Santa Barbara	265,800	269,800	271,300	275,000	279,400
Santa Clara	1,072,600	1,095,700	1,118,500	1,143,500	1,160,400
Santa Cruz	124,500	131,000	139,600	146,000	151,700
Shasta	78,000	80,600	82,700	86,700	90,400
Sierra	2,400	2,500	2,600	2,700	2,800
Siskiyou	33,200	33,500	34,100	34,700	35,100
Solano	172,500	179,200	182,400	181,400	183,700
Sonoma	206,500	214,300	224,300	234,900	243,600
Stanislaus	195,800	201,700	208,200	213,200	219,500
Sutter	42,100	42,900	43,500	44,800	45,700
Tehama	29,600	30,200	30,500	31,100	32,100
Trinity	7,600	7,900	8,500	8,900	9,400
Tulare	189,400	195,200	200,600	204,900	210,200
Tuolumne	22,300	23,000	23,800	24,700	25,400
Ventura	381,400	394,100	406,500	418,200	428,500
Yolo	92,700	93,600	95,900	96,900	99,300
Yuba	44,400	45,300	45,300	44,800	44,200

Table 1–7 (Continued)

INTERCENSAL ESTIMATES OF TOTAL POPULATION
CALIFORNIA COUNTIES, 1970–1979

COUNTY	JULY 1, 1975	JULY 1, 1976	JULY 1, 1977	JULY 1, 1978	JULY 1, 1979
California	21,557,000	21,956,000	22,371,000	22,850,000	23,295,000
Alameda	1,105,500	1,106,300	1,107,800	1,110,200	1,105,800
Alpine	800	800	900	1,000	1,100
Amador	15,200	15,300	16,300	17,500	18,700
Butte	120,800	125,100	130,300	134,600	138,700
Calaveras	15,600	16,000	17,000	18,600	19,900
Colusa	12,800	13,000	12,900	12,900	13,100
Contra Costa	593,100	602,500	618,800	632,400	645,800
Del Norte	16,200	16,300	16,800	17,600	17,700
El Dorado	59,500	62,100	67,700	74,200	81,000
Fresno	456,200	472,500	485,900	495,700	505,500
Glenn	19,500	19,900	20,200	20,300	21,000
Humboldt	106,400	105,800	107,000	107,500	108,200
Imperial	83,200	84,800	86,800	88,400	90,000
Inyo	17,500	17,800	17,900	17,900	18,100
Kern	361,000	364,200	374,000	383,800	394,100
Kings	70,400	70,800	72,200	73,100	73,400
Lake	26,000	28,100	29,900	32,400	34,800
Lassen	18,700	18,600	19,300	19,900	21,200
Los Angeles	7,175,300	7,246,600	7,263,000	7,345,100	7,400,300
Madera	48,700	50,100	53,400	56,300	60,400
Marin	219,000	221,400	224,100	224,000	223,300
Mariposa	8,400	8,800	9,300	9,800	10,600
Mendocino	57,900	59,400	61,400	63,200	65,300
Merced	119,000	122,300	125,600	128,800	131,800
Modoc	7,900	7,900	8,200	8,200	8,400
Mono	7,200	7,200	7,400	7,600	8,200
Monterey	270,400	271,600	279,900	281,200	287,000
Napa	90,700	93,000	95,300	97,500	98,600
Nevada	34,100	36,900	40,400	44,500	48,300
Orange	1,714,900	1,760,000	1,812,700	1,855,200	1,899,700
Placer	91,400	95,200	100,800	107,400	113,700
Plumas	14,100	14,300	15,100	15,700	16,700
Riverside	533,400	551,100	579,400	611,900	640,100
Sacramento	692,400	710,100	727,700	745,200	767,800
San Benito	21,300	22,000	23,000	23,800	24,400
San Bernardino	706,500	730,200	762,700	812,200	854,800
San Diego	1,600,000	1,655,300	1,712,900	1,774,100	1,834,500
San Francisco	694,000	690,100	684,300	682,200	679,300
San Joaquin	299,700	305,600	316,000	327,100	337,400
San Luis Obispo	130,400	134,800	140,500	146,000	151,500
San Mateo	580,700	579,900	583,600	583,200	586,900
Santa Barbara	281,300	289,100	290,900	293,400	296,200
Santa Clara	1,182,600	1,215,600	1,233,700	1,254,200	1,277,300
Santa Cruz	157,800	166,000	173,400	179,400	184,100
Shasta	93,400	95,300	101,000	107,300	113,100
Sierra	2,800	3,000	3,000	3,100	3,100
Siskiyou	35,300	35,600	36,700	37,700	38,900
Solano	188,200	195,700	203,600	212,700	224,800
Sonoma	248,000	257,100	272,300	284,000	292,400
Stanislaus	224,700	233,200	245,200	253,800	261,200
Sutter	46,900	48,000	49,100	50,300	51,800
Tehama	32,600	33,400	34,500	35,800	37,300
Trinity	9,900	10,300	10,700	11,300	11,700
Tulare	215,900	220,600	227,400	234,100	240,700
Tuolumne	26,600	26,900	28,700	30,800	33,100
Ventura	446,700	459,200	476,500	495,100	511,000
Yolo	102,900	106,600	108,200	109,900	111,800
Yuba	45,600	46,700	47,700	48,700	49,400

Note: Figures are rounded independently and may not add to totals.

Source: State of California, Department of Finance, Intercensal Estimates of July 1 Total Population, Adjusted to April 1, 1980 Census, March 1981.

2. LIVE BIRTHS

Page

Table 2–1. Number and percent of women of childbearing age by age group: California and United States, 1979 and 1980 33
2–2. General fertility rate, total fertility rate, and age-specific live birth rates: California and United States, 1970–1980 34
2–3. General fertility rate and live birth rates by live birth order: California and United States, 1970–1980 36
2–4. General fertility rate and age-specific live birth rates by live birth order: California, 1970 and 1978–1980 38
2–5. Live births by race of child: California, 1979 and 1980 39
2–6. Live births by race of child, previous live births, and age of mother: California counties, 1980 40
2–7. Live births by race of child, previous live births, and age of mother: California counties, 1979 69
2–8. Live births by month prenatal care began and age of mother: California, 1979 and 1980 99
2–9. Live births by age of mother: California counties, 1979 100
2–10. Live births by age of mother: California counties, 1980 101
2–11. Live births by race of child and sex: California counties, 1979 102
2–12. Live births by race of child and sex: California counties, 1980 103
2–13 Live births by birthweight, weeks of gestation, and race of child: California, 1979 104
2–14. Live births by birthweight, weeks of gestation, and race of child: California, 1980 105
2–15. Live births by plurality of delivery, sex, and race of child: California, 1979 . . . 106
2–16. Live births by plurality of delivery, sex, and race of child: California, 1980 . . . 107
2–17. Live births and selected congenital anomalies by sex and race of child: California, 1979 108
2–18. Live births and selected congenital anomalies by sex and race of child: California, 1980 109
2–19. Live births by month of birth: California counties, 1979 110

Page

2–20. Live births by month of birth: California counties, 1980 111
2–21. Live births by place of birth and type of hospital: California counties, 1979 ... 112
2–22. Live births by place of birth and type of hospital: California counties, 1980 ... 113
2–23. Live births and estimated number and percent of live births to unmarried women by race of mother: California counties, 1979 114
2–24. Live births and estimated number and percent of live births to unmarried women by race of mother: California counties, 1980 115
2–25. Number of live births by estimated marital status, race of mother and age of mother: California, 1966, 1970–1980 116
2–26. Estimated live births to unmarried women as percent of total live births by race of mother and age of mother: California, 1966, 1970–1980 117
2–27. Total live births and estimated live births to unmarried women by race and age of mother and live birth order: California, 1979 118
2–28. Total live births and estimated live births to unmarried women by race and age of mother and live birth order: California, 1980 120
2–29 Number of live births by estimated marital status and age of mother (detailed under age 20): California, 1966, 1970–1980 122

Figure 2–A. Age-specific live birth rates: California and United States, 1970–1980 35
2–B. Live birth rates by live birth order: California and United States, 1970–1980 .. 37

Table 2–1

NUMBER AND PERCENT OF WOMEN OF CHILDBEARING AGE BY AGE GROUP CALIFORNIA AND UNITED STATES, 1979 AND 1980

AGE GROUP	CALIFORNIA		UNITED STATES	
	Number	Percent	Number	Percent
	1980			
Total	5,692,394	100.0	53,091,874	100.0
15–19	1,039,069	18.3	10,463,123	19.7
20–24	1,143,213	20.1	10,706,728	20.2
25–29	1,100,608	19.3	9,864,380	18.6
30–34	1,001,199	17.6	8,927,674	16.8
35–39	776,343	13.6	7,138,933	13.4
40–44	631,962	11.1	5,991,036	11.3
Median Age	28.0		27.7	
	1979			
Total	5,569,833	100.0	51,027,000	100.0
15–19	1,027,309	18.4	10,281,000	20.1
20–24	1,097,195	19.7	10,273,000	20.1
25–29	1,064,581	19.1	9,251,000	18.1
30–34	990,037	17.8	8,360,000	16.4
35–39	761,746	13.7	6,953,000	13.6
40–44	628,965	11.3	5,909,000	11.6
Median Age	28.1		27.7	

Note: Population figures are July 1 estimates for both years. All estimates have been adjusted to the April 1, 1980 Census, except the United States population for 1979.

Percents are rounded independently and may not add to totals.

Source: State of California, Department of Finance, unpublished state estimates, adjusted to the April 1, 1980 Census, January 1982, and unpublished population estimates of the United States for July 1, 1980, based on 1980 Census, February 1982.

U. S. Department of Commerce, Bureau of the Census, Population Estimates and Projections, Current Population Reports, Series P–25, No. 870, issued January 1980.

Table 2–2

GENERAL FERTILITY RATE, TOTAL FERTILITY RATE, AND AGE-SPECIFIC LIVE BIRTH RATES CALIFORNIA AND UNITED STATES, 1970–1980

(By place of residence)

YEAR	GENERAL FERTILITY RATE[1]	TOTAL FERTILITY RATE[2]	AGE-SPECIFIC BIRTH RATE[3] BY AGE OF MOTHER							
			Under 15	15–19	20–24	25–29	30–34	35–39	40–44	45 and Over
	CALIFORNIA									
1970	84.3	2,346	0.8	68.6	157.5	135.0	70.4	29.3	7.1	0.4
1971	74.9	2,062	0.8	58.7	139.2	119.1	62.6	25.2	6.4	0.3
1972	68.2	1,862	0.8	56.3	122.7	108.2	57.2	21.4	5.5	0.3
1973	64.5	1,753	0.8	54.3	114.7	102.1	53.8	19.6	4.9	0.3
1974	65.6	1,778	0.8	54.8	116.5	104.5	54.6	19.6	4.5	0.3
1975	64.6	1,759	0.9	54.4	115.8	103.9	52.7	19.3	4.5	0.3
1976	65.4	1,780	0.9	53.4	116.7	106.4	53.6	20.4	4.2	0.3
1977	66.3	1,801	0.9	52.5	117.8	107.1	56.8	20.4	4.4	0.3
1978	65.6	1,778	0.9	51.4	114.3	105.2	58.6	20.7	4.3	0.2
1979	68.1	1,837	0.9	52.5	115.3	108.2	62.5	22.9	4.8	0.3
1980	70.7	1,900	0.9	52.7	116.8	111.7	67.7	24.8	5.1	0.3
	UNITED STATES									
1970[a]	87.9	2,480	1.2	68.3	167.8	145.1	73.3	31.7	8.1	0.5
1971[a]	81.8	2,275	1.1	64.7	150.6	134.8	67.6	28.7	7.1	0.4
1972[b]	73.4	2,022	1.2	62.0	131.0	118.7	60.2	24.8	6.2	0.4
1973[b]	69.2	1,896	1.3	59.7	120.7	113.6	56.1	22.0	5.4	0.3
1974[b]	68.4	1,857	1.2	58.1	119.0	113.3	54.4	20.2	4.8	0.3
1975[b]	66.7	1,799	1.3	56.3	114.7	110.3	53.1	19.4	4.6	0.3
1976[b]	65.8	1,768	1.2	53.5	112.1	108.8	54.5	19.0	4.3	0.2
1977[b]	67.8	1,826	1.2	53.7	115.2	114.2	57.5	19.2	4.2	0.2
1978[b]	66.6	1,800	1.2	52.4	112.3	112.0	59.1	18.9	3.9	0.2
1979[b]	68.5	1,856	1.2	53.4	115.7	115.6	61.8	19.4	3.9	0.2
1980[b]	69.2	---	---	---	---	---	---	---	---	---

[1] The general fertility rate is the total number of live births, regardless of age of mother, per 1,000 women of childbearing age (15–44 years).

[2] The total fertility rate is the sum of each age-specific live birth rate multiplied by the number of years in the age group (five years in this case).

[3] An age-specific live birth rate is the number of live births per 1,000 women in a specific age group. For women under 15, the rate is calculated using the female population 10–14 years of age, and for women over 44, using the female population 45–49 years of age.

[a] Based on a 50 percent sample of births.

[b] Based on 100 percent of births in selected states and on a 50 percent sample of births in all other states.

Note: California's rates have been recalculated for 1970–1980, based on higher population estimates, adjusted to the April 1, 1980 Census. Rates for the United States have not been recalculated.

Source: State of California, Department of Finance, unpublished interim state female population estimates, adjusted to April 1, 1980 Census, January 1982.

U. S. Bureau of the Census, U. S. Census of Population, 1970, General Population Characteristics, California, PC(1)–B6, Table 20, p. 6–89.

Monthly Vital Statistics Report, Advance Report of Final Natality Statistics, 1979, National Center for Health Statistics, Vol. 30, No. 6, Supplement (2), September 29, 1981.

Figure 2–A

AGE-SPECIFIC LIVE BIRTH RATES
CALIFORNIA AND UNITED STATES
1970–1980

(By place of residence)



Source: Table 2–2

Table 2–3

GENERAL FERTILITY RATE AND LIVE BIRTH RATES BY LIVE BIRTH ORDER CALIFORNIA AND UNITED STATES, 1970–1980

(By place of residence)

YEAR	GENERAL FERTILITY RATE[1]	LIVE BIRTH ORDER				
		First	Second	Third	Fourth	Fifth or Higher
	CALIFORNIA					
1970	84.3	34.0	23.7	12.7	6.4	7.5
1971	74.[illegible]	30.6	21.8	11.0	5.4	6.1
1972	68.2	29.0	20.7	9.4	4.4	4.7
1973	64.5	28.0	20.0	8.6	3.8	4.1
1974	65.6	28.4	20.7	8.7	3.8	3.9
1975	64.6	28.1	20.4	8.7	3.7	3.7
1976	65.4	28.4	20.5	9.1	3.7	3.7
1977	66.3	29.0	20.8	9.4	3.7	3.4
1978	65.6	29.0	20.3	9.3	3.7	3.2
1979	68.1	29.9	21.1	9.8	3.9	3.4
1980	70.7	31.3	21.7	10.2	4.1	3.5
	UNITED STATES					
1970	87.9	34.2	24.2	13.6	7.2	8.8
1971	81.8	32.1	23.1	12.5	6.4	7.6
1972	73.4	29.9	21.5	10.7	5.3	6.1
1973	69.2	28.8	21.1	9.8	4.6	4.9
1974	68.4	28.9	21.5	9.6	4.2	4.2
1975	66.7	28.4	21.2	9.5	3.9	3.9
1976	65.8	27.9	21.1	9.6	3.8	3.5
1977	67.8	28.6	21.9	10.1	3.9	3.3
1978	66.6	28.3	21.4	10.0	3.8	3.1
1979	68.5	29.2	22.0	10.3	3.9	2.9
1980	69.2	---	---	---	---	---

[1] The general fertility rate is the total number of live births, regardless of birth order, per 1,000 women of childbearing age (15–44 years).

Note: Live births with unknown birth order were distributed proportionally to live births with known birth order, before rates were calculated.

Rates are per 1,000 women aged 15–44 years.

California's rates have been recalculated for 1970–1980, based on higher population estimates, adjusted to the April 1, 1980 Census. Rates for the United States have not been recalculated.

Source: State of California, Department of Health Services, Birth Records.

State of California, Department of Finance, unpublished interim state female population estimates, adjusted to April 1, 1980 Census, January 1982.

Monthly Vital Statistics Report, Advance Report of Final Natality Statistics, 1979, National Center for Health Statistics, Vol. 30, No. 6, Supplement (2), September 29, 1981.

Figure 2–B

LIVE BIRTH RATES BY LIVE BIRTH ORDER
CALIFORNIA AND UNITED STATES
1970–1980

(By place of residence)



Source: Table 2–3

Table 2–4

GENERAL FERTILITY RATE
AND AGE-SPECIFIC LIVE BIRTH RATES BY LIVE BIRTH ORDER
CALIFORNIA, 1970 AND 1978–1980

(By place of residence)

YEAR AND BIRTH ORDER	GENERAL FERTILITY RATE[1]	AGE OF MOTHER							
		Under 15	15–19	20–24	25–29	30–34	35–39	40–44	45 and Over
1970	84.3	0.8	68.6	157.5	135.0	70.4	29.3	7.1	0.4
First Live Birth	34.0	0.8	54.8	74.2	33.8	9.2	2.6	0.5	0.0
Second	23.7	0.0	11.8	55.1	43.0	14.9	3.8	0.6	0.0
Third	12.7	–	1.7	19.8	30.7	16.0	5.0	0.9	0.0
Fourth	6.4	–	0.3	6.0	15.1	12.3	5.0	1.1	0.1
Fifth or More	7.5	–	0.0	2.4	12.3	18.0	12.9	4.0	0.3
1978	65.6	[0.9]	51.4	114.3	105.2	58.6	20.7	4.3	0.2
First Live Birth	29.0	0.8	40.9	58.1	[36.9]	[13.6]	[3.1]	0.5	0.0
Second	20.3	0.0	9.2	39.3	37.4	[18.6]	[4.4]	0.5	0.0
Third	9.3	–	1.2	12.7	19.3	13.1	4.2	0.6	0.0
Fourth	3.7	–	0.1	3.1	7.3	6.8	3.1	0.6	0.0
Fifth or More	3.2	–	0.0	1.0	4.3	6.6	5.9	2.2	0.2
1979	68.1	[0.9]	52.5	115.3	108.2	62.5	22.9	4.8	0.3
First Live Birth	29.9	[0.9]	41.6	58.8	[38.3]	[14.9]	[3.6]	0.4	0.0
Second	21.1	0.0	9.3	39.0	38.3	[20.1]	[5.1]	[0.7]	0.0
Third	9.8	–	1.4	13.2	19.5	13.8	4.7	0.7	0.0
Fourth	3.9	–	0.2	3.4	7.7	6.9	3.3	0.6	0.0
Fifth or More	3.4	–	0.0	1.0	4.4	6.8	6.2	2.3	0.2
1980	70.7	[0.9]	52.7	116.8	111.7	67.7	24.8	5.1	0.3
First Live Birth	31.3	[0.9]	41.8	60.6	[40.0]	[16.8]	[4.0]	[0.6]	0.0
Second	21.7	0.0	9.5	38.7	39.0	[21.9]	[5.6]	0.6	0.0
Third	10.2	–	1.3	13.1	20.5	14.6	[5.3]	0.7	0.0
Fourth	4.1	–	0.2	3.3	7.7	7.4	3.7	0.8	0.0
Fifth or More	3.5	–	0.0	1.1	4.5	7.0	6.2	2.4	0.2

[1] The general fertility rate is the total number of live births of specified birth order, regardless of age of mother, per 1,000 women of childbearing age (15–44 years).

Note: Live births with unknown birth order were distributed proportionally to live births with known birth order, before rates were calculated.

Rates are per 1,000 women in a specified age group. For women under 15, the rate is calculated using the female population 10–14 years of age, and for women over 44, using the female population 45–49 years of age.

Rates have been recalculated for 1970, and 1978–1980, based on higher population estimates, adjusted to the April 1, 1980 Census, and, therefore, may differ from rates published earlier.

Rates in brackets exceed the corresponding 1970 rates.

Source: State of California, Department of Health Services, Birth Records.

State of California, Department of Finance, unpublished interim state female population estimates, adjusted to April 1, 1980 Census, January 1982.

Table 2–5

LIVE BIRTHS BY RACE OF CHILD CALIFORNIA, 1979 AND 1980

(By place of residence)

RACE OF CHILD	LIVE BIRTHS			
	1980		1979	
	Number	Percent	Number	Percent
Total	402,720	100.0	379,187	100.0
White	207,519	51.5	198,999	52.5
Black	39,344	9.8	37,986	10.0
Mexican-American	118,135	29.3	102,678	27.1
Indian	2,214	0.5	2,043	0.5
Chinese	5,204	1.3	4,174	1.1
Japanese	3,440	0.9	3,099	0.8
Filipino	8,328	2.1	7,028	1.9
Other	11,705	2.9	9,875	2.6
Unknown	6,831	1.7	13,305	3.5

Note: Percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Birth Records.

Table 2–6

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
California	402,720	765	2,446	5,868	10,216	15,224	21,002	133,504	122,979	67,815	19,276	3,226	156	8	235
White	207,519	199	695	2,010	3,735	6,140	9,214	67,059	69,021	38,333	9,725	1,239	58	–	91
None	97,174	196	671	1,877	3,296	4,999	6,984	38,197	27,971	10,881	1,858	194	7	–	43
One	66,700	2	18	111	406	997	1,904	21,515	25,328	13,657	2,575	163	6	–	18
Two	27,294	–	1	7	16	89	238	5,636	10,952	7,936	2,198	207	5	–	9
Three	9,163	–	–	1	1	4	21	1,072	3,072	3,366	1,403	206	13	–	4
Four or More	5,594	–	–	–	–	–	3	205	1,120	2,158	1,616	461	27	–	4
Not Stated	1,594	1	5	14	16	51	64	434	578	335	75	8	–	–	13
Black	39,344	202	543	1,054	1,669	2,217	2,809	14,496	9,925	4,931	1,263	211	6	1	17
None	17,082	196	503	943	1,403	1,638	1,924	6,632	2,710	916	179	30	1	1	6
One	11,472	6	36	102	241	487	684	4,915	3,263	1,448	264	20	–	–	6
Two	6,020	–	2	8	18	74	161	2,023	2,226	1,208	271	26	–	–	3
Three	2,602	–	–	1	3	9	31	637	1,019	663	205	31	3	–	–
Four or More	1,999	–	–	–	–	1	3	225	657	674	333	103	2	–	1
Not Stated	169	–	2	–	4	8	6	64	50	22	11	1	–	–	1
Mexican-American	118,135	338	1,095	2,512	4,285	6,126	7,833	42,956	30,930	15,126	5,524	1,268	65	4	73
None	45,297	331	1,055	2,235	3,503	4,600	5,259	18,769	7,026	1,969	439	70	4	2	35
One	33,143	7	39	254	696	1,310	2,096	15,019	9,730	3,158	723	95	3	–	13
Two	19,357	–	–	16	70	180	391	6,415	7,554	3,649	956	112	6	–	8
Three	9,507	–	–	1	4	21	63	1,896	3,694	2,715	917	184	8	–	4
Four or More	10,449	–	–	–	2	2	6	701	2,828	3,584	2,468	802	43	2	11
Not Stated	382	–	1	6	10	13	18	156	98	51	21	5	1	–	2
Other	30,891	17	67	197	347	537	851	6,961	10,949	8,084	2,386	454	24	1	16
None	13,718	17	64	179	294	444	641	4,003	5,081	2,416	493	81	–	–	5
One	9,983	–	3	12	50	77	167	2,037	3,689	3,116	725	99	2	1	5
Two	4,206	–	–	1	2	10	30	662	1,327	1,534	559	79	1	–	1
Three	1,528	–	–	–	–	–	4	140	511	534	271	63	3	–	2
Four or More	1,240	–	–	–	–	–	–	52	279	441	322	129	17	–	–
Not Stated	216	–	–	5	1	6	9	67	62	43	16	3	1	–	3
Unknown	6,831	9	46	95	180	204	295	2,032	2,154	1,341	378	54	3	2	38
None	3,481	9	42	88	156	166	224	1,200	939	511	108	12	–	1	25
One	1,683	–	2	6	20	33	55	522	623	349	66	6	–	–	1
Two	815	–	–	1	1	2	10	183	318	228	64	6	–	–	2
Three	324	–	–	–	–	1	–	47	123	97	46	10	–	–	–
Four or More	287	–	–	–	–	–	–	21	70	100	73	20	2	1	–
Not Stated	241	–	2	–	3	2	6	59	81	56	21	–	1	–	10
Alameda	16,762	24	111	226	364	554	780	5,179	5,192	3,285	902	127	6	–	12
White	8,339	4	27	71	116	205	313	2,427	2,747	1,855	505	59	3	–	7
None	4,120	4	27	70	107	178	241	1,478	1,259	634	105	15	–	–	2
One	2,619	–	–	1	8	22	65	736	943	664	171	7	–	–	2
Two	1,013	–	–	–	–	2	4	164	383	338	106	13	1	–	2
Three	321	–	–	–	–	–	1	28	112	129	43	6	1	–	1
Four or More	219	–	–	–	–	–	–	9	40	74	77	18	1	–	–
Not Stated	47	–	–	–	1	3	2	12	10	16	3	–	–	–	–
Black	4,038	14	60	101	156	209	267	1,485	1,042	545	133	23	1	–	2
None	1,858	14	54	87	134	154	206	740	315	119	27	8	–	–	–
One	1,214	–	4	13	21	46	49	504	360	182	32	3	–	–	–
Two	568	–	1	–	1	6	10	165	221	130	30	2	–	–	2
Three	224	–	–	1	–	2	1	55	96	53	14	2	–	–	–
Four or More	153	–	–	–	–	–	1	15	42	60	26	8	1	–	–
Not Stated	21	–	1	–	–	1	–	6	8	1	4	–	–	–	–
Mexican-American	1,989	4	14	37	66	91	130	683	588	270	94	10	1	–	1
None	875	4	12	34	59	73	101	358	162	55	16	–	–	–	1
One	629	–	2	3	7	17	28	254	225	74	18	1	–	–	–
Two	277	–	–	–	–	1	1	52	128	73	19	3	–	–	–
Three	111	–	–	–	–	–	–	9	48	37	15	2	–	–	–
Four or More	89	–	–	–	–	–	–	7	22	31	24	4	1	–	–
Not Stated	8	–	–	–	–	–	–	3	3	–	2	–	–	–	–
Other	1,785	1	6	8	12	28	38	403	632	495	131	28	1	–	2
None	865	1	6	6	11	24	35	269	308	164	34	5	–	–	2
One	547	–	–	2	1	4	2	89	217	186	40	6	–	–	–
Two	216	–	–	–	–	–	1	33	56	95	26	5	–	–	–
Three	95	–	–	–	–	–	–	9	26	35	20	5	–	–	–
Four or More	47	–	–	–	–	–	–	–	20	9	10	7	1	–	–
Not Stated	15	–	–	–	–	–	–	3	5	6	1	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Alameda (Cont'd.)															
Unknown	611	1	4	9	14	21	32	181	183	120	39	7	–	–	–
None	272	1	4	8	12	17	23	91	62	42	11	1	–	–	–
One	188	–	–	1	2	4	8	53	70	39	10	1	–	–	–
Two	73	–	–	–	–	–	–	20	27	20	5	1	–	–	–
Three	39	–	–	–	–	–	–	9	15	9	4	2	–	–	–
Four or More	24	–	–	–	–	–	–	1	4	10	7	2	–	–	–
Not Stated	15	–	–	–	–	–	1	7	5	–	2	–	–	–	–
Alpine	11	–	–	1	–	–	–	4	2	4	–	–	–	–	–
White	7	–	–	–	–	–	–	2	2	3	–	–	–	–	–
None	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Mexican-American	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
None	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other	3	–	–	1	–	–	–	2	–	–	–	–	–	–	–
Not Stated	3	–	–	1	–	–	–	2	–	–	–	–	–	–	–
Amador	242	–	1	1	1	6	16	62	96	54	4	1	–	–	–
White	227	–	–	1	1	6	14	57	92	51	4	1	–	–	–
None	93	–	–	1	1	2	11	34	33	11	–	–	–	–	–
One	81	–	–	–	–	3	3	19	39	16	1	–	–	–	–
Two	32	–	–	–	–	–	–	3	13	15	1	–	–	–	–
Three	16	–	–	–	–	–	–	1	7	7	1	–	–	–	–
Four or More	4	–	–	–	–	–	–	–	–	2	1	1	–	–	–
Not Stated	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mexican-American	7	–	–	–	–	–	–	3	2	2	–	–	–	–	–
None	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–
One	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Two	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Other	7	–	1	–	–	–	2	2	1	1	–	–	–	–	–
None	3	–	1	–	–	–	1	1	–	–	–	–	–	–	–
One	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Two	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Unknown	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
One	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Butte	2,053	3	11	38	46	70	97	691	678	332	76	10	1	–	–
White	1,644	1	7	27	26	54	70	547	558	289	57	7	1	–	–
None	740	1	6	25	21	43	56	306	214	63	5	–	–	–	–
One	547	–	1	2	5	10	13	180	211	114	10	1	–	–	–
Two	234	–	–	–	–	1	1	50	98	68	16	–	–	–	–
Three	79	–	–	–	–	–	–	9	28	26	15	1	–	–	–
Four or More	38	–	–	–	–	–	–	–	6	15	11	5	1	–	–
Not Stated	6	–	–	–	–	–	–	2	1	3	–	–	–	–	–
Black	42	–	–	–	3	2	2	17	14	3	1	–	–	–	–
None	24	–	–	–	3	2	2	9	7	1	–	–	–	–	–
One	12	–	–	–	–	–	–	6	6	–	–	–	–	–	–
Two	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Three	3	–	–	–	–	–	–	2	–	–	1	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mexican-American	186	2	3	10	10	8	15	61	49	17	9	2	–	–	–
None	78	2	2	6	7	5	11	26	16	3	–	–	–	–	–
One	53	–	1	4	3	–	4	20	15	5	1	–	–	–	–
Two	28	–	–	–	–	3	–	12	9	3	1	–	–	–	–
Three	15	–	–	–	–	–	–	3	7	4	–	1	–	–	–
Four or More	11	–	–	–	–	–	–	–	1	2	7	1	–	–	–
Not Stated	1	–	–		–	–	–	–	1	–	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Butte (Cont'd.)															
Other	72	–	–	1	–	3	5	32	21	5	4	1	–	–	–
None	29	–	–	1	–	2	2	11	11	1	1	–	–	–	–
One	24	–	–	–	–	1	3	11	8	1	–	–	–	–	–
Two	11	–	–	–	–	–	–	8	1	1	1	–	–	–	–
Three	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Four or More	5	–	–	–	–	–	–	–	1	1	2	1	–	–	–
Not Stated	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Unknown	109	–	1	–	7	3	5	34	36	18	5	–	–	–	–
None	44	–	1	–	6	3	3	20	5	3	3	–	–	–	–
One	23	–	–	–	1	–	1	6	13	2	–	–	–	–	–
Two	18	–	–	–	–	–	1	3	8	5	1	–	–	–	–
Three	11	–	–	–	–	–	–	4	6	1	–	–	–	–	–
Four or More	12	–	–	–	–	–	–	–	4	7	1	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Calaveras	247	–	2	2	3	5	12	82	75	56	9	1	–	–	–
White	217	–	2	1	3	3	9	70	68	52	8	1	–	–	–
None	100	–	2	1	3	3	6	41	28	16	–	–	–	–	–
One	75	–	–	–	–	–	3	23	25	21	3	–	–	–	–
Two	25	–	–	–	–	–	–	3	9	9	3	1	–	–	–
Three	8	–	–	–	–	–	–	2	4	1	1	–	–	–	–
Four or More	5	–	–	–	–	–	–	–	1	3	1	–	–	–	–
Not Stated	4	–	–	–	–	–	–	1	1	2	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mexican-American	17	–	–	1	–	1	2	7	3	2	1	–	–	–	–
None	8	–	–	–	–	1	2	4	1	–	–	–	–	–	–
One	6	–	–	–	–	–	–	1	2	2	1	–	–	–	–
Two	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Not Stated	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Other	11	–	–	–	–	1	1	5	3	1	–	–	–	–	–
None	7	–	–	–	–	1	1	4	–	1	–	–	–	–	–
One	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Unknown	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
None	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Colusa	257	2	2	6	8	6	20	89	84	29	10	1	–	–	–
White	149	1	–	3	5	2	7	56	50	19	5	1	–	–	–
None	73	1	–	3	4	2	5	33	21	4	–	–	–	–	–
One	39	–	–	–	1	–	2	15	15	5	1	–	–	–	–
Two	20	–	–	–	–	–	–	6	11	3	–	–	–	–	–
Three	11	–	–	–	–	–	–	1	2	4	3	1	–	–	–
Four or More	6	–	–	–	–	–	–	1	1	3	1	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
None	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mexican-American	92	1	1	3	2	4	11	30	26	9	5	–	–	–	–
None	39	1	1	3	1	4	9	16	4	–	–	–	–	–	–
One	24	–	–	–	1	–	2	7	14	–	–	–	–	–	–
Two	14	–	–	–	–	–	–	5	5	4	–	–	–	–	–
Three	8	–	–	–	–	–	–	1	2	3	2	–	–	–	–
Four or More	6	–	–	–	–	–	–	–	1	2	3	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	12	–	1	–	–	–	2	2	7	–	–	–	–	–	–
None	8	–	1	–	–	–	2	2	3	–	–	–	–	–	–
One	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Three	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Unknown	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
One	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Contra Costa	9,516	14	28	108	171	287	400	2,717	3,184	2,029	500	69	2	–	7
White	6,184	6	6	44	82	142	231	1,691	2,174	1,419	340	41	2	–	6
None	2,856	5	6	41	72	113	176	1,023	947	407	55	8	–	–	3
One	2,038	1	–	3	9	24	48	486	822	523	116	5	–	–	1
Two	794	–	–	–	1	3	7	133	274	292	72	9	2	–	1
Three	270	–	–	–	–	–	–	30	78	115	43	4	–	–	–
Four or More	165	–	–	–	–	–	–	5	29	69	49	13	–	–	–
Not Stated	61	–	–	–	–	2	–	14	24	13	5	2	–	–	1
Black	1,291	7	16	47	44	86	93	464	329	168	30	7	–	–	–
None	532	7	15	41	37	61	61	207	74	28	1	–	–	–	–
One	390	–	1	5	5	19	26	157	118	54	4	1	–	–	–
Two	198	–	–	1	1	5	3	70	70	40	8	–	–	–	–
Three	101	–	–	–	1	–	2	22	38	28	9	1	–	–	–
Four or More	65	–	–	–	–	–	–	7	27	18	8	5	–	–	–
Not Stated	5	–	–	–	–	1	1	1	2	–	–	–	–	–	–
Mexican-American	971	1	6	11	33	43	46	346	294	146	38	7	–	–	–
None	397	1	6	10	27	33	29	157	94	35	2	3	–	–	–
One	302	–	–	1	6	9	14	125	98	41	8	–	–	–	–
Two	152	–	–	–	–	1	3	53	53	33	9	–	–	–	–
Three	62	–	–	–	–	–	–	9	29	20	3	1	–	–	–
Four or More	55	–	–	–	–	–	–	1	18	17	16	3	–	–	–
Not Stated	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Other	794	–	–	6	6	8	23	147	281	235	75	13	–	–	–
None	352	–	–	6	5	6	19	92	141	77	6	–	–	–	–
One	289	–	–	–	1	2	3	41	102	104	32	4	–	–	–
Two	86	–	–	–	–	–	–	8	19	31	24	4	–	–	–
Three	37	–	–	–	–	–	–	4	11	11	9	2	–	–	–
Four or More	21	–	–	–	–	–	–	–	4	11	3	3	–	–	–
Not Stated	9	–	–	–	–	–	1	2	4	1	1	–	–	–	–
Unknown	276	–	–	–	6	8	7	69	106	61	17	1	–	–	1
None	163	–	–	–	6	8	7	54	54	29	4	1	–	–	–
One	69	–	–	–	–	–	–	10	35	19	5	–	–	–	–
Two	30	–	–	–	–	–	–	2	12	9	7	–	–	–	–
Three	7	–	–	–	–	–	–	1	3	2	1	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Not Stated	5	–	–	–	–	–	–	2	1	1	–	–	–	–	1
Del Norte	339	1	1	7	10	26	21	123	95	42	12	1	–	–	–
White	267	1	1	6	7	19	17	97	77	33	9	–	–	–	–
None	99	1	–	5	6	12	14	41	16	2	2	–	–	–	–
One	82	–	–	–	1	4	3	36	24	13	1	–	–	–	–
Two	38	–	–	–	–	–	–	10	19	6	3	–	–	–	–
Three	16	–	–	–	–	–	–	3	6	6	1	–	–	–	–
Four or More	7	–	–	–	–	–	–	1	2	3	1	–	–	–	–
Not Stated	25	–	1	1	–	3	–	6	10	3	1	–	–	–	–
Black	5	–	–	–	–	–	–	4	1	–	–	–	–	–	–
None	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Two	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Mexican-American	34	–	–	–	1	4	3	11	9	4	2	–	–	–	–
None	12	–	–	–	–	3	3	4	1	–	1	–	–	–	–
One	9	–	–	–	1	–	–	5	2	1	–	–	–	–	–
Two	5	–	–	–	–	1	–	1	2	1	–	–	–	–	–
Three	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Four or More	5	–	–	–	–	–	–	–	3	1	1	–	–	–	–
Other	32	–	–	1	2	3	1	11	7	5	1	1	–	–	–
None	11	–	–	–	2	2	1	5	1	–	–	–	–	–	–
One	9	–	–	–	–	1	–	2	5	1	–	–	–	–	–
Two	3	–	–	–	–	–	–	1	–	2	–	–	–	–	–
Three	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Four or More	5	–	–	–	–	–	–	1	1	1	1	1	–	–	–
Not Stated	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Unknown	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
El Dorado	1,378	1	7	17	32	32	61	410	502	244	62	6	1	–	3
White	1,253	1	5	15	29	28	50	380	463	219	56	3	1	–	3
None	583	1	5	15	24	26	36	217	192	59	7	–	–	–	1
One	370	–	–	–	5	2	11	115	158	62	15	1	1	–	-
Two	168	–	–	–	–	–	–	30	71	51	15	1	–	–	–
Three	48	–	–	–	–	–	–	5	14	22	7	–	–	–	–
Four or More	24	–	–	–	–	–	–	1	3	10	10	–	–	–	–
Not Stated	60	–	–	–	–	–	3	12	25	15	2	1	–	–	2
Black	13	–	–	–	–	–	3	–	4	3	2	1	–	–	–
None	4	–	–	–	–	–	3	–	1	–	–	–	–	–	–
One	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Two	4	–	–	–	–	–	–	–	–	3	–	1	–	–	–
Three	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mexican-American	61	–	1	1	1	2	6	23	16	8	2	1	–	–	–
None	24	–	1	1	1	1	3	10	6	1	–	–	–	–	–
One	13	–	–	–	–	1	1	4	5	1	–	1	–	–	–
Two	11	–	–	–	–	–	1	4	–	5	1	–	–	–	–
Three	6	–	–	–	–	–	–	3	2	–	1	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Not Stated	5	–	–	–	–	–	1	2	1	1	–	–	–	–	–
Other	47	–	1	1	2	2	2	7	17	12	2	1	–	–	–
None	22	–	1	1	2	2	2	4	6	2	2	–	–	–	–
One	12	–	–	–	–	–	–	3	5	4	–	–	–	–	–
Two	5	–	–	–	–	–	–	–	2	3	–	–	–	–	–
Three	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Four or More	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Not Stated	4	–	–	–	–	–	–	–	3	1	–	–	–	–	–
Unknown	4	–	–	–	–	–	–	–	2	2	–	–	–	–	–
None	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
One	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fresno	10,249	43	104	230	367	427	604	3,567	2,943	1,458	418	86	–	–	2
White	4,446	10	29	53	92	118	198	1,530	1,482	754	158	22	–	–	–
None	1,991	10	29	49	77	90	149	830	554	178	24	1	–	–	–
One	1,525	–	–	4	14	23	44	537	580	272	50	1	–	–	–
Two	617	–	–	–	1	3	3	139	255	178	30	6	–	–	–
Three	195	–	–	–	–	–	1	22	72	76	23	1	–	–	–
Four or More	110	–	–	–	–	–	–	1	20	47	31	11	–	–	–
Not Stated	8	–	–	–	–	2	1	1	1	3	–	–	–	–	–
Black	677	7	16	27	36	41	58	258	152	61	14	5	–	–	2
None	289	7	15	24	26	31	32	111	38	4	1	–	–	–	–
One	196	–	1	3	10	6	18	88	48	19	2	1	–	–	–
Two	100	–	–	–	–	3	6	38	31	16	3	2	–	–	1
Three	54	–	–	–	–	1	2	17	23	8	3	–	–	–	–
Four or More	36	–	–	–	–	–	–	4	11	13	5	2	–	–	1
Not Stated	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Mexican-American	4,740	26	58	146	234	261	328	1,670	1,189	554	219	55	–	–	–
None	1,666	25	58	122	184	181	178	625	223	55	15	–	–	–	–
One	1,304	1	–	20	43	67	120	574	340	118	17	4	–	–	–
Two	821	–	–	4	7	12	24	319	300	120	32	3	–	–	–
Three	449	–	–	–	–	1	5	106	173	114	43	7	–	–	–
Four or More	496	–	–	–	–	–	1	45	151	146	112	41	–	–	–
Not Stated	4	–	–	–	–	–	–	1	2	1	–	–	–	–	–
Other	371	–	1	4	5	7	19	106	115	86	24	4	–	–	–
None	175	–	1	4	4	7	15	69	50	22	3	–	–	–	–
One	115	–	–	–	1	–	2	31	39	34	7	1	–	–	–
Two	46	–	–	–	–	–	1	5	16	19	4	1	–	–	–
Three	18	–	–	–	–	–	–	1	6	5	4	2	–	–	–
Four or More	16	–	–	–	–	–	–	–	4	6	6	–	–	–	–
Not Stated	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Fresno (Cont'd.)															
Unknown	15	–	–	–	–	–	1	3	5	3	3	–	–	–	–
None	4	–	–	–	–	–	1	1	2	–	–	–	–	–	–
One	4	–	–	–	–	–	–	–	1	2	1	–	–	–	–
Two	5	–	–	–	–	–	–	2	1	1	1	–	–	–	–
Not Stated	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Glenn	386	2	2	3	11	11	19	151	113	53	20	1	–	–	–
White	288	–	1	2	8	9	14	114	86	43	10	1	–	–	–
None	113	–	1	2	8	8	12	53	23	5	1	–	–	–	–
One	98	–	–	–	–	1	1	42	41	11	2	–	–	–	–
Two	48	–	–	–	–	–	1	18	14	13	2	–	–	–	–
Three	14	–	–	–	–	–	–	1	6	6	1	–	–	–	–
Four or More	14	–	–	–	–	–	–	–	1	8	4	1	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Black	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–
None	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Mexican-American	81	2	1	1	3	2	5	30	22	7	8	–	–	–	–
None	25	2	1	1	2	1	3	7	6	2	–	–	–	–	–
One	28	–	–	–	1	1	2	16	7	1	–	–	–	–	–
Two	7	–	–	–	–	–	–	3	4	–	–	–	–	–	–
Three	9	–	–	–	–	–	–	1	4	3	1	–	–	–	–
Four or More	11	–	–	–	–	–	–	2	1	1	7	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	11	–	–	–	–	–	–	4	2	3	2	–	–	–	–
None	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
One	3	–	–	–	–	–	–	2	–	1	–	–	–	–	–
Two	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Unknown	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–
None	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Humboldt	1,868	4	8	22	43	62	97	635	623	300	60	7	–	–	7
White	1,639	4	6	18	34	49	80	540	565	279	51	7	–	–	6
None	810	4	6	17	32	45	59	313	233	89	9	1	–	–	2
One	502	–	–	1	2	4	18	166	209	91	8	–	–	–	3
Two	211	–	–	–	–	–	2	40	98	61	8	2	–	–	–
Three	67	–	–	–	–	–	–	17	15	20	12	2	–	–	1
Four or More	35	–	–	–	–	–	–	2	6	12	13	2	–	–	–
Not Stated	14	–	–	–	–	–	1	2	4	6	1	–	–	–	–
Black	18	–	–	–	–	2	2	7	3	2	1	–	–	–	1
None	11	–	–	–	–	1	1	5	2	1	–	–	–	–	1
One	5	–	–	–	–	1	1	2	–	–	1	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mexican-American	65	–	1	–	–	4	4	28	22	3	3	–	–	–	–
None	26	–	1	–	–	3	3	13	6	–	–	–	–	–	–
One	18	–	–	–	–	1	–	10	6	1	–	–	–	–	–
Two	15	–	–	–	–	–	1	4	9	1	–	–	–	–	–
Three	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Other	138	–	1	4	9	7	10	57	30	15	5	–	–	–	–
None	59	–	1	4	8	6	9	20	9	2	–	–	–	–	–
One	41	–	–	–	1	1	1	23	10	3	2	–	–	–	–
Two	23	–	–	–	–	–	–	12	5	5	1	–	–	–	–
Three	10	–	–	–	–	–	–	2	5	3	–	–	–	–	–
Four or More	5	–	–	–	–	–	–	–	1	2	2	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Humboldt (Cont'd.)															
Unknown	8	–	–	–	–	–	1	3	3	1	–	–	–	–	–
None	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
One	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Two	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Three	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Imperial	2,260	6	14	38	77	109	151	776	630	323	105	29	–	–	2
White	495	–	3	3	12	18	34	180	153	70	16	6	–	–	–
None	230	–	3	3	9	13	25	104	58	14	1	–	–	–	–
One	149	–	–	–	2	5	7	55	51	24	5	–	–	–	–
Two	66	–	–	–	–	–	2	12	27	20	4	1	–	–	–
Three	20	–	–	–	–	–	–	2	12	3	2	1	–	–	–
Four or More	16	–	–	–	–	–	–	1	2	5	4	4	–	–	–
Not Stated	14	–	–	–	1	–	–	6	3	4	–	–	–	–	–
Black	44	–	1	3	–	1	1	17	11	7	1	2	–	–	–
None	17	–	1	2	–	1	1	6	4	2	–	–	–	–	–
One	10	–	–	1	–	–	–	6	2	1	–	–	–	–	–
Two	8	–	–	–	–	–	–	4	2	2	–	–	–	–	–
Three	3	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Not Stated	3	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Mexican-American	1,659	6	10	31	64	87	114	561	447	232	86	20	–	–	1
None	623	6	10	26	53	71	86	246	94	23	7	1	–	–	–
One	426	–	–	4	10	13	21	194	137	38	9	–	–	–	–
Two	302	–	–	–	1	1	4	87	118	76	13	2	–	–	–
Three	141	–	–	–	–	–	2	21	54	46	14	4	–	–	–
Four or More	143	–	–	–	–	–	–	3	39	46	43	12	–	–	–
Not Stated	24	–	–	1	–	2	1	10	5	3	–	1	–	–	1
Other	61	–	–	1	1	3	2	18	18	14	2	1	–	–	1
None	15	–	–	–	–	1	–	4	6	4	–	–	–	–	–
One	12	–	–	–	–	–	–	2	4	6	–	–	–	–	–
Two	4	–	–	–	–	–	–	–	1	2	1	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	4	–	–	–	–	–	–	1	–	2	–	1	–	–	–
Not Stated	25	–	–	1	1	2	2	11	6	–	1	–	–	–	1
Unknown	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
One	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Inyo	262	–	3	3	7	5	15	94	89	40	6	–	–	–	–
White	192	–	1	–	6	4	10	71	65	30	5	–	–	–	–
None	77	–	1	–	5	2	6	36	21	5	1	–	–	–	–
One	68	–	–	–	1	1	4	25	27	9	1	–	–	–	–
Two	33	–	–	–	–	–	–	6	11	14	2	–	–	–	–
Three	7	–	–	–	–	–	–	1	4	1	1	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Not Stated	5	–	–	–	–	1	–	3	–	1	–	–	–	–	–
Black	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Two	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Mexican-American	26	–	–	2	1	1	2	12	8	–	–	–	–	–	–
None	14	–	–	1	1	1	1	8	2	–	–	–	–	–	–
One	4	–	–	–	–	–	1	2	1	–	–	–	–	–	–
Two	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Three	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Stated	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Other	42	–	2	1	–	–	3	9	16	10	1	–	–	–	–
None	12	–	2	1	–	–	1	1	5	1	1	–	–	–	–
One	10	–	–	–	–	–	1	5	2	2	–	–	–	–	–
Two	8	–	–	–	–	–	1	1	3	3	–	–	–	–	–
Three	5	–	–	–	–	–	–	1	2	2	–	–	–	–	–
Four or More	4	–	–	–	–	–	–	–	3	1	–	–	–	–	–
Not Stated	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Kern	8,354	24	89	207	311	454	595	3,158	2,236	950	282	45	–	–	3
White	4,751	9	33	102	145	232	337	1,827	1,356	551	138	19	–	–	2
None	2,033	9	32	89	118	173	236	874	370	116	11	3	–	–	2
One	1,646	–	–	12	23	34	87	695	550	188	32	2	–	–	–
Two	675	–	1	–	2	4	14	204	287	129	31	3	–	–	–
Three	237	–	–	–	–	–	–	43	96	70	23	5	–	–	–
Four or More	144	–	–	–	–	–	–	8	44	45	41	6	–	–	–
Not Stated	16	–	–	1	–	1	–	2	9	3	–	–	–	–	–
Black	524	5	13	16	33	34	46	211	114	38	10	4	–	–	–
None	205	5	13	13	27	20	28	75	20	3	1	–	–	–	–
One	158	–	–	3	6	12	11	81	35	10	–	–	–	–	–
Two	82	–	–	–	–	2	5	33	29	10	2	1	–	–	–
Three	43	–	–	–	–	–	1	18	17	4	3	–	–	–	–
Four or More	36	–	–	–	–	–	1	4	13	11	4	3	–	–	–
Mexican-American	2,785	10	41	88	122	174	204	1,031	679	302	114	20	–	–	–
None	988	9	40	74	85	116	127	389	120	23	4	1	–	–	–
One	793	1	1	12	36	54	64	364	185	58	17	1	–	–	–
Two	456	–	–	2	1	2	11	188	174	65	13	–	–	–	–
Three	250	–	–	–	–	1	2	66	105	48	23	5	–	–	–
Four or More	295	–	–	–	–	–	–	24	93	108	57	13	–	–	–
Not Stated	3	–	–	–	–	1	–	–	2	–	–	–	–	–	–
Other	286	–	2	1	9	14	8	87	86	57	20	2	–	–	–
None	114	–	1	1	9	10	7	44	26	15	1	–	–	–	–
One	98	–	1	–	–	3	1	33	33	20	6	1	–	–	–
Two	40	–	–	–	–	1	–	8	11	14	5	1	–	–	–
Three	15	–	–	–	–	–	–	1	11	2	1	–	–	–	–
Four or More	17	–	–	–	–	–	–	1	5	5	6	–	–	–	–
Not Stated	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Unknown	8	–	–	–	2	–	–	2	1	2	–	–	–	–	1
None	4	–	–	–	2	–	–	1	1	–	–	–	–	–	–
One	3	–	–	–	–	–	–	1	–	2	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Kings	1,662	9	13	45	57	103	115	667	416	172	56	9	–	–	–
White	841	2	6	11	21	38	60	336	242	97	25	3	–	–	–
None	347	2	6	9	17	25	43	159	66	18	2	–	–	–	–
One	305	–	–	1	3	13	15	135	106	29	3	–	–	–	–
Two	112	–	–	–	1	–	2	35	47	18	9	–	–	–	–
Three	48	–	–	–	–	–	–	7	18	17	5	1	–	–	–
Four or More	27	–	–	–	–	–	–	–	4	15	6	2	–	–	–
Not Stated	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	103	1	3	1	8	10	10	40	19	8	2	1	–	–	–
None	36	1	2	1	4	6	4	18	–	–	–	–	–	–	–
One	36	–	1	–	3	2	3	17	7	3	–	–	–	–	–
Two	14	–	–	–	1	2	3	3	4	1	–	–	–	–	–
Three	5	–	–	–	–	–	–	1	3	1	–	–	–	–	–
Four or More	11	–	–	–	–	–	–	–	5	3	2	1	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Mexican-American	650	6	4	33	27	53	44	272	124	55	27	5	–	–	–
None	247	6	4	28	20	37	31	92	21	5	2	1	–	–	–
One	175	–	–	3	7	15	9	102	29	7	3	–	–	–	–
Two	110	–	–	1	–	1	3	56	31	15	3	–	–	–	–
Three	63	–	–	1	–	–	1	19	27	12	2	1	–	–	–
Four or More	52	–	–	–	–	–	–	2	15	15	17	3	–	–	–
Not Stated	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Other	66	–	–	–	1	2	1	19	31	10	2	–	–	–	–
None	18	–	–	–	–	1	–	7	7	3	–	–	–	–	–
One	27	–	–	–	1	1	1	7	15	2	–	–	–	–	–
Two	15	–	–	–	–	–	–	4	6	4	1	–	–	–	–
Three	5	–	–	–	–	–	–	–	3	1	1	–	–	–	–
Four or More	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Unknown	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
None	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Lake	479	–	3	5	16	27	26	168	153	56	22	3	–	–	–
White	380	–	2	4	12	20	21	135	116	50	18	2	–	–	–
None	149	–	2	4	10	15	14	51	43	8	2	–	–	–	–
One	128	–	–	–	2	5	5	58	38	14	6	–	–	–	–
Two	54	–	–	–	–	–	1	13	25	11	4	–	–	–	–
Three	29	–	–	–	–	–	–	8	7	10	4	–	–	–	–
Four or More	16	–	–	–	–	–	–	5	–	7	2	2	–	–	–
Not Stated	4	–	–	–	–	–	1	–	3	–	–	–	–	–	–
Black	6	–	–	–	–	–	1	1	3	–	–	1	–	–	–
None	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
One	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Three	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Four or More	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mexican-American	57	–	–	–	2	7	3	21	22	–	2	–	–	–	–
None	20	–	–	–	2	4	3	8	3	–	–	–	–	–	–
One	14	–	–	–	–	2	–	5	6	–	1	–	–	–	–
Two	12	–	–	–	–	–	–	6	6	–	–	–	–	–	–
Three	6	–	–	–	–	–	–	1	5	–	–	–	–	–	–
Four or More	4	–	–	–	–	–	–	1	2	–	1	–	–	–	–
Not Stated	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other	29	–	1	1	2	–	1	11	9	2	2	–	–	–	–
None	13	–	1	1	2	–	1	4	3	1	–	–	–	–	–
One	9	–	–	–	–	–	–	6	3	–	–	–	–	–	–
Two	4	–	–	–	–	–	–	1	–	1	2	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Unknown	7	–	–	–	–	–	–	–	3	4	–	–	–	–	–
None	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
One	4	–	–	–	–	–	–	–	2	2	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Lassen	351	1	6	7	8	11	18	132	98	57	13	–	–	–	–
White	311	1	4	7	7	9	15	115	88	53	12	–	–	–	–
None	125	1	3	6	7	8	10	54	27	8	1	–	–	–	–
One	81	–	–	1	–	–	3	32	30	14	1	–	–	–	–
Two	35	–	–	–	–	–	–	9	13	11	2	–	–	–	–
Three	10	–	–	–	–	–	–	1	2	6	1	–	–	–	–
Four or More	12	–	–	–	–	–	–	–	3	5	4	–	–	–	–
Not Stated	48	–	1	–	–	1	2	19	13	9	3	–	–	–	–
Black	6	–	1	–	–	–	–	4	1	–	–	–	–	–	–
None	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Two	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Not Stated	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Mexican-American	15	–	–	–	1	–	2	7	4	1	–	–	–	–	–
None	6	–	–	–	1	–	1	4	–	–	–	–	–	–	–
One	6	–	–	–	–	–	–	2	3	1	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Stated	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Other	18	–	1	–	–	2	1	6	5	2	1	–	–	–	–
None	5	–	1	–	–	1	–	2	–	1	–	–	–	–	–
One	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Two	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Not Stated	5	–	–	–	–	1	–	1	2	–	1	–	–	–	–
Unknown	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Los Angeles	133,109	302	922	2,081	3,568	5,172	6,993	43,419	39,349	22,622	7,209	1,295	64	4	109
White	47,937	41	132	432	824	1,310	1,921	14,773	16,006	9,378	2,724	348	22	–	26
None	23,038	41	127	405	741	1,099	1,510	8,663	6,848	2,909	607	72	2	–	14
One	15,059	–	5	23	80	195	358	4,578	5,786	3,276	695	54	3	–	6
Two	6,240	–	–	1	3	14	44	1,211	2,410	1,889	627	39	–	–	2
Three	2,110	–	–	–	–	–	6	246	654	739	400	60	4	–	1
Four or More	1,348	–	–	–	–	–	1	40	250	536	383	123	13	–	2
Not Stated	142	–	–	3	–	2	2	35	58	29	12	–	–	–	1
Black	19,000	111	296	522	823	1,056	1,342	6,741	4,815	2,493	683	107	4	1	6
None	8,278	109	277	471	687	796	916	3,096	1,325	483	99	13	1	1	4
One	3,377	2	19	45	125	223	332	2,233	1,549	706	132	10	–	–	1
Two	2,961	–	–	6	8	30	75	984	1,083	609	154	12	–	–	–
Three	1,255	–	–	–	2	4	18	297	480	326	107	18	3	–	–
Four or More	1,076	–	–	–	–	1	1	114	360	359	187	54	–	–	–
Not Stated	53	–	–	–	1	2	–	17	18	10	4	–	–	–	1
Mexican-American	54,321	144	466	1,059	1,808	2,651	3,474	19,498	14,283	7,384	2,800	667	32	3	52
None	20,592	142	449	951	1,494	2,025	2,355	8,685	3,206	977	234	42	2	2	28
One	14,979	2	17	102	284	537	924	6,668	4,496	1,497	381	60	1	–	10
Two	9,054	–	–	6	26	76	160	2,910	3,518	1,765	518	67	5	–	3
Three	4,442	–	–	–	1	11	28	870	1,671	1,298	465	92	4	–	2
Four or More	5,161	–	–	–	1	1	4	331	1,364	1,833	1,194	405	19	1	8
Not Stated	93	–	–	–	2	1	3	34	28	14	8	1	1	–	1
Other	9,648	5	12	35	67	100	176	1,792	3,550	2,884	860	157	6	–	4
None	4,472	5	11	33	58	80	131	1,114	1,843	951	212	33	–	–	1
One	3,168	–	1	1	9	18	36	484	1,149	1,154	276	37	1	–	2
Two	1,274	–	–	1	–	2	8	152	358	522	199	32	–	–	–
Three	401	–	–	–	–	–	1	27	128	138	83	21	2	–	1
Four or More	317	–	–	–	–	–	–	11	66	117	87	33	3	–	–
Not Stated	16	–	–	–	–	–	–	4	6	2	3	1	–	–	–
Unknown	2,203	1	16	33	46	55	80	615	695	483	142	16	–	–	21
None	1,435	1	16	32	42	43	71	452	425	259	68	7	–	–	19
One	413	–	–	1	3	10	8	102	144	121	22	1	–	–	1
Two	191	–	–	–	–	2	1	44	70	54	18	1	–	–	1
Three	72	–	–	–	–	–	–	8	30	20	11	3	–	–	–
Four or More	62	–	–	–	–	–	–	4	14	23	17	4	–	–	–
Not Stated	30	–	–	–	1	–	–	5	12	6	6	–	–	–	–
Madera	1,292	2	6	27	48	69	81	470	357	170	54	8	–	–	–
White	647	–	4	10	14	32	31	233	202	89	29	3	–	–	–
None	255	–	4	10	12	21	17	111	59	19	2	–	–	–	–
One	236	–	–	–	2	8	12	90	84	33	6	1	–	–	–
Two	105	–	–	–	–	2	2	26	47	25	3	–	–	–	–
Three	25	–	–	–	–	–	–	4	9	6	6	–	–	–	–
Four or More	23	–	–	–	–	–	–	1	3	5	12	2	–	–	–
Not Stated	3	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Black	52	–	1	2	2	3	13	16	10	4	1	–	–	–	–
None	22	–	1	2	1	–	8	7	2	1	–	–	–	–	–
One	10	–	–	–	–	3	1	3	3	–	–	–	–	–	–
Two	13	–	–	–	1	–	2	4	5	1	–	–	–	–	–
Three	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Four or More	3	–	–	–	–	–	–	2	–	–	1	–	–	–	–
Not Stated	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Mexican-American	552	2	1	14	31	30	34	213	130	71	21	5	–	–	–
None	176	2	1	13	27	20	21	61	25	4	1	1	–	–	–
One	142	–	–	1	4	9	8	83	30	7	–	–	–	–	–
Two	86	–	–	–	–	1	3	36	26	19	1	–	–	–	–
Three	76	–	–	–	–	–	1	23	30	14	5	3	–	–	–
Four or More	68	–	–	–	–	–	–	9	19	25	14	1	–	–	–
Not Stated	4	–	–	–	–	–	1	1	–	2	–	–	–	–	–
Other	37	–	–	1	1	4	3	8	14	4	2	–	–	–	–
None	18	–	–	1	1	3	2	5	6	–	–	–	–	–	–
One	6	–	–	–	–	1	–	1	2	1	1	–	–	–	–
Two	7	–	–	–	–	–	1	1	4	–	1	–	–	–	–
Three	4	–	–	–	–	–	–	–	2	2	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Madera (Cont'd.)															
Unknown	4	–	–	–	–	–	–	–	1	2	1	–	–	–	–
One	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Marin	2,332	–	3	3	10	29	47	415	720	800	276	24	–	–	5
White	1,947	–	3	2	8	20	33	318	602	688	247	22	–	–	4
None	946	–	3	2	8	18	28	205	321	281	74	2	–	–	4
One	611	–	–	–	–	1	3	85	192	243	86	1	–	–	–
Two	234	–	–	–	–	–	–	22	53	105	46	8	–	–	–
Three	70	–	–	–	–	–	–	3	14	29	21	3	–	–	–
Four or More	43	–	–	–	–	–	–	1	3	14	17	8	–	–	–
Not Stated	43	–	–	–	–	1	2	2	19	16	3	–	–	–	–
Black	105	–	–	–	1	1	6	38	31	19	8	–	–	–	1
None	48	–	–	–	1	–	6	21	13	7	–	–	–	–	–
One	26	–	–	–	–	1	–	10	8	4	2	–	–	–	1
Two	16	–	–	–	–	–	–	4	6	4	2	–	–	–	–
Three	8	–	–	–	–	–	–	3	3	2	–	–	–	–	–
Four or More	6	–	–	–	–	–	–	–	1	2	3	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Mexican-American	96	–	–	–	1	6	4	26	30	23	6	–	–	–	–
None	47	–	–	–	1	6	4	16	10	9	1	–	–	–	–
One	33	–	–	–	–	–	–	9	13	9	2	–	–	–	–
Two	6	–	–	–	–	–	–	–	1	3	2	–	–	–	–
Three	4	–	–	–	–	–	–	1	3	–	–	–	–	–	–
Four or More	5	–	–	–	–	–	–	–	3	1	1	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other	135	–	–	1	–	1	3	22	39	58	10	1	–	–	–
None	60	–	–	1	–	1	3	11	21	19	3	1	–	–	–
One	50	–	–	–	–	–	–	9	12	25	4	–	–	–	–
Two	16	–	–	–	–	–	–	1	4	9	2	–	–	–	–
Three	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	5	–	–	–	–	–	–	1	1	3	–	–	–	–	–
Unknown	49	–	–	–	–	1	1	11	18	12	5	1	–	–	–
None	20	–	–	–	–	1	1	3	10	4	1	–	–	–	–
One	10	–	–	–	–	–	–	4	2	2	2	–	–	–	–
Two	4	–	–	–	–	–	–	1	1	2	–	–	–	–	–
Three	3	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Four or More	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Stated	11	–	–	–	–	–	–	3	3	4	1	–	–	–	–
Mariposa	126	–	–	1	1	2	7	52	43	15	4	1	–	–	–
White	116	–	–	1	1	1	7	47	40	14	4	1	–	–	–
None	52	–	–	1	–	1	5	21	18	5	1	–	–	–	–
One	39	–	–	–	1	–	2	17	13	4	2	–	–	–	–
Two	18	–	–	–	–	–	–	5	8	5	–	–	–	–	–
Three	4	–	–	–	–	–	–	2	1	–	–	1	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Not Stated	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
None	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Mexican-American	6	–	–	–	–	1	–	3	2	–	–	–	–	–	–
None	5	–	–	–	–	–	–	3	2	–	–	–	–	–	–
Two	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Mendocino	1,186	2	4	20	25	36	60	387	380	198	65	8	–	–	1
White	934	1	2	10	19	22	39	316	309	160	49	6	–	–	1
None	384	1	2	8	17	17	27	158	113	32	8	–	–	–	1
One	313	–	–	2	2	3	10	116	112	54	14	–	–	–	–
Two	126	–	–	–	–	–	–	25	55	36	10	–	–	–	–
Three	48	–	–	–	–	1	1	5	15	17	8	1	–	–	–
Four or More	28	–	–	–	–	–	–	2	1	13	7	5	–	–	–
Not Stated	35	–	–	–	–	1	1	10	13	8	2	–	–	–	–
Black	7	–	–	–	–	–	–	3	2	1	1	–	–	–	–
None	4	–	–	–	–	–	–	3	1	–	–	–	–	–	–
One	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mexican-American	138	1	2	5	5	10	14	39	41	13	8	–	–	–	–
None	50	1	2	4	3	7	14	8	8	3	–	–	–	–	–
One	42	–	–	1	1	2	–	17	11	7	3	–	–	–	–
Two	20	–	–	–	1	–	–	8	10	–	1	–	–	–	–
Three	13	–	–	–	–	–	–	5	8	–	–	–	–	–	–
Four or More	12	–	–	–	–	–	–	1	4	3	4	–	–	–	–
Not Stated	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other	84	–	–	4	1	4	6	24	23	16	4	2	–	–	–
None	25	–	–	4	1	4	3	8	1	4	–	–	–	–	–
One	19	–	–	–	–	–	2	6	8	2	1	–	–	–	–
Two	12	–	–	–	–	–	–	6	4	1	1	–	–	–	–
Three	12	–	–	–	–	–	–	2	5	5	–	–	–	–	–
Four or More	9	–	–	–	–	–	–	–	3	3	1	2	–	–	–
Not Stated	7	–	–	–	–	–	1	2	2	1	1	–	–	–	–
Unknown	23	–	–	1	–	–	1	5	5	8	3	–	–	–	–
None	10	–	–	1	–	–	1	4	–	4	–	–	–	–	–
One	3	–	–	–	–	–	–	1	–	–	2	–	–	–	–
Two	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	7	–	–	–	–	–	–	–	4	2	1	–	–	–	–
Merced	2,960	3	22	66	94	142	193	1,119	808	378	97	37	–	–	1
White	1,646	–	6	34	41	72	106	623	489	217	42	16	–	–	–
None	716	–	6	28	36	54	75	312	171	28	4	2	–	–	–
One	495	–	–	5	5	14	25	204	164	69	6	3	–	–	–
Two	276	–	–	1	–	4	6	82	110	62	9	2	–	–	–
Three	103	–	–	–	–	–	–	21	33	36	10	3	–	–	–
Four or More	50	–	–	–	–	–	–	2	9	21	12	6	–	–	–
Not Stated	6	–	–	–	–	–	–	2	2	1	1	–	–	–	–
Black	151	2	3	8	4	6	10	63	39	14	2	–	–	–	–
None	36	1	3	7	4	3	7	21	8	2	–	–	–	–	–
One	47	1	–	1	–	3	2	23	12	4	1	–	–	–	–
Two	28	–	–	–	–	–	1	13	8	6	–	–	–	–	–
Three	12	–	–	–	–	–	–	3	8	–	1	–	–	–	–
Four or More	7	–	–	–	–	–	–	2	3	2	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Mexican-American	1,062	1	13	23	45	62	73	396	250	129	48	21	–	–	1
None	383	1	12	21	39	41	47	166	43	11	–	1	–	–	1
One	263	–	1	2	6	17	20	127	58	23	8	1	–	–	–
Two	171	–	–	–	–	2	6	62	69	23	8	1	–	–	–
Three	111	–	–	–	–	2	–	29	39	31	9	1	–	–	–
Four or More	133	–	–	–	–	–	–	11	41	41	23	17	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	101	–	–	1	4	2	4	37	30	18	5	–	–	–	–
None	45	–	–	1	3	2	3	22	8	6	–	–	–	–	–
One	27	–	–	–	1	–	1	9	10	5	1	–	–	–	–
Two	18	–	–	–	–	–	–	4	9	3	2	–	–	–	–
Three	5	–	–	–	–	–	–	1	2	2	–	–	–	–	–
Four or More	6	–	–	–	–	–	–	1	1	2	2	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Modoc	142	–	–	4	3	11	8	48	43	23	2	–	–	–	–
White	123	–	–	4	2	9	8	44	32	22	2	–	–	–	–
None	34	–	–	1	2	3	6	12	8	2	–	–	–	–	–
One	27	–	–	1	–	2	1	11	8	4	–	–	–	–	–
Two	13	–	–	1	–	1	–	2	5	4	–	–	–	–	–
Three	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Not Stated	44	–	–	1	–	3	1	18	10	9	2	–	–	–	–
Mexican-American	12	–	–	–	1	1	–	3	7	–	–	–	–	–	–
None	3	–	–	–	1	1	–	–	1	–	–	–	–	–	–
One	4	–	–	–	–	–	–	1	3	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Not Stated	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Other	7	–	–	–	–	1	–	1	4	1	–	–	–	–	–
None	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Three	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Not Stated	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Mono	124	1	–	–	1	2	6	36	53	22	3	–	–	–	–
White	104	–	–	–	–	2	2	30	48	19	3	–	–	–	–
None	48	–	–	–	–	2	2	17	22	5	–	–	–	–	–
One	20	–	–	–	–	–	–	5	11	3	1	–	–	–	–
Two	12	–	–	–	–	–	–	4	5	2	1	–	–	–	–
Three	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Not Stated	21	–	–	–	–	–	–	4	8	9	–	–	–	–	–
Mexican-American	10	–	–	–	1	–	1	3	3	2	–	–	–	–	–
None	5	–	–	–	1	–	1	1	1	1	–	–	–	–	–
One	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Not Stated	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Other	10	1	–	–	–	–	3	3	2	1	–	–	–	–	–
None	6	1	–	–	–	–	1	2	1	1	–	–	–	–	–
Three	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Not Stated	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Monterey	6,156	12	38	104	165	265	358	2,161	1,875	900	233	43	2	–	–
White	2,641	2	7	20	30	97	126	866	912	451	98	12	–	–	–
None	1,197	2	7	19	44	67	90	473	366	109	18	2	–	–	–
One	898	–	–	1	6	23	29	295	348	172	23	1	–	–	–
Two	362	–	–	–	–	5	5	82	134	108	25	3	–	–	–
Three	117	–	–	–	–	–	–	12	49	33	20	3	–	–	–
Four or More	59	–	–	–	–	–	–	1	15	28	12	3	–	–	–
Not Stated	8	–	–	–	–	2	2	3	–	1	–	–	–	–	–
Black	515	1	2	17	17	36	45	227	118	42	9	1	–	–	–
None	232	1	2	16	11	27	31	103	36	5	–	–	–	–	–
One	178	–	–	1	5	7	12	86	45	18	4	–	–	–	–
Two	67	–	–	–	1	1	2	27	23	11	2	–	–	–	–
Three	28	–	–	–	–	1	–	7	12	6	2	–	–	–	–
Four or More	6	–	–	–	–	–	–	1	1	2	1	1	–	–	–
Not Stated	4	–	–	–	–	–	–	3	1	–	–	–	–	–	–
Mexican-American	2,212	8	25	57	78	113	156	799	585	279	87	23	2	–	–
None	791	8	24	51	63	80	112	323	102	25	1	2	–	–	–
One	620	–	1	6	13	29	35	308	178	42	8	–	–	–	–
Two	379	–	–	–	2	3	7	128	162	62	11	4	–	–	–
Three	199	–	–	–	–	–	2	27	87	62	17	3	1	–	–
Four or More	217	–	–	–	–	–	–	12	55	36	50	13	1	–	–
Not Stated	6	–	–	–	–	1	–	1	1	2	–	1	–	–	–
Other	565	–	1	5	11	15	21	184	200	95	28	5	–	–	–
None	238	–	1	5	11	13	16	90	79	19	3	1	–	–	–
One	194	–	–	–	–	2	5	69	75	31	12	–	–	–	–
Two	72	–	–	–	–	–	–	20	26	20	5	1	–	–	–
Three	34	–	–	–	–	–	–	4	15	12	1	2	–	–	–
Four or More	27	–	–	–	–	–	–	1	5	13	7	1	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Monterey (Cont'd.)															
Unknown	223	1	3	5	9	4	10	85	60	33	11	2	–	–	–
None	69	1	2	5	7	4	7	31	9	3	–	–	–	–	–
One	65	–	1	–	2	–	2	31	21	6	2	–	–	–	–
Two	47	–	–	–	–	–	1	15	15	12	4	–	–	–	–
Three	18	–	–	–	–	–	–	5	8	4	1	–	–	–	–
Four or More	22	–	–	–	–	–	–	3	5	8	4	2	–	–	–
Not Stated	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Napa	1,273	1	2	14	16	28	61	439	416	235	49	11	1	–	–
White	1,012	–	1	7	10	13	45	333	351	206	36	9	1	–	–
None	511	–	1	7	9	13	35	218	162	58	7	1	–	–	–
One	304	–	–	–	1	–	10	90	117	77	9	–	–	–	–
Two	129	–	–	–	–	–	–	19	52	44	13	1	–	–	–
Three	40	–	–	–	–	–	–	6	14	17	3	–	–	–	–
Four or More	26	–	–	–	–	–	–	–	4	10	4	7	1	–	–
Not Stated	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Black	8	–	–	–	–	–	–	3	3	2	–	–	–	–	–
None	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–
One	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Two	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mexican-American	209	1	1	4	5	13	15	86	50	23	9	2	–	–	–
None	88	1	1	3	5	8	12	40	14	3	1	–	–	–	–
One	57	–	–	1	–	4	3	26	15	6	2	–	–	–	–
Two	35	–	–	–	–	1	–	18	13	3	–	–	–	–	–
Three	16	–	–	–	–	–	–	1	5	7	2	1	–	–	–
Four or More	13	–	–	–	–	–	–	1	3	4	4	1	–	–	–
Other	36	–	–	3	1	2	1	13	9	4	3	–	–	–	–
None	18	–	–	3	–	2	1	7	5	–	–	–	–	–	–
One	10	–	–	–	1	–	–	4	1	2	2	–	–	–	–
Two	5	–	–	–	–	–	–	1	2	1	1	–	–	–	–
Three	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Unknown	8	–	–	–	–	–	–	4	3	–	1	–	–	–	–
None	4	–	–	–	–	–	–	1	2	–	1	–	–	–	–
One	3	–	–	–	–	–	–	3	–	–	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Nevada	801	–	1	9	18	36	37	237	268	160	31	2	1	–	1
White	715	–	1	8	15	30	30	219	243	139	26	2	1	–	1
None	306	–	1	6	13	22	23	109	92	35	4	–	1	–	–
One	251	–	–	–	2	7	6	84	94	53	5	–	–	–	–
Two	87	–	–	1	–	1	–	17	36	25	7	–	–	–	–
Three	25	–	–	1	–	–	–	2	7	14	1	–	–	–	–
Four or More	14	–	–	–	–	–	–	–	1	4	7	2	–	–	–
Not Stated	32	–	–	–	–	–	1	7	13	8	2	–	–	–	1
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
One	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mexican-American	42	–	–	1	1	6	2	9	13	7	3	–	–	–	–
None	19	–	–	1	1	5	2	5	4	1	–	–	–	–	–
One	14	–	–	–	–	1	–	3	6	4	–	–	–	–	–
Two	5	–	–	–	–	–	–	1	2	1	1	–	–	–	–
Three	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Other	16	–	–	–	–	–	1	3	5	7	–	–	–	–	–
None	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–
One	8	–	–	–	–	–	–	2	3	3	–	–	–	–	–
Two	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Nevada (Cont'd.)															
Unknown	27	–	–	–	2	–	4	6	7	6	2	–	–	–	–
None	12	–	–	–	2	–	3	2	3	2	–	–	–	–	–
One	9	–	–	–	–	–	1	3	3	1	1	–	–	–	–
Two	4	–	–	–	–	–	–	1	1	1	1	–	–	–	–
Three	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Orange	31,605	33	105	307	619	1,048	1,536	10,551	9,966	5,645	1,541	226	16	–	12
White	19,884	13	40	129	268	523	856	6,433	6,651	3,913	946	100	4	–	8
None	9,633	13	40	126	252	450	691	3,931	2,909	1,042	163	13	–	–	3
One	6,295	–	–	3	14	65	144	1,949	2,392	1,458	252	16	–	–	2
Two	2,510	–	–	–	–	5	16	452	960	836	225	15	–	–	1
Three	862	–	–	–	–	1	2	67	265	365	142	18	2	–	–
Four or More	503	–	–	–	–	–	–	9	98	195	163	36	2	–	–
Not Stated	81	–	–	–	2	2	3	25	27	17	1	2	–	–	2
Black	685	3	3	12	22	39	54	262	189	74	27	–	–	–	–
None	329	2	3	12	20	32	37	140	66	12	5	–	–	–	–
One	198	1	–	–	2	4	9	88	71	19	4	–	–	–	–
Two	100	–	–	–	–	2	7	24	40	21	6	–	–	–	–
Three	34	–	–	–	–	–	1	8	8	12	5	–	–	–	–
Four or More	22	–	–	–	–	–	–	1	4	10	7	–	–	–	–
Not Stated	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Mexican-American	8,475	16	58	156	305	438	559	3,253	2,217	1,000	374	90	6	–	3
None	3,376	16	56	147	252	342	373	1,477	537	138	32	4	1	–	1
One	2,410	–	2	9	47	80	157	1,136	703	213	59	4	–	–	–
Two	1,236	–	–	–	6	12	23	449	470	232	39	5	–	–	–
Three	646	–	–	–	–	2	5	123	282	171	47	15	1	–	–
Four or More	780	–	–	–	–	–	1	59	218	241	194	61	4	–	2
Not Stated	27	–	–	–	–	2	–	9	7	5	3	1	–	–	–
Other	2,482	1	4	9	22	45	65	582	885	638	189	35	6	–	1
None	1,025	1	4	8	19	38	46	318	384	164	38	5	–	–	–
One	775	–	–	1	3	4	18	158	278	251	56	6	–	–	–
Two	351	–	–	–	–	1	1	69	114	116	46	4	–	–	–
Three	151	–	–	–	–	–	–	20	63	46	18	4	–	–	–
Four or More	164	–	–	–	–	–	–	14	41	57	30	16	6	–	–
Not Stated	16	–	–	–	–	2	–	3	5	4	1	–	–	–	1
Unknown	79	–	–	1	2	3	2	21	24	20	5	1	–	–	–
None	29	–	–	1	1	3	1	11	6	5	1	–	–	–	–
One	10	–	–	–	1	–	–	2	4	3	–	–	–	–	–
Two	16	–	–	–	–	–	–	5	3	5	2	1	–	–	–
Three	4	–	–	–	–	–	–	1	1	2	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Not Stated	18	–	–	–	–	–	1	2	8	5	2	–	–	–	–
Placer	1,770	–	12	14	41	62	86	576	540	346	80	12	–	–	1
White	1,502	–	8	12	34	54	74	479	457	303	70	10	–	–	1
None	667	–	8	11	31	48	58	271	157	74	8	1	–	–	–
One	484	–	–	1	3	5	14	152	189	100	18	2	–	–	–
Two	184	–	–	–	–	1	2	36	68	62	14	1	–	–	–
Three	74	–	–	–	–	–	–	10	23	30	9	2	–	–	–
Four or More	57	–	–	–	–	–	–	1	9	25	18	4	–	–	–
Not Stated	36	–	–	–	–	–	–	9	11	12	3	–	–	–	1
Black	10	–	–	–	–	–	–	3	2	4	–	1	–	–	–
None	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
One	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Two	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Three	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Four or More	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Mexican-American	194	–	4	2	7	8	10	73	57	25	7	1	–	–	–
None	73	–	4	2	6	8	8	27	14	4	–	–	–	–	–
One	66	–	–	–	1	–	2	33	26	3	1	–	–	–	–
Two	33	–	–	–	–	–	–	9	11	10	3	–	–	–	–
Three	12	–	–	–	–	–	–	2	3	5	2	–	–	–	–
Four or More	8	–	–	–	–	–	–	–	3	3	1	1	–	–	–
Not Stated	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Placer (Cont'd.)															
Other	57	–	–	–	–	–	2	20	21	11	3	–	–	–	–
None	25	–	–	–	–	–	1	14	9	1	–	–	–	–	–
One	18	–	–	–	–	–	1	5	7	3	2	–	–	–	–
Two	8	–	–	–	–	–	–	–	3	4	1	–	–	–	–
Three	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Unknown	7	–	–	–	–	–	–	1	3	3	–	–	–	–	–
None	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–
One	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Plumas	283	–	2	2	2	12	13	105	100	35	10	2	–	–	–
White	251	–	–	2	2	9	8	94	94	30	10	2	–	–	–
None	96	–	–	2	1	9	5	47	26	5	1	–	–	–	–
One	90	–	–	–	1	–	3	31	41	14	–	–	–	–	–
Two	26	–	–	–	–	–	–	6	10	6	4	–	–	–	–
Three	13	–	–	–	–	–	–	2	7	2	1	1	–	–	–
Four or More	6	–	–	–	–	–	–	–	1	1	3	1	–	–	–
Not Stated	20	–	–	–	–	–	–	8	9	2	1	–	–	–	–
Black	10	–	2	–	–	–	2	5	1	–	–	–	–	–	–
None	5	–	2	–	–	–	1	2	–	–	–	–	–	–	–
One	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Two	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Mexican-American	11	–	–	–	–	3	2	2	1	3	–	–	–	–	–
None	5	–	–	–	–	2	2	1	–	–	–	–	–	–	–
One	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Two	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other	10	–	–	–	–	–	1	4	4	1	–	–	–	–	–
None	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
One	4	–	–	–	–	–	–	2	2	–	–	–	–	–	–
Two	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Unknown	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
None	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Riverside	12,048	19	88	187	363	557	744	4,415	3,531	1,575	476	85	4	–	4
White	6,978	7	33	80	167	277	363	2,581	2,229	940	255	41	2	–	3
None	3,051	7	33	75	150	221	265	1,353	716	196	29	4	1	–	1
One	2,249	–	–	3	16	53	77	899	837	301	61	2	–	–	–
Two	1,009	–	–	1	1	1	11	261	471	211	48	3	–	–	1
Three	365	–	–	–	–	–	2	44	140	130	39	10	–	–	–
Four or More	254	–	–	–	–	–	1	10	49	97	74	21	1	–	1
Not Stated	50	–	–	1	–	2	7	14	16	5	4	1	–	–	–
Black	762	1	11	19	32	54	56	298	179	87	22	3	–	–	–
None	297	1	10	17	28	37	34	107	53	7	2	1	–	–	–
One	238	–	1	2	4	14	19	118	52	23	5	–	–	–	–
Two	118	–	–	–	–	2	3	51	36	23	3	–	–	–	–
Three	57	–	–	–	–	–	–	12	24	18	2	1	–	–	–
Four or More	48	–	–	–	–	–	–	8	13	16	10	1	–	–	–
Not Stated	4	–	–	–	–	1	–	2	1	–	–	–	–	–	–
Mexican-American	3,866	11	44	83	155	214	301	1,415	981	459	168	35	–	–	–
None	1,440	10	42	75	130	156	198	569	197	51	11	1	–	–	–
One	1,062	1	2	8	23	50	84	519	282	74	18	1	–	–	–
Two	678	–	–	–	1	6	17	227	285	118	21	3	–	–	–
Three	315	–	–	–	–	2	1	60	118	93	37	4	–	–	–
Four or More	347	–	–	–	–	–	–	30	93	117	81	26	–	–	–
Not Stated	24	–	–	–	1	–	1	10	6	6	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Riverside (Cont'd.)															
Other	389	–	–	5	8	11	24	105	120	79	29	5	2	–	1
None	158	–	–	5	5	11	16	45	51	19	5	1	–	–	–
One	121	–	–	–	3	–	7	39	37	27	6	2	–	–	–
Two	57	–	–	–	–	–	–	15	21	15	6	–	–	–	–
Three	21	–	–	–	–	–	1	3	7	7	3	–	–	–	–
Four or More	28	–	–	–	–	–	–	1	3	11	9	2	2	–	–
Not Stated	4	–	–	–	–	–	–	2	1	–	–	–	–	–	1
Unknown	53	–	–	–	1	1	–	16	22	10	2	1	–	–	–
None	19	–	–	–	1	–	–	8	7	3	–	–	–	–	–
One	18	–	–	–	–	1	–	8	7	2	–	–	–	–	–
Two	5	–	–	–	–	–	–	–	4	–	1	–	–	–	–
Three	5	–	–	–	–	–	–	–	3	2	–	–	–	–	–
Four or More	5	–	–	–	–	–	–	–	–	3	1	1	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Sacramento	13,102	28	77	230	337	541	685	4,583	4,194	1,946	407	63	3	–	8
White	8,976	10	37	123	187	304	461	3,152	3,038	1,357	268	31	3	–	5
None	4,235	9	37	115	155	256	328	1,747	1,188	347	44	7	–	–	2
One	2,945	1	–	7	30	44	115	1,041	1,113	526	64	3	–	–	1
Two	1,175	–	–	–	1	4	16	284	522	278	65	3	1	–	1
Three	373	–	–	–	1	–	2	60	145	115	45	4	1	–	–
Four or More	234	–	–	–	–	–	–	15	64	89	50	14	1	–	1
Not Stated	14	–	–	1	–	–	–	5	6	2	–	–	–	–	–
Black	1,552	14	14	43	72	109	104	624	366	164	36	6	–	–	–
None	629	13	12	39	61	81	77	237	86	14	8	1	–	–	–
One	470	1	2	4	10	27	20	233	122	44	7	–	–	–	–
Two	266	–	–	–	1	1	6	101	94	58	3	2	–	–	–
Three	100	–	–	–	–	–	1	38	36	20	5	–	–	–	–
Four or More	85	–	–	–	–	–	–	14	27	28	13	3	–	–	–
Not Stated	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Mexican-American	1,559	4	22	52	62	108	88	546	429	186	49	11	–	–	2
None	707	4	22	45	48	82	61	269	136	35	5	–	–	–	–
One	450	–	–	7	11	21	21	184	152	42	9	2	–	–	1
Two	224	–	–	–	3	5	6	73	80	46	11	–	–	–	–
Three	97	–	–	–	–	–	–	17	35	32	9	3	–	–	1
Four or More	79	–	–	–	–	–	–	3	25	30	15	6	–	–	–
Not Stated	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Other	943	–	3	11	14	20	32	242	331	223	52	14	–	–	1
None	411	–	3	11	13	15	23	132	139	64	9	1	–	–	1
One	309	–	–	–	1	5	8	86	120	78	10	1	–	–	–
Two	131	–	–	–	–	–	1	17	51	47	14	1	–	–	–
Three	47	–	–	–	–	–	–	2	15	19	9	2	–	–	–
Four or More	39	–	–	–	–	–	–	2	6	14	9	8	–	–	–
Not Stated	6	–	–	–	–	–	–	3	–	1	1	1	–	–	–
Unknown	72	–	1	1	2	–	–	19	30	16	2	1	–	–	–
None	32	–	1	1	1	–	–	11	9	9	–	–	–	–	–
One	26	–	–	–	1	–	–	5	15	2	2	1	–	–	–
Two	8	–	–	–	–	–	–	2	4	2	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	4	–	–	–	–	–	–	1	1	2	–	–	–	–	–
San Benito	475	1	3	11	15	15	20	161	160	57	26	6	–	–	–
White	150	–	–	3	2	1	6	51	56	21	9	1	–	–	–
None	69	–	–	3	1	–	4	36	19	4	2	–	–	–	–
One	47	–	–	–	1	1	2	11	21	10	1	–	–	–	–
Two	16	–	–	–	–	–	–	3	10	2	1	–	–	–	–
Three	12	–	–	–	–	–	–	1	5	4	2	–	–	–	–
Four or More	6	–	–	–	–	–	–	–	1	1	3	1	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
San Benito (Cont'd.)															
Mexican-American	306	1	3	8	13	14	14	107	95	32	15	4	–	–	–
None	103	1	3	8	13	12	11	38	14	2	1	–	–	–	–
One	75	–	–	–	–	2	3	35	30	3	2	–	–	–	–
Two	65	–	–	–	–	–	–	26	29	8	2	–	–	–	–
Three	28	–	–	–	–	–	–	5	13	9	1	–	–	–	–
Four or More	34	–	–	–	–	–	–	2	9	10	9	4	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	9	–	–	–	–	–	–	2	3	3	1	–	–	–	–
None	5	–	–	–	–	–	–	2	1	1	1	–	–	–	–
One	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Two	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Unknown	9	–	–	–	–	–	–	–	6	1	1	1	–	–	–
None	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–
One	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Three	3	–	–	–	–	–	–	–	2	–	–	1	–	–	–
San Bernardino	17,160	27	121	294	533	700	1,046	6,413	5,183	2,197	550	81	7	–	8
White	10,140	8	41	124	249	386	564	3,883	3,252	1,294	293	41	2	–	3
None	4,406	8	39	122	215	299	422	1,983	1,034	244	37	2	–	–	1
One	3,348	–	1	2	32	72	117	1,366	1,256	441	57	4	–	–	–
Two	1,533	–	–	–	1	10	19	428	680	312	71	11	1	–	–
Three	479	–	–	–	–	–	3	64	182	174	50	4	1	–	1
Four or More	299	–	–	–	–	–	–	17	76	112	74	20	–	–	–
Not Stated	75	–	1	–	1	5	3	25	24	11	4	–	–	–	1
Black	1,208	4	21	34	39	63	90	471	297	138	49	1	–	–	1
None	470	4	17	32	32	47	55	208	56	13	6	–	–	–	–
One	365	–	3	2	6	13	28	164	101	40	7	–	–	–	1
Two	197	–	–	–	1	1	6	70	78	31	10	–	–	–	–
Three	100	–	–	–	–	1	–	16	37	32	14	–	–	–	–
Four or More	68	–	–	–	–	–	–	10	24	21	12	1	–	–	–
Not Stated	8	–	1	–	–	1	1	3	1	1	–	–	–	–	–
Mexican-American	4,379	14	48	114	201	202	321	1,633	1,152	513	144	31	4	–	2
None	1,689	14	44	109	159	150	211	668	273	47	12	1	–	–	1
One	1,303	–	4	4	37	46	87	629	365	107	20	4	–	–	–
Two	732	–	–	–	4	6	17	239	292	141	31	1	–	–	1
Three	363	–	–	–	–	–	5	70	149	110	24	4	1	–	–
Four or More	274	–	–	–	–	–	–	19	69	106	56	21	3	–	–
Not Stated	18	–	–	1	1	–	1	8	4	2	1	–	–	–	–
Other	578	–	3	4	15	16	22	137	221	119	34	5	1	–	1
None	234	–	3	3	10	14	17	77	76	27	6	1	–	–	–
One	185	–	–	1	5	2	4	45	78	44	5	1	–	–	–
Two	93	–	–	–	–	–	1	11	41	25	14	1	–	–	–
Three	39	–	–	–	–	–	–	3	17	13	4	1	–	–	1
Four or More	26	–	–	–	–	–	–	1	8	10	5	1	1	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Unknown	855	1	8	18	29	33	49	289	261	133	30	3	–	–	1
None	396	1	8	17	27	29	33	167	82	27	3	1	–	–	1
One	253	–	–	1	2	4	14	91	103	34	4	–	–	–	–
Two	129	–	–	–	–	–	2	21	53	44	9	–	–	–	–
Three	50	–	–	–	–	–	–	8	18	18	6	–	–	–	–
Four or More	23	–	–	–	–	–	–	1	4	8	8	2	–	–	–
Not Stated	4	–	–	–	–	–	–	1	1	2	–	–	–	–	–
San Diego	30,931	41	140	344	677	1,098	1,602	10,787	9,727	5,038	1,263	198	11	–	5
White	17,791	14	49	134	280	487	794	6,022	6,019	3,221	696	72	2	–	1
None	8,591	14	47	126	250	409	609	3,566	2,522	919	117	11	1	–	–
One	5,724	–	2	8	30	68	170	1,885	2,167	1,194	192	7	–	–	1
Two	2,251	–	–	–	–	6	11	439	936	680	164	15	–	–	–
Three	764	–	–	–	–	2	–	93	267	278	106	18	–	–	–
Four or More	373	–	–	–	–	–	–	12	87	138	114	21	1	–	–
Not Stated	88	–	–	–	–	2	4	27	40	12	3	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
San Diego (Cont'd.)															
Black	2,660	9	27	53	101	141	202	1,066	685	286	68	21	–	–	1
None	1,118	9	25	45	86	97	137	469	186	60	3	1	–	–	–
One	829	–	2	7	14	36	51	396	229	82	9	2	–	–	1
Two	391	–	–	1	1	8	9	139	150	64	17	2	–	–	–
Three	193	–	–	–	–	–	4	48	74	48	13	6	–	–	–
Four or More	117	–	–	–	–	–	–	10	41	31	25	10	–	–	–
Not Stated	12	–	–	–	–	–	1	4	5	1	1	–	–	–	–
Mexican-American	7,572	13	54	129	247	390	502	2,891	2,035	934	319	53	3	–	2
None	3,122	12	52	111	220	308	345	1,409	500	134	26	5	–	–	–
One	2,186	1	2	18	25	75	131	980	685	227	38	4	–	–	–
Two	1,185	–	–	–	2	6	24	366	493	228	61	4	–	–	1
Three	536	–	–	–	–	–	2	89	200	180	55	9	–	–	1
Four or More	525	–	–	–	–	–	–	32	156	164	139	31	3	–	–
Not Stated	18	–	–	–	–	1	–	15	1	1	–	–	–	–	–
Other	2,882	5	10	28	49	80	103	799	982	589	178	52	6	–	1
None	1,186	5	10	26	43	66	74	429	367	133	24	9	–	–	–
One	920	–	–	2	5	11	24	268	361	202	38	9	–	–	–
Two	397	–	–	–	1	3	4	78	135	126	40	8	1	–	1
Three	201	–	–	–	–	–	–	19	69	73	32	7	1	–	–
Four or More	166	–	–	–	–	–	–	3	45	54	43	18	3	–	–
Not Stated	12	–	–	–	–	–	1	2	5	1	1	1	1	–	–
Unknown	26	–	–	–	–	–	1	9	6	8	2	–	–	–	–
None	10	–	–	–	–	–	1	6	1	1	1	–	–	–	–
One	8	–	–	–	–	–	–	1	2	5	–	–	–	–	–
Two	4	–	–	–	–	–	–	1	2	–	1	–	–	–	–
Three	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
San Francisco	8,213	14	27	91	154	205	277	2,113	2,615	1,937	641	125	3	–	11
White	3,290	5	7	18	28	50	80	786	1,096	854	305	55	2	–	4
None	1,721	5	7	18	26	44	63	458	573	397	110	18	–	–	2
One	909	–	–	–	2	4	13	221	323	248	87	10	–	–	1
Two	371	–	–	–	–	–	4	78	106	123	53	7	–	–	–
Three	124	–	–	–	–	–	–	12	41	39	24	8	–	–	–
Four or More	95	–	–	–	–	–	–	6	19	30	26	12	2	–	–
Not Stated	70	–	–	–	–	2	–	11	34	17	5	–	–	–	1
Black	1,610	7	15	48	87	98	114	572	390	214	53	9	1	–	2
None	750	7	14	45	79	73	77	272	126	45	10	2	–	–	–
One	419	–	1	3	6	20	31	180	107	52	16	1	–	–	2
Two	253	–	–	–	1	4	4	78	95	57	14	–	–	–	–
Three	92	–	–	–	–	–	1	21	37	26	7	–	–	–	–
Four or More	71	–	–	–	–	–	–	10	20	28	6	6	1	–	–
Not Stated	25	–	–	–	1	1	1	11	5	6	–	–	–	–	–
Mexican-American	635	–	2	9	16	26	26	219	188	112	31	6	–	–	–
None	276	–	2	9	16	22	21	112	65	24	5	–	–	–	–
One	176	–	–	–	–	4	4	82	52	31	2	1	–	–	–
Two	98	–	–	–	–	–	–	18	49	22	7	2	–	–	–
Three	43	–	–	–	–	–	–	4	16	17	6	–	–	–	–
Four or More	35	–	–	–	–	–	–	–	5	16	11	3	–	–	–
Not Stated	7	–	–	–	–	–	1	3	1	2	–	–	–	–	–
Other	2,490	1	1	12	20	27	50	481	889	716	237	54	–	–	2
None	1,133	1	1	10	16	23	39	295	437	244	52	14	–	–	1
One	787	–	–	2	4	4	10	136	291	251	74	14	–	–	1
Two	346	–	–	–	–	–	1	34	107	140	55	9	–	–	–
Three	116	–	–	–	–	–	–	6	31	45	29	5	–	–	–
Four or More	85	–	–	–	–	–	–	4	16	28	25	12	–	–	–
Not Stated	23	–	–	–	–	–	–	6	7	8	2	–	–	–	–
Unknown	188	1	2	4	3	4	7	55	52	41	15	1	–	–	3
None	81	1	1	4	3	3	3	25	16	18	6	–	–	–	1
One	41	–	–	–	–	1	3	13	13	8	2	1	–	–	–
Two	22	–	–	–	–	–	–	7	9	5	1	–	–	–	–
Three	8	–	–	–	–	–	–	1	–	4	3	–	–	–	–
Four or More	5	–	–	–	–	–	–	2	2	1	–	–	–	–	–
Not Stated	31	–	1	–	–	–	1	7	12	5	3	–	–	–	2

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
San Joaquin	6,307	22	45	131	204	308	385	2,305	1,833	803	220	48	1	–	2
White	3,841	6	24	74	107	170	208	1,389	1,205	527	113	16	–	–	2
None	1,650	6	21	67	93	137	144	685	368	116	12	1	–	–	–
One	1,295	–	3	6	13	32	53	497	485	176	27	2	–	–	1
Two	556	–	–	1	1	1	11	171	234	112	22	2	–	–	1
Three	187	–	–	–	–	–	–	26	81	63	16	1	–	–	–
Four or More	147	–	–	–	–	–	–	9	34	58	36	10	–	–	–
Not Stated	6	–	–	–	–	–	–	1	3	2	–	–	–	–	–
Black	550	8	10	23	36	44	39	213	124	44	8	1	–	–	–
None	206	8	10	19	25	31	18	73	19	3	–	–	–	–	–
One	172	–	–	4	9	10	16	74	45	12	2	–	–	–	–
Two	92	–	–	–	1	3	5	38	33	11	1	–	–	–	–
Three	54	–	–	–	–	–	–	19	20	12	2	1	–	–	–
Four or More	22	–	–	–	–	–	–	7	6	6	3	–	–	–	–
Not Stated	4	–	–	–	1	–	–	2	1	–	–	–	–	–	–
Mexican-American	1,343	6	8	28	52	74	106	529	323	133	59	24	1	–	–
None	484	6	7	26	38	46	69	205	73	11	3	–	–	–	–
One	388	–	1	1	12	22	29	205	85	21	9	3	–	–	–
Two	228	–	–	1	1	5	7	86	79	40	9	–	–	–	–
Three	101	–	–	–	1	1	1	23	46	17	8	4	–	–	–
Four or More	134	–	–	–	–	–	–	8	36	44	29	16	1	–	–
Not Stated	8	–	–	–	–	–	–	2	4	–	1	1	–	–	–
Other	545	2	2	6	9	19	30	170	166	94	40	7	–	–	–
None	218	2	1	6	6	17	21	80	64	16	5	–	–	–	–
One	154	–	1	–	3	1	7	56	49	29	8	–	–	–	–
Two	84	–	–	–	–	1	1	26	30	21	5	–	–	–	–
Three	36	–	–	–	–	–	1	4	14	10	6	1	–	–	–
Four or More	48	–	–	–	–	–	–	3	8	15	16	6	–	–	–
Not Stated	5	–	–	–	–	–	–	1	1	3	–	–	–	–	–
Unknown	28	–	1	–	–	1	2	4	15	5	–	–	–	–	–
None	12	–	1	–	–	1	2	3	5	–	–	–	–	–	–
One	9	–	–	–	–	–	–	1	5	3	–	–	–	–	–
Two	5	–	–	–	–	–	–	–	3	2	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
San Luis Obispo	2,153	1	6	16	51	61	93	693	769	367	83	13	–	–	–
White	1,713	1	3	11	27	41	65	552	629	308	66	10	–	–	–
None	796	1	2	10	24	33	51	328	245	92	10	–	–	–	–
One	581	–	1	1	3	8	13	174	250	117	13	1	–	–	–
Two	222	–	–	–	–	–	–	36	112	56	17	1	–	–	–
Three	70	–	–	–	–	–	–	9	17	30	12	2	–	–	–
Four or More	37	–	–	–	–	–	–	1	4	12	14	6	–	–	–
Not Stated	7	–	–	–	–	–	1	4	1	1	–	–	–	–	–
Black	34	–	–	–	1	2	2	6	19	3	1	–	–	–	–
None	10	–	–	–	1	1	2	–	5	1	–	–	–	–	–
One	14	–	–	–	–	1	–	5	7	–	1	–	–	–	–
Two	6	–	–	–	–	–	–	1	4	1	–	–	–	–	–
Three	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Mexican-American	303	–	3	2	22	13	21	101	86	40	12	3	–	–	–
None	118	–	3	2	16	7	14	44	27	5	–	–	–	–	–
One	91	–	–	–	4	6	5	41	24	10	1	–	–	–	–
Two	45	–	–	–	2	–	1	13	19	9	1	–	–	–	–
Three	17	–	–	–	–	–	1	1	9	4	2	–	–	–	–
Four or More	32	–	–	–	–	–	–	2	7	12	8	3	–	–	–
Other	62	–	–	1	1	1	2	24	21	8	4	–	–	–	–
None	33	–	–	1	1	1	2	11	13	3	1	–	–	–	–
One	21	–	–	–	–	–	–	12	6	2	1	–	–	–	–
Two	4	–	–	–	–	–	–	1	1	1	1	–	–	–	–
Three	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
San Luis Obispo (Cont'd.)															
Unknown	41	–	–	2	–	4	3	10	14	8	–	–	–	–	–
None	22	–	–	2	–	3	3	7	5	2	–	–	–	–	–
One	10	–	–	–	–	1	–	2	6	1	–	–	–	–	–
Two	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Three	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
San Mateo	8,174	12	24	57	117	301	279	2,103	2,822	1,942	535	74	5	–	3
White	4,555	4	3	20	36	80	127	1,087	1,674	1,167	315	39	2	–	1
None	2,254	4	3	20	34	68	103	690	797	444	83	7	–	–	1
One	1,466	–	–	–	2	10	19	306	587	438	96	8	–	–	–
Two	553	–	–	–	–	2	2	69	211	193	69	7	–	–	–
Three	167	–	–	–	–	–	–	15	45	60	37	8	2	–	–
Four or More	81	–	–	–	–	–	–	2	17	24	29	9	–	–	–
Not Stated	34	–	–	–	–	–	3	5	17	8	1	–	–	–	–
Black	814	2	8	12	31	41	58	288	209	131	28	6	–	–	–
None	397	2	6	11	28	34	39	158	73	38	6	2	–	–	–
One	231	–	1	1	3	7	17	81	58	48	14	1	–	–	–
Two	109	–	1	–	–	–	2	30	47	26	2	1	–	–	–
Three	45	–	–	–	–	–	–	12	23	8	2	–	–	–	–
Four or More	28	–	–	–	–	–	–	4	8	11	3	2	–	–	–
Not Stated	4	–	–	–	–	–	–	3	–	–	1	–	–	–	–
Mexican-American	1,192	5	8	20	38	51	67	416	346	161	63	13	2	–	2
None	513	5	8	13	32	35	51	212	121	26	8	1	–	–	1
One	332	–	–	6	5	16	11	121	112	52	9	–	–	–	–
Two	175	–	–	1	1	–	4	49	65	40	11	3	–	–	1
Three	83	–	–	–	–	–	1	22	26	20	10	4	–	–	–
Four or More	87	–	–	–	–	–	–	11	21	23	25	5	2	–	–
Not Stated	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Other	1,467	1	2	5	10	22	26	281	537	447	119	16	1	–	–
None	665	1	2	5	9	20	25	200	249	128	24	2	–	–	–
One	506	–	–	–	1	2	–	55	195	203	43	6	1	–	–
Two	198	–	–	–	–	–	1	20	76	74	24	3	–	–	–
Three	58	–	–	–	–	–	–	3	12	26	14	3	–	–	–
Four or More	30	–	–	–	–	–	–	1	4	10	13	2	–	–	–
Not Stated	10	–	–	–	–	–	–	2	1	6	1	–	–	–	–
Unknown	146	–	3	–	2	7	1	31	56	36	10	–	–	–	–
None	76	–	3	–	2	5	1	20	26	15	4	–	–	–	–
One	47	–	–	–	–	2	–	10	21	12	2	–	–	–	–
Two	13	–	–	–	–	–	–	1	3	6	3	–	–	–	–
Three	5	–	–	–	–	–	–	–	4	1	–	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Not Stated	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Santa Barbara	4,397	3	23	55	89	149	222	1,449	1,346	801	231	29	–	–	–
White	2,392	1	5	18	29	52	94	730	802	510	137	14	–	–	–
None	1,158	1	5	18	29	41	75	454	363	149	23	–	–	–	–
One	739	–	–	–	–	11	18	215	287	163	41	4	–	–	–
Two	327	–	–	–	–	–	–	48	117	119	38	5	–	–	–
Three	96	–	–	–	–	–	–	9	23	48	16	–	–	–	–
Four or More	67	–	–	–	–	–	–	3	11	29	19	5	–	–	–
Not Stated	5	–	–	–	–	–	1	1	1	2	–	–	–	–	–
Black	189	–	3	5	3	8	18	83	40	26	3	–	–	–	–
None	99	–	3	5	3	4	15	50	14	4	1	–	–	–	–
One	43	–	–	–	–	3	2	18	11	8	1	–	–	–	–
Two	30	–	–	–	–	1	1	11	10	7	–	–	–	–	–
Three	12	–	–	–	–	–	–	3	2	7	–	–	–	–	–
Four or More	5	–	–	–	–	–	–	1	3	–	1	–	–	–	–
Mexican-American	1,509	2	15	28	51	82	103	544	392	203	76	13	–	–	–
None	584	2	15	27	40	64	72	236	88	35	5	–	–	–	–
One	458	–	–	1	8	17	24	206	144	49	9	–	–	–	–
Two	256	–	–	–	2	1	5	78	99	49	21	1	–	–	–
Three	94	–	–	–	1	–	1	14	35	30	11	2	–	–	–
Four or More	112	–	–	–	–	–	–	7	25	40	30	10	–	–	–
Not Stated	5	–	–	–	–	–	1	3	1	–	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Santa Barbara (Cont'd.)															
Other	266	–	–	4	6	7	5	76	101	52	13	2	–	–	–
None	123	–	–	4	5	6	3	37	45	18	5	–	–	–	–
One	80	–	–	–	1	1	2	25	33	15	3	–	–	–	–
Two	31	–	–	–	–	–	–	9	14	8	–	–	–	–	–
Three	13	–	–	–	–	–	–	3	3	4	3	–	–	–	–
Four or More	15	–	–	–	–	–	–	–	4	7	2	2	–	–	–
Not Stated	4	–	–	–	–	–	–	2	2	–	–	–	–	–	–
Unknown	41	–	–	–	–	–	2	16	11	10	2	–	–	–	–
None	26	–	–	–	–	–	2	9	8	6	1	–	–	–	–
One	12	–	–	–	–	–	–	5	3	4	–	–	–	–	–
Two	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Santa Clara	21,299	44	130	269	453	688	952	6,562	6,825	4,082	1,124	155	9	1	5
White	11,555	14	39	66	149	239	418	3,329	4,051	2,490	666	86	6	–	2
None	5,571	14	36	59	136	206	324	2,089	1,820	732	144	10	–	–	1
One	3,776	–	3	7	12	29	85	968	1,480	973	202	15	2	–	–
Two	1,407	–	–	–	–	3	6	212	552	420	134	20	–	–	–
Three	458	–	–	–	–	–	–	35	134	188	87	12	2	–	–
Four or More	293	–	–	–	–	–	–	7	52	109	94	29	2	–	–
Not Stated	50	–	–	–	1	1	3	18	13	8	5	–	–	–	1
Black	1,230	3	7	27	50	53	65	469	344	173	37	1	–	–	1
None	556	3	7	23	48	40	45	244	99	36	9	1	–	–	1
One	381	–	–	4	2	12	16	152	125	60	10	–	–	–	–
Two	164	–	–	–	–	1	4	53	68	31	7	–	–	–	–
Three	73	–	–	–	–	–	–	14	31	23	5	–	–	–	–
Four or More	52	–	–	–	–	–	–	3	21	22	6	–	–	–	–
Not Stated	4	–	–	–	–	–	–	3	–	1	–	–	–	–	–
Mexican-American	5,907	27	80	164	227	366	403	2,209	1,480	703	207	38	2	–	1
None	2,453	27	78	143	184	275	272	970	376	106	19	3	–	–	–
One	1,726	–	2	20	40	80	108	785	479	181	27	3	1	–	–
Two	937	–	–	–	3	10	19	332	355	172	41	4	–	–	1
Three	429	–	–	–	–	–	2	92	168	122	39	6	–	–	–
Four or More	340	–	–	–	–	–	–	19	98	119	81	22	1	–	–
Not Stated	22	–	–	1	–	1	2	11	4	3	–	–	–	–	–
Other	2,544	–	4	12	26	29	64	541	931	696	209	29	1	1	1
None	1,157	–	4	10	23	25	50	318	463	220	40	4	–	–	–
One	870	–	–	2	3	3	13	160	319	290	70	8	–	1	1
Two	334	–	–	–	–	1	1	44	110	122	51	5	–	–	–
Three	96	–	–	–	–	–	–	11	25	33	22	5	–	–	–
Four or More	78	–	–	–	–	–	–	1	14	29	26	7	1	–	–
Not Stated	9	–	–	–	–	–	–	7	–	2	–	–	–	–	–
Unknown	63	–	–	–	1	1	2	14	19	20	5	1	–	–	–
None	27	–	–	–	–	1	2	7	9	7	–	1	–	–	–
One	15	–	–	–	–	–	–	5	5	4	1	–	–	–	–
Two	6	–	–	–	–	–	–	1	3	2	–	–	–	–	–
Three	5	–	–	–	–	–	–	–	–	3	2	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	1	–	2	–	–	–	–
Not Stated	7	–	–	–	1	–	–	1	1	4	–	–	–	–	–
Santa Cruz	2,946	5	12	30	64	99	124	865	978	596	132	36	2	2	1
White	1,582	–	2	9	16	36	43	412	575	402	69	16	1	–	1
None	800	–	2	9	13	31	38	286	269	134	13	3	1	–	1
One	499	–	–	–	3	5	5	98	218	149	18	3	–	–	–
Two	172	–	–	–	–	–	–	25	57	68	19	3	–	–	–
Three	64	–	–	–	–	–	–	2	20	30	11	1	–	–	–
Four or More	34	–	–	–	–	–	–	–	4	16	8	6	–	–	–
Not Stated	13	–	–	–	–	–	–	1	7	5	–	–	–	–	–
Black	31	–	1	–	2	4	4	10	5	5	–	–	–	–	–
None	17	–	1	–	2	4	4	3	1	2	–	–	–	–	–
One	10	–	–	–	–	–	–	5	3	2	–	–	–	–	–
Two	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Santa Cruz (Cont'd.)															
Mexican-American	238	1	3	5	4	12	15	86	80	37	11	4	–	–	–
None	122	1	3	5	4	7	11	48	30	12	1	–	–	–	–
One	78	–	–	–	–	4	4	29	29	9	2	1	–	–	–
Two	32	–	–	–	–	1	–	6	15	7	2	1	–	–	–
Three	6	–	–	–	–	–	–	2	3	1	–	–	–	–	–
Four or More	18	–	–	–	–	–	–	1	3	7	5	2	–	–	–
Not Stated	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Other	62	–	–	–	–	1	2	15	22	15	5	2	–	–	–
None	29	–	–	–	–	1	2	7	12	5	2	–	–	–	–
One	22	–	–	–	–	–	–	6	9	6	1	–	–	–	–
Two	6	–	–	–	–	–	–	1	–	4	1	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	1	–	–	2	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Unknown	1,013	4	6	16	42	46	60	342	296	137	47	14	1	2	–
None	422	4	5	12	35	36	39	158	103	28	–	1	–	1	–
One	285	–	1	3	6	9	16	124	84	34	6	2	–	–	–
Two	148	–	–	1	1	–	5	44	63	30	3	1	–	–	–
Three	64	–	–	–	–	1	–	8	22	19	11	3	–	–	–
Four or More	90	–	–	–	–	–	–	8	22	24	27	7	1	1	–
Not Stated	4	–	–	–	–	–	–	–	2	2	–	–	–	–	–
Shasta	1,822	1	7	30	32	79	124	676	570	234	61	8	–	–	–
White	1,586	1	7	20	25	67	106	594	506	202	53	5	–	–	–
None	714	1	6	20	23	46	73	317	175	47	6	–	–	–	–
One	479	–	1	–	2	15	17	194	182	61	7	–	–	–	–
Two	194	–	–	–	–	3	6	54	69	47	14	1	–	–	–
Three	80	–	–	–	–	–	–	10	36	24	7	3	–	–	–
Four or More	51	–	–	–	–	–	–	2	16	13	19	1	–	–	–
Not Stated	68	–	–	–	–	3	10	17	28	10	–	–	–	–	–
Black	19	–	–	1	1	2	4	4	4	3	–	–	–	–	–
None	11	–	–	1	1	2	3	3	1	–	–	–	–	–	–
One	6	–	–	–	–	–	–	1	3	2	–	–	–	–	–
Two	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mexican-American	114	–	–	3	2	5	6	43	35	13	5	2	–	–	–
None	39	–	–	3	2	5	4	15	7	3	–	–	–	–	–
One	29	–	–	–	–	–	2	12	15	–	–	–	–	–	–
Two	20	–	–	–	–	–	–	8	5	5	1	1	–	–	–
Three	13	–	–	–	–	–	–	3	3	5	2	–	–	–	–
Four or More	7	–	–	–	–	–	–	2	2	–	2	1	–	–	–
Not Stated	6	–	–	–	–	–	–	3	3	–	–	–	–	–	–
Other	86	–	–	6	4	5	8	30	20	12	–	1	–	–	–
None	36	–	–	4	2	3	7	13	6	1	–	–	–	–	–
One	25	–	–	1	2	1	1	12	5	3	–	–	–	–	–
Two	12	–	–	–	–	–	–	3	5	3	–	1	–	–	–
Three	6	–	–	–	–	–	–	1	2	3	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Not Stated	5	–	–	1	–	1	–	1	2	–	–	–	–	–	–
Unknown	17	–	–	–	–	–	–	5	5	4	3	–	–	–	–
None	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Not Stated	12	–	–	–	–	–	–	4	3	4	1	–	–	–	–
Sierra	35	–	–	–	–	1	3	12	10	7	2	–	–	–	–
White	34	–	–	–	–	1	3	12	10	6	2	–	–	–	–
None	12	–	–	–	–	1	1	7	1	1	1	–	–	–	–
One	9	–	–	–	–	–	2	3	3	1	–	–	–	–	–
Two	4	–	–	–	–	–	–	–	3	1	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Not Stated	8	–	–	–	–	–	–	2	3	3	–	–	–	–	–
Unknown	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
One	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Siskiyou	726	–	7	10	20	26	29	255	233	112	30	3	–	–	1
White	626	–	6	8	16	24	22	216	207	101	22	3	–	–	1
None	189	–	5	3	9	12	16	89	43	11	1	–	–	–	–
One	160	–	–	–	3	5	2	60	62	25	3	–	–	–	–
Two	57	–	–	–	–	1	–	13	27	11	5	–	–	–	–
Three	21	–	–	–	–	–	–	2	5	10	3	1	–	–	–
Four or More	14	–	–	–	–	–	–	–	3	7	4	–	–	–	–
Not Stated	185	–	1	5	4	6	4	52	67	37	6	2	–	–	1
Black	6	–	–	–	–	–	1	4	–	1	–	–	–	–	–
None	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
One	4	–	–	–	–	–	1	3	–	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mexican-American	46	–	1	1	4	1	3	13	14	5	4	–	–	–	–
None	8	–	–	1	–	1	–	4	2	–	–	–	–	–	–
One	7	–	–	–	–	–	1	2	3	1	–	–	–	–	–
Two	4	–	–	–	–	–	–	1	1	1	1	–	–	–	–
Three	4	–	–	–	–	–	–	–	2	2	–	–	–	–	–
Four or More	6	–	–	–	–	–	–	–	4	–	2	–	–	–	–
Not Stated	17	–	1	–	4	–	2	6	2	1	1	–	–	–	–
Other	48	–	–	1	–	1	3	22	12	5	4	–	–	–	–
None	10	–	–	–	–	–	1	7	2	–	–	–	–	–	–
One	8	–	–	–	–	1	1	4	2	–	–	–	–	–	–
Two	15	–	–	–	–	–	–	6	6	2	1	–	–	–	–
Three	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Four or More	4	–	–	–	–	–	–	–	1	1	2	–	–	–	–
Not Stated	9	–	–	1	–	–	1	4	1	1	1	–	–	–	–
Solano	4,352	2	14	45	115	172	227	1,555	1,396	687	121	17	–	–	1
White	2,705	–	4	18	56	93	133	988	910	424	68	11	–	–	–
None	1,217	–	4	18	52	73	103	540	321	93	12	1	–	–	–
One	929	–	–	–	3	19	25	348	363	155	15	1	–	–	–
Two	345	–	–	–	–	–	5	72	164	88	13	3	–	–	–
Three	120	–	–	–	–	–	–	17	42	45	14	2	–	–	–
Four or More	81	–	–	–	–	–	–	5	17	41	14	4	–	–	–
Not Stated	13	–	–	–	1	1	–	6	3	2	–	–	–	–	–
Black	642	2	4	15	26	33	41	239	179	86	15	2	–	–	–
None	265	1	4	15	20	25	33	113	42	11	–	1	–	–	–
One	196	1	–	–	6	8	6	86	62	24	3	–	–	–	–
Two	108	–	–	–	–	–	2	31	47	25	3	–	–	–	–
Three	44	–	–	–	–	–	–	6	18	15	5	–	–	–	–
Four or More	27	–	–	–	–	–	–	2	9	11	4	1	–	–	–
Not Stated	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Mexican-American	469	–	4	10	22	28	29	175	135	54	12	–	–	–	–
None	187	–	4	10	20	22	19	73	31	6	2	–	–	–	–
One	155	–	–	–	2	5	8	69	51	18	2	–	–	–	–
Two	73	–	–	–	–	1	2	23	31	14	2	–	–	–	–
Three	32	–	–	–	–	–	–	6	15	8	3	–	–	–	–
Four or More	21	–	–	–	–	–	–	3	7	8	3	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	519	–	2	2	11	16	23	149	168	117	26	4	–	–	1
None	226	–	2	2	11	13	20	83	69	22	2	2	–	–	–
One	183	–	–	–	–	2	2	51	66	51	9	1	–	–	1
Two	77	–	–	–	–	1	1	12	24	29	9	1	–	–	–
Three	18	–	–	–	–	–	–	2	4	11	1	–	–	–	–
Four or More	13	–	–	–	–	–	–	1	3	4	5	–	–	–	–
Not Stated	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Unknown	17	–	–	–	–	2	1	4	4	6	–	–	–	–	–
None	8	–	–	–	–	1	1	2	2	2	–	–	–	–	–
One	5	–	–	–	–	1	–	1	2	1	–	–	–	–	–
Two	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Sonoma	4,480	6	23	43	107	129	192	1,368	1,480	910	192	26	2	–	–
White	3,904	6	20	37	98	105	165	1,165	1,317	797	174	19	1	–	–
None	1,818	6	20	34	85	85	128	671	519	239	28	3	–	–	–
One	1,303	–	–	3	12	20	30	378	519	290	48	3	–	–	–
Two	492	–	–	–	1	–	6	88	200	150	43	4	–	–	–
Three	170	–	–	–	–	–	1	18	51	67	30	3	–	–	–
Four or More	96	–	–	–	–	–	–	3	20	43	23	6	1	–	–
Not Stated	25	–	–	–	–	–	–	7	8	8	2	–	–	–	–
Black	99	–	–	1	–	10	8	41	22	12	3	2	–	–	–
None	48	–	–	1	–	8	6	22	9	2	–	–	–	–	–
One	25	–	–	–	–	2	2	12	3	5	1	–	–	–	–
Two	14	–	–	–	–	–	–	6	4	1	1	2	–	–	–
Three	7	–	–	–	–	–	–	1	3	3	–	–	–	–	–
Four or More	5	–	–	–	–	–	–	–	3	1	1	–	–	–	–
Mexican-American	234	–	1	4	4	6	8	98	61	41	8	3	–	–	–
None	83	–	1	3	4	4	6	43	18	4	–	–	–	–	–
One	71	–	–	1	–	2	1	38	19	9	1	–	–	–	–
Two	40	–	–	–	–	–	1	9	17	11	1	1	–	–	–
Three	20	–	–	–	–	–	–	7	4	8	1	–	–	–	–
Four or More	16	–	–	–	–	–	–	–	2	8	4	2	–	–	–
Not Stated	4	–	–	–	–	–	–	1	1	1	1	–	–	–	–
Other	165	–	2	3	4	8	8	48	55	32	4	1	–	–	–
None	86	–	2	3	3	7	5	25	31	8	2	–	–	–	–
One	36	–	–	–	1	1	3	8	13	9	–	1	–	–	–
Two	29	–	–	–	–	–	–	11	6	11	1	–	–	–	–
Three	11	–	–	–	–	–	–	3	5	2	1	–	–	–	–
Four or More	3	–	–	–	–	–	–	1	–	2	–	–	–	–	–
Unknown	78	–	–	–	1	–	3	16	25	28	3	1	1	–	–
None	42	–	–	–	1	–	3	12	14	12	–	–	–	–	–
One	16	–	–	–	–	–	–	4	7	5	–	–	–	–	–
Two	8	–	–	–	–	–	–	–	2	5	–	1	–	–	–
Three	4	–	–	–	–	–	–	–	2	2	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Not Stated	6	–	–	–	–	–	–	–	–	4	1	–	1	–	–
Stanislaus	4,984	17	44	90	172	238	333	1,841	1,429	614	170	32	2	1	1
White	3,564	11	27	62	109	152	214	1,339	1,070	464	102	14	–	–	–
None	1,567	10	26	59	97	125	133	674	341	89	10	3	–	–	–
One	1,199	–	1	3	10	22	70	491	411	163	26	2	–	–	–
Two	516	–	–	–	1	5	10	132	221	115	29	3	–	–	–
Three	175	–	–	–	–	–	–	30	68	58	18	1	–	–	–
Four or More	93	–	–	–	–	–	–	8	25	36	19	5	–	–	–
Not Stated	14	1	–	–	1	–	1	4	4	3	–	–	–	–	–
Black	105	–	2	1	9	3	12	38	28	7	2	3	–	–	–
None	46	–	2	1	8	3	8	16	6	2	–	–	–	–	–
One	32	–	–	–	1	–	4	14	10	1	1	1	–	–	–
Two	15	–	–	–	–	–	–	6	7	2	–	–	–	–	–
Three	6	–	–	–	–	–	–	1	4	–	1	–	–	–	–
Four or More	4	–	–	–	–	–	–	–	–	2	–	2	–	–	–
Not Stated	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Mexican-American	1,194	6	14	27	52	77	99	421	293	128	60	13	2	1	1
None	449	6	14	23	33	48	67	179	59	15	5	–	–	–	–
One	330	–	–	4	17	26	25	142	91	21	3	1	–	–	–
Two	187	–	–	–	2	3	6	66	74	26	10	–	–	–	–
Three	98	–	–	–	–	–	–	21	39	29	7	2	–	–	–
Four or More	125	–	–	–	–	–	–	10	29	37	35	10	2	1	1
Not Stated	5	–	–	–	–	–	1	3	1	–	–	–	–	–	–
Other	119	–	1	–	2	6	8	42	37	15	6	2	–	–	–
None	53	–	1	–	1	4	6	21	17	3	–	–	–	–	–
One	34	–	–	–	1	2	–	10	11	7	3	–	–	–	–
Two	19	–	–	–	–	–	2	9	6	2	–	–	–	–	–
Three	5	–	–	–	–	–	–	1	2	1	1	–	–	–	–
Four or More	8	–	–	–	–	–	–	1	1	2	2	2	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Stanislaus (Cont'd.)															
Unknown	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
None	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Sutter	909	2	6	11	39	46	71	339	266	102	20	5	1	–	1
White	653	2	2	7	21	28	49	257	196	77	10	3	–	–	1
None	299	2	2	7	13	20	35	139	62	17	1	–	–	–	1
One	211	–	–	–	7	7	12	87	71	25	2	–	–	–	–
Two	95	–	–	–	1	–	1	27	41	21	2	2	–	–	–
Three	31	–	–	–	–	–	1	4	15	9	2	–	–	–	–
Four or More	13	–	–	–	–	–	–	–	5	4	3	1	–	–	–
Not Stated	4	–	–	–	–	1	–	–	2	1	–	–	–	–	–
Black	17	–	–	–	1	3	2	7	3	1	–	–	–	–	–
None	12	–	–	–	1	2	2	6	1	–	–	–	–	–	–
One	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Two	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Three	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Mexican-American	181	–	4	4	13	11	16	60	44	17	9	2	1	–	–
None	74	–	4	2	10	8	8	31	9	2	–	–	–	–	–
One	42	–	–	2	1	3	6	16	10	4	–	–	–	–	–
Two	33	–	–	–	1	–	2	8	16	3	3	–	–	–	–
Three	17	–	–	–	1	–	–	5	8	2	1	–	–	–	–
Four or More	15	–	–	–	–	–	–	–	1	6	5	2	1	–	–
Other	27	–	–	–	2	1	2	4	13	4	1	–	–	–	–
None	12	–	–	–	2	1	–	4	5	–	–	–	–	–	–
One	11	–	–	–	–	–	2	–	6	3	–	–	–	–	–
Two	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Unknown	31	–	–	–	2	3	2	11	10	3	–	–	–	–	–
None	9	–	–	–	1	3	2	2	–	1	–	–	–	–	–
One	13	–	–	–	1	–	–	6	6	–	–	–	–	–	–
Two	5	–	–	–	–	–	–	3	1	1	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Tehama	597	3	2	10	18	32	40	206	193	74	17	2	–	–	–
White	481	3	1	8	16	21	29	160	162	65	14	2	–	–	–
None	209	3	1	8	16	18	23	80	49	9	2	–	–	–	–
One	155	–	–	–	–	3	5	63	67	15	2	–	–	–	–
Two	64	–	–	–	–	–	1	12	28	19	4	–	–	–	–
Three	33	–	–	–	–	–	–	4	14	14	1	–	–	–	–
Four or More	19	–	–	–	–	–	–	–	4	8	5	2	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Black	3	–	–	1	–	–	–	1	1	–	–	–	–	–	–
None	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
One	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mexican-American	84	–	1	–	1	6	5	37	23	8	3	–	–	–	–
None	30	–	1	–	1	4	3	13	7	–	1	–	–	–	–
One	25	–	–	–	–	2	2	16	5	–	–	–	–	–	–
Two	19	–	–	–	–	–	–	6	6	6	1	–	–	–	–
Three	4	–	–	–	–	–	–	2	2	–	–	–	–	–	–
Four or More	6	–	–	–	–	–	–	–	3	2	1	–	–	–	–
Other	28	–	–	1	1	5	6	8	6	1	–	–	–	–	–
None	15	–	–	1	1	5	3	3	2	–	–	–	–	–	–
One	7	–	–	–	–	–	2	2	3	–	–	–	–	–	–
Two	6	–	–	–	–	–	1	3	1	1	–	–	–	–	–
Unknown	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Trinity	188	–	–	5	5	8	14	61	61	30	4	–	–	–	–
White	158	–	–	4	4	7	9	50	54	26	4	–	–	–	–
None	56	–	–	4	3	5	7	22	9	6	–	–	–	–	–
One	49	–	–	–	–	2	1	17	23	5	1	–	–	–	–
Two	27	–	–	–	–	–	–	4	15	5	3	–	–	–	–
Three	12	–	–	–	–	–	–	2	3	7	–	–	–	–	–
Four or More	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Not Stated	11	–	–	–	1	–	1	4	3	2	–	–	–	–	–
Mexican-American	13	–	–	1	–	–	2	6	4	–	–	–	–	–	–
None	4	–	–	–	–	–	2	2	–	–	–	–	–	–	–
One	3	–	–	1	–	–	–	2	–	–	–	–	–	–	–
Two	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Stated	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Other	10	–	–	–	1	1	3	4	–	1	–	–	–	–	–
None	8	–	–	–	1	1	3	2	–	1	–	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Unknown	7	–	–	–	–	–	–	1	3	3	–	–	–	–	–
One	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Two	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Tulare	5,322	14	56	122	221	306	363	1,921	1,409	656	191	58	4	–	1
White	2,544	4	21	53	81	132	171	944	737	330	59	11	1	–	–
None	1,081	4	20	48	62	91	113	460	225	52	6	–	–	–	–
One	853	–	–	5	18	36	48	350	281	105	9	1	–	–	–
Two	402	–	–	–	1	5	10	103	161	107	12	3	–	–	–
Three	129	–	–	–	–	–	–	22	45	43	17	2	–	–	–
Four or More	73	–	–	–	–	–	–	6	24	22	15	5	1	–	–
Not Stated	6	–	1	–	–	–	–	3	1	1	–	–	–	–	–
Black	94	1	2	4	9	8	5	37	21	6	1	–	–	–	–
None	33	1	2	3	7	5	3	11	1	–	–	–	–	–	–
One	29	–	–	1	2	2	1	13	9	1	–	–	–	–	–
Two	20	–	–	–	–	1	1	9	5	4	–	–	–	–	–
Three	7	–	–	–	–	–	–	2	4	1	–	–	–	–	–
Four or More	5	–	–	–	–	–	–	2	2	–	1	–	–	–	–
Mexican-American	2,525	9	32	63	127	162	182	891	598	290	121	46	3	–	1
None	812	9	32	56	97	115	102	296	78	19	7	1	–	–	–
One	681	–	–	7	25	34	55	330	166	44	16	3	–	–	1
Two	445	–	–	–	3	13	22	162	173	60	9	3	–	–	–
Three	239	–	–	–	–	–	3	73	86	52	23	2	–	–	–
Four or More	345	–	–	–	1	–	–	28	95	115	66	37	3	–	–
Not Stated	3	–	–	–	1	–	–	2	–	–	–	–	–	–	–
Other	126	–	1	2	1	3	5	39	44	24	6	1	–	–	–
None	47	–	1	2	1	–	4	19	10	7	2	1	–	–	–
One	39	–	–	–	–	3	–	[illegible]	14	5	1	–	–	–	–
Two	20	–	–	–	–	–	1	4	11	3	1	–	–	–	–
Three	10	–	–	–	–	–	–	–	6	4	–	–	–	–	–
Four or More	10	–	–	–	–	–	–	–	3	5	2	–	–	–	–
Unknown	33	–	–	–	3	1	–	10	9	6	4	–	–	–	–
None	13	–	–	–	2	1	–	7	1	2	–	–	–	–	–
One	11	–	–	–	1	–	–	2	4	2	2	–	–	–	–
Two	7	–	–	–	–	–	–	1	4	–	2	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tuolumne	450	–	–	6	10	15	17	143	170	75	10	4	–	–	–
White	396	–	–	6	7	15	15	123	154	63	10	3	–	–	–
None	180	–	–	6	4	14	13	74	53	16	–	–	–	–	–
One	138	–	–	–	3	–	2	41	65	24	3	–	–	–	–
Two	50	–	–	–	–	1	–	6	27	12	4	–	–	–	–
Three	17	–	–	–	–	–	–	2	7	7	–	1	–	–	–
Four or More	10	–	–	–	–	–	–	–	2	4	2	2	–	–	–
Not Stated	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Tuolumne (Cont'd.)															
Black	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–
One	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mexican-American	35	–	–	–	2	–	1	14	10	7	–	1	–	–	–
None	11	–	–	–	2	–	1	5	2	1	–	–	–	–	–
One	12	–	–	–	–	–	–	4	4	4	–	–	–	–	–
Two	7	–	–	–	–	–	–	3	3	1	–	–	–	–	–
Three	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Other	16	–	–	–	1	–	1	4	5	5	–	–	–	–	–
None	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
One	8	–	–	–	1	–	1	2	2	2	–	–	–	–	–
Two	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Three	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Ventura	9,104	11	54	121	198	320	482	2,970	2,861	1,525	459	79	8	–	16
White	4,849	3	16	46	81	133	208	1,534	1,661	890	241	33	1	–	2
None	2,178	3	16	40	75	108	166	881	645	206	34	2	1	–	1
One	1,562	–	–	5	3	24	35	492	634	326	42	1	–	–	–
Two	666	–	–	1	–	–	2	126	276	198	57	6	–	–	–
Three	235	–	–	–	–	–	–	14	75	89	46	11	–	–	–
Four or More	163	–	–	–	–	–	1	2	19	68	60	13	–	–	–
Not Stated	45	–	–	–	3	1	4	19	12	3	2	–	–	–	1
Black	283	–	1	9	14	12	21	99	76	41	7	3	–	–	–
None	106	–	1	8	13	8	15	39	14	8	–	–	–	–	–
One	90	–	–	1	–	4	5	36	32	12	–	–	–	–	–
Two	40	–	–	–	–	–	1	14	14	7	3	1	–	–	–
Three	20	–	–	–	–	–	–	7	8	4	1	–	–	–	–
Four or More	23	–	–	–	–	–	–	1	7	10	3	2	–	–	–
Not Stated	4	–	–	–	1	–	–	2	1	–	–	–	–	–	–
Mexican-American	3,130	8	35	58	94	168	218	1,114	826	407	158	34	6	–	4
None	1,147	7	32	52	80	130	146	469	168	47	11	2	1	–	2
One	860	1	3	4	12	29	60	405	255	74	15	–	1	–	1
Two	546	–	–	–	1	5	10	174	214	106	31	3	1	–	1
Three	276	–	–	–	–	1	–	43	114	83	26	8	1	–	–
Four or More	268	–	–	–	–	1	–	10	67	95	72	21	2	–	–
Not Stated	33	–	–	2	1	2	2	13	8	2	3	–	–	–	–
Other	432	–	1	4	4	2	17	96	157	110	35	6	–	–	–
None	180	–	1	4	4	2	15	54	65	26	8	1	–	–	–
One	136	–	–	–	–	–	1	28	58	39	9	1	–	–	–
Two	80	–	–	–	–	–	1	12	25	31	10	1	–	–	–
Three	22	–	–	–	–	–	–	2	5	8	6	1	–	–	–
Four or More	12	–	–	–	–	–	–	–	2	6	2	2	–	–	–
Not Stated	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Unknown	410	–	1	4	5	5	18	127	141	77	18	3	1	–	10
None	189	–	–	4	4	3	14	72	62	23	3	–	–	–	4
One	92	–	–	–	–	–	1	26	36	27	2	–	–	–	–
Two	50	–	–	–	–	–	–	5	24	15	5	1	–	–	–
Three	8	–	–	–	–	–	–	1	–	2	5	–	–	–	–
Four or More	7	–	–	–	–	–	–	1	2	1	–	2	1	–	–
Not Stated	64	–	1	–	1	2	3	22	17	9	3	–	–	–	6
Yolo	1,705	1	8	24	54	72	75	561	527	303	69	11	–	–	–
White	1,184	1	5	12	31	46	45	384	386	219	48	7	–	–	–
None	589	1	5	12	27	41	33	214	181	67	7	1	–	–	–
One	348	–	–	–	4	5	10	113	131	71	13	1	–	–	–
Two	166	–	–	–	–	–	1	45	49	55	15	1	–	–	–
Three	47	–	–	–	–	–	1	9	16	15	6	–	–	–	–
Four or More	31	–	–	–	–	–	–	2	7	11	7	4	–	–	–
Not Stated	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–

Table 2–6 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, RACE, AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Yolo (Cont'd.)															
Black	50	–	–	1	3	–	2	21	15	6	2	–	–	–	–
None	17	–	–	1	2	–	1	10	2	1	–	–	–	–	–
One	21	–	–	–	1	–	–	6	9	4	1	–	–	–	–
Two	8	–	–	–	–	–	1	3	3	1	–	–	–	–	–
Three	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Mexican-American	400	–	3	10	19	24	27	141	101	58	15	2	–	–	–
None	141	–	3	9	16	18	19	57	16	3	–	–	–	–	–
One	132	–	–	1	3	6	7	54	44	16	1	–	–	–	–
Two	62	–	–	–	–	–	1	17	24	16	4	–	–	–	–
Three	27	–	–	–	–	–	–	9	9	8	1	–	–	–	–
Four or More	38	–	–	–	–	–	–	4	8	15	9	2	–	–	–
Other	65	–	–	1	1	2	1	11	24	19	4	2	–	–	–
None	28	–	–	1	1	2	1	5	12	6	–	–	–	–	–
One	18	–	–	–	–	–	–	4	8	5	1	–	–	–	–
Two	12	–	–	–	–	–	–	2	3	5	1	1	–	–	–
Three	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Four or More	5	–	–	–	–	–	–	–	1	3	1	–	–	–	–
Unknown	6	–	–	–	–	–	–	4	1	1	–	–	–	–	–
None	4	–	–	–	–	–	–	4	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Yuba	1,006	1	7	16	25	49	70	427	264	112	31	3	–	–	1
White	783	1	6	10	19	43	56	336	205	82	23	2	–	–	–
None	338	1	6	10	17	33	43	158	55	12	3	–	–	–	–
One	251	–	–	–	2	8	9	133	72	25	2	–	–	–	–
Two	127	–	–	–	–	1	4	36	55	27	4	–	–	–	–
Three	41	–	–	–	–	–	–	7	18	10	6	–	–	–	–
Four or More	21	–	–	–	–	–	–	2	1	8	8	2	–	–	–
Not Stated	5	–	–	–	–	1	–	–	4	–	–	–	–	–	–
Black	62	–	–	1	2	3	6	27	13	7	3	–	–	–	–
None	29	–	–	1	2	2	5	15	3	1	–	–	–	–	–
One	19	–	–	–	–	1	1	6	5	4	2	–	–	–	–
Two	7	–	–	–	–	–	–	5	1	1	–	–	–	–	–
Three	4	–	–	–	–	–	–	1	2	–	1	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Mexican-American	105	–	–	4	2	2	7	48	26	13	2	1	–	–	–
None	37	–	–	4	2	2	4	21	3	1	–	–	–	–	–
One	30	–	–	–	–	–	3	15	11	1	–	–	–	–	–
Two	17	–	–	–	–	–	–	8	5	4	–	–	–	–	–
Three	9	–	–	–	–	–	–	3	3	3	–	–	–	–	–
Four or More	11	–	–	–	–	–	–	–	4	4	2	1	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	38	–	1	–	1	–	1	10	16	6	3	–	–	–	–
None	15	–	1	–	–	–	–	3	9	1	1	–	–	–	–
One	14	–	–	–	–	–	–	5	4	4	1	–	–	–	–
Two	8	–	–	–	1	–	1	2	2	1	1	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Unknown	18	–	–	1	1	1	–	6	4	4	–	–	–	–	1
None	10	–	–	1	1	1	–	4	2	1	–	–	–	–	–
One	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	4	–	–	–	–	–	–	–	1	3	–	–	–	–	–

Note: Only those categories for which there was an occurrence are listed.

Source: State of California, Department of Health Services, Birth Records.

Table 2–7

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
California	379,187	806	2,450	5,796	10,192	14,933	20,554	126,554	115,190	61,916	17,430	3,008	173	6	179
White	198,999	196	762	2,092	3,961	6,241	9,204	65,139	65,722	35,482	8,813	1,257	66	3	61
None	88,207	180	714	1,895	3,349	4,953	6,704	34,750	24,797	9,114	1,566	152	10	1	22
One	61,914	3	16	111	386	932	1,846	20,683	23,522	12,051	2,168	186	2	1	7
Two	25,408	–	–	2	31	104	239	5,470	9,963	7,463	1,913	206	9	–	8
Three	8,704	–	–	–	–	8	20	963	3,141	3,165	1,218	181	7	–	1
Four or More	5,395	–	–	–	–	–	–	195	1,114	2,007	1,570	469	36	–	4
Not Stated	9,371	13	32	84	195	244	395	3,078	3,185	1,682	378	63	2	1	19
Black	37,986	253	562	1,104	1,698	2,235	2,922	14,024	9,402	4,285	1,240	229	14	–	18
None	16,092	242	524	988	1,367	1,684	1,913	6,005	2,428	754	158	19	2	–	8
One	10,704	4	19	89	254	404	745	4,772	3,055	1,113	227	18	1	–	3
Two	5,528	–	–	9	32	73	142	1,982	2,009	1,006	250	20	2	–	3
Three	2,454	–	–	–	3	11	33	589	969	613	200	33	2	–	1
Four or More	1,933	–	–	–	–	–	4	207	587	637	360	130	7	–	1
Not Stated	1,275	7	19	18	42	63	85	469	354	162	45	9	–	–	2
Mexican-American	102,678	510	978	2,260	3,887	5,525	7,112	37,316	26,157	13,102	4,812	1,111	64	2	42
None	37,391	297	879	1,947	3,104	3,918	4,459	15,238	5,557	1,537	377	50	4	–	24
One	27,656	3	53	220	564	1,150	1,898	12,524	7,904	2,654	578	101	5	–	2
Two	15,937	–	2	6	45	195	406	5,441	5,995	2,982	745	111	3	–	6
Three	7,943	–	–	–	4	13	60	1,811	3,089	2,118	720	123	2	–	3
Four or More	9,252	–	–	2	–	2	11	620	2,417	3,272	2,200	682	42	1	3
Not Stated	4,499	10	44	85	170	247	278	1,682	1,195	539	192	44	8	1	4
Other	26,219	14	66	166	325	495	736	6,015	9,518	6,629	1,906	316	26	1	6
None	11,347	14	62	138	275	379	524	3,336	4,238	1,964	377	35	3	–	2
One	8,125	–	1	17	35	87	148	1,670	3,066	2,428	592	76	2	–	3
Two	3,378	–	1	1	3	5	22	544	1,135	1,165	435	64	2	–	1
Three	1,172	–	–	–	–	–	1	121	388	424	193	43	2	–	–
Four or More	828	–	–	–	–	–	–	25	191	291	225	79	16	1	–
Not Stated	1,369	–	2	10	12	24	41	319	500	357	84	19	1	–	–
Unknown	13,305	33	82	174	321	437	580	4,060	4,391	2,418	659	95	3	–	52
None	5,963	32	74	152	265	341	407	2,157	1,679	682	134	13	–	–	27
One	3,482	–	3	12	30	60	104	1,141	1,301	682	133	12	–	–	4
Two	1,591	–	–	–	2	7	19	355	675	417	103	13	–	–	–
Three	614	–	–	–	–	–	3	89	232	204	77	9	–	–	–
Four or More	488	–	–	–	–	–	–	25	105	186	129	40	3	–	–
Not Stated	1,167	1	5	16	24	29	47	293	399	247	83	8	–	–	21
Alameda	16,688	39	107	220	408	572	767	5,250	5,222	3,132	824	122	6	–	19
White	8,897	7	32	84	175	250	361	2,720	2,928	1,791	481	55	1	–	12
None	3,275	6	22	52	119	153	210	1,201	917	480	107	6	–	–	2
One	2,147	–	–	2	11	29	54	614	812	504	113	8	–	–	–
Two	805	–	–	–	1	2	11	135	307	266	72	9	–	–	2
Three	301	–	–	–	–	–	–	35	95	113	52	4	1	–	1
Four or More	207	–	–	–	–	–	–	10	51	72	59	14	–	–	1
Not Stated	2,162	1	10	30	44	66	86	725	746	356	78	14	–	–	6
Black	3,748	27	53	90	143	201	257	1,386	996	445	116	26	4	–	4
None	1,566	25	50	81	119	150	172	613	264	77	10	2	2	–	1
One	993	1	1	6	21	30	61	424	302	114	30	2	–	–	1
Two	517	–	–	–	–	5	11	186	187	102	23	1	1	–	1
Three	234	–	–	–	–	1	–	50	100	63	16	4	–	–	–
Four or More	170	–	–	–	–	–	–	11	63	47	32	15	1	–	1
Not Stated	268	1	2	3	3	15	13	102	80	42	5	2	–	–	–
Mexican-American	1,146	2	8	17	34	50	54	410	327	185	43	15	–	–	1
None	405	2	7	15	28	36	36	173	78	29	1	–	–	–	–
One	301	–	–	1	3	8	14	120	97	46	8	3	–	–	1
Two	169	–	–	–	1	1	–	41	63	47	11	5	–	–	–
Three	56	–	–	–	–	–	–	9	21	17	6	3	–	–	–
Four or More	56	–	–	–	–	–	–	5	13	24	10	4	–	–	–
Not Stated	139	–	1	1	2	5	4	62	55	22	7	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Alameda (Cont'd)															
Other	1,554	1	5	8	16	22	31	331	581	435	107	15	1	–	1
None	573	1	4	5	14	16	18	152	239	105	18	–	–	–	1
One	390	–	–	1	1	1	4	86	133	132	32	–	–	–	–
Two	157	–	–	–	–	–	1	19	43	71	18	5	–	–	–
Three	64	–	–	–	–	–	–	4	22	23	13	2	–	–	–
Four or More	34	–	–	–	–	–	–	2	15	7	6	3	1	–	–
Not Stated	336	–	1	2	1	5	8	68	129	97	20	5	–	–	–
Unknown	1,343	2	9	21	40	49	64	403	390	276	77	11	–	–	1
None	589	2	9	19	36	39	42	189	139	90	21	3	–	–	–
One	400	–	–	1	4	6	18	135	125	89	20	1	–	–	1
Two	193	–	–	–	–	2	4	51	71	53	10	2	–	–	–
Three	70	–	–	–	–	–	–	9	27	20	12	2	–	–	–
Four or More	50	–	–	–	–	–	–	6	15	19	8	2	–	–	–
Not Stated	41	–	–	1	–	2	–	13	13	5	6	1	–	–	–
Alpine	14	–	–	–	–	–	2	3	7	2	–	–	–	–	–
White	9	–	–	–	–	–	–	2	6	1	–	–	–	–	–
None	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Stated	7	–	–	–	–	–	–	2	4	1	–	–	–	–	–
Mexican-American	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Stated	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other	4	–	–	–	–	–	1	1	1	1	–	–	–	–	–
Not Stated	4	–	–	–	–	–	1	1	1	1	–	–	–	–	–
Amador	243	1	1	2	5	12	21	68	86	37	8	2	–	–	–
White	223	1	1	2	5	12	19	63	79	32	7	2	–	–	–
None	108	1	1	2	5	11	14	37	24	11	1	1	–	–	–
One	64	–	–	–	–	–	4	19	30	8	2	1	–	–	–
Two	28	–	–	–	–	–	1	6	9	10	2	–	–	–	–
Three	10	–	–	–	–	–	–	–	7	2	1	–	–	–	–
Four or More	4	–	–	–	–	–	–	–	3	–	1	–	–	–	–
Not Stated	9	–	–	–	–	1	–	1	6	1	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
None	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
One	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mexican-American	14	–	–	–	–	–	–	4	7	2	1	–	–	–	–
None	6	–	–	–	–	–	–	3	2	1	–	–	–	–	–
One	3	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Two	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–
Three	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Other	3	–	–	–	–	–	1	1	–	1	–	–	–	–	–
One	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Two	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Unknown	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Stated	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Butte	1,815	5	10	21	39	73	91	621	591	299	58	6	1	–	–
White	1,465	2	7	13	28	57	76	498	481	253	45	4	1	–	–
None	640	2	7	13	21	54	55	259	162	59	8	–	–	–	–
One	491	–	–	–	6	3	17	173	197	89	6	–	–	–	–
Two	211	–	–	–	1	–	3	49	81	64	13	–	–	–	–
Three	54	–	–	–	–	–	1	6	18	23	5	1	–	–	–
Four or More	45	–	–	–	–	–	–	2	12	15	12	3	1	–	–
Not Stated	24	–	–	–	–	–	–	9	11	3	1	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Butte (Cont'd.)															
Black	29	–	1	–	1	2	4	14	4	2	1	–	–	–	–
None	17	–	1	–	1	2	3	7	3	–	–	–	–	–	–
One	8	–	–	–	–	–	1	6	–	1	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Three	3	–	–	–	–	–	–	1	–	1	1	–	–	–	–
Mexican-American	109	3	2	4	7	6	6	38	35	5	3	–	–	–	–
None	48	3	2	3	7	3	3	17	9	–	1	–	–	–	–
One	29	–	–	–	–	3	3	14	8	–	1	–	–	–	–
Two	17	–	–	1	–	–	–	2	11	3	–	–	–	–	–
Three	7	–	–	–	–		–	4	2	1	–	–	–	–	–
Four or More	8	–	–	–	–	–	–	1	5	1	1	–	–	–	–
Other	53	–	–	4	1	4	4	18	12	9	1	–	–	–	–
None	20	–	–	3	1	3	2	4	6	1	–	–	–	–	–
One	19	–	–	1	–	1	2	11	2	2	–	–	–	–	–
Two	8	–	–	–	–	–	–	1	4	3	–	–	–	–	–
Three	5	–	–	–	–	–	–	2	–	2	1	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Unknown	159	–	–	–	2	4	1	53	59	30	8	2	–	–	–
None	64	–	–	–	2	4	1	29	24	3	1	–	–	–	–
One	48	–	–	–	–	–	–	17	19	11	–	1	–	–	–
Two	20	–	–	–	–	–	–	6	7	6	1	–	–	–	–
Three	8	–	–	–	–	–	–	–	5	2	–	1	–	–	–
Four or More	18	–	–	–	–	–	–	–	4	8	6	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Calaveras	216	–	5	–	5	12	11	71	68	32	12	–	–	–	–
White	192	–	4	–	4	9	9	63	61	30	12	–	–	–	–
None	77	–	4	–	3	7	8	28	20	6	1	–	–	–	–
One	77	–	–	–	1	2	1	24	31	14	4	–	–	–	–
Two	24	–	–	–	–	–	–	8	5	7	4	–	–	–	–
Three	7	–	–	–	–	–	–	1	2	2	2	–	–	–	–
Four or More	4	–	–	–	–	–	–	–	2	1	1	–	–	–	–
Not Stated	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Mexican-American	13	–	1	–	1	1	1	1	6	2	–	–	–	–	–
None	6	–	1	–	1	–	1	1	1	1	–	–	–	–	–
One	3	–	–	–	–	1	–	–	1	1	–	–	–	–	–
Two	4	–	–	–	–	–	–	–	4	–	–	–	–	–	–
Other	9	–	–	–	–	2	1	5	1	–	–	–	–	–	–
None	4	–	–	–	–	2	1	1	–	–	–	–	–	–	–
One	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Two	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Unknown	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Colusa	211	1	2	3	6	10	13	79	64	22	8	3	–	–	–
White	126	–	2	–	5	5	10	43	39	16	5	1	–	–	–
None	55	–	1	–	4	5	8	25	7	3	2	–	–	–	–
One	40	–	1	–	1	–	2	14	17	5	–	–	–	–	–
Two	19	–	–	–	–	–	–	4	11	3	1	–	–	–	–
Three	8	–	–	–	–	–	–	–	3	4	1	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Not Stated	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Black	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
None	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Colusa (Cont'd.)															
Mexican-American	73	–	–	3	1	5	2	31	22	4	3	2	–	–	–
None	29	–	–	3	–	4	1	11	8	2	–	–	–	–	–
One	20	–	–	–	1	1	1	13	3	1	–	–	–	–	–
Two	11	–	–	–	–	–	–	5	6	–	–	–	–	–	–
Three	4	–	–	–	–	–	–	1	2	–	1	–	–	–	–
Four or More	9	–	–	–	–	–	–	1	3	1	2	2	–	–	–
Other	6	–	–	–	–	–	1	1	2	2	–	–	–	–	–
None	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
One	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Unknown	4	–	–	–	–	–	–	3	1	–	–	–	–	–	–
None	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
One	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Contra Costa	9,314	17	50	104	180	303	378	2,697	3,065	1,952	490	71	4	–	3
White	6,092	4	19	40	87	155	201	1,751	2,105	1,366	323	35	3	–	3
None	2,566	4	17	35	76	125	140	906	830	360	69	3	–	–	1
One	2,033	–	1	4	7	21	42	603	763	515	71	5	1	–	–
Two	750	–	–	–	–	2	6	121	281	255	73	10	–	–	2
Three	238	–	–	–	–	–	–	20	81	99	35	3	–	–	–
Four or More	167	–	–	–	–	–	–	3	34	65	52	11	2	–	–
Not Stated	338	–	1	1	4	7	13	98	116	72	23	3	–	–	–
Black	1,187	12	25	42	43	84	83	421	284	140	45	8	–	–	–
None	477	11	25	38	30	54	45	172	72	23	7	–	–	–	–
One	339	–	–	3	11	22	26	134	92	46	4	1	–	–	–
Two	178	–	–	–	–	4	5	68	58	29	13	1	–	–	–
Three	87	–	–	–	–	1	2	17	34	17	14	2	–	–	–
Four or More	51	–	–	–	–	–	–	11	12	19	5	4	–	–	–
Not Stated	55	1	–	1	2	3	5	19	16	6	2	–	–	–	–
Mexican-American	745	1	3	13	34	39	53	249	196	108	40	9	–	–	–
None	288	1	3	11	26	28	32	110	54	20	3	–	–	–	–
One	216	–	–	1	2	9	14	82	65	34	8	1	–	–	–
Two	127	–	–	–	–	–	5	37	47	29	8	1	–	–	–
Three	38	–	–	–	–	–	–	5	14	11	5	3	–	–	–
Four or More	40	–	–	–	–	–	–	3	7	10	16	4	–	–	–
Not Stated	36	–	–	1	6	2	2	12	9	4	–	–	–	–	–
Other	659	–	1	7	5	8	17	117	256	186	44	17	1	–	–
None	245	–	1	7	5	7	13	58	102	47	4	1	–	–	–
One	218	–	–	–	–	1	1	33	91	72	15	5	–	–	–
Two	111	–	–	–	–	–	–	12	42	38	15	4	–	–	–
Three	21	–	–	–	–	–	–	3	4	8	5	1	–	–	–
Four or More	19	–	–	–	–	–	–	2	3	5	4	4	1	–	–
Not Stated	45	–	–	–	–	–	3	9	14	16	1	2	–	–	–
Unknown	631	–	2	2	11	17	24	159	224	152	38	2	–	–	–
None	143	–	1	2	4	9	8	44	50	21	4	–	–	–	–
One	110	–	–	–	1	3	3	26	35	33	9	–	–	–	–
Two	49	–	–	–	–	–	–	6	18	21	4	–	–	–	–
Three	13	–	–	–	–	–	–	1	5	6	1	–	–	–	–
Four or More	9	–	–	–	–	–	–	–	1	4	4	–	–	–	–
Not Stated	307	–	1	–	6	5	13	82	115	67	16	2	–	–	–
Del Norte	324	1	1	3	15	11	19	134	89	28	17	6	–	–	–
White	268	–	1	3	7	9	19	110	77	23	15	4	–	–	–
None	87	–	1	3	7	7	8	42	15	4	–	–	–	–	–
One	82	–	–	–	–	2	8	37	27	5	3	–	–	–	–
Two	49	–	–	–	–	–	–	18	22	5	4	–	–	–	–
Three	14	–	–	–	–	–	–	2	4	3	3	2	–	–	–
Four or More	11	–	–	–	–	–	–	–	2	3	4	2	–	–	–
Not Stated	25	–	–	–	–	–	3	11	7	3	1	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Del Norte (Cont'd.)															
Black	7	–	–	–	–	–	–	6	–	1	–	–	–	–	–
None	4	–	–	–	–	–	–	3	–	1	–	–	–	–	–
One	3	–	–	–	–	–	–	3	–	–	–	–	–	–	–
Mexican-American	15	1	–	–	4	–	–	5	3	–	1	1	–	–	–
None	5	1	–	–	2	–	–	2	–	–	–	–	–	–	–
One	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Four or More	3	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Not Stated	3	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Other	31	–	–	–	4	2	–	12	8	3	1	1	–	–	–
None	8	–	–	–	2	–	–	4	–	1	1	–	–	–	–
One	10	–	–	–	2	2	–	3	3	–	–	–	–	–	–
Two	7	–	–	–	–	–	–	3	3	1	–	–	–	–	–
Three	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Not Stated	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Unknown	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
El Dorado	1,239	–	4	12	21	40	49	404	441	221	43	4	–	–	–
White	1,131	–	2	12	19	38	46	363	409	201	37	4	–	–	–
None	495	–	2	12	17	34	37	198	152	41	2	–	–	–	–
One	345	–	–	–	1	3	4	111	152	58	15	1	–	–	–
Two	128	–	–	–	–	–	3	26	46	46	7	–	–	–	–
Three	49	–	–	–	–	–	1	3	16	26	3	–	–	–	–
Four or More	21	–	–	–	–	–	–	–	5	3	10	3	–	–	–
Not Stated	93	–	–	–	1	1	1	25	38	27	–	–	–	–	–
Black	8	–	1	–	–	–	1	3	2	1	–	–	–	–	–
None	4	–	1	–	–	–	1	2	–	–	–	–	–	–	–
One	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Two	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Mexican-American	61	–	1	–	1	2	2	26	12	14	3	–	–	–	–
None	24	–	1	–	1	2	1	15	1	3	–	–	–	–	–
One	14	–	–	–	–	–	–	7	6	1	–	–	–	–	–
Two	8	–	–	–	–	–	1	2	2	3	–	–	–	–	–
Three	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Four or More	5	–	–	–	–	–	–	–	1	1	3	–	–	–	–
Not Stated	8	–	–	–	–	–	–	1	2	5	–	–	–	–	–
Other	29	–	–	–	1	–	–	10	14	2	2	–	–	–	–
None	12	–	–	–	1	–	–	6	3	1	1	–	–	–	–
One	10	–	–	–	–	–	–	1	8	–	1	–	–	–	–
Two	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Not Stated	4	–	–	–	–	–	–	1	2	1	–	–	–	–	–
Unknown	10	–	–	–	–	–	–	2	4	3	1	–	–	–	–
None	4	–	–	–	–	–	–	1	2	1	–	–	–	–	–
One	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Not Stated	3	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Fresno	9,363	40	116	236	342	452	566	3,167	2,688	1,303	384	66	3	–	–
White	4,293	4	30	59	106	139	206	1,436	1,425	715	151	22	–	–	–
None	1,942	4	26	53	94	110	144	799	556	141	15	–	–	–	–
One	1,416	–	3	4	6	26	53	450	565	276	30	3	–	–	–
Two	546	–	–	–	2	–	3	125	200	179	35	2	–	–	–
Three	174	–	–	–	–	–	–	27	48	66	30	3	–	–	–
Four or More	123	–	–	–	–	–	–	3	30	40	37	13	–	–	–
Not Stated	92	–	1	2	4	3	6	32	26	13	4	1	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Fresno (Cont'd.)															
Black	653	11	20	38	43	58	57	209	143	52	16	5	1	–	–
None	271	11	20	30	30	38	29	84	23	4	2	–	–	–	–
One	185	–	–	7	10	14	23	76	41	10	3	1	–	–	–
Two	106	–	–	1	3	5	4	30	45	17	1	–	–	–	–
Three	49	–	–	–	–	1	–	15	20	9	4	–	–	–	–
Four or More	41	–	–	–	–	–	–	4	14	12	6	4	1	–	–
Not Stated	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mexican-American	4,032	25	63	136	188	245	290	1,415	984	447	202	36	1	–	–
None	1,366	24	54	116	147	178	164	482	160	30	10	1	–	–	–
One	1,112	1	5	16	34	49	88	519	269	94	17	–	–	–	–
Two	651	–	1	–	2	9	25	244	235	94	37	4	–	–	–
Three	346	–	–	–	1	–	6	87	141	83	28	–	–	–	–
Four or More	435	–	–	–	–	–	–	44	128	130	104	28	1	–	–
Not Stated	122	–	3	4	4	9	7	39	31	16	6	3	–	–	–
Other	286	–	2	3	4	9	10	69	105	69	12	3	–	–	–
None	152	–	2	3	4	7	8	43	54	28	1	2	–	–	–
One	73	–	–	–	–	2	1	15	26	24	5	–	–	–	–
Two	36	–	–	–	–	–	1	7	14	9	4	1	–	–	–
Three	15	–	–	–	–	–	–	2	8	4	1	–	–	–	–
Four or More	7	–	–	–	–	–	–	–	2	4	1	–	–	–	–
Not Stated	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Unknown	99	–	1	–	1	1	3	38	31	20	3	–	1	–	–
None	35	–	1	–	–	–	3	16	11	4	–	–	–	–	–
One	25	–	–	–	1	1	–	13	6	3	1	–	–	–	–
Two	14	–	–	–	–	–	–	5	8	1	–	–	–	–	–
Three	10	–	–	–	–	–	–	3	5	2	–	–	–	–	–
Four or More	13	–	–	–	–	–	–	1	1	8	2	–	1	–	–
Not Stated	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Glenn	393	1	1	3	7	10	24	152	118	62	14	1	–	–	–
White	292	–	1	3	5	8	20	112	84	47	12	–	–	–	–
None	89	–	1	2	4	7	13	32	22	7	1	–	–	–	–
One	112	–	–	–	1	1	6	56	36	11	1	–	–	–	–
Two	52	–	–	–	–	–	–	19	18	11	4	–	–	–	–
Three	17	–	–	–	–	–	1	1	3	9	3	–	–	–	–
Four or More	11	–	–	–	–	–	–	–	2	6	3	–	–	–	–
Not Stated	11	–	–	1	–	–	–	4	3	3	–	–	–	–	–
Mexican-American	59	–	–	–	2	2	3	24	18	7	2	1	–	–	–
None	19	–	–	–	1	1	3	10	2	2	–	–	–	–	–
One	7	–	–	–	–	1	–	3	2	–	–	1	–	–	–
Two	13	–	–	–	1	–	–	5	6	1	–	–	–	–	–
Three	7	–	–	–	–	–	–	2	4	1	–	–	–	–	–
Four or More	8	–	–	–	–	–	–	1	2	3	2	–	–	–	–
Not Stated	5	–	–	–	–	–	–	3	2	–	–	–	–	–	–
Other	11	–	–	–	–	–	–	6	3	2	–	–	–	–	–
None	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
One	7	–	–	–	–	–	–	4	2	1	–	–	–	–	–
Two	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Unknown	31	1	–	–	–	–	1	10	13	6	–	–	–	–	–
None	17	1	–	–	–	–	1	7	4	4	–	–	–	–	–
One	9	–	–	–	–	–	–	2	7	–	–	–	–	–	–
Two	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Humboldt	1,689	3	12	24	32	51	76	596	584	247	54	8	1	–	1
White	1,461	3	6	17	25	40	65	508	525	215	49	6	1	–	1
None	667	2	6	15	23	32	45	269	200	69	6	–	–	–	–
One	454	–	–	2	1	6	16	162	193	59	14	1	–	–	–
Two	198	–	–	–	–	–	2	55	73	51	16	1	–	–	–
Three	55	–	–	–	–	–	–	4	27	21	3	–	–	–	–
Four or More	38	–	–	–	–	–	–	1	11	10	10	4	1	–	1
Not Stated	49	1	–	–	1	2	2	17	21	5	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Humboldt (Cont'd.)															
Black	21	–	–	–	–	1	–	11	6	2	1	–	–	–	–
None	8	–	–	–	–	1	–	7	–	–	–	–	–	–	–
One	6	–	–	–	–	–	–	3	2	1	–	–	–	–	–
Two	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Mexican-American	55	–	2	1	–	2	1	24	15	8	1	1	–	–	–
None	17	–	2	1	–	–	–	8	6	–	–	–	–	–	–
One	17	–	–	–	–	–	1	9	5	1	–	1	–	–	–
Two	11	–	–	–	–	1	–	2	3	5	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Not Stated	7	–	–	–	–	1	–	5	1	–	–	–	–	–	–
Other	146	–	3	6	7	8	10	51	38	20	2	1	–	–	–
None	58	–	2	5	7	6	5	22	9	2	–	–	–	–	–
One	42	–	–	1	–	2	5	13	12	8	1	–	–	–	–
Two	24	–	–	–	–	–	–	9	9	4	1	1	–	–	–
Three	6	–	–	–	–	–	–	3	2	1	–	–	–	–	–
Four or More	5	–	–	–	–	–	–	–	1	4	–	–	–	–	–
Not Stated	11	–	1	–	–	–	–	4	5	1	–	–	–	–	–
Unknown	6	–	1	–	–	–	–	2	–	2	1	–	–	–	–
None	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
One	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Imperial	2,002	4	21	39	83	78	134	709	564	265	82	21	2	–	–
White	491	–	1	3	23	13	25	155	166	87	17	1	–	–	–
None	106	–	1	2	9	8	8	46	24	8	–	–	–	–	–
One	94	–	–	1	1	–	4	29	39	18	2	–	–	–	–
Two	59	–	–	–	–	–	1	11	26	19	2	–	–	–	–
Three	18	–	–	–	–	–	–	1	6	8	3	–	–	–	–
Four or More	12	–	–	–	–	–	–	–	2	6	3	1	–	–	–
Not Stated	202	–	–	–	13	5	12	68	69	28	7	–	–	–	–
Black	57	1	3	1	2	2	5	21	10	9	3	–	–	–	–
None	15	–	2	1	1	1	3	5	2	–	–	–	–	–	–
One	9	–	–	–	1	1	–	5	1	1	–	–	–	–	–
Two	8	–	–	–	–	–	–	2	1	3	2	–	–	–	–
Three	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Not Stated	21	1	1	–	–	–	2	9	5	2	1	–	–	–	–
Mexican-American	1,396	3	17	35	58	60	102	516	372	154	60	18	1	–	–
None	409	3	15	31	37	35	54	179	42	11	1	1	–	–	–
One	298	–	–	1	5	11	24	138	93	19	5	2	–	–	–
Two	172	–	–	–	–	1	1	50	79	28	10	3	–	–	–
Three	82	–	–	–	–	–	1	13	36	25	5	2	–	–	–
Four or More	83	–	–	–	–	–	–	6	12	36	21	8	–	–	–
Not Stated	352	–	2	3	16	13	22	130	110	35	18	2	1	–	–
Other	55	–	–	–	–	2	2	16	16	14	2	2	1	–	–
None	3	–	–	–	–	1	–	1	1	–	–	–	–	–	–
One	4	–	–	–	–	–	1	–	2	1	–	–	–	–	–
Two	7	–	–	–	–	–	–	1	5	1	–	–	–	–	–
Three	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Four or More	4	–	–	–	–	–	–	–	1	2	–	1	–	–	–
Not Stated	35	–	–	–	–	1	1	14	7	9	2	–	1	–	–
Unknown	3	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Not Stated	3	–	–	–	–	1	–	1	–	1	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Inyo	223	–	1	1	6	11	14	71	74	34	9	2	–	–	–
White	162	–	1	–	6	3	11	58	50	22	9	2	–	–	–
None	66	–	1	–	6	3	8	20	17	8	3	–	–	–	–
One	55	–	–	–	–	–	2	27	20	4	2	–	–	–	–
Two	19	–	–	–	–	–	–	8	5	4	2	–	–	–	–
Three	11	–	–	–	–	–	–	–	6	4	–	1	–	–	–
Four or More	6	–	–	–	–	–	–	–	1	2	2	1	–	–	–
Not Stated	5	–	–	–	–	–	1	3	1	–	–	–	–	–	–
Mexican-American	24	–	–	–	–	3	–	5	10	6	–	–	–	–	–
None	7	–	–	–	–	2	–	2	1	2	–	–	–	–	–
One	7	–	–	–	–	1	–	2	4	–	–	–	–	–	–
Two	5	–	–	–	–	–	–	–	3	2	–	–	–	–	–
Three	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Not Stated	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Other	37	–	–	1	–	5	3	8	14	6	–	–	–	–	–
None	16	–	–	1	–	3	3	4	5	–	–	–	–	–	–
One	9	–	–	–	–	2	–	4	2	1	–	–	–	–	–
Two	3	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Three	4	–	–	–	–	–	–	–	3	1	–	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Not Stated	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Kern	7,710	33	76	197	328	441	593	2,819	2,090	853	233	43	2	1	1
White	4,627	16	39	104	207	239	373	1,681	1,336	483	129	18	1	1	–
None	2,009	16	37	92	174	185	267	743	386	90	17	1	–	1	–
One	1,472	–	2	11	28	46	87	633	505	134	23	3	–	–	–
Two	694	–	–	1	3	7	14	219	283	133	33	1	–	–	–
Three	232	–	–	–	–	1	1	39	100	69	18	4	–	–	–
Four or More	132	–	–	–	–	–	–	8	34	44	36	9	1	–	–
Not Stated	88	–	–	–	2	–	4	39	28	13	2	–	–	–	–
Black	523	4	10	16	28	47	43	206	113	41	12	2	–	–	1
None	191	4	10	13	21	27	19	72	19	6	–	–	–	–	–
One	176	–	–	2	7	15	19	73	44	12	2	–	–	–	–
Two	80	–	–	1	–	3	5	36	23	10	1	1	–	–	–
Three	39	–	–	–	–	1	–	14	12	7	3	1	–	–	1
Four or More	31	–	–	–	–	–	–	6	15	4	6	–	–	–	–
Not Stated	6	–	–	–	–	1	–	3	–	2	–	–	–	–	–
Mexican-American	2,297	13	27	74	87	150	160	856	553	276	80	20	1	–	–
None	818	13	25	68	74	105	96	310	103	19	5	–	–	–	–
One	682	–	2	6	11	34	46	357	166	54	6	–	–	–	–
Two	378	–	–	–	2	8	13	126	144	70	12	3	–	–	–
Three	221	–	–	–	–	2	3	52	88	58	14	4	–	–	–
Four or More	194	–	–	–	–	–	1	10	51	75	43	13	1	–	–
Not Stated	4	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Other	248	–	–	3	5	5	17	73	80	51	11	3	–	–	–
None	103	–	–	3	4	2	12	36	30	14	2	–	–	–	–
One	82	–	–	–	1	3	3	26	29	17	3	–	–	–	–
Two	36	–	–	–	–	–	2	7	13	7	4	3	–	–	–
Three	18	–	–	–	–	–	–	3	5	9	1	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Not Stated	7	–	–	–	–	–	–	1	3	2	1	–	–	–	–
Unknown	15	–	–	–	1	–	–	3	8	2	1	–	–	–	–
None	7	–	–	–	1	–	–	1	4	–	1	–	–	–	–
One	4	–	–	–	–	–	–	1	1	2	–	–	–	–	–
Two	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Kings	1,500	5	28	39	56	81	96	585	365	187	45	13	–	–	–
White	790	2	6	11	23	41	55	314	221	95	15	7	–	–	–
None	312	1	6	11	18	31	36	140	53	13	3	–	–	–	–
One	281	–	–	–	4	8	17	117	97	36	1	1	–	–	–
Two	111	–	–	–	–	1	2	40	43	19	5	1	–	–	–
Three	46	–	–	–	–	–	–	9	19	15	1	2	–	–	–
Four or More	23	–	–	–	–	–	–	3	3	10	5	2	–	–	–
Not Stated	17	1	–	–	1	1	–	5	6	2	–	1	–	–	–
Black	95	1	4	5	4	6	4	38	14	18	1	–	–	–	–
None	32	1	4	3	2	4	1	15	2	–	–	–	–	–	–
One	24	–	–	–	2	1	3	9	8	1	–	–	–	–	–
Two	16	–	–	1	–	–	–	8	2	4	1	–	–	–	–
Three	11	–	–	–	–	–	–	2	1	8	–	–	–	–	–
Four or More	8	–	–	–	–	–	–	2	1	5	–	–	–	–	–
Not Stated	4	–	–	1	–	1	–	2	–	–	–	–	–	–	–
Mexican-American	522	2	17	22	27	30	32	211	95	57	23	6	–	–	–
None	178	2	16	22	20	18	19	67	11	2	1	–	–	–	–
One	131	–	1	–	7	7	10	68	32	4	2	–	–	–	–
Two	95	–	–	–	–	3	3	48	26	12	2	1	–	–	–
Three	50	–	–	–	–	–	–	17	15	13	4	1	–	–	–
Four or More	56	–	–	–	–	–	–	5	9	25	13	4	–	–	–
Not Stated	12	–	–	–	–	2	–	6	2	1	1	–	–	–	–
Other	83	–	–	1	1	3	4	20	33	15	6	–	–	–	–
None	29	–	–	–	–	2	2	11	8	4	2	–	–	–	–
One	32	–	–	1	–	1	1	5	16	7	1	–	–	–	–
Two	15	–	–	–	1	–	1	3	6	4	–	–	–	–	–
Three	4	–	–	–	–	–	–	–	3	–	1	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Unknown	10	–	1	–	1	1	1	2	2	2	–	–	–	–	–
None	7	–	1	–	1	1	1	2	1	–	–	–	–	–	–
One	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Lake	428	–	6	7	20	22	17	153	124	60	14	5	–	–	–
White	363	–	4	6	16	16	15	131	104	55	11	5	–	–	–
None	166	–	4	6	15	11	11	66	43	[illegible]	2	–	–	–	–
One	100	–	–	–	1	4	2	44	33	15	1	–	–	–	–
Two	45	–	–	–	–	–	2	9	17	14	3	–	–	–	–
Three	23	–	–	–	–	–	–	6	5	9	2	1	–	–	–
Four or More	16	–	–	–	–	–	–	2	3	6	2	3	–	–	–
Not Stated	13	–	–	–	–	1	–	4	3	3	1	1	–	–	–
Black	3	–	1	–	–	–	–	1	1	–	–	–	–	–	–
None	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mexican-American	31	–	1	1	1	1	1	13	8	3	2	–	–	–	–
None	9	–	–	1	1	1	1	5	–	–	–	–	–	–	–
One	6	–	1	–	–	–	–	4	1	–	–	–	–	–	–
Two	6	–	–	–	–	–	–	1	4	1	–	–	–	–	–
Three	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Four or More	5	–	–	–	–	–	–	1	1	1	2	–	–	–	–
Not Stated	3	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Other	27	–	–	–	3	5	1	8	8	1	1	–	–	–	–
None	10	–	–	–	2	2	1	3	1	–	1	–	–	–	–
One	8	–	–	–	1	2	–	2	3	–	–	–	–	–	–
Two	3	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Three	3	–	–	–	–	–	–	2	–	1	–	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–
Unknown	4	–	–	–	–	–	–	–	3	1	–	–	–	–	–
None	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
One	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Lassen	338	–	3	6	16	19	19	124	105	36	9	–	1	–	–
White	284	–	2	4	14	15	15	108	84	34	8	–	–	–	–
None	119	–	2	3	11	13	9	47	30	4	–	–	–	–	–
One	68	–	–	–	1	1	3	30	22	9	2	–	–	–	–
Two	33	–	–	–	–	–	–	13	12	8	–	–	–	–	–
Three	8	–	–	–	–	–	–	–	4	2	2	–	–	–	–
Four or More	5	–	–	–	–	–	–	–	1	2	2	–	–	–	–
Not Stated	51	–	–	1	2	1	3	18	15	9	2	–	–	–	–
Black	7	–	–	–	–	1	–	4	2	–	–	–	–	–	–
None	3	–	–	–	–	1	–	2	–	–	–	–	–	–	–
One	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Not Stated	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Mexican-American	21	–	–	–	1	1	1	6	9	1	1	–	1	–	–
None	8	–	–	–	1	–	–	2	5	–	–	–	–	–	–
One	3	–	–	–	–	–	–	2	–	–	1	–	–	–	–
Two	3	–	–	–	–	1	–	–	1	1	–	–	–	–	–
Three	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Not Stated	4	–	–	–	–	–	1	2	1	–	–	–	–	–	–
Other	21	–	1	2	1	1	3	5	8	–	–	–	–	–	–
None	8	–	1	2	–	1	1	1	2	–	–	–	–	–	–
One	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Two	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Not Stated	7	–	–	–	–	–	1	2	4	–	–	–	–	–	–
Unknown	5	–	–	–	–	1	–	1	2	1	–	–	–	–	–
None	3	–	–	–	–	1	–	1	1	–	–	–	–	–	–
One	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Los Angeles	126,212	320	879	2,127	3,587	5,127	6,947	41,593	36,893	20,812	6,564	1,207	63	2	91
White	44,550	36	148	453	768	1,204	1,807	14,013	14,803	8,473	2,423	385	17	–	20
None	20,376	32	139	411	663	957	1,328	7,795	6,041	2,446	483	58	9	–	14
One	13,793	–	3	25	70	188	367	4,340	5,211	2,867	641	77	1	–	3
Two	5,733	–	–	–	7	23	49	1,158	2,197	1,715	516	66	2	–	–
Three	1,991	–	–	–	–	–	5	219	707	699	314	47	–	–	–
Four or More	1,300	–	–	–	–	–	–	45	247	490	392	120	5	–	1
Not Stated	1,357	4	6	17	28	36	58	456	400	256	77	17	–	–	2
Black	18,863	131	273	597	856	1,111	1,431	6,678	4,719	2,262	663	127	7	–	8
None	8,021	127	251	530	690	846	964	2,851	1,260	399	86	12	–	–	5
One	5,266	1	12	55	129	200	347	2,293	1,503	599	119	7	–	–	1
Two	2,715	–	–	3	17	37	72	914	999	528	134	10	–	–	1
Three	1,297	–	–	–	1	5	15	317	521	317	102	17	2	–	–
Four or More	1,080	–	–	–	–	–	1	113	313	368	202	78	5	–	–
Not Stated	484	3	10	9	19	23	32	190	123	51	20	3	–	–	1
Mexican-American	49,730	136	415	995	1,777	2,533	3,346	17,948	12,747	6,742	2,475	555	28	2	31
None	17,851	130	368	850	1,416	1,788	2,116	7,369	2,758	796	208	28	3	–	21
One	13,253	–	22	98	251	514	860	5,945	3,836	1,351	309	62	4	–	1
Two	7,754	–	–	–	19	90	186	2,637	2,858	1,530	377	50	3	–	4
Three	3,913	–	–	–	2	7	26	884	1,500	1,062	362	67	1	–	2
Four or More	4,789	–	–	2	–	2	5	306	1,266	1,742	1,125	326	14	1	–
Not Stated	2,170	6	25	45	89	132	153	807	529	261	94	22	3	1	3
Other	8,267	2	14	29	70	114	154	1,542	3,088	2,393	750	101	9	–	1
None	3,062	2	14	23	59	88	114	972	1,565	838	171	15	1	–	–
One	2,591	–	–	4	9	21	32	369	985	891	254	25	1	–	–
Two	1,005	–	–	1	1	1	6	123	299	380	173	19	1	–	1
Three	338	–	–	–	–	–	–	27	98	131	63	18	1	–	–
Four or More	222	–	–	–	–	–	–	7	45	82	61	22	5	–	–
Not Stated	249	–	–	1	1	4	2	44	96	71	28	2	–	–	–
Unknown	4,802	15	29	53	116	165	209	1,412	1,536	942	253	39	2	–	31
None	2,518	14	25	43	95	131	152	856	741	357	75	9	–	–	20
One	1,106	–	1	5	8	15	31	342	397	258	41	5	–	–	3
Two	480	–	–	–	1	2	6	108	185	136	39	3	–	–	–
Three	198	–	–	–	–	–	2	24	70	66	32	4	–	–	–
Four or More	136	–	–	–	–	–	–	6	27	48	37	16	2	–	–
Not Stated	364	1	3	5	12	17	18	76	116	77	29	2	–	–	8

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Madera	1,205	2	14	17	39	50	81	419	380	157	36	10	–	–	–
White	629	1	4	6	17	16	36	213	225	94	14	3	–	–	–
None	233	1	4	6	14	9	25	86	66	21	1	–	–	–	–
One	226	–	–	–	3	6	8	86	89	31	3	–	–	–	–
Two	102	–	–	–	–	–	1	29	46	25	1	–	–	–	–
Three	37	–	–	–	–	–	–	4	18	10	4	1	–	–	–
Four or More	14	–	–	–	–	–	–	1	3	4	4	2	–	–	–
Not Stated	17	–	–	–	–	1	2	7	3	3	1	–	–	–	–
Black	34	–	1	2	1	2	3	11	8	6	–	–	–	–	–
None	11	–	1	1	1	–	–	6	–	2	–	–	–	–	–
One	11	–	–	–	–	2	2	2	3	2	–	–	–	–	–
Two	6	–	–	–	–	–	–	3	3	–	–	–	–	–	–
Three	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Not Stated	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mexican-American	499	1	9	8	19	31	41	179	134	53	17	7	–	–	–
None	165	1	8	6	11	21	19	77	20	1	1	–	–	–	–
One	126	–	1	2	7	8	15	51	35	7	–	–	–	–	–
Two	89	–	–	–	1	2	4	27	41	13	1	–	–	–	–
Three	51	–	–	–	–	–	1	18	17	9	5	1	–	–	–
Four or More	60	–	–	–	–	–	1	5	16	22	10	6	–	–	–
Not Stated	8	–	–	–	–	–	1	1	5	1	–	–	–	–	–
Other	35	–	–	–	2	1	1	12	12	2	5	–	–	–	–
None	21	–	–	–	2	1	1	8	7	1	1	–	–	–	–
One	8	–	–	–	–	–	–	4	4	–	–	–	–	–	–
Two	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Unknown	8	–	–	1	–	–	–	4	1	2	–	–	–	–	–
None	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
One	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Two	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Marin	2,312	–	1	2	8	25	46	421	771	766	238	28	–	–	6
White	1,816	–	1	1	5	15	32	308	591	645	193	22	–	–	3
None	863	–	1	1	5	13	23	215	296	244	57	7	–	–	1
One	591	–	–	–	–	–	8	65	199	251	65	2	–	–	1
Two	214	–	–	–	–	–	–	9	60	103	34	7	–	–	1
Three	55	–	–	–	–	–	–	4	9	21	19	2	–	–	–
Four or More	26	–	–	–	–	–	–	–	–	9	13	4	–	–	–
Not Stated	67	–	–	–	–	2	1	15	27	17	5	–	–	–	–
Black	86	–	–	–	1	6	4	34	22	13	6	–	–	–	–
None	44	–	–	–	1	5	3	17	12	5	1	–	–	–	–
One	23	–	–	–	–	1	1	10	6	4	1	–	–	–	–
Two	7	–	–	–	–	–	–	3	3	–	1	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Four or More	6	–	–	–	–	–	–	–	1	3	2	–	–	–	–
Not Stated	5	–	–	–	–	–	–	4	–	1	–	–	–	–	–
Mexican-American	56	–	–	–	–	2	3	12	21	13	4	1	–	–	–
None	19	–	–	–	–	2	2	2	8	4	–	1	–	–	–
One	24	–	–	–	–	–	1	8	9	4	2	–	–	–	–
Two	6	–	–	–	–	–	–	1	2	2	1	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Four or More	4	–	–	–	–	–	–	1	1	2	–	–	–	–	–
Not Stated	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Other	108	–	–	–	–	–	2	17	55	22	11	1	–	–	–
None	67	–	–	–	–	–	2	11	39	11	4	–	–	–	–
One	25	–	–	–	–	–	–	3	8	9	4	1	–	–	–
Two	8	–	–	–	–	–	–	–	5	1	2	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Not Stated	6	–	–	–	–	–	–	3	2	1	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Marin (Cont'd.)															
Unknown	246	–	–	1	2	2	5	50	82	73	24	4	–	–	3
None	122	–	–	1	2	2	4	35	50	24	3	–	–	–	1
One	62	–	–	–	–	–	–	8	16	29	8	1	–	–	–
Two	25	–	–	–	–	–	–	1	9	9	5	1	–	–	–
Three	7	–	–	–	–	–	–	–	3	4	–	–	–	–	–
Four or More	6	–	–	–	–	–	–	–	–	2	3	1	–	–	–
Not Stated	24	–	–	–	–	–	1	6	4	5	5	1	–	–	2
Mariposa	120	–	1	–	4	2	10	39	36	21	6	1	–	–	–
White	107	–	–	–	4	1	9	33	32	21	6	1	–	–	–
None	46	–	–	–	4	1	7	14	13	7	–	–	–	–	–
One	35	–	–	–	–	–	1	14	13	5	2	–	–	–	–
Two	9	–	–	–	–	–	–	1	4	4	–	–	–	–	–
Three	5	–	–	–	–	–	–	–	1	1	2	1	–	–	–
Four or More	5	–	–	–	–	–	–	–	–	3	2	–	–	–	–
Not Stated	7	–	–	–	–	–	1	4	1	1	–	–	–	–	–
Mexican-American	4	–	–	–	–	1	–	2	1	–	–	–	–	–	–
None	3	–	–	–	–	1	–	1	1	–	–	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	4	–	1	–	–	–	–	2	1	–	–	–	–	–	–
None	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Two	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Unknown	5	–	–	–	–	–	1	2	2	–	–	–	–	–	–
None	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Not Stated	3	–	–	–	–	–	1	–	2	–	–	–	–	–	–
Mendocino	1,076	4	5	10	29	50	68	353	314	190	42	11	–	–	–
White	901	3	4	7	19	42	51	295	270	167	35	8	–	–	–
None	371	3	4	5	17	30	39	146	93	30	4	–	–	–	–
One	261	–	–	1	1	9	9	94	87	56	3	1	–	–	–
Two	134	–	–	–	1	1	3	32	49	38	9	1	–	–	–
Three	56	–	–	–	–	1	–	7	18	22	8	–	–	–	–
Four or More	39	–	–	–	–	–	–	–	9	15	9	6	–	–	–
Not Stated	40	–	–	1	–	1	–	16	14	6	2	–	–	–	–
Black	6	–	–	–	1	–	2	3	–	–	–	–	–	–	–
None	5	–	–	–	1	–	2	2	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Mexican-American	87	–	1	2	6	4	7	32	22	9	2	2	–	–	–
None	32	–	1	2	3	2	4	12	6	–	–	–	–	–	–
One	22	–	–	–	1	1	3	10		2	1	–	–	–	–
Two	14	–	–	–	–	1	–	5	5	3	–	–	–	–	–
Three	4	–	–	–	–	–	–	1	2	–	–	1	–	–	–
Four or More	14	–	–	–	–	–	–	3	5	4	1	1	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	60	1	–	1	3	3	6	16	17	8	4	1	–	–	–
None	19	1	–	1	2	2	3	6	2	2	–	–	–	–	–
One	16	–	–	–	1	1	2	4	6	2	–	–	–	–	–
Two	11	–	–	–	–	–	1	5	3	2	–	–	–	–	–
Three	5	–	–	–	–	–	–	1	2	1	1	–	–	–	–
Four or More	6	–	–	–	–	–	–	–	1	1	3	1	–	–	–
Not Stated	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–
Unknown	22	–	–	–	–	1	2	7	5	6	1	–	–	–	–
None	8	–	–	–	–	1	–	3	3	1	–	–	–	–	–
One	7	–	–	–	–	–	1	3	1	2	–	–	–	–	–
Not Stated	7	–	–	–	–	–	1	1	1	3	1	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Merced	2,685	3	28	56	106	133	181	956	730	353	112	26	1	–	–
White	1,446	1	10	27	50	67	93	521	413	216	40	7	1	–	–
None	531	1	9	23	35	51	66	226	91	26	3	–	–	–	–
One	469	–	–	3	8	11	17	190	163	69	8	–	–	–	–
Two	185	–	–	–	1	–	4	40	82	50	7	1	–	–	–
Three	76	–	–	–	–	–	–	6	31	27	10	1	1	–	–
Four or More	49	–	–	–	–	–	–	4	8	22	11	4	–	–	–
Not Stated	136	–	1	1	6	5	6	55	38	22	1	1	–	–	–
Black	149	–	8	2	9	9	11	64	29	12	4	1	–	–	–
None	49	–	6	1	6	7	5	18	6	–	–	–	–	–	–
One	48	–	2	1	1	1	6	26	9	2	–	–	–	–	–
Two	19	–	–	–	–	–	–	8	9	2	–	–	–	–	–
Three	7	–	–	–	–	–	–	3	–	4	–	–	–	–	–
Four or More	11	–	–	–	–	–	–	1	2	3	4	1	–	–	–
Not Stated	15	–	–	–	2	1	–	8	3	1	–	–	–	–	–
Mexican-American	874	2	8	27	41	51	66	295	221	91	55	17	–	–	–
None	276	2	6	23	32	40	37	98	33	4	–	1	–	–	–
One	201	–	–	1	7	9	21	97	49	11	5	1	–	–	–
Two	131	–	–	–	–	1	4	45	57	15	8	1	–	–	–
Three	81	–	–	–	–	–	–	24	34	12	11	–	–	–	–
Four or More	112	–	–	–	–	–	–	5	32	39	25	11	–	–	–
Not Stated	73	–	2	3	2	1	4	26	16	10	6	3	–	–	–
Other	76	–	–	–	1	1	–	26	27	14	6	1	–	–	–
None	24	–	–	–	1	1	–	13	7	2	–	–	–	–	–
One	23	–	–	–	–	–	–	7	8	6	2	–	–	–	–
Two	18	–	–	–	–	–	–	5	7	4	2	–	–	–	–
Three	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	7	–	–	–	–	–	–	1	3	1	1	1	–	–	–
Unknown	140	–	2	–	5	5	11	50	40	20	7	–	–	–	–
None	45	–	2	–	4	2	8	21	5	3	–	–	–	–	–
One	40	–	–	–	–	1	3	18	10	8	–	–	–	–	–
Two	21	–	–	–	–	1	–	6	12	1	1	–	–	–	–
Three	12	–	–	–	–	–	–	3	4	3	2	–	–	–	–
Four or More	8	–	–	–	–	–	–	–	4	2	2	–	–	–	–
Not Stated	14	–	–	–	1	1	–	2	5	3	2	–	–	–	–
Modoc	145	–	2	2	2	3	8	54	58	14	1	1	–	–	–
White	122	–	2	1	2	2	7	42	51	14	1	–	–	–	–
None	25	–	1	1	1	1	5	9	6	1	–	–	–	–	–
One	22	–	–	–	–	1	–	11	8	2	–	–	–	–	–
Two	11	–	–	–	–	–	–	4	4	3	–	–	–	–	–
Three	5	–	–	–	–	–	–	1	2	2	–	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Not Stated	56	–	1	–	1	–	2	17	30	4	1	–	–	–	–
Mexican-American	15	–	–	–	–	–	–	9	5	–	–	1	–	–	–
None	3	–	–	–	–	–	–	3	–	–	–	–	–	–	–
One	5	–	–	–	–	–	–	5	–	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Not Stated	3	–	–	–	–	–	–	–	2	–	–	1	–	–	–
Other	7	–	–	1	–	1	1	2	2	–	–	–	–	–	–
None	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–
One	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Not Stated	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Unknown	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Mono	157	–	1	1	2	–	4	49	62	32	4	2	–	–	–
White	137	–	1	1	1	–	2	46	53	28	3	2	–	–	–
None	61	–	–	1	1	–	1	23	23	10	1	1	–	–	–
One	28	–	–	–	–	–	–	8	13	6	1	–	–	–	–
Two	14	–	–	–	–	–	–	5	7	2	–	–	–	–	–
Three	5	–	–	–	–	–	–	–	2	2	1	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Not Stated	26	–	1	–	–	–	1	10	7	6	–	1	–	–	–
Mexican-American	10	–	–	–	–	–	1	2	5	2	–	–	–	–	–
None	4	–	–	–	–	–	1	1	2	–	–	–	–	–	–
One	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other	6	–	–	–	1	–	1	–	2	2	–	–	–	–	–
None	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–
One	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Stated	3	–	–	–	1	–	–	–	1	1	–	–	–	–	–
Unknown	4	–	–	–	–	–	–	1	2	–	1	–	–	–	–
One	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Two	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Monterey	5,737	11	36	81	164	212	354	2,151	1,638	823	213	45	6	–	3
White	2,670	1	8	22	57	77	137	948	877	436	87	17	2	–	1
None	1,101	–	7	19	44	56	101	458	298	106	10	1	–	–	1
One	792	–	–	1	2	16	21	313	294	120	21	4	–	–	–
Two	333	–	–	–	–	1	4	72	141	93	21	1	–	–	–
Three	102	–	–	–	–	–	–	14	43	30	10	4	1	–	–
Four or More	66	–	–	–	–	–	–	3	16	27	14	5	1	–	–
Not Stated	276	1	1	2	11	4	11	88	85	60	11	2	–	–	–
Black	499	1	3	6	21	32	52	233	106	30	15	–	–	–	–
None	201	1	3	6	13	25	25	98	24	6	–	–	–	–	–
One	131	–	–	–	2	2	11	73	34	5	4	–	–	–	–
Two	62	–	–	–	–	–	5	24	19	7	7	–	–	–	–
Three	21	–	–	–	–	–	–	9	7	5	–	–	–	–	–
Four or More	15	–	–	–	–	–	–	4	3	4	4	–	–	–	–
Not Stated	69	–	–	–	6	5	11	25	19	3	–	–	–	–	–
Mexican-American	1,868	7	19	47	73	78	134	706	472	229	77	21	4	–	1
None	565	6	11	31	43	49	78	257	67	21	2	–	–	–	–
One	431	–	2	9	12	15	35	214	105	30	7	2	–	–	–
Two	252	–	–	–	–	1	7	90	108	41	5	–	–	–	–
Three	133	–	–	–	–	–	–	24	59	44	5	1	–	–	–
Four or More	180	–	–	–	–	–	–	8	54	60	42	14	1	–	1
Not Stated	307	1	6	7	18	13	14	113	79	33	16	4	3	–	–
Other	505	1	2	4	4	13	19	198	140	94	26	4	–	–	–
None	188	1	2	3	3	9	15	94	43	15	3	–	–	–	–
One	128	–	–	–	–	–	–	39	42	23	3	1	–	–	–
Two	60	–	–	–	–	–	–	12	18	21	8	1	–	–	–
Three	24	–	–	–	–	–	–	1	9	10	4	–	–	–	–
Four or More	21	–	–	–	–	–	–	1	5	6	7	2	–	–	–
Not Stated	84	–	–	1	1	4	4	51	23	19	1	–	–	–	–
Unknown	195	1	4	2	9	12	12	66	43	34	8	3	–	–	1
None	72	1	4	2	6	10	8	28	6	7	–	–	–	–	–
One	52	–	–	–	3	2	2	25	16	4	–	–	–	–	–
Two	28	–	–	–	–	–	1	9	12	5	1	–	–	–	–
Three	12	–	–	–	–	–	–	1	5	6	–	–	–	–	–
Four or More	27	–	–	–	–	–	–	1	4	12	7	3	–	–	–
Not Stated	4	–	–	–	–	–	1	2	–	–	–	–	–	–	1

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Napa	1,093	–	3	11	22	24	49	375	371	185	43	7	1	–	2
White	890	–	–	8	17	18	33	300	318	159	32	3	1	–	1
None	410	–	–	8	15	17	24	175	129	39	3	–	–	–	–
One	286	–	–	–	2	1	7	92	118	55	10	–	–	–	1
Two	130	–	–	–	–	–	2	24	52	42	10	–	–	–	–
Three	27	–	–	–	–	–	–	4	9	10	3	1	–	–	–
Four or More	25	–	–	–	–	–	–	–	7	9	6	2	1	–	–
Not Stated	12	–	–	–	–	–	–	5	3	4	–	–	–	–	–
Black	5	–	–	–	–	–	–	1	3	–	1	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Two	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mexican-American	156	–	3	3	5	5	16	62	35	17	7	3	–	–	–
None	62	–	3	3	5	4	11	25	9	1	1	–	–	–	–
One	46	–	–	–	–	–	4	22	11	8	1	–	–	–	–
Two	22	–	–	–	–	1	1	6	9	4	1	–	–	–	–
Three	14	–	–	–	–	–	–	7	3	2	2	–	–	–	–
Four or More	12	–	–	–	–	–	–	2	3	2	2	3	–	–	–
Other	31	–	–	–	–	1	–	10	13	5	–	1	–	–	1
None	11	–	–	–	–	1	–	5	3	2	–	–	–	–	–
One	13	–	–	–	–	–	–	4	6	2	–	–	–	–	1
Two	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Three	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Unknown	11	–	–	–	–	–	–	2	2	4	3	–	–	–	–
None	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–
One	3	–	–	–	–	–	–	2	–	–	1	–	–	–	–
Two	4	–	–	–	–	–	–	–	1	3	–	–	–	–	–
Not Stated	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Nevada	678	1	1	6	16	21	32	208	251	106	33	3	–	–	–
White	549	1	–	4	12	19	23	160	206	92	29	3	–	–	–
None	231	–	–	4	11	17	16	81	75	23	4	–	–	–	–
One	153	–	–	–	1	2	4	47	65	26	8	–	–	–	–
Two	65	–	–	–	–	–	1	13	28	17	5	1	–	–	–
Three	28	–	–	–	–	–	–	2	10	10	5	1	–	–	–
Four or More	15	–	–	–	–	–	–	–	4	5	5	1	–	–	–
Not Stated	57	1	–	–	–	–	2	17	24	11	2	–	–	–	–
Black	4	–	–	–	–	–	–	–	3	1	–	–	–	–	–
None	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mexican-American	14	–	–	–	–	–	–	7	6	–	1	–	–	–	–
None	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
One	6	–	–	–	–	–	–	2	4	–	–	–	–	–	–
Two	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Not Stated	3	–	–	–	–	–	–	3	–	–	–	–	–	–	–
Other	7	–	–	–	–	–	1	2	3	1	–	–	–	–	–
None	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
One	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Two	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Unknown	104	–	1	2	4	2	8	39	33	12	3	–	–	–	–
None	56	–	1	1	4	2	7	25	13	2	1	–	–	–	–
One	26	–	–	–	–	–	1	12	9	4	–	–	–	–	–
Two	10	–	–	–	–	–	–	1	8	1	–	–	–	–	–
Three	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Not Stated	6	–	–	1	–	–	–	1	2	2	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Orange	29,282	23	125	285	610	1,010	1,475	9,730	9,278	5,150	1,381	204	6	1	4
White	19,376	9	50	133	334	541	817	6,365	6,515	3,648	855	103	3	–	3
None	8,882	9	50	122	283	436	632	3,690	2,627	895	123	14	1	–	–
One	5,961	–	–	5	31	67	128	1,858	2,333	1,310	220	8	–	–	1
Two	2,453	–	–	–	1	10	11	428	946	826	214	16	1	–	–
Three	801	–	–	–	–	–	1	76	257	332	117	18	–	–	–
Four or More	479	–	–	–	–	–	–	13	85	178	158	43	1	–	1
Not Stated	800	–	–	6	19	28	45	300	267	107	23	4	–	–	1
Black	677	1	6	11	22	40	42	258	181	93	22	1	–	–	–
None	326	1	6	10	19	30	34	142	60	20	4	–	–	–	–
One	180	–	–	1	2	9	7	74	57	27	3	–	–	–	–
Two	91	–	–	–	1	–	–	24	39	25	2	–	–	–	–
Three	41	–	–	–	–	–	1	9	13	13	5	–	–	–	–
Four or More	20	–	–	–	–	–	–	2	5	5	7	1	–	–	–
Not Stated	19	–	–	–	–	1	–	7	7	3	1	–	–	–	–
Mexican-American	7,063	12	64	132	231	393	552	2,627	1,773	872	329	75	2	–	1
None	2,769	12	58	114	188	286	368	1,163	424	118	32	5	–	–	1
One	1,892	–	4	16	38	81	135	833	554	187	40	4	–	–	–
Two	1,040	–	1	–	2	15	30	379	355	202	46	10	–	–	–
Three	526	–	–	–	–	–	3	140	203	129	44	7	–	–	–
Four or More	647	–	–	–	–	–	–	43	183	214	160	45	2	–	–
Not Stated	189	–	1	2	3	11	16	69	54	22	7	4	–	–	–
Other	1,935	1	3	6	21	32	55	417	734	478	163	23	1	1	–
None	769	1	3	4	17	27	36	221	307	128	25	–	–	–	–
One	625	–	–	1	3	3	11	119	248	178	56	6	–	–	–
Two	256	–	–	–	–	1	3	43	88	85	31	5	–	–	–
Three	94	–	–	–	–	–	–	10	38	30	14	2	–	–	–
Four or More	111	–	–	–	–	–	–	5	29	35	31	9	1	1	–
Not Stated	80	–	–	1	1	1	5	19	24	22	6	1	–	–	–
Unknown	231	–	2	3	2	4	9	63	75	59	12	2	–	–	–
None	88	–	2	3	2	4	7	34	26	9	1	–	–	–	–
One	54	–	–	–	–	–	2	17	20	13	2	–	–	–	–
Two	28	–	–	–	–	–	–	2	8	15	3	–	–	–	–
Three	11	–	–	–	–	–	–	1	2	5	3	–	–	–	–
Four or More	7	–	–	–	–	–	–	–	2	1	2	2	–	–	–
Not Stated	43	–	–	–	–	–	–	9	17	16	1	–	–	–	–
Placer	1,603	4	5	17	21	65	82	516	528	300	58	7	–	–	–
White	1,354	1	3	16	18	53	70	431	461	251	44	6	–	–	–
None	593	1	3	15	17	46	54	233	168	53	3	–	–	–	–
One	400	–	–	1	1	7	14	140	163	66	8	–	–	–	–
Two	199	–	–	–	–	–	1	37	79	70	10	2	–	–	–
Three	75	–	–	–	–	–	–	4	29	29	11	2	–	–	–
Four or More	42	–	–	–	–	–	–	2	6	23	9	2	–	–	–
Not Stated	45	–	–	–	–	–	1	15	16	10	3	–	–	–	–
Black	6	–	–	–	–	–	–	6	–	–	–	–	–	–	–
None	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Two	3	–	–	–	–	–	–	3	–	–	–	–	–	–	–
Mexican-American	166	2	1	1	3	10	8	57	43	30	10	1	–	–	–
None	69	2	1	1	3	8	6	32	10	6	–	–	–	–	–
One	51	–	–	–	–	2	2	21	15	10	1	–	–	–	–
Two	17	–	–	–	–	–	–	2	7	5	3	–	–	–	–
Three	12	–	–	–	–	–	–	1	4	4	3	–	–	–	–
Four or More	13	–	–	–	–	–	–	–	4	5	3	1	–	–	–
Not Stated	4	–	–	–	–	–	–	1	3	–	–	–	–	–	–
Other	58	1	1	–	–	2	4	19	17	12	2	–	–	–	–
None	33	1	–	–	–	2	3	13	7	7	–	–	–	–	–
One	15	–	–	–	–	–	1	6	6	2	–	–	–	–	–
Two	6	–	1	–	–	–	–	–	1	3	1	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Not Stated	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Placer (Cont'd.)															
Unknown	19	–	–	–	–	–	–	3	7	7	2	–	–	–	–
None	7	–	–	–	–	–	–	2	4	1	–	–	–	–	–
One	6	–	–	–	–	–	–	–	2	3	1	–	–	–	–
Two	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	3	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Plumas	286	1	2	2	3	10	15	114	84	42	11	2	–	–	–
White	248	–	1	1	3	10	11	98	76	38	8	2	–	–	–
None	76	–	1	1	1	8	3	34	19	8	1	–	–	–	–
One	52	–	–	–	–	1	2	22	17	10	–	–	–	–	–
Two	13	–	–	–	–	–	–	4	5	3	1	–	–	–	–
Three	11	–	–	–	–	–	–	1	2	6	1	1	–	–	–
Four or More	4	–	–	–	–	–	–	–	1	1	1	1	–	–	–
Not Stated	92	–	–	–	2	1	6	37	32	10	4	–	–	–	–
Black	9	–	1	–	–	–	1	3	3	1	–	–	–	–	–
None	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–
One	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	4	–	1	–	–	–	–	2	1	–	–	–	–	–	–
Mexican-American	10	1	–	1	–	–	1	3	–	3	1	–	–	–	–
None	3	1	–	1	–	–	1	–	–	–	–	–	–	–	–
One	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Not Stated	4	–	–	–	–	–	–	2	–	2	–	–	–	–	–
Other	14	–	–	–	–	–	2	6	4	–	2	–	–	–	–
None	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Two	4	–	–	–	–	–	–	2	2	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Not Stated	6	–	–	–	–	–	2	1	2	–	1	–	–	–	–
Unknown	5	–	–	–	–	–	–	4	1	–	–	–	–	–	–
None	3	–	–	–	–	–	–	3	–	–	–	–	–	–	–
One	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Riverside	10,950	28	79	208	342	544	694	4,094	3,128	1,365	389	74	4	–	1
White	6,781	7	31	95	171	296	398	2,582	2,093	858	215	34	1	–	–
None	2,948	6	31	89	145	246	297	1,300	649	153	32	–	–	–	–
One	2,178	1	–	5	25	44	89	930	787	256	37	4	–	–	–
Two	942	–	–	–	–	4	8	239	410	227	51	3	–	–	–
Three	366	–	–	–	–	1	1	61	169	100	31	3	–	–	–
Four or More	248	–	–	–	–	–	–	12	45	105	61	23	1	–	–
Not Stated	99	–	–	1	1	1	3	40	32	17	3	1	–	–	–
Black	674	8	13	19	28	43	58	275	138	69	19	4	–	–	–
None	300	8	13	19	24	31	37	118	36	11	3	–	–	–	–
One	168	–	–	–	3	11	17	90	33	12	2	–	–	–	–
Two	110	–	–	–	1	1	3	54	34	16	1	–	–	–	–
Three	42	–	–	–	–	–	1	8	17	14	2	–	–	–	–
Four or More	50	–	–	–	–	–	–	4	16	16	10	4	–	–	–
Not Stated	4	–	–	–	–	–	–	1	2	–	1	–	–	–	–
Mexican-American	3,068	12	33	90	122	190	211	1,113	751	374	134	35	3	–	–
None	1,090	11	32	79	103	145	137	413	131	26	12	–	1	–	–
One	848	1	1	9	17	37	57	413	234	68	9	2	–	–	–
Two	515	–	–	1	2	4	11	188	200	89	16	4	–	–	–
Three	257	–	–	–	–	–	1	58	106	72	18	2	–	–	–
Four or More	309	–	–	–	–	–	–	22	66	118	75	26	2	–	–
Not Stated	49	–	–	1	–	4	5	19	14	1	4	1	–	–	–
Other	293	–	1	1	16	11	19	86	96	47	14	1	–	–	1
None	123	–	1	–	11	8	13	44	32	9	4	–	–	–	1
One	103	–	–	1	4	3	6	27	38	18	5	1	–	–	–
Two	38	–	–	–	–	–	–	11	17	8	2	–	–	–	–
Three	13	–	–	–	–	–	–	3	6	3	1	–	–	–	–
Four or More	13	–	–	–	–	–	–	–	3	8	2	–	–	–	–
Not Stated	3	–	–	–	1	–	–	1	–	1	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Riverside (Cont'd.)															
Unknown	134	1	1	3	5	4	8	38	50	17	7	–	–	–	–
None	67	1	1	3	5	3	8	27	13	5	1	–	–	–	–
One	30	–	–	–	–	–	–	5	17	6	2	–	–	–	–
Two	21	–	–	–	–	–	–	5	11	3	2	–	–	–	–
Three	9	–	–	–	–	–	–	–	5	3	1	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Not Stated	4	–	–	–	–	1	–	1	2	–	–	–	–	–	–
Sacramento	12,357	18	82	192	341	501	696	4,315	3,935	1,793	405	70	7	–	2
White	8,902	9	52	127	231	330	492	3,094	2,921	1,323	282	37	4	–	–
None	4,033	9	49	119	201	279	372	1,606	1,064	291	40	3	–	–	–
One	2,862	–	2	5	18	40	92	1,056	1,100	495	47	7	–	–	–
Two	1,102	–	–	–	4	7	17	296	433	266	72	7	–	–	–
Three	374	–	–	–	–	1	1	45	141	129	51	6	–	–	–
Four or More	245	–	–	–	–	–	–	18	67	83	59	14	4	–	–
Not Stated	286	–	1	3	8	3	10	73	116	59	13	–	–	–	–
Black	1,380	7	21	34	63	88	93	565	327	138	38	5	–	–	1
None	608	7	20	34	51	68	68	251	78	24	6	–	–	–	1
One	388	–	1	–	12	13	20	186	115	38	3	–	–	–	–
Two	212	–	–	–	–	4	2	89	80	30	7	–	–	–	–
Three	97	–	–	–	–	2	3	21	36	25	7	3	–	–	–
Four or More	56	–	–	–	–	–	–	13	12	17	12	2	–	–	–
Not Stated	19	–	–	–	–	1	–	5	6	4	3	–	–	–	–
Mexican-American	1,150	2	9	23	34	68	77	408	336	135	39	18	–	–	1
None	440	2	9	21	26	47	51	171	91	18	3	1	–	–	–
One	342	–	–	2	7	13	20	139	115	37	6	3	–	–	–
Two	193	–	–	–	1	3	4	64	78	35	5	2	–	–	1
Three	79	–	–	–	–	1	–	19	26	22	9	2	–	–	–
Four or More	63	–	–	–	–	–	–	3	14	20	16	10	–	–	–
Not Stated	33	–	–	–	–	4	2	12	12	3	–	–	–	–	–
Other	741	–	–	6	12	14	26	186	281	165	39	9	3	–	–
None	315	–	–	6	10	10	18	105	114	45	6	1	–	–	–
One	235	–	–	–	2	4	6	48	94	67	12	2	–	–	–
Two	106	–	–	–	–	–	1	21	43	33	7	1	–	–	–
Three	39	–	–	–	–	–	–	7	15	12	4	–	1	–	–
Four or More	25	–	–	–	–	–	–	–	4	6	9	4	2	–	–
Not Stated	21	–	–	–	–	–	1	5	11	2	1	1	–	–	–
Unknown	184	–	–	2	1	1	8	62	70	32	7	1	–	–	–
None	58	–	–	2	–	1	3	25	21	6	–	–	–	–	–
One	33	–	–	–	1	–	1	11	14	6	–	–	–	–	–
Two	15	–	–	–	–	–	–	4	5	5	–	1	–	–	–
Three	5	–	–	–	–	–	–	–	3	1	1	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Not Stated	71	–	–	–	–	–	4	22	26	14	5	–	–	–	–
San Benito	485	1	3	9	18	26	29	163	136	77	18	5	–	–	–
White	170	1	–	3	2	6	10	62	49	29	6	2	–	–	–
None	80	1	–	3	2	5	7	30	24	7	1	–	–	–	–
One	50	–	–	–	–	1	3	24	17	5	–	–	–	–	–
Two	22	–	–	–	–	–	–	6	5	8	2	1	–	–	–
Three	11	–	–	–	–	–	–	–	2	7	2	–	–	–	–
Four or More	5	–	–	–	–	–	–	–	1	2	1	1	–	–	–
Not Stated	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Mexican-American	294	–	3	6	16	20	16	97	81	42	10	3	–	–	–
None	94	–	3	5	11	17	9	32	15	2	–	–	–	–	–
One	84	–	–	1	4	2	6	45	17	7	2	–	–	–	–
Two	59	–	–	–	1	1	–	16	28	12	–	1	–	–	–
Three	21	–	–	–	–	–	–	1	13	5	2	–	–	–	–
Four or More	34	–	–	–	–	–	–	2	8	16	6	2	–	–	–
Not Stated	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Other	11	–	–	–	–	–	2	2	2	3	2	–	–	–	–
None	5	–	–	–	–	–	2	1	1	1	–	–	–	–	–
One	5	–	–	–	–	–	–	1	1	2	1	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
San Benito (Cont'd.)															
Unknown	9	–	–	–	–	–	1	1	4	3	–	–	–	–	–
None	6	–	–	–	–	–	1	1	2	2	–	–	–	–	–
One	3	–	–	–	–	–	–	–	2	1	–	–	–	–	–
San Bernardino	15,614	35	120	286	464	703	937	5,874	4,703	1,929	476	77	4	–	6
White	9,084	12	54	146	223	373	515	3,470	2,839	1,165	240	41	2	–	4
None	3,941	12	52	141	189	303	371	1,754	897	193	24	5	–	–	–
One	2,877	–	–	4	23	59	123	1,208	1,038	369	49	4	–	–	–
Two	1,343	–	–	–	4	8	12	387	573	296	57	4	–	–	2
Three	496	–	–	–	–	–	2	62	206	173	51	2	–	–	–
Four or More	282	–	–	–	–	–	–	13	71	111	59	26	2	–	–
Not Stated	145	–	2	1	7	3	7	46	54	23	–	–	–	–	2
Black	1,064	7	20	33	48	69	82	439	233	99	29	5	–	–	–
None	435	7	20	29	42	51	47	173	50	13	3	–	–	–	–
One	328	–	–	4	3	15	30	157	86	26	7	–	–	–	–
Two	183	–	–	–	3	3	4	81	56	28	8	–	–	–	–
Three	60	–	–	–	–	–	–	14	25	16	3	2	–	–	–
Four or More	52	–	–	–	–	–	–	10	15	16	8	3	–	–	–
Not Stated	6	–	–	–	–	–	1	4	1	–	–	–	–	–	–
Mexican-American	3,172	11	34	75	144	195	246	1,197	808	322	121	16	2	–	1
None	1,178	10	32	64	114	130	151	474	157	36	8	2	–	–	–
One	938	1	2	7	26	54	72	446	263	54	13	–	–	–	–
Two	532	–	–	2	4	9	14	192	202	85	22	1	–	–	1
Three	287	–	–	–	–	–	7	61	110	81	24	4	–	–	–
Four or More	208	–	–	–	–	–	1	13	67	64	52	9	2	–	–
Not Stated	29	–	–	2	–	2	1	11	9	2	2	–	–	–	–
Other	455	1	5	5	10	11	16	147	148	86	22	4	–	–	–
None	184	1	4	4	7	9	7	72	56	21	2	1	–	–	–
One	152	–	1	1	2	2	7	48	52	30	9	–	–	–	–
Two	60	–	–	–	1	–	1	17	17	20	3	1	–	–	–
Three	27	–	–	–	–	–	–	5	11	7	3	1	–	–	–
Four or More	20	–	–	–	–	–	–	2	6	7	4	1	–	–	–
Not Stated	12	–	–	–	–	–	1	3	6	1	1	–	–	–	–
Unknown	1,839	4	7	27	39	55	78	621	675	257	64	11	–	–	1
None	774	4	7	24	35	49	64	338	205	40	8	–	–	–	–
One	602	–	–	2	4	5	13	211	262	90	14	1	–	–	–
Two	283	–	–	–	–	1	–	56	147	61	15	3	–	–	–
Three	104	–	–	–	–	–	1	11	43	36	12	1	–	–	–
Four or More	58	–	–	–	–	–	–	2	11	26	14	5	–	–	–
Not Stated	18	–	–	1	–	–	–	3	7	4	1	1	–	–	1
San Diego	29,361	40	134	349	685	1,103	1,632	10,395	9,076	4,610	1,118	198	15	1	5
White	17,650	7	46	140	287	563	859	6,164	5,883	2,994	605	97	4	1	–
None	8,434	7	45	139	259	460	673	3,574	2,375	794	95	13	–	–	–
One	5,615	–	1	1	23	90	161	1,973	2,156	1,053	141	16	–	–	–
Two	2,239	–	–	–	1	10	16	469	924	681	139	17	2	–	–
Three	757	–	–	–	–	1	2	78	278	272	108	17	1	–	–
Four or More	415	–	–	–	–	–	–	9	83	171	118	33	1	–	–
Not Stated	170	–	–	–	4	2	7	61	67	23	4	1	–	1	–
Black	2,485	18	25	59	120	119	213	1,022	612	219	66	10	–	–	2
None	1,059	17	25	53	96	100	141	436	137	37	15	1	–	–	1
One	771	1	–	4	21	15	54	382	222	54	15	3	–	–	–
Two	394	–	–	2	2	2	14	153	148	60	12	1	–	–	–
Three	130	–	–	–	–	–	2	27	59	34	8	–	–	–	–
Four or More	96	–	–	–	–	–	1	9	35	31	15	5	–	–	–
Not Stated	35	–	–	–	1	2	1	15	11	3	1	–	–	–	1
Mexican-American	6,544	13	50	126	235	348	456	2,445	1,681	824	297	61	7	–	1
None	2,664	13	47	119	202	267	310	1166	412	102	20	5	–	–	1
One	1,932	–	3	7	31	76	123	861	573	205	46	6	1	–	–
Two	972	–	–	–	2	2	17	294	395	195	63	4	–	–	–
Three	440	–	–	–	–	–	4	82	179	128	42	5	–	–	–
Four or More	487	–	–	–	–	–	–	28	104	185	123	41	6	–	–
Not Stated	49	–	–	–	–	3	2	14	18	9	3	–	–	–	–
Other	2,463	2	11	18	40	62	91	689	832	544	142	26	4	–	2
None	1,043	2	11	17	38	54	73	382	327	119	17	3	–	–	–
One	764	–	–	1	2	8	15	216	285	193	36	5	1	–	2
Two	392	–	–	–	–	–	1	76	134	139	37	4	1	–	–
Three	133	–	–	–	–	–	1	12	43	49	25	3	–	–	–
Four or More	108	–	–	–	–	–	–	–	29	40	26	11	2	–	–
Not Stated	23	–	–	–	–	–	1	3	14	4	1	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
San Diego (Cont'd.)															
Unknown	219	–	2	6	3	11	13	75	68	29	8	4	–	–	–
None	86	–	1	5	2	8	8	30	23	7	1	1	–	–	–
One	65	–	1	1	–	3	5	23	26	6	–	–	–	–	–
Two	33	–	–	–	–	–	–	11	14	7	1	–	–	–	–
Three	11	–	–	–	–	–	–	5	1	3	1	1	–	–	–
Four or More	14	–	–	–	–	–	–	1	3	5	3	2	–	–	–
Not Stated	10	–	–	–	1	–	–	5	1	1	2	–	–	–	–
San Francisco	8,313	18	38	97	182	230	379	2,220	2,685	1,810	545	100	3	–	6
White	3,134	4	6	17	42	57	100	753	1,057	804	248	42	1	–	3
None	1,621	4	6	16	34	45	72	420	570	354	90	10	–	–	–
One	885	–	–	–	6	9	22	225	277	257	81	7	–	–	1
Two	344	–	–	–	–	1	3	61	125	108	37	8	–	–	1
Three	123	–	–	–	–	–	1	17	42	38	19	6	–	–	–
Four or More	74	–	–	–	–	–	–	1	19	26	17	10	1	–	–
Not Stated	87	–	–	1	2	2	2	29	24	21	4	1	–	–	1
Black	1,729	9	21	47	90	90	161	625	423	190	62	9	–	–	2
None	795	8	18	45	76	77	108	274	131	50	7	1	–	–	–
One	489	1	3	–	8	8	42	218	149	47	12	–	–	–	1
Two	236	–	–	1	4	3	4	96	77	33	15	2	–	–	1
Three	94	–	–	–	1	–	3	21	34	24	9	2	–	–	–
Four or More	78	–	–	–	–	–	–	2	21	33	19	3	–	–	–
Not Stated	37	–	–	1	1	2	4	14	11	3	–	1	–	–	–
Mexican-American	690	3	4	11	21	35	46	252	160	112	37	9	–	–	–
None	321	3	4	10	18	29	34	136	56	23	8	–	–	–	–
One	193	–	–	1	3	6	7	75	57	32	10	2	–	–	–
Two	105	–	–	–	–	–	3	34	30	30	6	2	–	–	–
Three	34	–	–	–	–	–	1	4	11	12	6	–	–	–	–
Four or More	33	–	–	–	–	–	–	2	6	14	6	5	–	–	–
Not Stated	4	–	–	–	–	–	1	1	–	1	1	–	–	–	–
Other	2,408	–	4	14	17	36	35	497	931	636	179	37	2	–	–
None	1,153	–	4	14	14	28	44	317	447	230	49	4	2	–	–
One	750	–	–	–	2	6	8	129	318	229	42	16	–	–	–
Two	283	–	–	–	–	1	1	26	101	102	42	10	–	–	–
Three	107	–	–	–	–	–	–	8	34	40	22	3	–	–	–
Four or More	61	–	–	–	–	–	–	1	13	25	19	3	–	–	–
Not Stated	54	–	–	–	1	1	2	16	18	10	5	1	–	–	–
Unknown	352	2	3	8	12	12	17	93	114	68	19	3	–	–	1
None	164	2	3	7	10	7	11	45	53	22	4	–	–	–	–
One	76	–	–	–	1	4	3	23	27	11	6	1	–	–	–
Two	35	–	–	–	–	–	2	9	9	12	2	1	–	–	–
Three	13	–	–	–	–	–	–	5	4	4	–	–	–	–	–
Four or More	11	–	–	–	–	–	–	–	3	6	2	–	–	–	–
Not Stated	53	–	–	1	1	1	1	11	18	13	5	1	–	–	1
San Joaquin	5,771	17	58	134	229	262	382	2,054	1,592	790	219	32	2	–	–
White	3,746	9	37	63	131	167	233	1,329	1,104	538	121	14	–	–	–
None	1,595	9	37	57	116	131	156	651	329	100	8	1	–	–	–
One	1,215	–	–	5	13	28	65	459	454	171	20	–	–	–	–
Two	552	–	–	–	1	4	7	156	212	141	30	1	–	–	–
Three	186	–	–	–	–	–	1	30	60	65	26	4	–	–	–
Four or More	127	–	–	–	–	–	–	7	30	48	34	8	–	–	–
Not Stated	71	–	–	1	1	4	4	26	19	13	3	–	–	–	–
Black	499	3	12	23	37	33	56	205	96	25	7	1	1	–	–
None	208	3	11	21	28	27	34	65	16	3	–	–	–	–	–
One	139	–	–	2	7	4	16	74	25	8	2	–	1	–	–
Two	99	–	–	–	1	2	3	49	35	6	3	–	–	–	–
Three	36	–	–	–	1	–	2	13	15	4	1	–	–	–	–
Four or More	13	–	–	–	–	–	1	3	4	4	1	–	–	–	–
Not Stated	4	–	1	–	–	–	–	1	1	–	–	1	–	–	–
Mexican-American	1,066	5	9	38	45	49	66	369	259	150	65	10	1	–	–
None	354	4	9	35	38	30	33	139	38	18	10	–	–	–	–
One	317	–	–	2	7	14	25	136	90	33	10	–	–	–	–
Two	190	–	–	–	–	5	7	70	67	32	9	–	–	–	–
Three	87	–	–	–	–	–	–	17	35	27	8	–	–	–	–
Four or More	102	–	–	–	–	–	–	5	23	37	28	8	1	–	–
Not Stated	16	1	–	1	–	–	1	2	6	3	–	2	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
San Joaquin (Cont'd.)															
Other	377	–	–	6	8	8	22	119	115	68	24	7	–	–	–
None	142	–	–	5	8	5	14	58	36	12	3	1	–	–	–
One	125	–	–	1	–	3	8	35	41	30	6	1	–	–	–
Two	60	–	–	–	–	–	–	19	24	12	3	2	–	–	–
Three	25	–	–	–	–	–	–	3	10	7	3	2	–	–	–
Four or More	21	–	–	–	–	–	–	2	4	7	7	1	–	–	–
Not Stated	4	–	–	–	–	–	–	2	–	–	2	–	–	–	–
Unknown	83	–	–	4	8	5	5	32	18	9	2	–	–	–	–
None	31	–	–	4	6	4	2	8	6	1	–	–	–	–	–
One	19	–	–	–	1	1	2	12	1	2	–	–	–	–	–
Two	17	–	–	–	1	–	1	7	5	2	1	–	–	–	–
Three	9	–	–	–	–	–	–	4	3	2	–	–	–	–	–
Four or More	5	–	–	–	–	–	–	1	1	2	1	–	–	–	–
Not Stated	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
San Luis Obispo	1,938	3	6	18	36	71	85	667	689	299	58	7	1	–	–
White	1,576	2	5	11	22	52	59	529	590	249	49	7	1	–	–
None	690	2	4	9	20	41	45	278	234	53	4	–	–	–	–
One	507	–	–	–	2	8	8	168	219	87	15	–	–	–	–
Two	199	–	–	–	–	–	1	47	83	56	12	–	–	–	–
Three	66	–	–	–	–	–	–	8	23	29	6	–	–	–	–
Four or More	38	–	–	–	–	–	–	4	5	13	10	6	–	–	–
Not Stated	76	–	1	2	–	3	5	24	26	11	2	1	1	–	–
Black	37	–	–	1	–	1	1	19	9	6	–	–	–	–	–
None	17	–	–	1	–	–	1	12	3	–	–	–	–	–	–
One	9	–	–	–	–	–	–	5	3	1	–	–	–	–	–
Two	6	–	–	–	–	–	–	1	3	2	–	–	–	–	–
Three	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Not Stated	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mexican-American	206	1	1	6	10	16	16	76	47	27	6	–	–	–	–
None	85	1	1	5	7	11	8	35	10	7	–	–	–	–	–
One	52	–	–	1	3	2	7	20	11	7	1	–	–	–	–
Two	33	–	–	–	–	2	–	16	12	2	1	–	–	–	–
Three	15	–	–	–	–	–	–	3	7	4	1	–	–	–	–
Four or More	14	–	–	–	–	–	–	–	5	6	3	–	–	–	–
Not Stated	7	–	–	–	–	1	1	2	2	1	–	–	–	–	–
Other	65	–	–	–	2	–	3	21	29	9	1	–	–	–	–
None	32	–	–	–	2	–	2	11	14	3	–	–	–	–	–
One	17	–	–	–	–	–	1	6	7	2	1	–	–	–	–
Two	9	–	–	–	–	–	–	3	4	2	–	–	–	–	–
Three	3	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Stated	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Unknown	54	–	–	–	2	2	4	22	14	8	2	–	–	–	–
None	19	–	–	–	1	2	2	10	3	1	–	–	–	–	–
One	9	–	–	–	–	–	–	2	6	–	1	–	–	–	–
Two	9	–	–	–	–	–	–	1	2	6	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Not Stated	15	–	–	–	1	–	2	9	2	1	–	–	–	–	–
San Mateo	7,806	7	23	63	126	187	298	2,092	2,624	1,770	536	75	1	–	4
White	4,382	2	6	21	41	78	130	1,086	1,525	1,120	333	37	1	–	2
None	2,142	1	6	20	37	65	102	716	726	374	90	4	–	–	1
One	1,365	–	–	–	–	10	23	276	532	416	99	9	–	–	–
Two	558	–	–	–	1	1	1	64	180	219	80	11	1	–	–
Three	147	–	–	–	–	–	–	10	39	64	30	4	–	–	–
Four or More	83	–	–	–	–	–	–	–	13	28	33	9	–	–	–
Not Stated	87	1	–	1	3	2	4	20	35	19	1	–	–	–	1
Black	803	2	7	20	39	39	59	276	216	108	32	5	–	–	–
None	321	2	7	20	32	23	37	118	61	15	5	1	–	–	–
One	251	–	–	–	3	12	17	99	76	36	7	1	–	–	–
Two	115	–	–	–	–	2	1	34	43	27	7	1	–	–	–
Three	56	–	–	–	–	–	1	12	22	16	5	–	–	–	–
Four or More	31	–	–	–	–	–	–	3	10	9	7	2	–	–	–
Not Stated	29	–	–	–	4	2	3	10	4	5	1	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
San Mateo (Cont'd.)															
Mexican-American	979	1	9	16	27	43	70	340	268	144	48	11	–	–	2
None	436	1	9	12	24	28	53	172	100	32	4	–	–	–	1
One	259	–	–	3	1	10	14	103	75	48	4	1	–	–	–
Two	129	–	–	–	–	2	3	33	53	27	8	3	–	–	–
Three	55	–	–	–	–	–	–	16	16	10	12	1	–	–	–
Four or More	76	–	–	–	–	–	–	8	18	25	19	5	–	–	1
Not Stated	24	–	–	1	2	3	–	8	6	2	1	1	–	–	–
Other	1,298	2	1	3	12	19	28	302	472	334	106	19	–	–	–
None	579	2	1	3	11	18	24	175	222	96	25	2	–	–	–
One	447	–	–	–	–	1	4	93	161	147	38	3	–	–	–
Two	177	–	–	–	–	–	–	23	60	64	26	4	–	–	–
Three	53	–	–	–	–	–	–	5	16	18	9	5	–	–	–
Four or More	25	–	–	–	–	–	–	–	7	5	8	5	–	–	–
Not Stated	17	–	–	–	1	–	–	6	6	4	–	–	–	–	–
Unknown	344	–	–	3	7	8	11	88	143	64	17	3	–	–	–
None	160	–	–	3	7	7	9	54	58	21	1	–	–	–	–
One	120	–	–	–	–	1	2	27	60	19	10	1	–	–	–
Two	40	–	–	–	–	–	–	4	20	12	3	1	–	–	–
Three	13	–	–	–	–	–	–	2	4	7	–	–	–	–	–
Four or More	6	–	–	–	–	–	–	–	–	3	2	1	–	–	–
Not Stated	5	–	–	–	–	–	–	1	1	2	1	–	–	–	–
Santa Barbara	4,148	5	19	59	111	163	191	1,421	1,278	684	178	29	9	–	1
White	2,417	1	10	23	37	51	85	790	821	474	105	14	5	–	1
None	1,140	1	10	21	34	43	68	453	349	135	22	4	–	–	–
One	750	–	–	2	3	7	15	265	273	160	23	2	–	–	–
Two	318	–	–	–	–	1	–	56	126	110	21	3	1	–	–
Three	112	–	–	–	–	–	–	7	47	38	16	3	1	–	–
Four or More	72	–	–	–	–	–	–	–	17	27	23	2	3	–	–
Not Stated	25	–	–	–	–	–	2	9	9	4	–	–	–	–	1
Black	199	1	2	1	6	12	14	79	51	26	6	1	–	–	–
None	84	1	2	1	6	10	12	35	13	4	–	–	–	–	–
One	60	–	–	–	–	2	2	31	18	6	1	–	–	–	–
Two	27	–	–	–	–	–	–	7	9	11	–	–	–	–	–
Three	18	–	–	–	–	–	–	4	10	2	2	–	–	–	–
Four or More	8	–	–	–	–	–	–	–	1	3	3	1	–	–	–
Not Stated	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Mexican-American	1,132	2	6	30	54	82	78	403	293	124	50	7	3	–	–
None	515	2	5	25	51	69	52	194	83	26	8	–	–	–	–
One	309	–	1	4	2	11	25	139	101	18	8	–	–	–	–
Two	176	–	–	1	1	2	1	58	75	31	6	1	–	–	–
Three	67	–	–	–	–	–	–	9	18	26	9	5	–	–	–
Four or More	60	–	–	–	–	–	–	3	14	23	16	1	3	–	–
Not Stated	5	–	–	–	–	–	–	–	2	–	3	–	–	–	–
Other	224	–	1	2	9	9	8	86	61	37	7	3	1	–	–
None	115	–	1	2	9	9	5	46	27	14	1	1	–	–	–
One	72	–	–	–	–	–	2	29	25	12	3	1	–	–	–
Two	21	–	–	–	–	–	1	9	5	5	1	–	–	–	–
Three	10	–	–	–	–	–	–	2	3	2	2	1	–	–	–
Four or More	4	–	–	–	–	–	–	–	–	3	–	–	1	–	–
Not Stated	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Unknown	176	1	–	3	5	9	6	63	52	23	10	4	–	–	–
None	77	1	–	3	5	4	5	36	16	6	1	–	–	–	–
One	44	–	–	–	–	5	1	18	16	3	1	–	–	–	–
Two	27	–	–	–	–	–	–	6	14	4	3	–	–	–	–
Three	11	–	–	–	–	–	–	2	3	4	2	–	–	–	–
Four or More	15	–	–	–	–	–	–	1	1	6	3	4	–	–	–
Not Stated	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Santa Clara	19,827	39	111	250	470	719	932	6,005	6,405	3,723	1,007	148	14	–	4
White	10,970	10	22	67	165	260	397	3,091	3,872	2,387	617	73	8	–	1
None	4,530	7	18	59	131	185	287	1,630	1,500	606	98	9	–	–	–
One	3,186	1	–	4	15	35	47	827	1,257	822	167	11	–	–	–
Two	1,176	–	–	–	1	3	9	207	425	401	121	8	1	–	–
Three	421	–	–	–	–	–	–	23	136	174	71	15	2	–	–
Four or More	232	–	–	–	–	–	–	4	43	71	89	21	4	–	–
Not Stated	1,425	2	4	4	18	37	54	400	511	313	71	9	1	–	1

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Santa Clara (Cont'd.)															
Black	1,179	3	17	27	39	66	86	408	336	154	32	10	1	–	–
None	468	2	14	23	29	50	56	181	81	27	3	2	–	–	–
One	312	–	–	2	7	11	13	132	107	34	5	1	–	–	–
Two	141	–	–	–	–	–	3	38	61	31	5	2	1	–	–
Three	51	–	–	–	–	–	1	11	19	13	7	–	–	–	–
Four or More	41	–	–	–	–	–	1	4	12	15	6	3	–	–	–
Not Stated	166	1	3	2	3	5	12	42	56	34	6	2	–	–	–
Mexican-American	5,587	26	68	143	245	355	399	2,052	1,409	624	221	41	3	–	1
None	1,977	24	63	116	193	237	232	741	261	88	21	1	–	–	–
One	1,430	–	1	13	30	75	105	642	415	119	25	5	–	–	–
Two	781	–	–	1	3	9	26	273	306	123	34	6	–	–	–
Three	367	–	–	–	–	1	1	92	146	92	32	2	–	–	1
Four or More	365	–	–	–	–	–	2	29	102	115	89	26	2	–	–
Not Stated	667	2	4	13	19	33	33	275	179	87	20	1	1	–	–
Other	1,979	–	4	13	17	34	47	425	749	537	127	24	2	–	–
None	792	–	4	9	13	23	32	220	325	138	25	3	–	–	–
One	595	–	–	2	3	7	8	111	212	202	43	7	–	–	–
Two	190	–	–	–	–	–	–	27	72	66	24	1	–	–	–
Three	68	–	–	–	–	–	–	5	25	26	11	1	–	–	–
Four or More	44	–	–	–	–	–	–	1	7	16	11	7	2	–	–
Not Stated	290	–	–	2	1	4	7	61	108	89	13	5	–	–	–
Unknown	112	–	–	–	4	4	3	29	39	21	10	–	–	–	2
None	44	–	–	–	2	4	3	13	16	4	2	–	–	–	–
One	38	–	–	–	2	–	–	13	14	8	1	–	–	–	–
Two	13	–	–	–	–	–	–	1	4	8	–	–	–	–	–
Three	5	–	–	–	–	–	–	–	2	–	3	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Not Stated	10	–	–	–	–	–	–	2	3	1	2	–	–	–	2
Santa Cruz	2,788	6	24	32	59	87	109	869	938	516	131	15	–	–	2
White	1,591	3	2	10	21	35	47	459	586	345	75	7	–	–	1
None	760	3	2	10	17	30	29	272	266	111	19	–	–	–	1
One	473	–	–	–	4	4	13	127	191	115	18	1	–	–	–
Two	195	–	–	–	–	1	5	40	72	57	18	2	–	–	–
Three	57	–	–	–	–	–	–	6	16	25	8	2	–	–	–
Four or More	32	–	–	–	–	–	–	–	7	15	8	2	–	–	–
Not Stated	74	–	–	–	–	–	–	14	34	22	4	–	–	–	–
Black	45	–	1	1	3	3	5	12	14	6	–	–	–	–	–
None	22	–	1	1	2	2	3	9	4	–	–	–	–	–	–
One	11	–	–	–	1	1	1	2	5	1	–	–	–	–	–
Two	6	–	–	–	–	–	1	1	3	1	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	4	–	–	–	–	–	–	–	1	3	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mexican-American	273	1	5	5	11	14	14	97	75	43	5	3	–	–	–
None	117	1	5	5	9	10	9	51	18	8	1	–	–	–	–
One	71	–	–	–	1	3	5	27	20	14	1	–	–	–	–
Two	45	–	–	–	–	–	–	12	24	9	–	–	–	–	–
Three	20	–	–	–	–	–	–	2	8	7	2	1	–	–	–
Four or More	13	–	–	–	–	–	–	3	4	3	1	2	–	–	–
Not Stated	7	–	–	–	1	1	–	2	1	2	–	–	–	–	–
Other	66	–	1	–	1	2	1	14	28	10	9	–	–	–	–
None	30	–	1	–	1	2	1	9	14	2	–	–	–	–	–
One	18	–	–	–	–	–	–	4	8	4	2	–	–	–	–
Two	11	–	–	–	–	–	–	1	4	2	4	–	–	–	–
Three	5	–	–	–	–	–	–	–	2	1	2	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Unknown	813	2	15	16	23	33	42	287	235	112	42	5	–	–	1
None	329	2	15	15	21	27	30	137	58	19	4	–	–	–	1
One	228	–	–	1	2	6	9	99	82	22	7	–	–	–	–
Two	120	–	–	–	–	–	3	33	53	23	7	1	–	–	–
Three	63	–	–	–	–	–	–	12	22	24	5	–	–	–	–
Four or More	67	–	–	–	–	–	–	6	16	22	19	4	–	–	–
Not Stated	6	–	–	–	–	–	–	–	4	2	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA COUNTIES, 1979
(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Shasta	1,748	4	10	40	39	75	115	632	524	243	55	10	1	–	–
White	1,531	3	7	27	36	62	105	556	458	217	50	9	1	–	–
None	618	3	7	24	32	45	62	278	129	31	6	1	–	–	–
One	456	–	–	1	1	10	27	176	168	64	8	1	–	–	–
Two	201	–	–	–	–	–	4	46	87	53	10	1	–	–	–
Three	73	–	–	–	–	–	1	5	26	32	8	1	–	–	–
Four or More	39	–	–	–	–	–	–	2	6	15	10	5	1	–	–
Not Stated	144	–	–	2	3	7	11	49	42	22	8	–	–	–	–
Black	24	–	–	1	–	–	1	13	6	1	1	1	–	–	–
None	8	–	–	1	–	–	1	4	2	–	–	–	–	–	–
One	4	–	–	–	–	–	–	2	2	–	–	–	–	–	–
Two	6	–	–	–	–	–	–	5	1	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Not Stated	3	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Mexican-American	71	–	–	2	–	3	4	32	21	8	1	–	–	–	–
None	26	–	–	2	–	2	2	11	8	1	–	–	–	–	–
One	25	–	–	–	–	1	1	8	10	4	1	–	–	–	–
Two	9	–	–	–	–	–	1	6	2	–	–	–	–	–	–
Three	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Four or More	3	–	–	–	–	–	–	1	–	2	–	–	–	–	–
Not Stated	6	–	–	–	–	–	–	5	1	–	–	–	–	–	–
Other	73	–	2	4	2	7	4	19	23	11	1	–	–	–	–
None	28	–	2	4	1	3	–	8	9	1	–	–	–	–	–
One	11	–	–	–	–	2	1	2	3	3	–	–	–	–	–
Two	10	–	–	–	–	–	1	1	4	3	1	–	–	–	–
Three	5	–	–	–	–	–	–	1	2	2	–	–	–	–	–
Four or More	5	–	–	–	–	–	–	1	2	2	–	–	–	–	–
Not Stated	14	–	–	–	1	2	2	6	3	–	–	–	–	–	–
Unknown	49	1	1	6	1	3	1	12	16	6	2	–	–	–	–
None	12	1	–	4	–	3	–	2	2	–	–	–	–	–	–
One	6	–	–	1	–	–	1	1	2	1	–	–	–	–	–
Two	9	–	–	–	–	–	–	3	4	2	–	–	–	–	–
Three	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	18	–	1	1	1	–	–	5	6	2	2	–	–	–	–
Sierra	37	–	–	1	1	–	5	4	17	8	1	–	–	–	–
White	31	–	–	1	1	–	5	3	12	8	1	–	–	–	–
None	14	–	–	1	1	–	4	3	3	2	–	–	–	–	–
One	8	–	–	–	–	–	–	–	6	1	1	–	–	–	–
Two	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Not Stated	7	–	–	–	–	–	1	–	3	3	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Mexican-American	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–
One	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Unknown	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
One	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Siskiyou	639	1	4	14	16	22	21	255	210	76	14	5	–	–	1
White	557	–	3	11	11	17	14	224	190	70	13	3	–	–	1
None	148	–	2	9	5	11	8	66	35	10	1	1	–	–	–
One	138	–	–	–	1	3	2	56	61	14	1	–	–	–	–
Two	62	–	–	–	–	2	1	17	26	13	3	–	–	–	–
Three	21	–	–	–	–	–	–	7	8	5	1	–	–	–	–
Four or More	9	–	–	–	–	–	–	–	2	5	2	–	–	–	–
Not Stated	179	–	1	2	5	1	3	78	58	23	5	2	–	–	1
Black	16	–	1	–	3	2	1	5	2	1	1	–	–	–	–
None	9	–	1	–	3	2	1	2	–	–	–	–	–	–	–
One	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Two	3	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Siskiyou (Cont'd.)															
Mexican-American	37	–	–	1	2	2	3	14	10	3	–	2	–	–	–
None	7	–	–	–	–	–	1	4	2	–	–	–	–	–	–
One	5	–	–	–	–	–	–	2	2	1	–	–	–	–	–
Two	6	–	–	–	–	–	–	4	1	–	–	1	–	–	–
Three	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Four or More	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Stated	17	–	–	1	2	2	2	4	4	2	–	–	–	–	–
Other	26	1	–	2	–	1	3	11	6	2	–	–	–	–	–
None	7	1	–	–	–	–	3	2	1	–	–	–	–	–	–
One	4	–	–	–	–	–	–	3	–	1	–	–	–	–	–
Two	3	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Stated	10	–	–	2	–	–	–	5	3	–	–	–	–	–	–
Unknown	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–
One	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Solano	4,154	9	16	51	99	164	236	1,531	1,315	558	151	24	–	–	–
White	2,790	4	6	27	54	103	155	1,060	924	360	90	7	–	–	–
None	1,220	3	6	25	47	82	117	548	301	79	10	2	–	–	–
One	1,035	–	–	–	7	20	32	405	399	144	28	–	–	–	–
Two	331	–	–	–	–	1	4	79	150	79	18	–	–	–	–
Three	128	–	–	–	–	–	–	13	54	41	19	1	–	–	–
Four or More	48	–	–	–	–	–	–	1	14	14	15	4	–	–	–
Not Stated	28	1	–	2	–	–	2	14	6	3	–	–	–	–	–
Black	564	3	7	13	17	33	40	223	144	55	21	8	–	–	–
None	236	3	6	13	15	26	25	99	36	13	–	–	–	–	–
One	178	–	–	–	2	5	13	90	53	9	4	2	–	–	–
Two	86	–	–	–	–	2	2	26	36	15	4	1	–	–	–
Three	34	–	–	–	–	–	–	6	10	10	6	2	–	–	–
Four or More	26	–	–	–	–	–	–	1	9	8	5	3	–	–	–
Not Stated	4	–	1	–	–	–	–	1	–	–	2	–	–	–	–
Mexican-American	305	1	3	6	14	14	21	115	81	35	12	3	–	–	–
None	131	1	3	6	10	11	14	59	21	6	–	–	–	–	–
One	83	–	–	–	3	3	4	39	25	6	2	1	–	–	–
Two	44	–	–	–	–	–	2	12	18	8	3	1	–	–	–
Three	29	–	–	–	–	–	1	5	11	8	3	1	–	–	–
Four or More	15	–	–	–	–	–	–	–	4	7	4	–	–	–	–
Not Stated	3	–	–	–	1	–	–	–	2	–	–	–	–	–	–
Other	433	–	–	4	12	9	17	118	144	97	26	6	–	–	–
None	150	–	–	4	11	6	12	49	46	17	5	–	–	–	–
One	158	–	–	–	–	2	5	51	61	34	5	–	–	–	–
Two	76	–	–	–	–	–	–	11	27	29	7	2	–	–	–
Three	26	–	–	–	–	–	–	4	6	11	3	2	–	–	–
Four or More	15	–	–	–	–	–	–	1	1	6	6	1	–	–	–
Not Stated	8	–	–	–	1	1	–	2	3	–	–	1	–	–	–
Unknown	62	1	–	1	2	5	3	15	22	11	2	–	–	–	–
None	34	1	–	1	2	4	2	7	12	4	1	–	–	–	–
One	20	–	–	–	–	1	1	5	7	6	–	–	–	–	–
Two	4	–	–	–	–	–	–	2	1	1	–	–	–	–	–
Three	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Not Stated	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Sonoma	4,225	6	16	45	80	152	194	1,307	1,442	782	181	16	3	–	1
White	3,709	4	14	33	59	128	176	1,140	1,282	696	160	16	1	–	–
None	1,693	4	13	32	51	111	131	642	497	186	24	2	–	–	–
One	1,211	–	1	1	6	12	35	355	505	253	42	1	–	–	–
Two	472	–	–	–	1	3	7	104	179	136	38	4	–	–	–
Three	157	–	–	–	–	1	–	16	56	61	19	4	–	–	–
Four or More	101	–	–	–	–	–	–	5	15	43	33	4	1	–	–
Not Stated	75	–	–	–	1	1	3	18	30	17	4	1	–	–	–
Black	82	–	1	3	9	7	3	31	16	8	4	–	–	–	–
None	46	–	1	3	9	5	3	18	5	1	1	–	–	–	–
One	22	–	–	–	–	2	–	7	8	3	2	–	–	–	–
Two	9	–	–	–	–	–	–	4	3	2	–	–	–	–	–
Three	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Four or More	3	–	–	–	–	–	–	1	–	2	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Sonoma (Cont'd.)															
Mexican-American	178	1	–	5	7	9	6	61	55	26	7	–	1	–	–
None	64	1	–	5	7	5	3	30	10	3	–	–	–	–	–
One	62	–	–	–	–	1	2	21	28	8	2	–	–	–	–
Two	26	–	–	–	–	1	1	8	7	7	2	–	–	–	–
Three	9	–	–	–	–	1	–	1	3	3	1	–	–	–	–
Four or More	12	–	–	–	–	–	–	–	6	3	2	–	1	–	–
Not Stated	5	–	–	–	–	1	–	1	1	2	–	–	–	–	–
Other	163	–	1	3	4	8	8	52	48	31	7	–	1	–	–
None	74	–	1	2	4	5	6	27	18	11	–	–	–	–	–
One	53	–	–	1	–	2	1	14	21	11	3	–	–	–	–
Two	25	–	–	–	–	–	1	7	9	5	3	–	–	–	–
Three	5	–	–	–	–	–	–	3	–	1	1	–	–	–	–
Four or More	4	–	–	–	–	–	–	–	–	3	–	–	1	–	–
Not Stated	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Unknown	93	1	–	1	1	–	1	23	41	21	3	–	–	–	1
None	35	1	–	1	1	–	–	11	17	2	1	–	–	–	1
One	20	–	–	–	–	–	–	5	7	7	1	–	–	–	–
Two	4	–	–	–	–	–	–	–	2	2	–	–	–	–	–
Three	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Not Stated	32	–	–	–	–	–	1	6	14	10	1	–	–	–	–
Stanislaus	4,555	12	48	109	166	199	302	1,681	1,297	550	153	34	2	–	2
White	3,325	5	24	71	111	139	214	1,241	992	411	95	18	2	–	2
None	1,494	5	23	65	93	104	156	638	326	74	9	–	–	–	1
One	1,089	–	1	6	16	27	48	455	387	123	25	1	–	–	–
Two	474	–	–	–	–	6	10	126	189	121	17	4	1	–	–
Three	153	–	–	–	–	2	–	14	66	53	16	2	–	–	–
Four or More	98	–	–	–	–	–	–	3	19	36	28	11	1	–	–
Not Stated	17	–	–	–	2	–	–	5	5	4	–	–	–	–	1
Black	73	1	1	2	3	8	6	26	19	5	4	–	–	–	–
None	33	1	1	1	2	8	2	12	3	2	1	–	–	–	–
One	20	–	–	1	1	–	3	5	8	1	1	–	–	–	–
Two	13	–	–	–	–	–	–	7	4	1	1	–	–	–	–
Three	6	–	–	–	–	–	1	1	3	1	–	–	–	–	–
Four or More	3	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Mexican-American	1,038	6	22	33	49	49	75	377	251	115	48	13	–	–	–
None	386	6	20	29	37	37	43	144	53	15	1	1	–	–	–
One	286	–	2	4	11	9	24	137	68	23	8	–	–	–	–
Two	172	–	–	–	1	3	4	68	66	23	6	1	–	–	–
Three	88	–	–	–	–	–	4	23	35	19	6	1	–	–	–
Four or More	101	–	–	–	–	–	–	3	27	34	27	10	–	–	–
Not Stated	5	–	–	–	–	–	–	2	2	1	–	–	–	–	–
Other	110	–	1	3	3	3	7	36	31	18	6	2	–	–	–
None	53	–	1	2	2	2	5	20	16	4	–	1	–	–	–
One	34	–	–	1	1	1	2	10	8	8	2	1	–	–	–
Two	16	–	–	–	–	–	–	6	5	4	1	–	–	–	–
Three	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Four or More	4	–	–	–	–	–	–	–	1	1	2	–	–	–	–
Unknown	7	–	–	–	–	–	–	1	4	1	–	1	–	–	–
None	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
One	3	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Not Stated	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Sutter	798	1	4	16	22	32	41	307	230	115	24	5	–	–	1
White	636	1	3	14	16	29	34	238	183	96	17	4	–	–	1
None	269	1	3	10	11	22	27	124	55	14	2	–	–	–	–
One	205	–	–	2	5	7	7	78	71	32	3	–	–	–	–
Two	101	–	–	1	–	–	–	26	42	26	5	1	–	–	–
Three	33	–	–	–	–	–	–	7	9	12	4	1	–	–	–
Four or More	24	–	–	–	–	–	–	2	5	12	3	2	–	–	–
Not Stated	4	–	–	1	–	–	–	1	1	–	–	–	–	–	1
Black	12	–	–	–	–	–	–	8	3	1	–	–	–	–	–
None	4	–	–	–	–	–	–	3	1	–	–	–	–	–	–
One	4	–	–	–	–	–	–	2	1	1	–	–	–	–	–
Two	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Not Stated	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Sutter (Cont'd.)															
Mexican-American	110	–	1	2	5	3	7	46	28	10	7	1	–	–	–
None	43	–	1	2	3	2	4	21	8	1	1	–	–	–	–
One	31	–	–	–	2	1	3	13	11	–	–	1	–	–	–
Two	16	–	–	–	–	–	–	9	3	2	2	–	–	–	–
Three	10	–	–	–	–	–	–	3	4	3	–	–	–	–	–
Four or More	10	–	–	–	–	–	–	–	2	4	4	–	–	–	–
Other	18	–	–	–	–	–	–	6	7	5	–	–	–	–	–
None	10	–	–	–	–	–	–	5	3	2	–	–	–	–	–
One	5	–	–	–	–	–	–	1	2	2	–	–	–	–	–
Two	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Unknown	22	–	–	–	1	–	–	9	9	3	–	–	–	–	–
None	7	–	–	–	1	–	–	5	1	–	–	–	–	–	–
One	8	–	–	–	–	–	–	4	2	2	–	–	–	–	–
Two	5	–	–	–	–	–	–	–	5	–	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tehama	523	–	4	9	13	27	39	214	142	49	19	7	–	–	–
White	440	–	4	7	10	21	29	183	119	46	16	5	–	–	–
None	192	–	4	6	9	19	23	84	38	8	–	1	–	–	–
One	144	–	–	1	1	2	4	74	45	16	1	–	–	–	–
Two	65	–	–	–	–	–	1	20	26	12	6	–	–	–	–
Three	22	–	–	–	–	–	–	4	8	5	4	1	–	–	–
Four or More	13	–	–	–	–	–	–	1	–	4	5	3	–	–	–
Not Stated	4	–	–	–	–	–	1	–	2	1	–	–	–	–	–
Mexican-American	64	–	–	2	3	6	9	19	18	3	3	1	–	–	–
None	25	–	–	1	3	4	7	5	3	–	–	–	–	–	–
One	18	–	–	1	–	2	2	6	6	1	–	–	–	–	–
Two	8	–	–	–	–	–	–	6	2	–	–	–	–	–	–
Three	4	–	–	–	–	–	–	–	2	–	1	1	–	–	–
Four or More	7	–	–	–	–	–	–	1	2	2	2	–	–	–	–
Not Stated	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Other	15	–	–	–	–	–	1	9	4	–	–	1	–	–	–
None	6	–	–	–	–	–	1	4	1	–	–	–	–	–	–
One	6	–	–	–	–	–	–	4	2	–	–	–	–	–	–
Two	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Unknown	4	–	–	–	–	–	–	3	1	–	–	–	–	–	–
None	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Trinity	200	–	1	4	4	6	9	76	66	24	9	1	–	–	–
White	167	–	1	3	3	5	7	61	58	21	7	1	–	–	–
None	59	–	–	3	2	3	4	27	16	3	1	–	–	–	–
One	52	–	–	–	–	1	1	22	21	5	2	–	–	–	–
Two	19	–	–	–	–	–	–	6	7	4	2	–	–	–	–
Three	6	–	–	–	–	–	–	1	2	1	1	1	–	–	–
Four or More	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Not Stated	28	–	1	–	1	1	2	5	10	8	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Mexican-American	10	–	–	–	1	–	1	7	–	–	1	–	–	–	–
None	3	–	–	–	–	–	–	3	–	–	–	–	–	–	–
One	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Two	3	–	–	–	–	–	–	2	–	–	1	–	–	–	–
Not Stated	3	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Other	9	–	–	–	–	1	–	5	1	1	1	–	–	–	–
None	3	–	–	–	–	1	–	1	1	–	–	–	–	–	–
One	4	–	–	–	–	–	–	4	–	–	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Unknown	13	–	–	1	–	–	1	2	7	2	–	–	–	–	–
None	5	–	–	1	–	–	–	1	3	–	–	–	–	–	–
One	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Stated	4	–	–	–	–	–	1	–	2	1	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Tulare	4,881	9	40	114	211	261	341	1,787	1,269	601	195	51	1	–	1
White	2,331	3	9	50	80	111	137	857	691	307	79	7	–	–	–
None	969	3	8	43	68	87	98	402	195	54	11	–	–	–	–
One	773	–	1	7	12	18	34	306	273	107	14	1	–	–	–
Two	340	–	–	–	–	4	4	101	145	75	10	1	–	–	–
Three	117	–	–	–	–	–	1	21	39	37	17	2	–	–	–
Four or More	93	–	–	–	–	–	–	7	29	28	26	3	–	–	–
Not Stated	39	–	–	–	–	2	–	20	10	6	1	–	–	–	–
Black	88	–	2	2	7	3	9	39	13	9	4	–	–	–	–
None	29	–	2	2	6	1	5	11	–	–	2	–	–	–	–
One	23	–	–	–	–	2	1	14	3	3	–	–	–	–	–
Two	16	–	–	–	–	–	3	7	3	3	–	–	–	–	–
Three	11	–	–	–	–	–	–	6	2	2	1	–	–	–	–
Four or More	8	–	–	–	–	–	–	1	5	1	1	–	–	–	–
Not Stated	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mexican-American	2,235	5	27	59	116	136	181	816	488	252	109	44	1	–	1
None	740	5	24	51	99	89	100	273	78	16	2	3	–	–	–
One	552	–	3	8	15	38	59	281	118	22	6	2	–	–	–
Two	386	–	–	–	1	8	19	154	119	63	18	4	–	–	–
Three	226	–	–	–	1	–	1	61	91	55	14	3	–	–	–
Four or More	304	–	–	–	–	–	1	34	74	94	67	32	1	–	1
Not Stated	27	–	–	–	–	1	1	13	8	2	2	–	–	–	–
Other	100	–	1	–	4	4	2	33	32	23	1	–	–	–	–
None	42	–	1	–	3	4	2	17	10	5	–	–	–	–	–
One	22	–	–	–	–	–	–	9	8	5	–	–	–	–	–
Two	24	–	–	–	–	–	–	6	10	8	–	–	–	–	–
Three	4	–	–	–	–	–	–	1	1	2	–	–	–	–	–
Four or More	7	–	–	–	–	–	–	–	3	3	1	–	–	–	–
Not Stated	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Unknown	127	1	1	3	4	7	12	42	45	10	2	–	–	–	–
None	58	1	1	2	4	4	5	25	14	2	–	–	–	–	–
One	39	–	–	1	–	2	5	10	17	3	1	–	–	–	–
Two	22	–	–	–	–	1	1	6	10	3	1	–	–	–	–
Three	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Four or More	4	–	–	–	–	–	–	–	3	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tuolumne	490	–	3	6	11	13	32	172	170	64	14	5	–	–	–
White	438	–	2	5	10	11	31	152	157	54	12	4	–	–	–
None	194	–	2	5	7	11	20	89	45	13	2	–	–	–	–
One	154	–	–	–	3	–	11	45	71	20	3	1	–	–	–
Two	67	–	–	–	–	–	–	16	34	13	3	1	–	–	–
Three	11	–	–	–	–	–	–	1	5	3	2	–	–	–	–
Four or More	10	–	–	–	–	–	–	1	1	5	1	2	–	–	–
Not Stated	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Black	4	–	–	–	–	1	–	3	–	–	–	–	–	–	–
None	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–
One	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Mexican-American	35	–	1	–	1	–	–	15	9	7	1	1	–	–	–
None	9	–	1	–	1	–	–	4	3	–	–	–	–	–	–
One	19	–	–	–	–	–	–	10	5	3	–	1	–	–	–
Two	4	–	–	–	–	–	–	–	1	3	–	–	–	–	–
Three	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Not Stated	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	9	–	–	1	–	1	1	1	2	2	1	–	–	–	–
None	4	–	–	1	–	–	1	1	1	–	–	–	–	–	–
One	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Two	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Unknown	4	–	–	–	–	–	–	1	2	1	–	–	–	–	–
None	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
One	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Two	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Ventura	8,629	16	45	114	222	331	468	2,731	2,805	1,401	395	79	9	1	12
White	4,720	9	18	51	86	135	207	1,376	1,676	893	221	42	4	1	1
None	1,945	9	18	47	80	112	148	738	565	193	33	2	–	–	–
One	1,628	–	–	3	6	13	51	483	686	331	49	5	–	1	–
Two	653	–	–	–	–	1	2	106	272	214	51	7	–	–	–
Three	237	–	–	–	–	–	–	15	98	89	30	5	–	–	–
Four or More	161	–	–	–	–	–	–	4	23	54	54	22	4	–	–
Not Stated	96	–	–	1	–	9	6	30	32	12	4	1	–	–	1
Black	239	–	–	6	8	13	25	90	68	24	5	–	–	–	–
None	107	–	–	6	8	8	17	42	16	8	2	–	–	–	–
One	76	–	–	–	–	5	8	34	25	4	–	–	–	–	–
Two	28	–	–	–	–	–	–	10	11	7	–	–	–	–	–
Three	12	–	–	–	–	–	–	3	6	3	–	–	–	–	–
Four or More	15	–	–	–	–	–	–	1	9	2	3	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mexican-American	2,849	7	27	49	115	166	204	1,020	751	341	128	35	5	–	1
None	1,055	7	25	43	93	119	140	440	149	32	7	–	–	–	–
One	757	–	2	6	18	36	51	350	221	66	7	–	–	–	–
Two	469	–	–	–	1	9	12	148	196	82	19	2	–	–	–
Three	251	–	–	–	–	–	–	51	107	60	29	3	1	–	–
Four or More	267	–	–	–	–	–	–	11	62	95	65	30	4	–	–
Not Stated	50	–	–	–	3	2	1	20	16	6	1	–	–	–	1
Other	386	–	–	3	4	8	18	104	132	88	27	2	–	–	–
None	157	–	–	2	4	6	15	58	52	16	4	–	–	–	–
One	139	–	–	–	–	2	3	34	57	38	5	–	–	–	–
Two	53	–	–	–	–	–	–	9	15	18	11	–	–	–	–
Three	23	–	–	–	–	–	–	1	7	13	1	1	–	–	–
Four or More	10	–	–	–	–	–	–	–	1	2	6	1	–	–	–
Not Stated	4	–	–	1	–	–	–	2	–	1	–	–	–	–	–
Unknown	435	–	–	5	9	9	14	141	178	55	14	–	–	–	10
None	184	–	–	5	6	5	12	72	69	10	1	–	–	–	4
One	126	–	–	–	2	3	–	33	58	24	6	–	–	–	–
Two	37	–	–	–	–	–	1	7	17	10	2	–	–	–	–
Three	9	–	–	–	–	–	–	–	8	1	–	–	–	–	–
Four or More	7	–	–	–	–	–	–	–	2	2	3	–	–	–	–
Not Stated	72	–	–	–	1	1	1	29	24	8	2	–	–	–	6
Yolo	1,619	4	10	23	27	69	78	564	503	262	70	9	–	–	–
White	1,154	1	6	14	18	51	55	397	361	203	42	6	–	–	–
None	539	1	6	13	17	39	42	220	145	43	12	1	–	–	–
One	397	–	–	1	1	12	12	138	139	82	12	–	–	–	–
Two	127	–	–	–	–	–	1	25	49	45	4	3	–	–	–
Three	47	–	–	–	–	–	–	5	14	24	3	1	–	–	–
Four or More	26	–	–	–	–	–	–	1	6	8	11	–	–	–	–
Not Stated	18	–	–	–	–	–	–	8	8	1	–	1	–	–	–
Black	34	–	1	–	–	1	3	14	10	4	1	–	–	–	–
None	14	–	1	–	–	1	3	6	3	–	–	–	–	–	–
One	8	–	–	–	–	–	–	4	2	2	–	–	–	–	–
Two	8	–	–	–	–	–	–	4	3	1	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mexican-American	326	2	3	8	7	15	18	127	93	33	17	3	–	–	–
None	126	2	3	8	4	14	8	57	21	4	5	–	–	–	–
One	102	–	–	–	3	1	9	48	30	9	2	–	–	–	–
Two	50	–	–	–	–	–	1	14	24	10	1	–	–	–	–
Three	22	–	–	–	–	–	–	6	9	4	3	–	–	–	–
Four or More	23	–	–	–	–	–	–	1	7	6	6	3	–	–	–
Not Stated	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Other	76	1	–	1	2	1	2	16	32	15	6	–	–	–	–
None	39	1	–	1	2	1	1	9	17	5	2	–	–	–	–
One	20	–	–	–	–	–	1	3	9	5	2	–	–	–	–
Two	11	–	–	–	–	–	–	3	3	3	2	–	–	–	–
Three	4	–	–	–	–	–	–	1	2	1	–	–	–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 2–7 (Continued)

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, RACE AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
Yolo (Cont'd.)															
Unknown	29	–	–	–	–	1	–	10	7	7	4	–	–	–	–
None	7	–	–	–	–	1	–	4	–	2	–	–	–	–	–
One	7	–	–	–	–	–	–	5	2	–	–	–	–	–	–
Two	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Three	4	–	–	–	–	–	–	–	2	1	1	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Not Stated	5	–	–	–	–	–	–	1	2	2	–	–	–	–	–
Yuba	1,030	8	5	19	36	56	69	443	272	94	23	5	–	–	–
White	806	7	4	14	31	47	56	353	208	66	18	2	–	–	–
None	360	6	4	11	24	36	40	164	60	12	2	1	–	–	–
One	261	1	–	3	6	11	13	129	77	19	2	–	–	–	–
Two	117	–	–	–	1	–	2	48	49	15	2	–	–	–	–
Three	44	–	–	–	–	–	–	11	15	12	6	–	–	–	–
Four or More	19	–	–	–	–	–	–	–	5	7	6	1	–	–	–
Not Stated	5	–	–	–	–	–	1	1	2	1	–	–	–	–	–
Black	71	1	–	2	3	2	6	32	17	6	2	–	–	–	–
None	32	1	–	1	3	2	5	16	3	1	–	–	–	–	–
One	25	–	–	1	–	–	1	12	10	1	–	–	–	–	–
Two	7	–	–	–	–	–	–	2	2	3	–	–	–	–	–
Three	4	–	–	–	–	–	–	2	1	–	1	–	–	–	–
Four or More	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Mexican-American	90	–	1	2	2	2	4	43	24	8	2	2	–	–	–
None	40	–	1	2	2	1	4	25	5	–	–	–	–	–	–
One	24	–	–	–	–	–	–	11	11	2	–	–	–	–	–
Two	11	–	–	–	–	–	–	3	4	3	1	–	–	–	–
Three	9	–	–	–	–	1	–	4	2	2	–	–	–	–	–
Four or More	5	–	–	–	–	–	–	–	1	1	1	2	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other	46	–	–	1	–	2	3	10	17	12	–	1	–	–	–
None	14	–	–	1	–	1	2	2	6	2	–	–	–	–	–
One	20	–	–	–	–	1	1	5	8	4	–	1	–	–	–
Two	10	–	–	–	–	–	–	3	3	4	–	–	–	–	–
Three	1	–	–	–	–	–	–	–	–	1	–		–	–	–
Four or More	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Unknown	17	–	–	–	–	3	–	5	6	2	1	–	–	–	–
None	5	–	–	–	–	2	–	2	1	–	–	–	–	–	–
One	3	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Two	5	–	–	–	–	–	–	1	3	1	–	–	–	–	–
Four or More	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Not Stated	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Note: Only those categories for which there was an occurrence are listed.

Source: State of California, Department of Health Services, Birth Records.

Table 2–8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND AGE OF MOTHER CALIFORNIA, 1979 AND 1980

(By place of residence)

MONTH OF PREGNANCY PRENATAL CARE BEGAN	TOTAL	AGE OF MOTHER							
		Under 15	15–17	18–19	20–24	25–29	30–34	35 and Older	Unknown
	1980								
Total	402,720	765	18,530	36,226	133,504	122,979	67,815	22,666	235
First Trimester	299,976	279	9,629	22,154	97,063	98,623	55,161	16,922	145
First Month	57,396	37	1,360	3,440	17,682	19,990	11,488	3,384	15
Second Month	145,980	97	3,734	9,496	46,541	49,898	27,913	8,219	82
Third Month	96,600	145	4,535	9,218	32,840	28,735	15,760	5,319	48
Second Trimester	73,683	317	6,607	10,351	26,329	17,164	8,931	3,948	36
Fourth Month	39,706	115	3,072	5,319	14,218	9,725	5,087	2,150	20
Fifth Month	21,452	111	2,145	3,170	7,706	4,738	2,476	1,096	10
Sixth Month	12,525	91	1,390	1,862	4,405	2,701	1,368	702	6
Third Trimester	14,166	108	1,370	2,098	5,014	3,140	1,593	836	7
Seventh Month	7,926	57	782	1,205	2,830	1,721	879	447	5
Eighth Month	4,436	42	435	652	1,563	998	482	262	2
Ninth Month	1,804	9	153	241	621	421	232	127	–
No Prenatal Care	3,795	31	414	562	1,342	789	401	254	2
Unknown	11,100	30	510	1,061	3,756	3,263	1,729	706	45
	1979								
Total	379,187	806	18,438	35,487	126,554	115,190	61,916	20,617	179
First Trimester	273,902	310	9,161	20,954	89,566	90,196	48,854	14,749	112
First Month	48,559	39	1,203	3,010	14,921	17,088	9,513	2,757	28
Second Month	134,839	124	3,688	9,182	43,366	46,092	25,020	7,309	58
Third Month	90,504	147	4,270	8,762	31,279	27,016	14,321	4,683	26
Second Trimester	71,943	296	6,579	10,383	25,630	16,657	8,569	3,808	21
Fourth Month	38,162	102	2,999	5,174	13,690	9,367	4,841	1,981	8
Fifth Month	21,181	112	2,194	3,320	7,436	4,605	2,398	1,108	8
Sixth Month	12,600	82	1,386	1,889	4,504	2,685	1,330	719	5
Third Trimester	14,082	114	1,485	2,122	4,947	3,018	1,559	836	1
Seventh Month	8,033	66	850	1,196	2,814	1,726	918	463	–
Eighth Month	4,414	36	479	700	1,536	929	464	269	1
Ninth Month	1,635	12	156	226	597	363	177	104	–
No Prenatal Care	3,698	39	400	522	1,316	775	398	246	2
Unknown	15,562	47	813	1,506	5,095	4,544	2,536	978	43

Source: State of California, Department of Health Services, Birth Records.

Table 2–9

LIVE BIRTHS BY AGE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
California	379,187	806	2,450	5,796	10,192	14,933	20,554	126,554	115,190	61,916	17,430	3,008	173	6	179
Alameda	16,688	39	107	220	408	572	767	5,250	5,222	3,132	824	122	6	–	19
Alpine	14	–	–	–	–	–	2	3	7	2	–	–	–	–	–
Amador	243	1	1	2	5	12	21	68	86	37	8	2	–	–	–
Butte	1,815	5	10	21	39	73	91	621	591	299	58	6	1	–	–
Calaveras	216	–	5	–	5	12	11	71	68	32	12	–	–	–	–
Colusa	211	1	2	3	6	10	13	79	64	22	8	3	–	–	–
Contra Costa	9,314	17	50	104	180	303	378	2,697	3,065	1,952	490	71	4	–	3
Del Norte	324	1	1	3	15	11	19	134	89	28	17	6	–	–	–
El Dorado	1,239	–	4	12	21	40	49	404	441	221	43	4	–	–	–
Fresno	9,363	40	116	236	342	452	566	3,167	2,688	1,303	384	66	3	–	–
Glenn	393	1	1	3	7	10	24	152	118	62	14	1	–	–	–
Humboldt	1,689	3	12	24	32	51	76	596	584	247	54	8	1	–	1
Imperial	2,002	4	21	39	83	78	134	709	564	265	82	21	2	–	–
Inyo	223	–	1	1	6	11	14	71	74	34	9	2	–	–	–
Kern	7,710	33	76	197	328	441	593	2,819	2,090	853	233	43	2	1	1
Kings	1,500	5	28	39	56	81	96	585	365	187	45	13	–	–	–
Lake	428	–	6	7	20	22	17	153	124	60	14	5	–	–	–
Lassen	338	–	3	6	16	19	19	124	105	36	9	–	1	–	–
Los Angeles	126,212	320	879	2,127	3,587	5,127	6,947	41,593	36,893	20,812	6,564	1,207	63	2	91
Madera	1,205	2	14	17	39	50	81	419	380	157	36	10	–	–	–
Marin	2,312	–	1	2	8	25	46	421	771	766	238	28	–	–	6
Mariposa	120	–	1	–	4	2	10	39	36	21	6	1	–	–	–
Mendocino	1,076	4	5	10	29	50	68	353	314	190	42	11	–	–	–
Merced	2,685	3	28	56	106	133	181	956	730	353	112	26	1	–	–
Modoc	145	–	2	2	2	3	8	54	58	14	1	1	–	–	–
Mono	157	–	1	1	2	–	4	49	62	32	4	2	–	–	–
Monterey	5,737	11	36	81	164	212	354	2,151	1,638	823	213	45	6	–	3
Napa	1,093	–	3	11	22	24	49	375	371	185	43	7	1	–	2
Nevada	678	1	1	6	16	21	32	208	251	106	33	3	–	–	–
Orange	29,282	23	125	285	610	1,010	1,475	9,730	9,278	5,150	1,381	204	6	1	4
Placer	1,603	4	5	17	21	65	82	516	528	300	58	7	–	–	–
Plumas	286	1	2	2	3	10	15	114	84	42	11	2	–	–	–
Riverside	10,950	28	79	208	342	544	694	4,094	3,128	1,365	389	74	4	–	1
Sacramento	12,357	18	82	192	341	501	696	4,315	3,935	1,793	405	70	7	–	2
San Benito	485	1	3	9	18	26	29	163	136	77	18	5	–	–	–
San Bernardino	15,614	35	120	286	464	703	937	5,874	4,703	1,929	476	77	4	–	6
San Diego	29,361	40	134	349	685	1,103	1,632	10,395	9,076	4,610	1,118	198	15	1	5
San Francisco	8,313	18	38	97	182	230	379	2,220	2,685	1,810	545	100	3	–	6
San Joaquin	5,771	17	58	134	229	262	382	2,054	1,592	790	219	32	2	–	–
San Luis Obispo	1,938	3	6	18	36	71	83	667	689	299	58	7	1	–	–
San Mateo	7,806	7	23	63	126	187	298	2,092	2,624	1,770	536	75	1	–	4
Santa Barbara	4,148	5	19	59	111	163	191	1,421	1,278	684	178	29	9	–	1
Santa Clara	19,827	39	111	250	470	719	932	6,005	6,405	3,723	1,007	148	14	–	4
Santa Cruz	2,788	6	24	32	59	87	109	869	938	516	131	15	–	–	2
Shasta	1,748	4	10	40	39	75	115	632	524	243	55	10	1	–	–
Sierra	37	–	–	1	1	–	5	4	17	8	1	–	–	–	–
Siskiyou	639	1	4	14	16	22	21	255	210	76	14	5	–	–	1
Solano	4,154	9	16	51	99	164	236	1,531	1,315	558	151	24	–	–	–
Sonoma	4,225	6	16	45	80	152	194	1,307	1,442	782	181	16	3	–	1
Stanislaus	4,555	12	48	109	166	199	302	1,681	1,297	550	153	34	2	–	2
Sutter	798	1	4	16	22	32	41	307	230	115	24	5	–	–	1
Tehama	523	–	4	9	13	27	39	214	142	49	19	7	–	–	–
Trinity	200	–	1	4	4	6	9	76	66	24	9	1	–	–	–
Tulare	4,881	9	40	114	211	261	341	1,787	1,269	601	195	51	1	–	1
Tuolumne	490	–	3	6	11	13	32	172	170	64	14	5	–	–	–
Ventura	8,629	16	45	114	222	331	468	2,731	2,805	1,401	395	79	9	1	12
Yolo	1,619	4	10	23	27	69	78	564	503	262	70	9	–	–	–
Yuba	1,030	8	5	19	36	56	69	443	272	94	23	5	–	–	–

Source: State of California, Department of Health Services, Birth Records.

Table 2–10

LIVE BIRTHS BY AGE OF MOTHER
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
California	402,720	765	2,446	5,868	10,216	15,224	21,002	133,504	122,979	67,815	19,276	3,226	156	8	235
Alameda	16,762	24	111	226	364	554	780	5,179	5,192	3,285	902	127	6	–	12
Alpine	11	–	–	1	–	–	–	4	2	4	–	–	–	–	–
Amador	242	–	1	1	1	6	16	62	96	54	4	1	–	–	–
Butte	2,053	3	11	38	46	70	97	691	678	332	76	10	1	–	–
Calaveras	247	–	2	2	3	5	12	82	75	56	9	1	–	–	–
Colusa	257	2	2	6	8	6	20	89	84	29	10	1	–	–	–
Contra Costa	9,516	14	28	108	171	287	400	2,717	3,184	2,029	500	69	2	–	7
Del Norte	339	1	1	7	10	26	21	123	95	42	12	1	–	–	–
El Dorado	1,378	1	7	17	32	32	61	410	502	244	62	6	1	–	3
Fresno	10,249	43	104	230	367	427	604	3,567	2,943	1,458	418	86	–	–	2
Glenn	386	2	2	3	11	11	19	151	113	53	20	1	–	–	–
Humboldt	1,868	4	8	22	43	62	97	635	623	300	60	7	–	–	7
Imperial	2,260	6	14	38	77	109	151	776	630	323	105	29	–	–	2
Inyo	262	–	3	3	7	5	15	94	89	40	6	–	–	–	–
Kern	8,354	24	89	207	311	454	595	3,158	2,236	950	282	45	–	–	3
Kings	1,662	9	13	45	57	103	115	667	416	172	56	9	–	–	–
Lake	479	–	3	5	16	27	26	168	153	56	22	3	–	–	–
Lassen	351	1	6	7	8	11	18	132	98	57	13	–	–	–	–
Los Angeles	133,109	302	922	2,081	3,568	5,172	6,993	43,419	39,349	22,622	7,209	1,295	64	4	109
Madera	1,292	2	6	27	48	69	81	470	357	170	54	8	–	–	–
Marin	2,332	–	3	3	10	29	47	415	720	800	276	24	–	–	5
Mariposa	126	–	–	1	1	2	7	52	43	15	4	1	–	–	–
Mendocino	1,186	2	4	20	25	36	60	387	380	198	65	8	–	–	1
Merced	2,960	3	22	66	94	142	193	1,119	808	378	97	37	–	–	1
Modoc	142	–	–	4	3	11	8	48	43	23	2	–	–	–	–
Mono	124	1	–	–	1	2	6	36	53	22	3	–	–	–	–
Monterey	6,156	12	38	104	165	265	358	2,161	1,875	900	233	43	2	–	–
Napa	1,273	1	2	14	16	28	61	439	416	235	49	11	1	–	–
Nevada	801	–	1	9	18	36	37	237	268	160	31	2	1	–	1
Orange	31,605	33	105	307	619	1,048	1,536	10,551	9,966	5,645	1,541	226	16	–	12
Placer	1,770	–	12	14	41	62	86	576	540	346	80	12	–	–	1
Plumas	283	–	2	2	2	12	13	105	100	35	10	2	–	–	–
Riverside	12,048	19	88	187	363	557	744	4,415	3,531	1,575	476	85	4	–	4
Sacramento	13,102	28	77	230	337	541	685	4,583	4,194	1,946	407	63	3	–	8
San Benito	475	1	3	11	15	15	20	161	160	57	26	6	–	–	–
San Bernardino	17,160	27	121	294	533	700	1,046	6,413	5,183	2,197	550	81	7	–	8
San Diego	30,931	41	140	344	677	1,098	1,602	10,787	9,727	5,038	1,263	198	11	–	5
San Francisco	8,213	14	27	91	154	205	277	2,113	2,615	1,937	641	125	3	–	11
San Joaquin	6,307	22	45	131	204	308	385	2,305	1,833	803	220	48	1	–	2
San Luis Obispo	2,153	1	6	16	51	61	93	693	769	367	83	13	–	–	–
San Mateo	8,174	12	24	57	117	201	279	2,103	2,822	1,942	535	74	5	–	3
Santa Barbara	4,397	3	23	55	89	149	222	1,449	1,346	801	231	29	–	–	–
Santa Clara	21,299	44	130	269	453	688	952	6,562	6,825	4,082	1,124	155	9	1	5
Santa Cruz	2,946	5	12	30	64	99	124	865	978	596	132	36	2	2	1
Shasta	1,822	1	7	30	32	79	124	676	570	234	61	8	–	–	–
Sierra	35	–	–	–	–	1	3	12	10	7	2	–	–	–	–
Siskiyou	726	–	7	10	20	26	29	255	233	112	30	3	–	–	1
Solano	4,352	2	14	45	115	172	227	1,555	1,396	687	121	17	–	–	1
Sonoma	4,480	6	23	45	107	129	192	1,368	1,480	910	192	26	2	–	–
Stanislaus	4,984	17	44	90	172	238	333	1,841	1,429	614	170	32	2	1	1
Sutter	909	2	6	11	39	46	71	339	266	102	20	5	1	–	1
Tehama	597	3	2	10	18	32	40	206	193	74	17	2	–	–	–
Trinity	188	–	–	5	5	8	14	61	61	30	4	–	–	–	–
Tulare	5,322	14	56	122	221	306	363	1,921	1,409	656	191	58	4	–	1
Tuolumne	450	–	–	6	10	15	17	143	170	75	10	4	–	–	–
Ventura	9,104	11	54	121	198	320	482	2,970	2,861	1,525	459	79	8	–	16
Yolo	1,705	1	8	24	54	72	75	561	527	303	69	11	–	–	–
Yuba	1,006	1	7	16	25	49	70	427	264	112	31	3	–	–	1

Source: State of California, Department of Health Services, Birth Records.

Table 2–11

LIVE BIRTHS BY RACE OF CHILD AND SEX
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY	ALL RACES			WHITE			BLACK			MEXICAN/AMERICAN			INDIAN			CHINESE			JAPANESE			FILIPINO			OTHER			UNKNOWN		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
California	379,187	194,291	184,896	198,999	102,349	96,650	37,986	19,151	18,835	102,678	52,568	50,110	2,043	1,046	997	4,174	2,170	2,004	3,099	1,607	1,492	7,028	3,556	3,472	9,875	5,072	4,803	13,305	6,772	6,533
Alameda	16,688	8,517	8,171	8,897	4,591	4,306	3,748	1,878	1,870	1,146	583	563	84	38	46	255	126	129	97	53	44	289	154	135	829	416	413	1,343	678	665
Alpine	14	8	6	9	4	5	–	–	–	1	–	1	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Amador	243	126	117	223	114	109	2	1	1	14	8	6	1	1	–	–	–	–	1	1	–	1	1	–	–	–	–	1	–	1
Butte	1,815	967	848	1,465	787	678	29	15	14	109	56	53	37	24	13	3	1	2	2	1	1	3	1	2	8	3	5	159	79	80
Calaveras	216	113	103	192	101	91	–	–	–	13	5	8	7	5	2	–	–	–	–	–	–	2	1	1	–	–	–	2	1	1
Colusa	211	109	102	126	64	62	2	1	1	73	38	35	1	1	–	–	–	–	–	–	–	1	1	–	4	1	3	4	3	1
Contra Costa	9,314	4,700	4,614	6,092	3,063	3,029	1,187	575	612	745	393	352	50	29	21	138	58	80	68	46	22	144	80	64	259	131	128	631	325	306
Del Norte	324	156	168	268	129	139	7	2	5	15	9	6	24	10	14	2	1	1	–	–	–	–	–	–	5	3	2	3	2	1
El Dorado	1,239	635	604	1,131	586	545	8	2	6	61	29	32	6	3	3	–	–	–	5	2	3	6	2	4	12	7	5	10	4	6
Fresno	9,363	4,806	4,557	4,293	2,232	2,061	653	335	318	4,032	2,043	1,989	52	21	31	45	25	20	49	35	14	43	17	26	97	43	54	99	55	44
Glenn	393	202	191	292	147	145	–	–	–	59	35	24	8	4	4	1	–	1	–	–	–	–	–	–	2	1	1	31	15	16
Humboldt	1,689	862	827	1,461	746	715	21	10	11	55	26	29	123	59	64	5	5	–	5	3	2	7	5	2	6	5	1	6	3	3
Imperial	2,002	1,014	988	491	243	248	57	29	28	1,396	714	682	26	15	11	8	5	3	4	–	4	14	6	8	3	1	2	3	1	2
Inyo	223	103	120	162	69	93	–	–	–	24	14	10	36	20	16	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Kern	7,710	3,983	3,727	4,627	2,426	2,201	523	261	262	2,297	1,154	1,143	52	30	22	22	14	8	18	11	7	95	53	42	61	28	33	15	6	9
Kings	1,500	782	718	790	412	378	95	44	51	522	282	240	7	3	4	4	2	2	2	–	2	57	27	30	13	5	8	10	7	3
Lake	428	216	212	363	176	187	3	2	1	31	19	12	20	14	6	1	–	1	2	2	–	1	–	1	3	2	1	4	1	3
Lassen	338	158	180	284	135	149	7	3	4	21	10	11	11	4	7	–	–	–	1	–	1	1	–	1	8	4	4	5	2	3
Los Angeles	126,212	64,513	61,699	44,550	22,825	21,725	18,863	9,510	9,353	49,730	25,516	24,214	345	174	171	1,377	708	669	1,291	665	626	2,084	1,039	1,045	3,170	1,668	1,502	4,802	2,408	2,394
Madera	1,205	595	610	629	321	308	34	15	19	499	235	264	15	9	6	1	–	1	5	4	1	7	3	4	7	3	4	8	5	3
Marin	2,312	1,176	1,136	1,816	916	900	86	44	42	56	27	29	14	9	5	21	12	9	14	7	7	12	6	6	47	26	21	246	129	117
Mariposa	120	71	49	107	65	42	–	–	–	4	1	3	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–	5	4	1
Mendocino	1,076	548	528	901	453	448	6	3	3	87	49	38	51	27	24	2	1	1	2	–	2	1	–	1	4	4	–	22	11	11
Merced	2,685	1,333	1,352	1,446	721	725	149	72	77	874	428	446	2	2	–	13	7	6	9	4	5	11	6	5	41	22	19	140	71	69
Modoc	145	73	72	122	61	61	–	–	–	15	8	7	5	3	2	–	–	–	1	–	1	1	1	–	–	–	–	1	–	1
Mono	157	76	81	137	67	70	–	–	–	10	7	3	6	1	5	–	–	–	–	–	–	–	–	–	–	–	–	4	1	3
Monterey	5,737	2,976	2,761	2,670	1,422	1,248	499	254	245	1,868	964	904	29	17	12	18	10	8	60	22	38	143	73	70	255	110	145	195	104	91
Napa	1,093	544	549	890	452	438	5	2	3	156	72	84	7	3	4	4	2	2	4	3	1	2	2	–	14	6	8	11	2	9
Nevada	678	341	337	549	271	278	4	2	2	14	7	7	3	1	2	–	–	–	1	1	–	–	–	–	3	1	2	104	58	46
Orange	29,282	15,023	14,259	19,376	9,981	9,395	677	352	325	7,063	3,599	3,464	74	35	39	263	140	123	337	167	170	252	125	127	1,009	508	501	231	116	115
Placer	1,603	801	802	1,354	676	678	6	4	2	166	84	82	16	8	8	7	6	1	15	9	6	5	3	2	15	4	11	19	[illegible]	12
Plumas	286	162	124	248	141	107	9	4	5	10	5	5	12	9	3	–	–	–	–	–	–	–	–	–	2	–	2	5	3	2
Riverside	10,950	5,588	5,362	6,781	3,577	3,204	674	334	340	3,068	1,565	1,503	83	44	39	19	8	11	30	16	14	60	25	35	101	48	53	134	71	63
Sacramento	12,357	6,294	6,063	8,902	4,577	4,325	1,380	676	704	1,150	570	580	90	42	48	96	59	37	96	51	45	109	62	47	350	166	184	184	91	93
San Benito	485	253	232	170	85	85	1	–	1	294	157	137	2	2	–	–	–	–	3	2	1	6	3	3	–	–	–	9	4	5
San Bernardino	15,614	8,021	7,593	9,084	4,615	4,469	1,064	532	532	3,172	1,688	1,484	102	52	50	41	16	25	51	30	21	79	36	43	182	104	78	1,839	948	891
San Diego	29,361	15,084	14,277	17,650	9,107	8,543	2,485	1,236	1,249	6,544	3,331	3,213	162	71	91	159	89	70	194	94	100	1,259	658	601	689	380	309	219	118	101
San Francisco	8,313	4,338	3,975	3,134	1,634	1,500	1,729	883	846	690	373	317	21	10	11	818	424	394	125	72	53	674	349	325	770	420	350	352	173	179
San Joaquin	5,771	2,982	2,789	3,746	1,940	1,806	499	272	227	1,066	552	514	27	14	13	40	21	19	27	14	13	122	57	65	161	74	87	83	38	45
San Luis Obispo	1,938	954	984	1,576	777	799	37	17	20	206	99	107	12	4	8	6	4	2	7	4	3	14	4	10	26	14	12	54	31	23
San Mateo	7,806	3,954	3,852	4,382	2,208	2,174	803	420	383	979	490	489	25	13	12	247	131	116	104	50	54	463	220	243	459	235	224	344	187	157
Santa Barbara	4,148	2,092	2,056	2,417	1,213	1,204	199	109	90	1,132	572	560	32	14	18	15	8	7	35	11	24	63	32	31	79	35	44	176	98	78
Santa Clara	19,827	10,149	9,678	10,970	5,669	5,301	1,179	594	585	5,587	2,822	2,765	58	30	28	415	212	203	272	132	140	571	296	275	663	335	328	112	59	53
Santa Cruz	2,788	1,434	1,354	1,591	822	769	45	25	20	273	135	138	17	12	5	10	7	3	12	7	5	10	5	5	17	8	9	813	413	400
Shasta	1,748	941	807	1,531	827	704	24	12	12	71	35	36	52	29	23	1	–	1	5	1	4	7	5	2	8	5	3	49	27	22
Sierra	37	19	18	31	17	14	1	–	1	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1
Siskiyou	639	337	302	557	293	264	16	11	5	37	20	17	20	9	11	1	1	–	1	1	–	1	–	1	3	–	3	3	2	1
Solano	4,154	2,186	1,968	2,790	1,459	1,331	564	297	267	305	172	133	29	17	12	13	8	5	22	13	9	138	72	66	231	113	118	62	35	27
Sonoma	4,225	2,132	2,093	3,709	1,867	1,842	82	46	36	178	85	93	68	38	30	18	13	5	16	8	8	20	11	9	41	19	22	93	45	48
Stanislaus	4,555	2,344	2,211	3,325	1,709	1,616	75	42	33	1,038	526	512	28	17	11	14	10	4	7	2	5	17	8	9	44	25	19	7	5	2
Sutter	798	425	373	636	339	297	12	5	7	110	63	47	2	1	1	2	1	1	4	2	2	3	3	–	7	3	4	22	8	14
Tehama	523	268	255	440	228	212	–	–	–	64	33	31	10	3	7	–	–	–	–	–	–	2	1	1	3	1	2	4	2	2
Trinity	200	101	99	167	86	81	1	1	–	10	4	6	8	3	5	–	–	–	–	–	–	–	–	–	1	–	1	13	7	6
Tulare	4,881	2,519	2,362	2,331	1,234	1,097	88	45	43	2,235	1,135	1,100	20	14	6	13	7	6	12	5	7	43	16	27	12	6	6	127	57	70
Tuolumne	490	257	233	438	232	206	4	3	1	35	17	18	4	1	3	–	–	–	2	2	–	–	–	–	3	1	2	4	1	3
Ventura	8,629	4,484	4,145	4,720	2,447	2,273	239	119	120	2,849	1,489	1,360	26	14	12	37	17	20	64	42	22	163	75	88	96	52	44	435	229	206
Yolo	1,619	834	785	1,154	592	562	34	19	15	326	166	160	12	7	5	16	9	7	12	8	4	5	3	2	31	17	14	29	13	16
Yuba	1,030	512	518	806	398	408	71	33	38	90	48	42	1	1	–	3	2	1	4	4	–	17	9	8	21	9	12	17	8	9

Source: State of California, Department of Health Services, Birth Records.

Table 2–12

LIVE BIRTHS BY RACE OF CHILD AND SEX
CALIFORNIA COUNTIES, 1980
(By place of residence)

COUNTY	ALL RACES			WHITE			BLACK			MEXICAN/AMERICAN			INDIAN			CHINESE			JAPANESE			FILIPINO			OTHER			UNKNOWN		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
California	402,720	207,051	195,669	207,519	106,922	100,597	39,344	20,092	19,252	118,135	60,771	57,364	2,214	1,114	1,100	5,204	2,610	2,594	3,440	1,732	1,708	8,328	4,211	4,117	11,705	6,081	5,624	6,831	3,518	3,313
Alameda	16,762	8,611	8,151	8,339	4,311	4,028	4,058	2,058	1,980	1,989	1,054	935	84	46	38	393	194	199	138	63	75	493	246	247	677	331	346	611	308	303
Alpine	11	5	6	7	4	3	–	–	–	1	1	–	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Amador	242	126	116	227	118	109	–	–	–	7	4	3	2	–	2	–	–	–	–	–	–	3	2	1	2	1	1	1	1	–
Butte	2,053	1,045	1,008	1,644	833	811	42	22	20	186	96	90	35	17	18	3	1	2	4	2	2	8	6	2	22	11	11	109	57	52
Calaveras	247	142	105	217	126	91	1	1	–	17	8	9	5	1	4	–	–	–	2	2	–	–	–	–	4	3	1	1	1	–
Colusa	257	140	117	149	85	64	1	1	–	92	42	50	4	3	1	1	–	1	–	–	–	–	–	–	7	6	1	3	3	–
Contra Costa	9,516	4,924	4,592	6,184	3,233	2,951	1,291	658	633	971	480	491	46	26	20	191	101	90	83	47	36	196	88	108	278	146	132	276	145	131
Del Norte	• 339	180	159	267	142	125	5	4	1	34	15	19	30	18	12	–	–	–	–	–	–	–	–	–	2	–	2	1	1	–
El Dorado	1,378	714	664	1,253	644	609	13	7	6	61	29	32	15	9	6	3	2	1	11	7	4	12	8	4	6	5	1	4	3	1
Fresno	10,249	5,252	4,997	4,446	2,285	2,161	677	322	355	4,740	2,446	2,294	91	45	46	42	22	20	76	41	35	48	25	23	114	60	54	15	6	9
Glenn	386	207	179	288	154	134	3	–	3	81	47	34	6	3	3	1	–	1	–	–	–	1	–	1	3	2	1	3	1	2
Humboldt	1,868	947	921	1,639	837	802	18	10	8	65	31	34	108	50	58	4	1	3	6	3	3	4	3	1	16	10	6	8	2	6
Imperial	2,260	1,142	1,118	495	254	241	44	24	20	1,659	831	828	26	13	13	9	4	5	–	–	–	23	14	9	3	2	1	1	–	1
Inyo	262	139	123	192	105	87	2	–	2	26	13	13	40	19	21	–	–	–	1	1	–	–	–	–	1	1	–	–	–	–
Kern	8,354	4,305	4,049	4,751	2,426	2,325	524	274	250	2,785	1,460	1,325	69	35	34	22	12	10	18	10	8	120	59	61	57	25	32	8	4	4
Kings	1,662	849	813	841	432	409	103	48	55	650	338	312	2	1	1	4	2	2	2	1	1	44	19	25	14	8	6	2	–	2
Lake	479	254	225	380	200	180	6	6	–	57	30	27	21	11	10	1	–	1	1	–	1	1	1	–	5	2	3	7	4	3
Lassen	351	175	176	311	159	152	6	2	4	15	7	8	14	6	8	1	–	1	1	–	1	1	1	–	1	–	1	1	–	1
Los Angeles	133,109	68,043	65,066	47,937	24,478	23,459	19,000	9,668	9,332	54,321	27,803	26,518	325	166	159	1,772	891	881	1,319	687	632	2,335	1,187	1,148	3,897	2,004	1,893	2,203	1,159	1,044
Madera	1,292	686	606	647	338	309	52	27	25	552	301	251	23	9	14	4	2	2	2	1	1	2	–	2	6	6	–	4	2	2
Marin	2,332	1,174	1,158	1,947	972	975	105	61	44	96	51	45	4	1	3	23	12	11	23	10	13	15	8	7	70	35	35	49	24	25
Mariposa	126	66	60	116	60	56	2	1	1	6	3	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mendocino	1,186	613	573	934	482	452	7	3	4	138	70	68	66	36	30	4	3	1	5	5	–	3	3	–	6	2	4	23	9	14
Merced	2,960	1,487	1,473	1,646	829	817	151	67	84	1,062	540	522	7	3	4	10	5	5	14	6	8	19	9	10	51	28	23	–	–	–
Modoc	142	72	70	123	58	65	–	–	–	12	8	4	6	5	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Mono	124	61	63	104	52	52	–	–	–	10	5	5	8	4	4	1	–	1	–	–	–	–	–	–	1	–	1	–	–	–
Monterey	6,156	3,168	2,988	2,641	1,362	1,279	515	257	258	2,212	1,156	1,056	16	9	7	19	9	10	56	30	26	198	104	94	276	130	146	223	111	112
Napa	1,273	616	657	1,012	498	514	8	3	5	209	98	111	9	4	5	4	2	2	5	–	5	6	1	5	12	6	6	8	4	4
Nevada	801	448	353	715	406	309	1	1	–	42	18	24	5	3	2	4	3	1	2	1	1	2	1	1	3	–	3	27	15	12
Orange	31,605	16,312	15,293	19,884	10,218	9,666	685	362	323	8,475	4,418	4,057	76	40	36	326	148	178	351	157	194	261	137	124	1,468	790	678	79	42	37
Placer	1,770	889	881	1,502	757	745	10	6	4	194	98	96	13	6	7	11	5	6	16	12	4	11	2	9	6	1	5	7	2	5
Plumas	283	142	141	251	126	125	10	2	8	11	7	4	9	6	3	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–
Riverside	12,048	6,230	5,818	6,978	3,573	3,405	762	397	365	3,866	2,035	1,831	88	47	41	43	22	21	46	21	25	83	39	44	129	66	63	53	30	23
Sacramento	13,102	6,795	6,307	8,976	4,666	4,310	1,552	824	728	1,559	800	759	90	45	45	217	109	108	142	67	75	170	74	96	324	172	152	72	38	34
San Benito	475	254	221	150	80	70	1	–	1	306	164	142	2	–	2	2	1	1	–	–	–	5	3	2	–	–	–	9	6	3
San Bernardino	17,160	8,946	8,214	10,140	5,284	4,856	1,208	640	568	4,379	2,293	2,086	123	57	66	50	27	23	68	35	33	108	51	57	229	119	110	855	440	415
San Diego	30,931	16,076	14,855	17,791	9,355	8,436	2,660	1,335	1,325	7,572	3,889	3,683	211	100	111	170	88	82	247	125	122	1,300	663	637	954	511	443	26	10	16
San Francisco	8,213	4,209	4,004	3,290	1,704	1,586	1,610	797	813	635	337	298	35	16	19	792	387	405	123	68	55	729	378	351	811	423	388	188	99	89
San Joaquin	6,307	3,326	2,981	3,841	2,014	1,827	550	314	236	1,343	702	641	35	18	17	42	23	19	33	14	19	152	77	75	283	148	135	28	16	12
San Luis Obispo	2,153	1,105	1,048	1,713	866	847	34	9	25	303	175	128	9	4	5	7	5	2	5	2	3	19	9	10	22	11	11	41	24	17
San Mateo	8,174	4,176	3,998	4,555	2,334	2,221	814	413	401	1,192	608	584	25	13	12	335	180	155	114	65	49	546	270	276	447	234	213	146	59	87
Santa Barbara	4,397	2,294	2,103	2,392	1,264	1,128	189	93	96	1,309	788	721	40	22	18	25	10	15	29	12	17	88	42	46	84	41	43	41	22	19
Santa Clara	21,299	10,948	10,351	11,555	5,910	5,645	1,230	646	584	5,907	3,046	2,861	65	37	28	520	263	257	282	150	132	736	382	354	941	486	455	63	28	35
Santa Cruz	2,946	1,480	1,466	1,582	782	800	31	12	19	238	130	128	8	2	6	9	4	5	13	5	8	10	5	5	22	11	11	1,013	529	484
Shasta	1,822	961	861	1,586	828	758	19	12	7	114	60	54	60	36	24	2	–	2	6	4	2	8	3	5	10	7	3	17	11	6
Sierra	35	22	13	34	21	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Siskiyou	726	375	351	626	325	301	6	4	2	46	23	23	42	20	22	1	–	1	1	–	1	1	1	–	3	2	1	–	–	–
Solano	4,352	2,286	2,066	2,705	1,422	1,283	642	327	315	469	254	215	29	14	15	38	22	16	41	17	24	252	129	123	159	93	66	17	8	9
Sonoma	4,480	2,325	2,155	3,904	2,044	1,860	99	48	51	234	109	125	48	22	26	16	8	8	17	7	10	30	15	15	54	29	25	78	43	35
Stanislaus	4,984	2,523	2,461	3,564	1,840	1,724	105	51	54	1,194	576	618	22	10	12	16	6	10	12	3	9	20	10	10	49	26	23	2	1	1
Sutter	909	451	458	653	326	327	17	8	9	181	87	94	3	3	–	4	2	2	7	2	5	6	1	5	7	3	4	31	19	12
Tehama	597	319	278	481	257	224	3	2	1	84	42	42	21	13	8	2	1	1	–	–	–	3	3	–	2	1	1	1	–	1
Trinity	188	81	107	158	69	89	–	–	–	13	3	10	6	3	3	–	–	–	2	–	2	1	–	1	1	–	1	7	6	1
Tulare	5,322	2,373	2,585	2,544	1,311	1,233	94	57	37	2,525	1,288	1,237	19	7	12	7	4	3	15	6	9	61	33	28	24	16	8	33	15	18
Tuolumne	450	232	218	396	205	191	3	2	1	35	16	19	6	3	3	1	–	1	2	1	1	5	4	1	2	1	1	–	–	–
Ventura	9,104	4,609	4,495	4,849	2,458	2,391	283	148	135	3,130	1,588	1,542	43	20	23	36	22	14	81	35	46	165	84	81	107	50	57	410	200	210
Yolo	1,705	851	854	1,184	602	582	50	19	31	400	196	204	9	4	5	12	6	6	10	3	7	12	6	6	22	11	11	6	4	2
Yuba	1,006	510	496	783	398	385	62	39	23	105	54	51	5	1	4	4	1	3	7	4	3	12	5	7	10	4	6	18	4	14

Source: State of California, Department of Health Services, Birth Records.

Table 2–13

LIVE BIRTHS BY BIRTHWEIGHT, WEEKS OF GESTATION, AND RACE OF CHILD CALIFORNIA, 1979

(By place of occurrence)

BIRTHWEIGHT AND WEEKS OF GESTATION	TOTAL	WHITE	BLACK	MEXICAN-AMERICAN	INDIAN	CHINESE	JAPANESE	FILIPINO	OTHER	NOT STATED
Total Live Births	379,232	198,249	37,973	102,005	2,002	4,158	3,080	6,861	9,869	15,035
Less Than 3 lbs.	3,089	1,399	679	669	18	32	14	39	85	154
Under 37 Weeks	1,922	915	432	399	8	26	7	18	55	62
37–42	153	74	25	33	1	–	1	4	7	8
43 and Over	114	51	18	31	–	–	–	2	2	10
Not Stated	900	359	204	206	9	6	6	15	21	74
3 lbs. to 3 lbs. 4 oz.	656	294	138	165	2	7	–	12	10	28
Under 37 Weeks	389	181	71	103	2	6	–	6	5	15
37–42	62	27	14	13	–	1	–	4	2	1
43 and Over	27	13	6	8	–	–	–	–	–	–
Not Stated	178	73	47	41	–	–	–	2	3	12
3 lbs. 5 oz. to 5 lbs. 8 oz.	18,933	8,808	3,562	4,505	118	165	170	407	514	684
Under 37 Weeks	5,753	2,804	994	1,419	35	50	38	121	147	145
37–42	7,675	3,665	1,355	1,755	44	76	85	203	218	274
43 and Over	926	453	188	192	8	3	11	17	14	40
Not Stated	4,579	1,886	1,025	1,139	31	36	36	66	135	225
5 lbs. 9 oz. or More	355,230	187,182	33,446	96,284	1,856	3,935	2,889	6,378	9,219	14,041
Under 37 Weeks	12,601	5,554	1,682	4,065	88	110	72	259	341	430
37–42	225,432	121,600	19,882	59,804	1,098	2,876	1,965	4,595	5,713	7,899
43 and Over	46,525	26,762	3,945	11,556	265	384	303	560	935	1,815
Not Stated	70,672	33,266	7,937	20,859	405	565	549	964	2,230	3,897
Not Stated	1,324	566	148	382	8	19	7	25	41	128
Under 37 Weeks	186	73	32	55	1	4	–	4	7	10
37–42	541	246	71	152	4	12	4	7	14	31
43 and Over	110	56	10	32	1	–	–	1	3	7
Not Stated	487	191	35	143	2	3	3	13	17	80

Source: State of California, Department of Health Services, Birth Records.

Table 2–14

LIVE BIRTHS BY BIRTHWEIGHT, WEEKS OF GESTATION, AND RACE OF CHILD CALIFORNIA, 1980

(By place of occurrence)

BIRTHWEIGHT AND WEEKS OF GESTATION	TOTAL	WHITE	BLACK	MEXICAN-AMERICAN	INDIAN	CHINESE	JAPANESE	FILIPINO	OTHER	NOT STATED
Total Live Births	403,007	207,341	39,333	118,618	2,174	5,216	3,445	8,335	11,704	6,841
Less Than 3 lbs.	3,327	1,442	732	882	16	28	24	63	72	68
Under 37 Weeks	2,642	1,177	586	676	9	21	20	51	54	48
37–42	217	82	44	71	1	4	3	5	4	3
43 and Over	137	54	27	47	3	–	1	2	1	2
Not Stated	331	129	75	88	3	3	–	5	13	15
3 lbs. to 3 lbs. 4 oz.	683	313	126	185	2	9	7	15	12	14
Under 37 Weeks	495	227	91	140	2	4	5	11	5	10
37–42	97	45	19	21	–	5	1	2	2	2
43 and Over	34	12	5	10	–	–	1	2	2	2
Not Stated	57	29	11	14	–	–	–	–	3	–
3 lbs. 5 oz. to 5 lbs. 8 oz.	19,683	9,173	3,660	4,973	98	199	182	516	576	306
Under 37 Weeks	7,286	3,449	1,349	1,859	34	71	71	175	171	107
37–42	9,687	4,480	1,788	2,450	48	106	85	285	302	143
43 and Over	1,460	706	266	359	8	13	16	28	39	25
Not Stated	1,250	538	257	305	8	9	10	28	64	31
5 lbs. 9 oz. or More	378,286	195,984	34,702	112,258	2,049	4,972	3,225	7,725	11,005	6,366
Under 37 Weeks	16,296	6,801	2,293	5,653	109	162	131	338	558	251
37–42	281,116	145,570	25,392	83,436	1,398	4,022	2,551	6,267	7,913	4,567
43 and Over	63,040	35,178	5,395	17,722	411	580	425	885	1,458	986
Not Stated	17.834	8,435	1,622	5,447	131	208	118	235	1,076	562
Not Stated	1,028	429	113	320	9	8	7	16	39	87
Under 37 Weeks	155	58	28	53	4	–	–	3	3	6
37–42	474	208	43	169	5	4	3	8	18	16
43 and Over	120	52	11	43	–	2	2	–	2	8
Not Stated	279	111	31	55	–	2	2	5	16	57

Source: State of California, Department of Health Services, Birth Records.

Table 2–15

LIVE BIRTHS BY PLURALITY OF DELIVERY, SEX, AND RACE OF CHILD
CALIFORNIA, 1979

(By place of residence)

PLURALITY AND SEX	TOTAL	WHITE	BLACK	MEXICAN-AMERICAN	INDIAN	CHINESE	JAPANESE	FILIPINO	OTHER	NOT STATED
Total	379,187	198,999	37,986	102,678	2,043	4,174	3,099	7,028	9,875	13,305
Male	194,291	102,349	19,151	52,568	1,046	2,170	1,607	3,556	5,072	6,772
Female	184,896	96,650	18,835	50,110	997	2,004	1,492	3,472	4,803	6,533
Single	371,696	195,025	36,953	100,898	2,010	4,100	3,045	6,919	9,699	13,047
Male	190,518	100,372	18,644	51,636	1,032	2,133	1,578	3,499	4,987	6,637
Female	181,178	94,653	18,309	49,262	978	1,967	1,467	3,420	4,712	6,410
Twin	7,375	3,907	1,021	1,757	33	71	54	104	173	255
Male	3,720	1,948	501	919	14	37	29	55	84	133
Female	3,655	1,959	520	838	19	34	25	49	89	122
Triplet	116	67	12	23	–	3	–	5	3	3
Male	53	29	6	13	–	–	–	2	1	2
Female	63	38	6	10	–	3	–	3	2	1

Source: State of California, Department of Health Services, Birth Records.

Table 2–16

LIVE BIRTHS BY PLURALITY OF DELIVERY, SEX, AND RACE OF CHILD
CALIFORNIA, 1980

(By place of residence)

PLURALITY AND SEX	TOTAL	WHITE	BLACK	MEXICAN-AMERICAN	INDIAN	CHINESE	JAPANESE	FILIPINO	OTHER	NOT STATED
Total	402,720	207,519	39,344	118,135	2,214	5,204	3,440	8,328	11,705	6,831
Male	207,051	106,922	20,092	60,771	1,114	2,610	1,732	4,211	6,081	3,518
Female	195,669	100,597	19,252	57,364	1,100	2,594	1,708	4,117	5,624	3,313
Single	394,949	203,426	38,343	116,035	2,192	5,128	3,376	8,220	11,510	6,719
Male	203,267	104,887	19,647	59,740	1,101	2,579	1,702	4,165	5,979	3,467
Female	191,682	98,539	18,696	56,295	1,091	2,549	1,674	4,055	5,531	3,252
Twin	7,646	4,018	990	2,073	22	76	58	108	195	106
Male	3,726	2,005	439	1,017	13	31	26	46	102	47
Female	3,920	2,013	551	1,056	9	45	32	62	93	59
Triplet	121	71	11	27	–	–	6	–	–	6
Male	58	30	6	14	–	–	4	–	–	4
Female	63	41	5	13	–	–	2	–	–	2
Quadruplet	4	4	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–
Female	4	4	–	–	–	–	–	–	–	–

Source: State of California, Department of Health Services, Birth Records.

Table 2–17

LIVE BIRTHS AND SELECTED CONGENITAL ANOMALIES
BY SEX AND RACE OF CHILD
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION ICD NUMBER	LIVE BIRTHS AND SELECTED CONGENITAL ANOMALIES	SEX	TOTAL ALL RACES	WHITE	BLACK	MEXICAN-AMERICAN	AMERICAN INDIAN	CHINESE	JAPANESE	FILIPINO	OTHER	UNKNOWN
	ALL LIVE BIRTHS		379,187	198,999	37,986	102,678	2,043	4,174	3,099	7,028	9,875	13,305
		M	194,291	102,349	19,151	52,568	1,046	2,170	1,607	3,556	5,072	6,772
		F	184,896	96,650	18,835	50,110	997	2,004	1,492	3,472	4,803	6,533
740–759	All Congenital Anomalies		3,338	1,812	348	880	31	19	19	50	78	101
		M	1,873	1,032	208	476	18	11	9	27	38	54
		F	1,465	780	140	404	13	8	10	23	40	47
740–741	Anencephalus/spina bifida		150	85	15	38	1	—	—	3	2	6
		M	75	44	7	18	1	—	—	2	1	2
		F	75	41	8	20	—	—	—	1	1	4
742.3	Congenital hydrocephalus		77	44	7	17	2	1	—	2	2	2
		M	34	18	3	8	1	1	—	1	1	1
		F	43	26	4	9	1	—	—	1	1	1
742 (Except 742.3)	Other nervous system		76	49	6	17	—	—	1	1	1	1
		M	40	28	1	8	—	—	1	1	—	1
		F	36	21	5	9	—	—	—	—	1	—
743	Eye		72	30	8	27	—	—	—	1	4	2
		M	37	16	5	13	—	—	—	1	1	1
		F	35	14	3	14	—	—	—	—	3	1
744	Ear, face, and neck		138	82	6	34	1	2	1	2	7	3
		M	73	43	4	17	—	1	—	1	4	3
		F	65	39	2	17	1	1	1	1	3	—
745–747	Heart/circulatory system		279	158	26	78	1	1	—	1	6	8
		M	147	93	11	34	1	1	—	—	4	3
		F	132	65	15	44	—	—	—	1	2	5
748	Respiratory system		411	215	39	126	1	—	2	3	10	15
		M	245	138	21	73	—	—	2	1	1	9
		F	166	77	18	53	1	—	—	2	9	6
749	Cleft palate and cleft lip		310	169	13	87	5	2	4	10	9	11
		M	181	102	4	50	4	1	2	5	5	8
		F	129	67	9	37	1	1	2	5	4	3
750–751	Upper alimentary tract/digestive system		152	91	14	36	2	—	—	2	3	4
		M	81	52	8	17	1	—	—	—	1	2
		F	71	39	6	19	1	—	—	2	2	2
752–753	Genital organs/urinary system		225	143	15	42	3	3	—	7	3	9
		M	199	130	14	33	3	3	—	7	3	6
		F	26	13	1	9	—	—	—	—	—	3
754–756	Musculoskeletal deformities/limbs		453	252	62	104	6	1	8	4	9	7
		M	230	109	44	63	3	—	2	1	5	3
		F	223	143	18	41	3	1	6	3	4	4
757	The integument		145	70	16	42	2	2	1	1	5	6
		M	72	30	9	21	1	2	1	1	2	5
		F	73	40	7	21	1	—	—	—	3	1
758.0	Down's syndrome		123	71	3	37	2	2	—	3	2	3
		M	66	40	2	21	—	—	—	—	1	2
		F	57	31	1	16	2	2	—	3	1	1
758–759 (Except 758.0)	Other chromosomal/unspecified		727	353	118	195	5	5	2	10	15	24
		M	393	189	75	100	3	2	1	6	9	8
		F	334	164	43	95	2	3	1	4	6	16

Note: This table shows all live births which have at least one congenital anomaly reported on the birth certificate.

Congenital anomalies which were not detected at time of birth are not included here.

Fetal deaths which showed evidence of congenital anomalies are not included here.

Source: State of California, Department of Health Services, Birth Records.

Table 2—18

LIVE BIRTHS AND SELECTED CONGENITAL ANOMALIES BY SEX AND RACE OF CHILD CALIFORNIA, 1980

(By place of residence)

NINTH REVISION ICD NUMBER	LIVE BIRTHS AND SELECTED CONGENITAL ANOMALIES	SEX	TOTAL ALL RACES	WHITE	BLACK	MEXICAN-AMERICAN	AMERICAN INDIAN	CHINESE	JAPANESE	FILIPINO	OTHER	UNKNOWN
	ALL LIVE BIRTHS		402,720	207,519	39,344	118,135	2,214	5,204	3,440	8,328	11,705	6,831
		M	207,051	106,922	20,092	60,771	1,114	2,610	1,732	4,211	6,081	3,518
		F	195,669	100,597	19,252	57,364	1,100	2,594	1,708	4,117	5,624	3,313
740—759	All Congenital Anomalies		3,196	1,749	325	870	21	24	25	50	80	52
		M	1,826	1,004	181	504	10	11	14	29	45	28
		F	1,370	745	144	366	11	13	11	21	35	24
740—741	Anencephalus/spina bifida		159	78	10	54	3	3	1	2	2	6
		M	76	35	9	25	2	1	1	—	—	3
		F	83	43	1	29	1	2	—	2	2	3
742.3	Congenital hydrocephalus		78	49	7	16	—	—	—	2	3	1
		M	46	27	5	12	—	—	—	1	1	—
		F	32	22	2	4	—	—	—	1	2	1
742 (Except 742.3)	Other nervous system		60	38	2	12	—	2	—	1	2	3
		M	25	15	2	6	—	—	—	1	—	1
		F	35	23	—	6	—	2	—	—	2	2
743	Eye		52	28	4	17	—	1	—	1	—	1
		M	33	17	3	11	—	1	—	—	—	1
		F	19	11	1	6	—	—	—	1	—	—
744	Ear, face, and neck		119	61	4	42	—	3	3	3	3	—
		M	65	35	1	26	—	1	—	1	1	—
		F	54	26	3	16	—	2	3	2	2	—
745—747	Heart/circulatory system		257	153	18	67	3	1	1	3	5	6
		M	132	82	7	34	2	—	1	1	2	3
		F	125	71	11	33	1	1	—	2	3	3
748	Respiratory system		465	228	35	172	3	3	3	5	9	7
		M	297	149	19	106	3	2	3	3	6	6
		F	168	79	16	66	—	1	—	2	3	1
749	Cleft palate and cleft lip		276	153	23	71	2	4	1	8	12	2
		M	159	91	9	43	—	3	—	6	7	—
		F	117	62	14	28	2	1	1	2	5	2
750—751	Upper alimentary tract/digestive system		135	80	11	34	2	2	1	2	2	1
		M	72	41	6	20	—	—	—	2	2	1
		F	63	39	5	14	2	2	1	—	—	—
752—753	Genital organs/urinary system		204	128	21	40	—	1	2	4	7	1
		M	187	119	19	36	—	—	1	4	7	1
		F	17	9	2	4	—	1	1	—	—	—
754—756	Musculoskeletal deformities/limbs		476	245	73	121	4	1	7	8	10	7
		M	253	126	37	73	1	1	4	4	4	3
		F	223	119	36	48	3	—	3	4	6	4
757	The integument		122	61	16	33	2	—	2	3	3	2
		M	66	30	11	19	—	—	2	1	1	2
		F	56	31	5	14	2	—	—	2	2	—
758.0	Down's syndrome		148	89	11	39	—	—	—	3	5	1
		M	70	43	5	16	—	—	—	2	4	—
		F	78	46	6	23	—	—	—	1	1	1
758—759 (Except 758.0)	Other chromosomal/unspecified		645	358	90	152	2	3	4	5	17	14
		M	345	194	48	77	2	2	2	3	10	7
		F	300	164	42	75	—	1	2	2	7	7

Note: This table shows all live births which have at least one congenital anomaly reported on the birth certificate.

Congenital anomalies which were not detected at time of birth are not included here.

Fetal deaths which showed evidence of congenital anomalies are not included here.

Source: State of California, Department of Health Services, Birth Records.

Table 2–19

LIVE BIRTHS BY MONTH OF BIRTH
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY	TOTAL LIVE BIRTHS	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
California	379,187	30,056	27,637	31,548	30,528	31,843	31,055	32,646	33,787	32,840	32,944	32,183	32,120
Alameda	16,688	1,361	1,240	1,365	1,400	1,410	1,381	1,405	1,521	1,456	1,401	1,351	1,397
Alpine	14	2	3	–	1	–	1	2	1	2	2	–	–
Amador	243	12	17	30	22	21	20	22	13	17	21	26	22
Butte	1,815	143	137	143	161	147	174	165	143	144	155	149	154
Calaveras	216	19	12	18	17	17	15	14	24	21	19	22	18
Colusa	211	17	15	11	18	8	18	13	22	18	17	24	30
Contra Costa	9,314	761	687	786	780	746	757	784	839	782	784	834	774
Del Norte	324	27	20	34	30	25	24	40	22	31	28	20	23
El Dorado	1,239	93	104	111	116	98	91	96	104	109	100	121	96
Fresno	9,363	751	702	816	717	746	719	848	860	825	810	768	801
Glenn	393	25	28	38	32	36	32	51	30	39	23	31	28
Humboldt	1,689	129	124	163	138	142	140	150	169	113	138	140	143
Imperial	2,002	191	131	165	163	150	160	154	198	168	188	169	165
Inyo	223	14	10	22	23	21	21	18	25	17	18	17	17
Kern	7,710	566	565	630	610	611	650	674	735	635	679	692	663
Kings	1,500	113	127	120	113	122	113	127	133	147	126	138	121
Lake	428	48	25	37	39	31	37	32	33	44	30	33	39
Lassen	338	32	19	27	25	25	28	31	29	32	31	33	26
Los Angeles	126,212	10,175	9,304	10,298	10,052	10,554	10,289	10,814	11,097	10,994	11,073	10,843	10,719
Madera	1,205	80	89	110	124	117	95	96	107	106	97	84	100
Marin	2,312	187	173	212	189	201	187	218	216	179	194	181	175
Mariposa	120	17	14	11	12	4	11	8	8	6	10	9	10
Mendocino	1,076	77	91	85	86	101	74	98	85	103	96	90	90
Merced	2,685	227	192	223	206	236	235	259	233	210	247	199	218
Modoc	145	8	9	12	12	9	11	18	14	11	14	12	15
Mono	157	14	12	8	20	12	15	13	9	17	14	13	10
Monterey	5,737	459	419	472	453	511	445	501	566	506	488	450	467
Napa	1,093	85	77	87	75	109	94	90	109	91	99	98	79
Nevada	678	54	53	57	54	61	50	53	53	59	56	71	57
Orange	29,282	2,299	2,109	2,417	2,336	2,536	2,402	2,475	2,632	2,503	2,603	2,487	2,483
Placer	1,603	147	103	133	123	140	116	155	147	125	148	139	127
Plumas	286	18	21	18	33	33	16	25	26	22	23	25	26
Riverside	10,950	862	815	902	894	896	883	963	947	924	949	959	956
Sacramento	12,357	935	911	1,049	1,029	1,034	1,045	1,083	1,118	1,033	1,039	1,031	1,050
San Benito	485	35	30	41	39	40	41	52	45	34	48	44	36
San Bernardino	15,614	1,229	1,086	1,284	1,183	1,256	1,341	1,380	1,372	1,404	1,358	1,361	1,380
San Diego	29,361	2,296	2,167	2,486	2,417	2,436	2,433	2,499	2,581	2,511	2,575	2,504	2,456
San Francisco	8,313	664	614	710	651	713	681	749	764	715	723	663	666
San Joaquin	5,771	440	399	507	458	482	487	504	519	487	534	455	499
San Luis Obispo	1,938	142	148	169	151	200	156	192	168	159	141	148	164
San Mateo	7,806	647	553	690	652	687	625	658	718	660	602	643	671
Santa Barbara	4,148	329	298	331	337	365	351	371	388	365	323	319	371
Santa Clara	19,827	1,575	1,405	1,657	1,570	1,777	1,592	1,665	1,754	1,737	1,733	1,658	1,704
Santa Cruz	2,788	233	173	224	235	201	229	257	267	243	251	233	242
Shasta	1,748	126	128	152	166	131	145	171	146	170	133	133	147
Sierra	37	4	2	2	3	4	3	5	2	6	3	–	3
Siskiyou	639	49	55	49	49	57	47	58	52	68	64	44	47
Solano	4,154	299	290	347	344	335	346	324	381	377	394	365	352
Sonoma	4,225	296	296	373	346	375	332	387	361	392	334	372	361
Stanislaus	4,555	355	302	390	365	388	380	381	401	426	374	395	398
Sutter	798	56	57	62	66	64	69	74	83	71	66	71	59
Tehama	523	44	45	48	32	50	33	41	52	53	40	44	41
Trinity	200	19	14	13	12	21	17	21	26	17	18	10	12
Tulare	4,881	379	340	429	388	375	391	417	442	428	443	439	410
Tuolumne	490	36	36	44	35	41	41	38	46	45	47	38	43
Ventura	8,629	669	632	710	699	720	728	693	734	744	792	785	723
Yolo	1,619	109	128	139	139	121	149	141	122	146	157	113	155
Yuba	1,030	77	81	81	88	94	89	73	95	93	91	87	81

Source: State of California, Department of Health Services, Birth Records.

Table 2–20

LIVE BIRTHS BY MONTH OF BIRTH
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY	TOTAL LIVE BIRTHS	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
California	402,720	32,090	30,432	32,746	31,973	33,306	32,683	35,196	35,909	35,887	35,197	32,889	34,412
Alameda	16,762	1,330	1,295	1,344	1,306	1,412	1,399	1,401	1,495	1,549	1,478	1,345	1,408
Alpine	11	—	1	—	—	3	2	1	1	1	—	2	—
Amador	242	25	31	14	10	17	30	19	15	27	15	24	15
Butte	2,053	147	138	170	161	202	187	191	172	171	190	169	155
Calaveras	247	23	18	22	23	21	16	12	19	23	23	27	20
Colusa	257	20	16	18	21	24	28	22	29	21	26	18	14
Contra Costa	9,516	749	714	820	775	843	796	817	828	817	811	764	782
Del Norte	339	29	30	30	19	29	26	32	34	32	26	27	25
El Dorado	1,378	98	107	124	113	131	111	113	112	127	109	91	142
Fresno	10,249	854	769	789	792	871	928	898	927	868	871	814	868
Glenn	386	35	25	27	39	24	39	32	36	27	38	23	41
Humboldt	1,868	150	167	172	139	144	158	169	161	144	168	154	142
Imperial	2,260	178	190	182	151	153	187	197	202	207	218	196	199
Inyo	262	25	17	24	19	19	28	25	20	21	24	26	14
Kern	8,354	612	662	690	676	677	682	747	708	763	776	667	694
Kings	1,662	114	109	134	132	146	145	158	165	154	127	134	144
Lake	479	32	24	38	43	56	28	54	39	44	44	46	31
Lassen	351	26	22	36	36	31	33	31	29	29	27	21	30
Los Angeles	133,109	10,713	10,127	10,684	10,507	10,821	10,638	11,649	12,121	11,764	11,745	10,883	11,457
Madera	1,292	96	94	106	109	99	114	111	132	86	115	113	117
Marin	2,332	195	168	195	196	206	190	219	208	207	182	175	191
Mariposa	126	15	8	10	10	12	5	16	9	9	16	10	6
Mendocino	1,186	96	87	90	108	101	77	113	98	105	104	92	115
Merced	2,960	250	209	265	247	240	241	247	284	258	255	217	247
Modoc	142	11	12	9	13	9	14	12	15	17	9	9	12
Mono	124	11	9	11	10	11	14	9	5	12	16	10	6
Monterey	6,156	504	484	479	497	480	481	535	560	561	534	509	532
Napa	1,273	109	87	110	103	105	104	102	113	105	109	110	116
Nevada	801	65	70	79	37	66	69	70	74	77	64	69	61
Orange	31,605	2,451	2,400	2,634	2,495	2,568	2,583	2,715	2,707	2,899	2,823	2,566	2,764
Placer	1,770	134	145	132	152	168	157	161	137	140	148	131	165
Plumas	283	20	27	22	23	25	19	37	23	21	23	23	20
Riverside	12,048	1,017	883	933	887	932	977	1,085	1,084	1,124	1,100	957	1,069
Sacramento	13,102	1,016	976	1,091	1,065	1,150	1,059	1,216	1,159	1,084	1,071	1,083	1,132
San Benito	475	45	36	30	46	36	34	39	47	47	41	40	34
San Bernardino	17,160	1,307	1,281	1,404	1,398	1,414	1,391	1,518	1,473	1,562	1,523	1,441	1,448
San Diego	30,931	2,492	2,375	2,479	2,529	2,495	2,438	2,681	2,775	2,811	2,687	2,531	2,638
San Francisco	8,213	616	636	683	692	719	644	680	683	741	690	694	735
San Joaquin	6,307	505	462	488	475	531	519	554	529	570	574	542	558
San Luis Obispo	2,153	157	150	174	174	199	170	206	206	186	193	174	164
San Mateo	8,174	646	624	694	674	720	640	672	729	721	706	710	638
Santa Barbara	4,397	356	319	343	351	354	344	396	395	413	389	352	385
Santa Clara	21,299	1,727	1,551	1,819	1,671	1,743	1,727	1,899	1,901	1,957	1,749	1,692	1,863
Santa Cruz	2,946	234	256	265	221	261	222	250	257	251	249	234	246
Shasta	1,822	167	124	156	139	178	151	163	148	158	162	125	151
Sierra	35	4	—	1	10	5	5	2	1	3	2	—	2
Siskiyou	726	54	50	67	54	72	67	66	57	59	70	50	60
Solano	4,352	334	312	361	349	374	357	398	368	365	362	405	367
Sonoma	4,480	346	347	338	361	370	399	397	414	391	374	357	386
Stanislaus	4,984	418	346	398	414	417	412	427	489	429	434	381	419
Sutter	909	69	76	66	75	79	82	82	80	99	58	80	63
Tehama	597	57	47	44	39	51	53	50	62	56	55	47	36
Trinity	188	13	17	16	12	19	17	17	16	11	13	27	10
Tulare	5,322	405	396	395	431	447	431	449	468	516	471	449	464
Tuolumne	450	31	33	37	41	38	40	40	39	35	47	26	43
Ventura	9,104	721	670	784	691	731	762	752	845	793	824	775	756
Yolo	1,705	143	122	150	129	154	126	165	130	158	153	142	133
Yuba	1,006	93	81	70	83	103	87	77	76	61	86	110	79

Source: State of California, Department of Health Services, Birth Records.

Table 2–21

LIVE BIRTHS BY PLACE OF BIRTH AND TYPE OF HOSPITAL, CALIFORNIA COUNTIES, 1979

(By place of occurrence)

COUNTY	TOTAL	IN HOSPITAL					NOT IN HOSPITAL
		Total	County	Private	Other[1]	Not Stated	
California	379,232	373,866	46,148	269,720	56,877	1,121	5,366
Alameda	18,213	18,063	739	14,428	2,895	1	150
Alpine	1	—	—	—	—	—	1
Amador	119	109	109	—	—	—	10
Butte	1,922	1,893	—	1,893	—	—	29
Calaveras	76	71	—	—	71	—	5
Colusa	120	118	118	—	—	—	2
Contra Costa	7,156	7,078	654	4,884	1,540	—	78
Del Norte	310	298	—	—	298	—	12
El Dorado	843	799	—	798	—	1	44
Fresno	9,967	9,819	3,140	5,752	926	1	148
Glenn	213	212	212	—	—	—	6
Humboldt	1,716	1,649	75	1,574	—	—	67
Imperial	2,020	2,009	—	—	2,009	—	11
Inyo	283	272	—	—	272	—	11
Kern	7,639	7,580	2,501	4,547	531	1	59
Kings	1,605	1,598	—	1,262	336	—	7
Lake	64	46	—	5	7	34	18
Lassen	214	203	203	—	—	—	11
Los Angeles	131,264	129,731	22,670	101,076	5,053	932	1,533
Madera	609	581	—	562	19	—	28
Marin	1,448	1,338	—	189	1,149	—	110
Mariposa	94	91	—	—	90	1	3
Mendocino	1,217	1,148	2	857	289	—	69
Merced	2,656	2,647	1,219	984	444	—	9
Modoc	85	79	79	—	—	—	6
Mono	68	55	5	—	50	—	13
Monterey	5,468	5,403	1,025	1,226	3,152	—	65
Napa	796	775	—	775	—	—	21
Nevada	845	791	—	511	280	—	54
Orange	27,226	26,720	—	23,078	3,635	7	506
Placer	1,259	1,234	—	1,234	—	—	25
Plumas	294	280	—	37	243	—	14
Riverside	9,408	9,221	1,396	5,007	2,793	25	187
Sacramento	13,689	13,573	—	11,209	2,364	—	116
San Benito	349	341	1	—	340	—	8
San Bernardino	15,733	15,587	1,154	13,341	1,092	—	146
San Diego	30,029	29,672	—	15,524	14,066	82	357
San Francisco	12,860	12,723	1,451	9,053	2,218	1	137
San Joaquin	5,511	5,478	1,700	3,778	—	—	33
San Luis Obispo	1,774	1,715	1,039	396	280	—	59
San Mateo	4,817	4,768	—	3,078	1,675	15	49
Santa Barbara	4,301	4,235	—	3,713	522	—	66
Santa Clara	21,172	20,998	1,290	17,047	2,661	—	174
Santa Cruz	2,773	2,614	—	2,613	—	1	159
Shasta	1,919	1,886	902	984	—	—	33
Sierra	17	15	—	—	15	—	2
Siskiyou	422	378	—	368	1	9	44
Solano	4,161	4,122	—	3,105	1,017	—	39
Sonoma	3,793	3,494	2,144	885	464	1	299
Stanislaus	5,049	4,949	—	4,649	300	—	100
Sutter	1,556	1,542	—	1,540	—	2	14
Tehama	458	451	—	369	82	—	7
Trinity	97	60	53	—	—	7	37
Tulare	4,364	4,317	594	943	2,780	—	47
Tuolumne	568	551	78	473	—	—	17
Ventura	7,145	7,064	1,595	4,858	611	—	81
Yolo	1,135	1,115	—	1,115	—	—	20
Yuba	317	307	—	—	307	—	10

[1] Other includes federal, state, city, and district ownership.

Source: State of California, Department of Health Services, Birth Records.

Table 2–22

LIVE BIRTHS BY PLACE OF BIRTH AND TYPE OF HOSPITAL, CALIFORNIA COUNTIES, 1980

(By place of occurrence)

COUNTY	TOTAL	IN HOSPITAL					NOT IN HOSPITAL
		Total	County	Private	Other[1]	Not Stated	
California	403,007	397,832	46,961	289,641	59,305	1,925	5,175
Alameda	18,431	18,274	764	14,556	2,953	1	157
Alpine[2]	—	—	—	—	—	—	—
Amador	131	130	130	—	—	—	1
Butte	2,170	2,123	—	2,123	—	—	47
Calaveras	70	58	—	—	58	—	12
Colusa	171	170	170	—	—	—	1
Contra Costa	7,341	7,282	666	4,930	1,685	1	59
Del Norte	337	327	—	—	327	—	10
El Dorado	988	951	—	951	—	—	37
Fresno	10,878	10,718	3,269	6,399	1,050	—	160
Glenn	201	198	198	—	—	—	3
Humboldt	1,902	1,837	67	1,770	—	—	65
Imperial	2,288	2,277	—	—	2,277	—	11
Inyo	338	328	—	—	328	—	10
Kern	8,286	8,188	2,671	5,050	467	—	98
Kings	1,785	1,766	—	1,345	421	—	19
Lake	68	56	—	3	36	17	12
Lassen	221	212	212	—	—	—	9
Los Angeles	137,236	135,798	22,833	106,964	4,962	1,039	1,438
Madera	674	653	—	650	3	—	21
Marin	1,504	1,390	—	195	1,193	2	114
Mariposa	91	86	—	—	86	—	5
Mendocino	1,332	1,246	3	933	309	1	86
Merced	2,960	2,945	1,360	1,194	391	—	15
Modoc	79	76	76	—	—	—	3
Mono	63	56	18	—	38	—	7
Monterey	5,833	5,765	906	1,459	3,400	—	68
Napa	944	925	—	924	—	1	19
Nevada	956	894	—	561	333	—	62
Orange	30,436	29,922	—	25,453	3,998	471	514
Placer	1,522	1,503	—	1,503	—	—	19
Plumas	296	290	—	38	252	—	6
Riverside	10,486	10,310	1,478	5,737	3,068	27	176
Sacramento	14,466	14,376	—	12,117	2,258	1	90
San Benito	313	312	25	—	287	—	1
San Bernardino	17,182	17,045	1,142	14,715	1,186	2	137
San Diego	31,692	31,293	—	16,660	14,568	65	399
San Francisco	12,587	12,464	1,453	9,013	1,998	—	123
San Joaquin	5,913	5,872	1,657	4,215	—	—	41
San Luis Obispo	1,990	1,926	1,169	480	276	1	64
San Mateo	5,272	5,204	3	3,387	1,756	58	68
Santa Barbara	4,584	4,529	—	3,819	710	—	55
Santa Clara	22,782	22,587	1,409	18,150	2,971	57	195
Santa Cruz	2,947	2,754	—	2,754	—	—	193
Shasta	1,991	1,955	907	1,048	—	—	36
Sierra	20	19	—	—	19	—	1
Siskiyou	505	477	—	438	31	8	28
Solano	4,249	4,224	—	3,342	882	—	25
Sonoma	4,066	3,835	2,193	1,114	525	3	231
Stanislaus	5,486	5,456	1	5,011	307	137	30
Sutter	1,658	1,655	—	1,640	—	15	3
Tehama	498	491	—	412	79	—	7
Trinity	91	68	52	—	—	16	23
Tulare	4,692	4,644	480	1,240	2,923	1	48
Tuolumne	572	551	67	484	—	—	21
Ventura	7,881	7,818	1,582	5,619	617	—	63
Yolo	1,266	1,246	—	1,245	—	1	20
Yuba	286	277	—	—	277	—	9

[1] Other includes federal, state, city, and district ownership.

[2] There were 11 live births to resident Alpine County mothers in 1980, but none occurred in Alpine County (see Table 1–6).

Source: State of California, Department of Health Services, Birth Records.

Table 2—23

LIVE BIRTHS AND ESTIMATED NUMBER AND PERCENT OF LIVE BIRTHS TO UNMARRIED WOMEN[1] BY RACE OF MOTHER CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY	TOTAL LIVE BIRTHS				NONMARITAL LIVE BIRTHS[1]							
					Number				Percent of All Live Births			
	Total	White	Black	Other[2]	Total	White	Black	Other[2]	Total	White	Black	Other[2]
California	379,187	307,373	33,407	22,976	74,494	50,888	18,608	2,028	19.6	16.6	55.7	8.8
Alameda	16,688	10,411	3,419	1,356	4,189	1,496	2,006	140	25.1	14.4	58.7	10.3
Alpine	14	10	—	4	—	—	—	—	—	—	—	—
Amador	243	240	1	1	22	22	—	—	9.1	9.2	—	—
Butte	1,815	1,596	21	37	245	215	12	6	13.5	13.5	a	a
Calaveras	216	206	—	5	30	25	—	3	13.9	12.1	—	a
Colusa	211	202	1	4	35	33	—	1	16.6	16.3	—	a
Contra Costa	9,314	7,028	1,087	513	1,502	762	615	35	16.1	10.8	56.6	6.8
Del Norte	324	295	4	22	59	48	—	10	18.2	16.3	—	a
El Dorado	1,239	1,204	4	21	147	141	2	3	11.9	11.7	a	a
Fresno	9,363	7,671	593	510	2,051	1,365	370	148	21.9	17.8	62.4	29.0
Glenn	393	356	—	6	33	30	—	2	8.4	8.4	—	a
Humboldt	1,689	1,559	8	109	280	219	2	55	16.6	14.0	a	50.5
Imperial	2,002	1,911	44	39	378	349	25	1	18.9	18.3	a	a
Inyo	223	189	—	33	45	28	—	17	20.2	14.8	—	a
Kern	7,710	7,062	467	163	1,560	1,272	274	11	20.2	18.0	58.7	6.7
Kings	1,500	1,330	80	77	282	234	38	7	18.8	17.6	a	a
Lake	428	403	2	18	87	72	1	12	20.3	17.9	a	a
Lassen	338	314	5	14	45	37	3	4	13.3	11.8	a	a
Los Angeles	126,212	96,130	17,465	7,554	31,579	19,811	10,248	577	25.0	20.6	58.7	7.6
Madera	1,205	1,111	30	41	215	186	18	7	17.8	16.7	a	a
Marin	2,312	1,928	53	79	229	161	24	3	9.9	8.4	a	a
Mariposa	120	109	—	3	19	16	—	3	15.8	14.7	—	a
Mendocino	1,076	992	5	52	171	143	2	19	15.9	14.4	a	a
Merced	2,685	2,352	123	61	468	380	64	2	17.4	16.2	52.0	a
Modoc	145	138	—	6	12	8	—	3	8.3	5.8	—	a
Mono	157	149	—	4	11	10	—	1	7.0	6.7	—	a
Monterey	5,737	4,726	385	417	875	705	107	29	15.3	14.9	27.8	7.0
Napa	1,093	1,056	1	24	139	136	—	2	12.7	12.9	—	a
Nevada	678	556	2	5	66	48	—	—	9.7	8.6	—	—
Orange	29,282	26,968	468	1,571	3,729	3,473	162	70	12.7	12.9	34.6	4.5
Placer	1,603	1,541	3	37	190	183	1	3	11.9	11.9	a	a
Plumas	286	269	3	8	46	37	2	5	16.1	13.8	a	a
Riverside	10,950	9,924	548	239	1,975	1,612	275	39	18.0	16.2	50.2	16.3
Sacramento	12,357	10,437	1,122	597	2,435	1,760	586	58	19.7	16.9	52.2	9.7
San Benito	485	466	—	10	54	51	—	2	11.1	10.9	—	a
San Bernardino	15,614	12,487	891	365	2,650	1,964	413	41	17.0	15.7	46.4	11.2
San Diego	29,361	24,861	2,005	2,221	4,564	3,358	969	186	15.5	13.5	48.3	8.4
San Francisco	8,313	3,901	1,462	2,205	2,163	875	909	139	26.0	22.4	62.2	6.3
San Joaquin	5,771	4,950	426	304	1,299	939	292	37	22.5	19.0	68.5	12.2
San Luis Obispo	1,938	1,817	21	40	212	196	5	5	10.9	10.8	a	a
San Mateo	7,806	5,466	679	1,162	1,112	613	351	80	14.2	11.2	51.7	6.9
Santa Barbara	4,148	3,648	139	164	583	487	46	18	14.1	13.3	33.1	11.0
Santa Clara	19,827	17,116	913	1,624	3,278	2,779	392	93	16.5	16.2	42.9	5.7
Santa Cruz	2,788	1,907	19	34	433	297	11	4	15.5	15.6	a	a
Shasta	1,748	1,624	12	57	256	215	4	21	14.6	13.2	a	a
Sierra	37	35	—	—	7	6	—	—	a	a	—	—
Siskiyou	639	602	12	21	49	31	8	7	7.7	5.1	a	a
Solano	4,154	3,179	482	390	600	358	192	32	14.4	11.3	39.8	8.2
Sonoma	4,225	3,939	42	121	627	552	24	30	14.8	14.0	a	24.8
Stanislaus	4,555	4,419	49	79	730	695	29	6	16.0	15.7	a	a
Sutter	798	752	6	16	92	87	2	—	11.5	11.6	a	—
Tehama	523	510	—	9	67	64	—	3	12.8	12.5	—	a
Trinity	200	177	—	7	26	22	—	1	13.0	12.4	—	a
Tulare	4,881	4,610	69	63	1,012	929	45	11	20.7	20.2	a	a
Tuolumne	490	477	2	6	60	58	—	2	12.2	12.2	—	a
Ventura	8,629	7,638	164	343	1,064	930	59	25	12.3	12.2	36.0	7.3
Yolo	1,619	1,495	25	64	243	216	9	8	15.0	14.4	a	a
Yuba	1,030	924	45	41	164	149	11	1	15.9	16.1	a	a

1 For statistical purposes, marital status is estimated by an inferential method. For discussion of the inferential method, see J. Sklar and B. Berkov, "The Effects of Legal Abortion on Birth Rates: The California Experience," *Studies in Family Planning*, Vol. 4, No. 11, November 1973, p. 288.

2 Excludes race not reported which is included in Total (all races).

a Percents are not calculated for base less than 100.

Source: State of California, Department of Health Services, Birth Records.

Table 2–24

LIVE BIRTHS AND ESTIMATED NUMBER AND PERCENT OF LIVE BIRTHS TO UNMARRIED WOMEN[1] BY RACE OF MOTHER CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY	TOTAL LIVE BIRTHS				NONMARITAL LIVE BIRTHS[1]							
					Number				Percent of All Live Births			
	Total	White	Black	Other[2]	Total	White	Black	Other[2]	Total	White	Black	Other[2]
California	402,720	332,679	34,511	27,302	83,373	59,464	19,500	2,559	20.7	17.9	56.5	9.4
Alameda	16,762	10,837	3,700	1,526	4,371	1,771	2,173	154	26.1	16.3	58.7	10.1
Alpine	11	9	—	2	—	—	—	—	—	—	—	—
Amador	242	240	—	—	21	20	—	—	8.7	8.3	—	—
Butte	2,053	1,878	22	43	308	273	13	11	15.0	14.5	a	a
Calaveras	247	238	1	6	31	29	1	1	12.6	12.2	a	a
Colusa	257	241	1	12	38	33	1	4	14.8	13.7	a	a
Contra Costa	9,516	7,394	1,160	647	1,611	880	636	51	16.9	11.9	54.8	7.9
Del Norte	339	314	1	23	61	51	—	10	18.0	16.2	—	a
El Dorado	1,378	1,341	4	27	197	192	2	3	14.3	14.3	a	a
Fresno	10,249	8,623	607	778	2,375	1,649	400	241	23.2	19.1	65.9	31.0
Glenn	386	372	2	9	38	35	1	2	9.8	9.4	a	a
Humboldt	1,868	1,757	7	91	337	287	4	39	18.0	16.3	a	a
Imperial	2,260	2,171	32	49	398	380	17	1	17.6	17.5	a	a
Inyo	262	225	—	37	33	23	—	10	12.6	10.2	—	a
Kern	8,354	7,694	454	195	1,823	1,533	266	21	21.8	19.9	58.6	10.8
Kings	1,662	1,509	88	63	338	288	45	5	20.3	19.1	a	a
Lake	479	438	6	26	103	84	2	15	21.5	19.2	a	a
Lassen	351	334	4	12	52	50	2	—	14.8	15.0	a	—
Los Angeles	133,109	104,212	17,590	8,925	34,751	22,806	10,703	708	26.1	21.9	60.8	7.9
Madera	1,292	1,209	42	34	268	239	25	4	20.7	19.8	a	a
Marin	2,332	2,091	68	114	270	223	25	5	11.6	10.7	a	4.4
Mariposa	126	124	—	2	17	17	—	—	13.5	13.7	—	—
Mendocino	1,186	1,087	2	71	236	185	1	37	19.9	17.0	a	a
Merced	2,960	2,759	120	80	547	493	52	2	18.5	17.9	43.3	a
Modoc	142	136	—	6	17	15	—	2	12.0	11.0	—	a
Mono	124	115	—	9	9	6	—	3	7.3	5.2	—	a
Monterey	6,156	5,006	406	445	967	774	110	33	15.7	15.5	27.1	7.4
Napa	1,273	1,234	7	23	152	145	1	4	11.9	11.8	a	a
Nevada	801	760	1	10	95	92	—	1	11.9	12.1	—	a
Orange	31,605	28,886	487	2,135	4,429	4,135	160	118	14.0	14.3	32.9	5.5
Placer	1,770	1,715	5	40	202	196	—	6	11.4	11.4	—	a
Plumas	283	266	7	9	38	32	4	2	13.4	12.0	a	a
Riverside	12,048	11,061	619	299	2,230	1,874	303	40	18.5	16.9	48.9	13.4
Sacramento	13,102	10,997	1,280	740	2,902	2,073	743	74	22.1	18.9	58.0	10.0
San Benito	475	460	1	5	67	65	—	1	14.1	14.1	—	a
San Bernardino	17,160	14,810	990	485	3,082	2,420	430	56	18.0	16.3	43.4	11.5
San Diego	30,931	26,235	2,136	2,529	5,253	4,009	999	238	17.0	15.3	46.8	9.4
San Francisco	8,213	4,008	1,353	2,315	2,170	964	829	180	26.4	24.1	61.3	7.8
San Joaquin	6,307	5,373	463	441	1,416	1,080	287	48	22.5	20.1	62.0	10.9
San Luis Obispo	2,153	2,062	21	26	224	211	4	1	10.4	10.2	a	a
San Mateo	8,174	5,893	678	1,294	1,189	711	355	71	14.5	12.1	52.4	5.5
Santa Barbara	4,397	4,041	135	179	678	599	54	18	15.4	14.8	40.0	10.1
Santa Clara	21,299	18,132	947	2,115	3,699	3,114	418	144	17.4	17.2	44.1	6.8
Santa Cruz	2,946	1,867	13	43	533	303	7	7	18.1	16.2	a	a
Shasta	1,822	1,732	8	62	276	251	3	21	15.1	14.5	a	a
Sierra	35	34	—	—	4	4	—	—	a	a	—	—
Siskiyou	726	691	2	33	63	54	1	8	8.7	7.8	a	a
Solano	4,352	3,319	545	467	689	438	205	43	15.8	13.2	37.6	9.2
Sonoma	4,480	4,204	53	115	704	628	29	25	15.7	14.9	a	21.7
Stanislaus	4,984	4,828	67	86	879	823	41	15	17.6	17.0	a	a
Sutter	909	858	7	13	140	132	3	1	15.4	15.4	a	a
Tehama	597	577	1	18	90	82	—	7	15.1	14.2	—	a
Trinity	188	176	—	4	31	29	—	2	16.5	16.5	—	a
Tulare	5,322	5,129	78	77	1,225	1,158	49	14	23.0	22.6	a	a
Tuolumne	450	446	—	4	56	56	—	—	12.4	12.6	—	a
Ventura	9,104	7,992	213	435	1,197	1,044	77	39	13.1	13.1	36.2	9.0
Yolo	1,705	1,623	31	43	291	270	9	10	17.1	16.6	a	a
Yuba	1,006	916	46	25	152	136	10	3	15.1	14.8	a	a

[1] For statistical purposes, marital status is estimated by an inferential method. For discussion of the inferential method, see J. Sklar and B. Berkov, "The Effects of Legal Abortion on Birth Rates: The California Experience," *Studies in Family Planning*, Vol. 4, No. 11, November 1973, p. 288.

[2] Excludes race not reported which is included in Total (all races).

a Percents are not calculated for base less than 100.

Source: State of California, Department of Health Services, Birth Records.

Table 2–25

NUMBER OF LIVE BIRTHS BY ESTIMATED MARITAL STATUS,[1] RACE OF MOTHER, AND AGE OF MOTHER CALIFORNIA 1966, 1970–80

(By place of residence)

MARITAL STATUS AND YEAR	ALL RACES[2]					WHITE					BLACK				
	All Ages[3]	15–19	20–24	25–34	35+	All Ages[3]	15–19	20–24	25–34	35+	All Ages[3]	15–19	20–24	25–34	35+
Unmarried															
1966	31,804	12,819	10,303	6,582	1,627	22,204	8,531	7,712	4,582	1,167	9,124	4,138	2,450	1,860	418
1970	45,593	18,888	15,615	8,793	1,676	31,052	12,345	10,996	6,198	1,222	13,602	6,231	4,277	2,396	404
1971	39,912	16,726	13,222	7,887	1,419	26,522	10,685	8,930	5,514	1,041	12,450	5,738	3,950	2,145	341
1972	40,171	17,499	12,806	7,917	1,277	26,821	11,243	8,620	5,644	950	12,420	5,928	3,865	2,044	297
1973	41,851	18,053	13,625	8,238	1,311	28,168	11,778	9,126	5,890	1,020	12,756	5,965	4,186	2,096	256
1974	46,477	19,507	15,168	9,676	1,409	31,555	12,885	10,246	6,920	1,098	13,873	6,281	4,527	2,498	277
1975	52,854	21,549	17,567	11,469	1,525	36,556	14,607	12,010	8,307	1,181	15,018	6,511	5,154	2,778	302
1976	58,819	23,103	20,037	13,234	1,711	41,046	16,008	13,779	9,484	1,337	16,344	6,619	5,810	3,320	314
1977	64,227	24,225	22,496	14,809	1,911	45,045	16,844	15,501	10,698	1,508	17,369	6,814	6,413	3,542	332
1978	67,112	24,702	23,673	16,095	1,927	46,868	17,337	16,245	11,394	1,449	17,497	6,477	6,545	3,898	354
1979[a]	74,494	25,862	26,528	18,914	2,459	53,002	18,413	18,467	13,689	1,974	19,378	6,775	7,376	4,581	389
1980	83,373	27,016	30,120	22,696	2,812	59,464	19,367	21,175	16,276	2,144	19,500	6,426	7,469	4,961	448
Married															
1966	305,819	46,698	112,520	119,869	26,610	276,287	42,587	103,274	106,867	23,465	19,723	3,647	6,910	7,458	1,690
1970	317,059	42,125	121,668	133,234	19,863	286,116	38,597	111,107	119,122	17,144	18,531	2,842	7,206	7,158	1,311
1971	289,914	36,989	111,955	123,422	17,410	260,919	33,954	101,919	109,935	14,987	16,595	2,404	6,569	6,470	1,142
1972	266,204	34,830	97,833	118,362	14,991	239,217	32,075	88,890	105,264	12,821	14,450	2,134	5,630	5,785	883
1973	255,983	32,854	91,736	117,377	13,863	230,222	30,107	83,429	104,586	11,967	13,480	2,099	5,228	5,365	772
1974	265,191	32,422	93,981	124,643	13,988	237,824	29,887	85,501	110,341	11,956	13,821	1,930	5,343	5,781	754
1975	264,464	30,979	91,996	127,327	13,997	236,473	28,705	83,738	111,992	11,902	13,438	1,644	5,078	5,971	723
1976	273,286	29,751	93,957	134,672	14,743	243,373	27,620	85,368	117,765	12,474	13,507	1,502	5,079	6,165	749
1977	283,349	28,732	96,607	142,587	15,286	251,079	26,627	87,542	123,965	12,835	14,166	1,393	5,242	6,783	735
1978	289,044	28,072	96,705	147,660	16,355	251,003	25,692	86,185	125,513	13,416	14,789	1,404	5,372	7,200	794
1979[a]	304,693	28,063	100,026	158,192	18,158	267,396	25,938	90,062	135,995	15,183	15,429	1,346	5,458	7,682	920
1980	319,347	27,740	103,384	168,098	19,854	273,215	25,125	91,234	140,504	16,151	15,011	1,181	5,262	7,765	788
All Live Births															
1966	337,623	59,517	122,823	126,451	28,237	298,491	51,118	110,986	111,449	24,632	28,847	7,785	9,360	9,318	2,108
1970	362,652	61,013	137,283	142,027	21,539	317,168	50,942	122,103	125,309	18,366	32,133	9,073	11,483	9,554	1,715
1971	329,826	53,715	125,177	131,309	18,829	287,441	44,639	110,849	115,449	16,028	29,045	8,142	10,519	8,615	1,488
1972	306,375	52,329	110,639	126,279	16,268	266,038	43,318	97,510	110,908	13,771	26,870	8,062	9,495	7,829	1,180
1973	297,834	50,907	105,361	125,615	15,174	258,390	41,885	92,555	110,476	12,987	26,236	8,064	9,414	7,461	1,028
1974	311,668	51,929	109,149	134,324	15,397	269,379	42,772	95,747	117,261	13,054	27,694	8,211	9,870	8,279	2,031
1975	317,318	52,528	109,563	138,796	15,522	273,029	43,312	95,748	120,299	13,083	28,456	8,155	10,232	8,749	1,025
1976	332,105	52,854	113,994	147,906	16,454	284,419	43,628	99,147	127,249	13,811	29,851	8,121	10,889	9,485	1,063
1977	347,576	52,957	119,103	157,396	17,197	296,133	43,471	103,043	134,663	14,343	31,535	8,207	11,655	10,325	1,067
1978	356,156	52,774	120,378	163,755	18,282	297,871	43,029	102,430	136,907	14,865	32,286	7,881	11,917	11,098	1,148
1979[a]	379,187	53,925	126,554	177,106	20,617	320,398	44,351	108,529	149,684	17,157	34,807	8,121	12,834	12,263	1,309
1980	402,720	54,756	133,504	190,794	22,666	332,679	44,492	112,409	156,780	18,295	34,511	7,607	12,731	12,726	1,236

[1] For statistical purposes, marital status is estimated by an inferential method. For discussion of the inferential method, see J. Sklar and B. Berkov, "The Effects of Legal Abortion on Birth Rates: The California Experience," *Studies in Family Planning*, Vol. 4, No. 11, November 1973, p. 288.

[2] Includes races other than White or Black.

[3] Includes births to mothers under age 15 and of unknown age.

[a] 1979 live births with unknown race of mother were distributed in proportion to those with known race of mother.

Source: State of California, Department of Health Services, Birth Records.

Table 2–26

ESTIMATED LIVE BIRTHS TO UNMARRIED WOMEN[1] AS PERCENT OF TOTAL LIVE BIRTHS BY RACE OF MOTHER AND AGE OF MOTHER CALIFORNIA: 1966, 1970–80

(By place of residence)

	1966	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979[a]	1980
All Races,												
All Ages	9.4	12.6	12.1	13.1	14.1	14.9	16.7	17.7	18.5	18.8	19.6	20.7
Under 15	82.5	81.5	84.3	79.5	83.1	84.5	83.8	84.8	89.4	84.4	86.0	86.5
15–17	33.6	43.8	45.2	46.9	49.0	52.0	54.7	57.6	59.9	61.2	62.9	63.7
18–19	16.7	24.4	23.8	25.6	27.6	29.4	33.4	36.1	38.2	38.9	40.2	42.0
20–24	8.4	11.4	10.6	11.6	12.9	13.9	16.0	17.6	18.9	19.7	20.7	22.6
25–29	5.2	6.0	5.8	6.2	6.6	7.3	8.5	9.4	9.9	10.5	11.3	12.5
30–34	5.3	6.5	6.4	6.4	6.4	6.9	7.8	8.0	8.4	8.6	9.5	10.7
35 and Over	5.8	7.8	7.5	7.8	8.6	9.2	9.8	10.4	11.1	10.5	11.9	12.4
White,												
All Ages	7.4	9.8	9.2	10.1	10.9	11.7	13.4	14.4	15.2	15.7	16.5	17.9
Under 15	73.3	70.6	76.5	70.2	76.0	77.4	79.0	78.4	86.7	80.3	81.3	83.6
15–17	25.2	34.6	35.6	37.6	40.3	43.4	46.7	50.4	52.7	54.8	56.4	57.9
18–19	13.6	19.3	18.3	19.6	21.5	23.0	27.2	29.5	31.6	32.8	34.2	36.5
20–24	6.9	9.0	8.1	8.8	9.9	10.7	12.5	13.9	15.0	15.9	17.0	18.8
25–29	4.1	4.9	4.6	5.0	5.3	5.9	7.0	7.6	8.2	8.6	9.5	10.7
30–34	4.1	5.1	5.2	5.3	5.4	5.8	6.8	7.0	7.3	7.7	8.5	9.7
35 and Over	4.7	6.7	6.5	6.9	7.9	8.4	9.0	9.6	10.5	9.7	11.5	11.7
Black,												
All Ages	31.6	42.3	42.9	46.2	48.6	50.1	52.8	54.8	55.1	54.2	55.7	56.5
Under 15	93.5	96.1	96.8	94.9	94.7	95.7	93.4	96.5	96.0	94.7	96.1	96.4
15–17	68.6	81.1	83.9	84.8	84.1	87.5	88.2	89.2	90.2	89.9	92.0	91.8
18–19	42.1	59.0	59.9	64.0	65.7	68.0	73.5	76.1	78.0	77.4	78.6	79.6
20–24	26.2	37.2	37.6	40.7	44.5	45.9	50.4	53.4	55.0	54.9	57.5	58.7
25–29	19.7	24.7	25.2	27.0	29.5	31.5	33.4	36.6	36.0	37.2	39.2	41.3
30–34	20.4	25.9	24.3	25.3	24.9	27.0	27.8	30.6	30.0	30.2	33.2	34.2
35 and Over	19.8	23.6	23.0	25.2	24.9	26.9	29.5	29.5	31.1	30.8	29.7	36.2

[1] For statistical purposes, marital status is estimated by an inferential method. For discussion of the inferential method, see J. Sklar and B. Berkov, "The Effects of Legal Abortion on Birth Rates: The California Experience," *Studies in Family Planning*, Vol. 4, No. 11, November 1973, p. 288.

[a] 1979 live births with unknown race of mother were distributed in proportion to those with known race of mother.

Source: State of California, Department of Health Services, Birth Records.

Table 2–27

TOTAL LIVE BIRTHS AND ESTIMATED LIVE BIRTHS TO UNMARRIED WOMEN[1] BY RACE AND AGE OF MOTHER AND LIVE BIRTH ORDER CALIFORNIA, 1979

(By place of residence)

RACE AND AGE OF MOTHER	Total	LIVE BIRTH ORDER					
		First	Second	Third	Fourth	Fifth or Higher	Unknown
	Total Live Births						
Total	379,187	159,000	111,881	51,842	20,887	17,896	17,681
Under 15	806	765	10	–	–	–	31
15–19	53,925	41,015	9,184	1,346	156	19	2,205
20–24	126,554	61,486	40,790	13,792	3,573	1,072	5,841
25–29	115,190	38,699	38,848	19,777	7,819	4,414	5,633
30–34	61,916	14,051	18,928	13,033	6,524	6,393	2,987
35–39	17,430	2,612	3,698	3,446	2,408	4,484	782
40 and Over	3,187	289	404	430	402	1,506	156
Unknown	179	83	19	18	5	8	46
White	307,373	128,318	91,210	42,005	16,886	14,782	14,172
Under 15	502	473	6	–	–	–	23
15–19	42,754	32,496	7,287	1,029	103	15	1,824
20–24	104,454	51,060	33,795	11,101	2,816	819	4,863
25–29	93,610	31,073	31,995	16,199	6,317	3,562	4,464
30–34	49,522	10,963	15,007	10,597	5,362	5,322	2,271
35–39	13,888	1,989	2,810	2,732	1,965	3,810	582
40 and Over	2,539	217	300	334	319	1,247	122
Unknown	104	47	10	13	4	7	23
Black	33,407	14,025	9,435	4,917	2,201	1,750	1,079
Under 15	244	233	4	–	–	–	7
15–19	7,820	5,927	1,400	247	45	4	197
20–24	12,355	5,176	4,247	1,790	542	196	404
25–29	8,092	1,966	2,658	1,769	872	535	292
30–34	3,626	576	922	878	539	580	131
35–39	1,043	121	185	211	175	313	38
40 and Over	211	19	17	19	27	121	8
Unknown	16	7	2	3	1	1	2
Other	22,976	9,844	7,126	3,013	1,066	765	1,162
Under 15	17	17	–	–	–	–	–
15–19	1,400	1,079	230	32	3	–	56
20–24	4,996	2,783	1,366	459	111	29	248
25–29	8,468	3,794	2,697	1,002	351	180	444
30–34	6,029	1,773	2,210	1,077	379	267	323
35–39	1,741	358	550	379	179	201	74
40 and Over	318	38	70	62	43	88	17
Unknown	7	2	3	2	–	–	–
Unknown	15,431	6,813	4,110	1,907	734	599	1,268
Under 15	43	42	–	–	–	–	1
15–19	1,951	1,513	267	38	5	–	128
20–24	4,749	2,467	1,382	442	104	28	326
25–29	5,020	1,866	1,498	807	279	137	433
30–34	2,739	739	789	481	244	224	262
35–39	758	144	153	124	89	160	88
40 and Over	119	15	17	15	13	50	9
Unknown	52	27	4	–	–	–	21

Table 2–27 (Continued)

TOTAL LIVE BIRTHS AND ESTIMATED LIVE BIRTHS TO UNMARRIED WOMEN[1] BY RACE AND AGE OF MOTHER AND LIVE BIRTH ORDER CALIFORNIA, 1979

(By place of residence)

RACE AND AGE OF MOTHER	Total	LIVE BIRTH ORDER					
		First	Second	Third	Fourth	Fifth or Higher	Unknown
	Nonmarital Live Births						
Total	74,494	40,533	16,586	7,855	3,554	3,257	2,709
Under 15	693	667	6	–	–	–	20
15–19	25,862	20,643	3,663	576	81	9	890
20–24	26,528	13,211	7,753	3,322	1,007	304	931
25–29	13,044	4,061	3,565	2,565	1,361	971	521
30–34	5,870	1,474	1,228	1,062	789	1,064	253
35–39	2,017	411	317	279	261	678	71
40 and Over	442	49	52	47	55	230	9
Unknown	38	17	2	4	–	1	14
White	50,888	28,344	10,874	5,114	2,286	2,291	1,979
Under 15	410	395	2	–	–	–	13
15–19	17,721	14,275	2,375	358	44	6	663
20–24	17,781	9,227	4,987	2,092	616	182	677
25–29	8,870	2,952	2,367	1,686	848	652	365
30–34	4,188	1,129	864	708	539	757	191
35–39	1,549	322	234	227	194	515	57
40 and Over	348	35	44	40	45	179	5
Unknown	21	9	1	3	–	–	8
Black	18,608	9,348	4,706	2,251	1,065	786	452
Under 15	234	224	4	–	–	–	6
15–19	6,520	5,062	1,089	182	34	3	150
20–24	7,102	3,096	2,335	1,045	336	109	181
25–29	3,167	732	965	688	426	273	83
30–34	1,203	180	261	291	207	239	25
35–39	305	43	47	40	52	119	4
40 and Over	69	7	4	4	10	42	2
Unknown	8	4	1	1	–	1	1
Other	2,028	1,164	426	196	93	81	68
Under 15	14	14	–	–	–	–	–
15–19	648	521	91	18	1	–	17
20–24	660	362	171	78	27	5	17
25–29	414	168	93	67	44	23	19
30–34	200	72	47	27	17	25	12
35–39	82	25	21	5	4	24	3
40 and Over	10	2	3	1	–	4	–
Unknown	–	–	–	–	–	–	–
Unknown	2,970	1,677	580	294	110	99	210
Under 15	35	34	–	–	–	–	1
15–19	973	785	108	18	2	–	60
20–24	985	526	260	107	28	8	56
25–29	593	209	140	124	43	23	54
30–34	279	93	56	36	26	43	25
35–39	81	21	15	7	11	20	7
40 and Over	15	5	1	2	–	5	2
Unknown	9	4	–	–	–	–	5

---

[1] For statistical purposes, marital status is estimated by an inferential method. For discussion of the inferential method, see J. Sklar and B. Berkov, "The Effects of Legal Abortion on Birth Rates: The California Experience," *Studies in Family Planning*, Vol. 4, No. 11, November 1973, p. 288.

Source: State of California, Department of Health Services, Birth Records.

Table 2–28

TOTAL LIVE BIRTHS AND ESTIMATED LIVE BIRTHS TO UNMARRIED WOMEN[1] BY RACE AND AGE OF MOTHER AND LIVE BIRTH ORDER CALIFORNIA, 1980

(By place of residence)

RACE AND AGE OF MOTHER	Total	LIVE BIRTH ORDER					
		First	Second	Third	Fourth	Fifth or Higher	Unknown
	Total Live Births						
Total	402,720	176,752	122,981	57,692	23,124	19,567	2,604
Under 15	765	749	15	–	–	–	1
15–19	54,756	43,188	9,806	1,328	165	17	252
20–24	133,504	68,801	44,008	14,919	3,792	1,204	780
25–29	122,979	43,727	42,633	22,377	8,419	4,954	869
30–34	67,815	16,693	21,728	14,555	7,375	6,957	507
35–39	19,276	3,077	4,353	4,048	2,842	4,810	146
40 and Over	3,390	403	395	442	521	1,609	20
Unknown	235	114	43	23	10	16	29
White	332,679	145,887	101,967	47,587	18,974	16,249	2,015
Under 15	536	526	9	–	–	–	1
15–19	44,492	35,210	7,937	1,019	114	13	199
20–24	112,409	58,331	37,292	12,275	2,989	921	601
25–29	102,098	35,877	35,809	18,844	6,876	4,004	688
30–34	54,682	13,203	17,220	11,848	6,189	5,828	394
35–39	15,613	2,375	3,391	3,242	2,380	4,125	100
40 and Over	2,682	287	277	342	417	1,343	16
Unknown	167	78	32	17	9	15	16
Black	34,511	14,910	10,061	5,316	2,299	1,791	134
Under 15	195	189	6	–	–	–	–
15–19	7,607	5,855	1,436	250	42	4	20
20–24	12,731	5,744	4,330	1,820	581	206	50
25–29	8,548	2,234	2,835	1,942	902	596	39
30–34	4,178	726	1,218	1,052	569	597	16
35–39	1,047	131	216	230	174	288	8
40 and Over	189	25	15	19	31	99	–
Unknown	16	6	5	3	–	1	1
Other	27,302	11,925	8,819	3,759	1,439	1,165	195
Under 15	19	19	–	–	–	–	–
15–19	1,634	1,295	270	42	8	–	19
20–24	5,872	3,321	1,695	586	154	53	63
25–29	9,733	4,535	3,211	1,181	479	272	55
30–34	7,416	2,216	2,887	1,381	497	398	37
35–39	2,167	457	658	496	237	303	16
40 and Over	447	77	93	72	63	139	3
Unknown	14	5	5	1	1	–	2
Unknown	8,228	4,030	2,134	1,030	412	362	260
Under 15	15	15	–	–	–	–	–
15–19	1,023	828	163	17	1	–	14
20–24	2,492	1,405	691	238	68	24	66
25–29	2,600	1,081	778	410	162	82	87
30–34	1,539	548	403	274	120	134	60
35–39	449	114	88	80	51	94	22
40 and Over	72	14	10	9	10	28	1
Unknown	38	25	1	2	–	–	10

Table 2–28 (Continued)

TOTAL LIVE BIRTHS AND ESTIMATED LIVE BIRTHS TO UNMARRIED WOMEN[1] BY RACE AND AGE OF MOTHER AND LIVE BIRTH ORDER CALIFORNIA, 1980

(By place of residence)

RACE AND AGE OF MOTHER	Total	LIVE BIRTH ORDER					
		First	Second	Third	Fourth	Fifth or Higher	Unknown
	Nonmarital Live Births						
Total	83,373	46,589	19,461	9,272	4,045	3,736	270
Under 15	662	653	9	–	–	–	–
15–19	27,016	22,258	4,044	587	76	8	43
20–24	30,120	15,797	8,922	3,786	1,114	405	96
25–29	15,466	5,307	4,351	3,109	1,513	1,124	62
30–34	7,230	1,978	1,691	1,380	939	1,205	37
35–39	2,318	472	388	357	328	751	22
40 and Over	494	87	44	46	75	240	2
Unknown	67	37	12	7	–	3	8
White	59,464	34,073	13,464	6,333	2,766	2,664	164
Under 15	448	443	5	–	–	–	–
15–19	19,367	16,165	2,743	383	42	6	28
20–24	21,175	11,500	6,080	2,567	716	254	58
25–29	10,970	3,979	3,074	2,116	1,016	749	36
30–34	5,306	1,533	1,220	961	681	885	26
35–39	1,757	357	297	265	253	575	10
40 and Over	387	63	36	36	58	192	2
Unknown	54	33	9	5	–	3	4
Black	19,500	9,922	5,086	2,485	1,071	893	43
Under 15	188	184	4	–	–	–	–
15–19	6,426	5,064	1,139	182	31	2	8
20–24	7,469	3,464	2,448	1,060	350	132	15
25–29	3,534	884	1,080	826	415	318	11
30–34	1,427	261	348	335	204	276	3
35–39	375	51	59	73	56	131	5
40 and Over	73	12	5	7	15	34	–
Unknown	8	2	3	2	–	–	1
Other	2,559	1,460	545	283	134	123	14
Under 15	15	15	–	–	–	–	–
15–19	709	594	91	18	3	–	3
20–24	791	427	229	89	27	15	4
25–29	581	270	110	103	56	39	3
30–34	316	106	90	58	32	29	1
35–39	124	42	22	13	15	30	2
40 and Over	21	5	3	2	1	10	–
Unknown	2	1	–	–	–	–	1
Unknown	1,850	1,134	366	171	74	56	49
Under 15	11	11	–	–	–	–	–
15–19	514	435	71	4	–	–	4
20–24	685	406	165	70	21	4	19
25–29	381	174	87	64	26	18	12
30–34	181	78	33	26	22	15	7
35–39	62	22	10	6	4	15	5
40 and Over	13	7	–	1	1	4	–
Unknown	3	1	–	–	–	–	2

[1] For statistical purposes, marital status is estimated by an inferential method. For discussion of the inferential method, see J. Sklar and B. Berkov, "The Effects of Legal Abortion on Birth Rates: The California Experience," *Studies in Family Planning*, Vol. 4, No. 11, November 1973, p. 288.

Source: State of California, Department of Health Services, Birth Records.

Table 2–29

NUMBER OF LIVE BIRTHS BY ESTIMATED MARITAL STATUS[1] AND AGE OF MOTHER (DETAILED UNDER AGE 20) CALIFORNIA: 1966, 1970–80

(By place of residence)

MARITAL STATUS AND YEAR	UNDER 13	13	14	15	16	17	18	19	TOTAL UNDER 20	TOTAL ALL AGES
Unmarried										
1966	17	91	364	1,091	1,975	2,696	3,288	3,769	13,291	31,804
1970	17	97	492	1,624	3,255	4,128	4,804	5,077	19,494	45,593
1971	13	91	528	1,560	2,912	3,847	4,227	4,180	17,358	39,912
1972	16	100	536	1,740	3,200	4,064	4,376	4,119	18,151	40,171
1973	10	112	493	1,751	3,297	4,117	4,543	4,345	18,668	41,851
1974	28	100	568	1,765	3,386	4,609	4,921	4,826	20,203	46,477
1975	8	128	592	1,907	3,475	4,891	5,745	5,531	22,277	52,854
1976	11	110	596	1,906	3,782	5,075	6,006	6,334	23,820	58,819
1977	20	113	640	1,960	3,871	5,241	6,428	6,725	24,998	64,227
1978	20	97	566	1,960	3,894	5,556	6,633	6,659	25,385	67,112
1979	17	118	558	1,915	3,916	5,761	6,768	7,502	26,555	74,494
1980	7	106	549	1,921	3,977	5,909	7,230	7,979	27,678	83,373
Married										
1966	1	10	89	762	3,108	7,505	13,844	21,479	46,798	305,819
1970	—	10	128	823	3,315	7,435	12,624	17,928	42,263	317,059
1971	—	7	111	757	2,892	6,445	11,107	15,788	37,107	289,914
1972	2	7	159	877	3,007	6,304	10,199	14,443	34,998	266,204
1973	2	15	108	762	2,893	5,903	9,709	13,587	32,979	255,983
1974	4	10	114	722	2,712	5,592	9,502	13,894	32,550	265,191
1975	1	10	130	716	2,370	5,405	9,205	13,283	31,120	264,464
1976	2	15	112	648	2,280	5,004	8,679	13,140	29,880	273,286
1977	2	10	80	568	2,104	4,744	8,401	12,915	28,824	283,349
1978	—	13	108	589	2,039	4,605	8,148	12,691	28,193	289,044
1979	—	17	96	535	1,880	4,431	8,165	13,052	28,176	304,693
1980	2	12	89	525	1,891	4,307	7,994	13,023	27,843	319,347
All Live Births										
1966	18	101	453	1,853	5,083	10,201	17,132	25,248	60,089	337,623
1970	17	107	620	2,447	6,570	11,563	17,428	23,005	61,757	362,652
1971	13	98	639	2,317	5,804	10,292	15,334	19,968	54,465	319,826
1972	18	107	695	2,617	6,207	10,368	14,575	18,562	53,149	306,375
1973	12	127	601	2,513	6,190	10,020	14,252	17,932	51,647	297,834
1974	32	110	682	2,487	6,098	10,201	14,423	18,720	52,753	311,668
1975	9	138	722	2,623	5,845	10,296	14,950	18,814	53,397	317,318
1976	13	125	708	2,554	6,062	10,079	14,685	19,474	53,700	332,105
1977	22	123	720	2,528	5,975	9,985	14,829	19,640	53,822	347,576
1978	20	110	664	2,549	5,933	10,161	14,781	19,350	53,568	356,156
1979	17	135	654	2,450	5,796	10,192	14,933	20,554	54,731	379,187
1980	9	118	638	2,446	5,868	10,216	15,224	21,002	55,521	402,720

[1] For statistical purposes, marital status is estimated by an inferential method. For discussion of the inferential method, see J. Sklar and B. Berkov, "The Effects of Legal Abortion on Birth Rates: The California Experience," *Studies in Family Planning*, Vol. 4, No. 11, November 1973, p. 288.

Source: State of California, Department of Health Services, Birth Records.

3. FETAL DEATHS

Page

Table 3–1. Number and percent of fetal deaths by weeks of gestation: California, 1979 and 1980 124
3–2. Fetal deaths by plurality of delivery, sex, and race of child: California, 1979 and 1980 125
3–3. Fetal deaths by age of mother: California counties, 1979 126
3–4. Fetal deaths by age of mother: California counties, 1980 127
3–5. Fetal deaths by each cause and race of child: California, 1979 128
3–6. Fetal deaths by each cause and race of child: California, 1980 129

Table 3–1

NUMBER AND PERCENT OF FETAL DEATHS BY WEEKS OF GESTATION CALIFORNIA, 1979 AND 1980

(By place of residence)

WEEKS OF GESTATION	NUMBER	PERCENT	
		All Fetal Deaths	Excluding Unknown Gestation
	1980		
Total	3,594	100.0	100.0
Under 20 Weeks	154	4.3	5.0
20–24 Weeks	480	13.4	15.6
25–36 Weeks	1,197	33.3	38.9
37–42 Weeks	986	27.4	32.1
43 Weeks or Over	259	7.2	8.4
Unknown	518	14.4	. . .
	1979		
Total	3,372	100.0	100.0
Under 20 Weeks	85	2.5	3.5
20–24 Weeks	309	9.2	12.7
25–36 Weeks	993	29.5	40.9
37–42 Weeks	822	24.4	33.8
43 Weeks or Over	220	6.5	9.1
Unknown	943	28.0	. . .

Note: Percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3–2

FETAL DEATHS BY PLURALITY OF DELIVERY, SEX, AND RACE OF CHILD CALIFORNIA, 1979 AND 1980

(By place of residence)

PLURALITY AND SEX	TOTAL	RACE								
		WHITE	BLACK	MEXICAN-AMERICAN	INDIAN	CHINESE	JAPANESE	FILIPINO	OTHER	UNKNOWN
		1980								
Total	3,594	1,877	617	738	16	21	8	60	168	89
Male	1,894	975	352	392	5	7	3	30	83	47
Female	1,700	902	265	346	11	14	5	30	85	42
Single	3,373	1,755	585	701	16	21	7	51	160	77
Male	1,784	909	337	376	5	7	3	25	80	42
Female	1,589	846	248	325	11	14	4	26	80	35
Twin	216	121	32	34	–	–	1	9	8	11
Male	109	66	15	16	–	–	–	5	3	4
Female	107	55	17	18	–	–	1	4	5	7
Triplet	5	1	–	3	–	–	–	–	–	1
Male	1	–	–	–	–	–	–	–	–	1
Female	4	1	–	3	–	–	–	–	–	–
		1979								
Total	3,372	1,739	546	732	10	15	18	36	84	192
Male	1,733	889	284	371	6	9	7	19	39	109
Female	1,639	850	262	361	4	6	11	17	45	83
Single	3,118	1,602	524	674	9	13	17	33	80	166
Male	1,600	818	271	344	6	7	7	17	38	92
Female	1,518	784	253	330	3	6	10	16	42	74
Twin	246	134	22	54	1	2	1	3	4	25
Male	127	68	13	25	–	2	–	2	1	16
Female	119	66	9	29	1	–	1	1	3	9
Triplet	8	3	–	4	–	–	–	–	–	1
Male	6	3	–	2	–	–	–	–	–	1
Female	2	–	–	2	–	–	–	–	–	–

Note: This table includes 154 fetal deaths of under 20 weeks gestation reported for 1980, and 85 for 1979.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3–3

FETAL DEATHS BY AGE OF MOTHER
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY	AGE OF MOTHER									
	TOTAL	Under 15	15–19	20–24	25–29	30–34	35–39	40–44	45 and Over	Not Reported
California	3,372	17	570	1,006	876	519	235	68	4	77
Alameda	173	3	36	53	48	17	12	3	—	1
Alpine	—	—	—	—	—	—	—	—	—	—
Amador	1	—	—	1	—	—	—	—	—	—
Butte	13	—	2	5	1	3	2	—	—	—
Calaveras	1	—	—	—	—	1	—	—	—	—
Colusa	1	—	—	—	1	—	—	—	—	—
Contra Costa	74	—	15	15	30	9	5	—	—	—
Del Norte	4	—	2	—	2	—	—	—	—	—
El Dorado	9	1	—	2	2	3	1	—	—	—
Fresno	86	—	16	21	26	11	7	4	—	1
Glenn	3	—	—	1	2	—	—	—	—	—
Humboldt	11	—	1	3	4	1	2	—	—	—
Imperial	15	—	3	6	2	2	1	—	1	—
Inyo	2	—	—	1	—	1	—	—	—	—
Kern	82	1	20	31	13	11	5	1	—	—
Kings	16	—	5	5	2	4	—	—	—	—
Lake	2	—	1	—	—	1	—	—	—	—
Lassen	3	—	—	1	1	1	—	—	—	—
Los Angeles	1,215	4	184	339	302	199	102	25	1	59
Madera	6	—	2	2	2	—	—	—	—	—
Marin	11	—	4	2	3	2	—	—	—	—
Mariposa	—	—	—	—	—	—	—	—	—	—
Mendocino	14	—	—	7	5	2	—	—	—	—
Merced	26	—	8	4	8	5	1	—	—	—
Modoc	—	—	—	—	—	—	—	—	—	—
Mono	1	—	—	—	1	—	—	—	—	—
Monterey	51	1	7	15	13	7	6	2	—	—
Napa	8	—	1	5	2	—	—	—	—	—
Nevada	2	—	—	—	—	2	—	—	—	—
Orange	205	1	27	62	58	34	13	5	—	5
Placer	11	—	4	1	2	3	1	—	—	—
Plumas	2	—	—	1	1	—	—	—	—	—
Riverside	87	—	8	36	31	6	3	2	1	—
Sacramento	117	2	30	32	33	15	3	—	—	2
San Benito	8	—	1	3	2	2	—	—	—	—
San Bernardino	106	—	21	32	29	15	8	1	—	—
San Diego	261	—	47	91	62	37	14	7	—	3
San Francisco	89	1	8	29	25	12	5	6	—	3
San Joaquin	52	—	9	21	16	4	2	—	—	—
San Luis Obispo	10	1	1	2	3	1	2	—	—	—
San Mateo	68	—	12	19	18	11	5	2	—	1
Santa Barbara	46	—	4	13	16	9	2	2	—	—
Santa Clara	184	—	38	53	43	34	11	4	—	1
Santa Cruz	25	—	6	4	5	9	1	—	—	—
Shasta	10	—	2	2	4	2	—	—	—	—
Sierra	—	—	—	—	—	—	—	—	—	—
Siskiyou	7	—	1	3	—	2	—	—	—	1
Solano	40	—	4	12	11	10	3	—	—	—
Sonoma	30	—	5	9	7	4	4	1	—	—
Stanislaus	35	1	4	18	8	3	1	—	—	—
Sutter	9	1	2	3	2	—	1	—	—	—
Tehama	1	—	—	—	1	—	—	—	—	—
Trinity	2	—	1	—	—	—	1	—	—	—
Tulare	49	—	9	17	12	6	3	2	—	—
Tuolumne	3	—	—	—	—	3	—	—	—	—
Ventura	63	—	12	15	14	13	7	1	1	—
Yolo	14	—	5	6	2	—	1	—	—	—
Yuba	8	—	2	3	1	2	—	—	—	—

Note: Includes 87 reported fetal deaths which were under 20 weeks of gestation.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3–4

FETAL DEATHS BY AGE OF MOTHER
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY	AGE OF MOTHER									
	TOTAL	Under 15	15–19	20–24	25–29	30–34	35–39	40–44	45 and Over	Not Reported
California	3,594	25	632	999	927	610	256	76	6	63
Alameda	205	2	43	57	45	37	9	8	–	4
Alpine	–	–	–	–	–	–	–	–	–	–
Amador	–	–	–	–	–	–	–	–	–	–
Butte	21	–	5	4	6	3	3	–	–	–
Calaveras	2	–	–	1	1	–	–	–	–	–
Colusa	2	–	–	–	–	2	–	–	–	–
Contra Costa	104	3	22	26	24	25	3	–	–	1
Del Norte	3	–	–	1	2	–	–	–	–	–
El Dorado	10	–	1	2	6	–	1	–	–	–
Fresno	85	1	17	28	23	9	4	2	–	1
Glenn	1	–	–	–	1	–	–	–	–	–
Humboldt	17	–	4	6	4	2	1	–	–	–
Imperial	9	–	–	2	4	2	–	–	–	1
Inyo	6	–	2	1	2	1	–	–	–	–
Kern	93	2	14	31	26	13	2	4	–	1
Kings	15	–	5	3	5	–	2	–	–	–
Lake	4	–	–	2	2	–	–	–	–	–
Lassen	2	–	1	1	–	–	–	–	–	–
Los Angeles	1,148	5	159	290	315	215	100	25	2	37
Madera	15	–	4	3	5	1	2	–	–	–
Marin	13	–	1	3	5	3	1	–	–	–
Mariposa	1	–	–	–	–	1	–	–	–	–
Mendocino	11	–	1	4	–	5	1	–	–	–
Merced	20	–	5	4	5	4	2	–	–	–
Modoc	2	1	–	–	–	1	–	–	–	–
Mono	3	–	2	–	1	–	–	–	–	–
Monterey	50	1	5	12	15	11	4	1	1	–
Napa	12	–	3	2	3	3	1	–	–	–
Nevada	8	–	–	4	3	–	–	1	–	–
Orange	206	–	25	52	58	40	25	5	–	1
Placer	16	–	5	2	4	4	1	–	–	–
Plumas	1	–	–	–	1	–	–	–	–	–
Riverside	88	–	18	24	22	9	9	6	–	–
Sacramento	126	2	26	48	27	16	4	2	–	1
San Benito	1	–	1	–	–	–	–	–	–	–
San Bernardino	115	–	15	38	32	21	6	3	–	–
San Diego	262	3	45	81	66	50	13	3	–	1
San Francisco	100	–	17	28	23	14	9	3	1	5
San Joaquin	64	1	21	21	10	9	2	–	–	–
San Luis Obispo	19	–	2	6	6	3	1	1	–	–
San Mateo	84	–	23	21	19	14	3	1	–	3
Santa Barbara	48	–	4	5	22	10	5	2	–	–
Santa Clara	249	1	73	65	50	39	16	2	–	3
Santa Cruz	35	2	6	4	10	4	8	–	–	1
Shasta	18	–	5	7	5	1	–	–	–	–
Sierra	–	–	–	–	–	–	–	–	–	–
Siskiyou	11	–	3	5	1	2	–	–	–	–
Solano	48	–	6	20	13	7	1	–	1	–
Sonoma	39	–	9	13	13	2	2	–	–	–
Stanislaus	51	–	8	24	9	5	4	–	–	1
Sutter	4	–	1	2	–	1	–	–	–	–
Tehama	9	–	4	1	3	1	–	–	–	–
Trinity	2	–	–	–	–	1	1	–	–	–
Tulare	44	–	6	15	10	5	4	3	1	–
Tuolumne	3	–	–	3	–	–	–	–	–	–
Ventura	63	–	10	21	13	12	4	2	–	1
Yolo	15	1	2	3	4	2	1	1	–	1
Yuba	11	–	3	3	3	–	1	1	–	–

Note: Includes 154 reported fetal deaths which were under 20 weeks of gestation.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3–5

FETAL DEATHS BY EACH CAUSE AND RACE OF CHILD
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	TOTAL	WHITE	BLACK	MEXICAN-AMERICAN	OTHER	UNKNOWN
	Total, All Causes	3,372	1,739	546	732	163	192
079	Viral Infection in Conditions Classified Elsewhere and of Unspecified Site	2	1	–	1	–	–
228	Haemangioma and Lymphangioma, Any Site	2	–	–	2	–	–
239	Neoplasm of Unspecified Nature	1	–	1	–	–	–
330	Cerebral Degenerations Usually Manifest in Childhood	1	1	–	–	–	–
552	Other Hernia of Abdominal Cavity with Obstruction, Without Mention of Gangrene	1	1	–	–	–	–
553	Other Hernia of Abdominal Cavity Without Mention of Obstruction or Gangrene	5	4	–	–	–	1
569	Other Disorders of Intestine	1	1	–	–	–	–
740	Anencephalus and Similar Anomalies	84	50	5	19	2	8
741	Spina Bifida	3	2	1	–	–	–
742	Other Congenital Anomalies of Nervous System	28	16	4	6	1	1
745	Bulbus Cordis Anomalies and Anomalies of Cardiac Septal Closure	3	1	–	–	–	2
746	Other Congenital Anomalies of Heart	12	9	1	1	1	–
747	Other Congenital Anomalies of Circulatory System	6	3	3	–	–	–
748	Congenital Anomalies of Respiratory System	4	2	–	1	–	1
749	Cleft Palate and Cleft Lip	1	1	–	–	–	–
751	Other Congenital Anomalies of Digestive System	1	1	–	–	–	–
753	Congenital Anomalies of Urinary System	6	3	1	1	–	1
755	Other Congenital Anomalies of Limbs	1	1	–	–	–	–
756	Other Congenital Musculoskeletal Anomalies	7	5	–	1	1	–
758	Chromosomal Anomalies	4	3	–	–	–	1
759	Other and Unspecified Congenital Anomalies	72	42	4	17	3	6
760	Fetus or Newborn Affected by Maternal Conditions Which May be Unrelated to Present Pregnancy	160	84	21	35	6	14
761	Fetus or Newborn Affected by Maternal Complications of Pregnancy	287	143	50	56	12	26
762	Fetus or Newborn Affected by Complications of Placenta, Cord and Membranes	1,179	659	186	221	63	50
763	Fetus or Newborn Affected by Other Complications of Labour and Delivery	44	24	9	7	3	1
764	Slow Fetal Growth and Fetal Malnutrition	7	3	1	3	–	–
765	Disorders Relating to Short Gestation and Unspecified Low Birthweight	109	51	24	20	3	11
766	Disorders relating to Long Gestation and High Birthweight	3	1	–	1	–	1
767	Birth Trauma	8	3	2	1	1	1
768	Intrauterine Hypoxia and Birth Asphyxia	216	113	34	46	10	13
769	Respiratory Distress Syndrome	4	1	2	–	–	1
770	Other Respiratory Conditions of Fetus and Newborn	31	16	8	6	–	1
771	Infections Specific to the Perinatal Period	7	4	1	1	–	1
772	Fetal and Neonatal Hemorrhage	11	6	2	2	–	1
773	Haemolytic Disease of Fetus or Newborn, Due to Isoimmunization	20	10	4	3	1	2
775	Endocrine and Metabolic Disturbances Specific to the Fetus and Newborn	59	25	13	15	1	5
778	Conditions Involving the Integument and Temperature Regulation of Fetus and Newborn	9	7	1	1	–	–
779	Other and Ill-Defined Conditions Originating in the Perinatal Period	969	438	168	265	55	43
799	Other Ill-Defined and Unknown Causes of Morbidity and Mortality	4	4	–	–	–	–

Note: Includes 87 reported fetal deaths which were under 20 weeks of gestation.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3–6

FETAL DEATHS BY EACH CAUSE AND RACE OF CHILD CALIFORNIA, 1980

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	TOTAL	WHITE	BLACK	MEXICAN-AMERICAN	OTHER	UNKNOWN
	Total, All Causes	3,594	1,877	617	738	273	89
090	Congenital Syphilis	1	–	–	–	1	–
228	Haemangioma and Lymphangioma, Any Site	2	1	–	–	1	–
239	Neoplasm of Unspecified Nature	1	1	–	–	–	–
259	Other Endocrine Disorders	1	1	–	–	–	–
282	Hereditary Haemolytic Anaemias	2	–	2	–	–	–
286	Coagulation Defects	1	1	–	–	–	–
330	Cerebral Degenerations Usually Manifest in Childhood	1	1	–	–	–	–
552	Other Hernia of Abdominal Cavity with Obstruction, Without Mention of Gangrene	1	1	–	–	–	–
553	Other Hernia of Abdominal Cavity Without Mention of Obstruction or Gangrene	6	5	–	1	–	–
605	Redundant Prepuce and Phimosis	1	1	–	–	–	–
740	Anencephalus and Similar Anomalies	71	36	5	20	7	3
741	Spina Bifida	6	3	2	1	–	–
742	Other Congenital Anomalies of Nervous System	26	14	3	4	4	1
745	Bulbus Cordis Anomalies and Anomalies of Cardiac Septal Closure	7	3	2	2	–	–
746	Other Congenital Anomalies of Heart	15	12	2	1	–	–
747	Other Congenital Anomalies of Circulatory System	4	3	1	–	–	–
748	Congenital Anomalies of Respiratory System	2	–	1	1	–	–
749	Cleft Palate and Cleft Lip	2	2	–	–	–	–
751	Other Congenital Anomalies of Digestive System	1	1	–	–	–	–
753	Congenital Anomalies of Urinary System	4	3	1	–	–	–
756	Other Congenital Musculoskeletal Anomalies	5	2	1	2	–	–
758	Chromosomal Anomalies	16	14	–	1	1	–
759	Other and Unspecified Congenital Anomalies	68	40	4	17	4	3
760	Fetus or Newborn Affected by Maternal Conditions Which May be Unrelated to Present Pregnancy	161	81	35	26	14	5
761	Fetus or Newborn Affected by Maternal Complications of Pregnancy	289	139	51	64	22	13
762	Fetus or Newborn Affected by Complications of Placenta, Cord and Membranes	1,178	662	192	207	91	26
763	Fetus or Newborn Affected by Other Complications of Labour and Delivery	39	15	7	10	7	–
764	Slow Fetal Growth and Fetal Malnutrition	9	3	1	2	2	1
765	Disorders Relating to Short Gestation and Unspecified Low Birthweight	122	50	17	33	9	13
766	Disorders Relating to Long Gestation and High Birthweight	10	6	1	2	1	–
767	Birth Trauma	5	5	–	–	–	–
768	Intrauterine Hypoxia and Birth Asphyxia	207	112	30	47	14	4
769	Respiratory Distress Syndrome	1	1	–	–	–	–
770	Other Respiratory Conditions of Fetus or Newborn	36	16	10	8	2	–
771	Infections Specific to the Perinatal Period	12	7	2	2	1	–
772	Fetal and Neonatal Hemorrhage	6	3	–	3	–	–
773	Haemolytic Disease of Fetus or Newborn, due to Isoimmunization	17	11	–	4	1	1
775	Endocrine and Metabolic Disturbances Specific to the Fetus and Newborn	41	20	9	9	3	–
778	Conditions Involving the Integument and Temperature Regulation of Fetus and Newborn	13	8	2	1	–	2
779	Other and Ill-Defined Conditions Originating in the Perinatal Period	1,196	587	236	268	88	17
799	Other Ill-Defined and Unknown Causes of Morbidity and Mortality	8	6	–	2	–	–

Note: Includes 154 reported fetal deaths which were under 20 weeks of gestation.

Source: State of California, Department of Health Services, Fetal Death Records.

4. INFANT DEATHS

Page

Table 4—1. Percent distribution of infant deaths by age and sex: California, 1980 132
4—2. Infant, neonatal, and postneonatal death rates: California, 1960—1980 133
4—3. Age-adjusted perinatal and infant mortality rates among single total births occurring in California by race of child: California Birth Cohorts, 1960, 1965—1980 134

Figure 4—A. Percent distribution of infant deaths by age and sex: California, 1980 132
4—B. Infant, neonatal, and postneonatal death rates: California, 1960—1980 133
4—C. Age-adjusted perinatal death rates by race of child: California Birth Cohorts, 1960, 1965—1980 135

Figure 4–A

PERCENT DISTRIBUTION OF INFANT DEATHS BY AGE AND SEX CALIFORNIA, 1980

(By place of residence)



Source: Table 4–1.

Table 4–1

PERCENT DISTRIBUTION OF INFANT DEATHS BY AGE AND SEX CALIFORNIA, 1980

(By place of residence)

AGE	NUMBER			PERCENT BY AGE AND SEX		
	Total	Male	Female	Total	Male	Female
Total	4,451	2,503	1,948	100.0	56.2	43.8
Under 1 Day	1,392	752	640	31.3	16.9	14.4
1–6 Days	1,000	558	442	22.5	12.5	9.9
7–27 Days	494	275	219	11.1	6.2	4.9
28 Days–11 Months	1,565	918	647	35.2	20.6	14.5
	PERCENT BY SEX			PERCENT BY AGE		
	Total	Male	Female	Total	Male	Female
Total	100.0	56.2	43.8	100.0	100.0	100.0
Under 1 Day	100.0	54.0	46.0	31.3	30.0	32.9
1–6 Days	100.0	55.8	44.2	22.5	22.3	22.7
7–27 Days	100.0	55.7	44.3	11.1	11.0	11.2
28 Days–11 Months	100.0	58.7	41.3	35.2	36.7	33.2

Note: Percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Death Records.

Figure 4—B

INFANT, NEONATAL, AND POSTNEONATAL DEATH RATES CALIFORNIA, 1960—1980

(By place of residence)



Source: Table 4—2.

Table 4—2

INFANT, NEONATAL, AND POSTNEONATAL DEATH RATES CALIFORNIA, 1960—1980

(By place of residence)

YEAR	Infant	Neonatal	Post-neonatal	YEAR	Infant	Neonatal	Post-neonatal
1960	23.3	17.2	6.1	1970	17.2	12.7	4.6
1961	23.3	17.2	6.0	1971	16.5	11.9	4.6
1962	22.9	17.0	5.9	1972	15.9	11.3	4.6
1963	22.3	16.6	5.7	1973	14.6	10.3	4.3
1964	21.7	16.1	5.6	1974	13.7	9.5	4.2
1965	22.1	16.1	6.0	1975	13.4	9.2	4.2
1966	20.9	15.4	5.4	1976	12.4	8.5	3.9
1967	19.6	14.5	5.0	1977	12.1	7.9	4.1
1968	19.0	14.1	4.9	1978	11.9	7.7	4.2
1969	18.3	13.6	4.7	1979	11.3	7.4	3.9
				1980	11.1	7.2	3.9

Note: Rates are per 1,000 live births.

Source: State of California, Department of Health Services, Death and Birth Records.

Table 4—3

AGE-ADJUSTED[1] PERINATAL AND INFANT MORTALITY RATES AMONG SINGLE TOTAL BIRTHS OCCURRING IN CALIFORNIA BY RACE OF CHILD CALIFORNIA BIRTH COHORTS, 1960, 1965—1980

RACE OF CHILD AND COHORT YEAR	TOTAL BIRTHS	LIVE BIRTHS	DEATH RATE[2]				
			Fetal[4]	Neonatal	Perinatal	Post-neonatal	Infant
All Races							
1960	368,149	363,795	11.8 (0.2)	15.5 (0.2)	27.1 (0.3)	5.8 (0.1)	21.2 (0.2)
1965	351,658	347,491	12.0 (0.2)	14.0 (0.2)	25.9 (0.3)	5.0 (0.1)	19.0 (0.2)
1966	334,277	330,553	11.5 (0.2)	13.5 (0.2)	24.8 (0.3)	4.9 (0.1)	18.3 (0.2)
1967	332,956	329,253	11.6 (0.2)	12.9 (0.2)	24.3 (0.3)	4.4 (0.1)	17.3 (0.2)
1968	336,051	332,311	11.7 (0.2)	12.9 (0.2)	24.4 (0.3)	4.6 (0.1)	17.4 (0.2)
1969	349,512	345,792	11.2 (0.2)	12.3 (0.2)	23.4 (0.3)	4.2 (0.1)	16.4 (0.2)
1970	359,345	355,637	10.9 (0.2)	11.2 (0.2)	22.0 (0.3)	4.3 (0.1)	15.4 (0.2)
1971	326,820	323,606	10.5 (0.2)	10.5 (0.2)	20.8 (0.3)	3.9 (0.1)	14.3 (0.2)
1972	303,870	300,953	10.3 (0.2)	10.3 (0.2)	20.4 (0.3)	4.2 (0.1)	14.4 (0.2)
1973	295,170	292,436	9.9 (0.2)	9.3 (0.2)	19.1 (0.3)	3.9 (0.1)	13.2 (0.2)
1974	308,797	305,931	9.9 (0.2)	8.5 (0.2)	18.4 (0.3)	3.9 (0.1)	12.4 (0.2)
1975	314,119	311,395	9.1 (0.2)	8.2 (0.2)	17.3 (0.2)	4.0 (0.1)	12.2 (0.2)
1976	328,566	325,725	9.2 (0.2)	7.5 (0.2)	16.6 (0.2)	3.7 (0.1)	11.2 (0.2)
1977	343,559	340,827	8.4 (0.2)	7.2 (0.2)	15.5 (0.2)	4.3 (0.1)	11.4 (0.2)
1978	351,779	348,995	8.3 (0.2)	6.7 (0.1)	14.9 (0.2)	3.9 (0.1)	10.5 (0.2)
1979	374,596	371,585	8.4 (0.2)	6.4 (0.1)	14.8 (0.2)	3.6 (0.1)	10.1 (0.2)
1980[a]	398,221	395,026	8.4 (0.2)	6.3 (0.1)	14.6 (0.2)	---	---
White Spanish[3]							
1960	57,191	56,398	13.7 (0.5)	15.0 (0.5)	28.5 (0.7)	6.9 (0.4)	21.8 (0.6)
1965	62,512	61,680	13.1 (0.4)	13.1 (0.5)	26.1 (0.6)	5.3 (0.3)	18.4 (0.5)
1966	61,462	60,643	13.3 (0.5)	12.1 (0.4)	25.2 (0.6)	5.3 (0.3)	17.4 (0.5)
1967	62,775	61,980	12.8 (0.4)	11.5 (0.4)	24.1 (0.6)	5.0 (0.3)	16.4 (0.5)
1968	65,024	64,241	12.2 (0.4)	11.7 (0.4)	23.8 (0.6)	4.4 (0.3)	16.1 (0.5)
1969	71,016	70,162	12.3 (0.4)	11.4 (0.4)	23.6 (0.6)	4.1 (0.2)	15.5 (0.5)
1970	76,232	75,364	11.8 (0.4)	10.7 (0.4)	22.4 (0.6)	4.3 (0.2)	15.0 (0.4)
1971	74,577	73,793	11.0 (0.4)	9.8 (0.4)	20.6 (0.5)	3.9 (0.2)	13.7 (0.4)
1972	74,318	73,507	11.5 (0.4)	9.3 (0.4)	20.7 (0.5)	4.0 (0.2)	13.3 (0.4)
1973	78,093	77,343	10.1 (0.4)	8.4 (0.3)	18.4 (0.5)	3.6 (0.2)	12.0 (0.4)
1974	86,091	85,287	10.0 (0.4)	7.8 (0.3)	17.8 (0.5)	3.5 (0.2)	11.3 (0.4)
1975	90,698	89,844	9.9 (0.4)	7.6 (0.3)	17.4 (0.4)	4.0 (0.2)	11.6 (0.4)
1976	98,072	97,179	9.8 (0.3)	7.5 (0.3)	17.2 (0.4)	3.3 (0.2)	10.7 (0.3)
1977	101,509	100,655	9.0 (0.3)	6.7 (0.3)	15.6 (0.4)	3.7 (0.2)	10.4 (0.4)
1978	101,616	100,797	8.5 (0.3)	6.7 (0.3)	15.2 (0.4)	3.5 (0.2)	10.2 (0.3)
1979	107,140	106,296	8.2 (0.3)	5.9 (0.2)	14.1 (0.4)	3.3 (0.2)	9.2 (0.3)
1980[a]	119,997	119,079	8.1 (0.3)	6.3 (0.2)	14.3 (0.4)	---	---
White Non-Spanish							
1960	269,319	266,426	10.8 (0.2)	14.7 (0.2)	25.4 (0.3)	5.1 (0.1)	19.8 (0.3)
1965	244,134	241,523	11.0 (0.2)	13.5 (0.2)	24.3 (0.3)	4.5 (0.1)	17.9 (0.3)
1966	229,535	227,279	10.2 (0.2)	12.9 (0.2)	22.9 (0.3)	4.3 (0.1)	17.1 (0.3)
1967	227,346	225,081	10.4 (0.2)	12.5 (0.2)	22.8 (0.3)	4.0 (0.1)	16.4 (0.3)
1968	227,341	225,014	10.8 (0.2)	12.5 (0.2)	23.2 (0.3)	4.2 (0.1)	16.7 (0.3)
1969	231,366	229,192	9.9 (0.2)	11.8 (0.2)	21.6 (0.3)	3.6 (0.1)	15.4 (0.3)
1970	233,076	230,923	9.8 (0.2)	10.6 (0.2)	20.3 (0.3)	3.8 (0.1)	14.4 (0.3)
1971	205,317	203,527	9.4 (0.2)	10.0 (0.2)	19.4 (0.3)	3.5 (0.1)	13.5 (0.3)
1972	184,950	183,383	9.0 (0.2)	9.8 (0.2)	18.7 (0.3)	3.7 (0.2)	13.4 (0.3)
1973	173,214	171,736	9.2 (0.2)	9.0 (0.2)	18.1 (0.4)	3.6 (0.2)	12.6 (0.3)
1974	175,503	173,977	9.3 (0.2)	8.3 (0.2)	17.5 (0.3)	3.6 (0.2)	11.8 (0.3)
1975	173,610	172,346	7.7 (0.2)	7.8 (0.2)	15.4 (0.3)	3.4 (0.2)	11.2 (0.3)
1976	176,983	175,657	8.0 (0.2)	6.7 (0.2)	14.7 (0.3)	3.6 (0.2)	10.3 (0.3)
1977	184,314	182,995	7.6 (0.2)	6.5 (0.2)	14.1 (0.3)	4.0 (0.2)	10.5 (0.3)
1978	189,535	188,211	7.4 (0.2)	5.6 (0.2)	12.9 (0.3)	3.6 (0.2)	9.2 (0.2)
1979	189,159	187,797	7.7 (0.2)	5.9 (0.2)	13.5 (0.3)	3.4 (0.1)	9.2 (0.2)
1980[a]	200,630	199,138	8.0 (0.2)	5.2 (0.2)	13.2 (0.3)	---	---
Black							
1960	29,434	28,659	19.8 (0.8)	23.3 (0.9)	42.6 (1.2)	8.6 (0.6)	31.7 (1.0)
1965	32,438	31,808	19.9 (0.8)	20.6 (0.8)	40.0 (1.1)	8.2 (0.5)	28.6 (1.0)
1966	31,309	30,737	19.3 (0.8)	19.8 (0.8)	38.7 (1.2)	8.2 (0.5)	27.8 (1.0)
1967	30,792	30,270	18.7 (0.8)	18.9 (0.8)	37.2 (1.2)	6.5 (0.5)	25.3 (1.0)
1968	30,883	30,357	18.2 (0.8)	18.2 (0.8)	36.1 (1.2)	7.1 (0.5)	25.2 (1.0)
1969	33,192	32,626	18.3 (0.8)	17.8 (0.8)	35.7 (1.1)	7.5 (0.5)	25.2 (0.9)
1970	34,830	34,266	17.5 (0.8)	16.9 (0.8)	34.1 (1.1)	6.8 (0.4)	23.6 (0.9)
1971	31,677	31,169	17.7 (0.8)	15.6 (0.8)	33.0 (1.1)	6.5 (0.5)	22.0 (0.9)
1972	29,498	29,076	15.6 (0.8)	17.1 (0.9)	32.4 (1.2)	7.2 (0.5)	24.2 (1.0)
1973	28,953	28,550	14.9 (0.8)	15.0 (0.8)	29.7 (1.2)	6.3 (0.5)	21.3 (1.0)
1974	30,702	30,284	14.7 (0.8)	12.5 (0.7)	27.0 (1.1)	6.4 (0.5)	18.8 (0.9)
1975	31,675	31,210	15.5 (0.8)	13.6 (0.8)	28.9 (1.1)	6.7 (0.5)	20.3 (0.9)
1976	33,442	32,956	15.5 (0.8)	13.1 (0.7)	25.4 (1.0)	5.8 (0.5)	18.9 (0.8)
1977	35,306	34,875	12.8 (0.7)	11.9 (0.6)	24.6 (0.9)	7.5 (0.5)	19.3 (0.8)
1978	36,148	35,675	13.8 (0.7)	12.6 (0.7)	26.2 (1.0)	5.7 (0.4)	18.2 (0.8)
1979	37,431	36,928	14.2 (0.7)	11.1 (0.6)	25.2 (0.9)	6.3 (0.4)	17.4 (0.7)
1980[a]	38,863	38,317	14.8 (0.7)	11.3 (0.6)	25.9 (0.9)	---	---

[1] Direct method of adjustment to 1960 California single total births by age of mother, excluding age unknown.

[2] Fetal and perinatal death rates are per 1,000 total single births; neonatal and infant death rates are per 1,000 single live births; postneonatal death rates are per 1,000 infants surviving 28 days or more.

[3] Not strictly comparable to the category "Mexican-American" used in this report for live births and fetal deaths. For method used to classify Spanish, see Robert W. Buechley, "A Reproducible Method of Counting Persons of Spanish Surname," Journal of the American Statistical Association, 56:88—97, 1961. Blacks with Spanish surnames included in "Black" race category.

[4] Fetal deaths under 20 weeks' gestation are excluded.

[a] Provisional

Note: Figure in parenthesis is standard error of rate.

Source: State of California, Department of Health Services, Birth Cohort Records. (See Chapter 8, pp. 530—531.)

Figure 4—C

AGE-ADJUSTED PERINATAL DEATH RATES BY RACE OF CHILD
CALIFORNIA BIRTH COHORTS, 1960, 1965—1980

(By place of occurrence)



Note: Continuous series only for 1965—1980.

Source: Table 4—3.

10—76474

5. MARRIAGES

Page

Table 5–1. Total, licensed, and nonlicensed marriages: California, 1972–1980 139
5–2. Effect of California nonlicensed marriages on marriage rate: United States, 1974–1980 140
5–3. Counties highest in rate and percent of nonlicensed marriages, and comparison with remaining counties: California, 1978–1980 141
5–4. Effect of California couples marrying in Nevada on the California marriage rate: California and the United States, 1970–1980 142
5–5. Marriages of brides by marriage order combination of bride and groom: California, 1966–1980 143
5–6. Marriages of grooms by marriage order combination of bride and groom: California, 1966–1980 144
5–7. Annual percent change in marriages of brides and grooms by marriage order and marriage order combination: California, 1966–1980 146
5–8. Annual components of change in marriages of brides and grooms by marriage order and marriage order combination: California, 1966–1980 147
5–9. Marriages by previous marital status of bride and groom: California, 1979 and 1980 148
5–10. Marriages by previous marital status of bride and groom—presence of a divorced partner: California, 1966–1980 149
5–11. Median age of bride and groom by marriage order: California, 1966–1980 150
5–12. Median age of bride and groom at primary marriage: California, 1966–1980 .. 151
5–13. Youthful marriages as a percent of all primary marriages: California, 1966–1980 152
5–14. Total licensed marriages and youthful marriages by marriage order combination: California, 1966–1980 153
5–15. Total, licensed, and nonlicensed marriages: California counties, 1979 156
5–16. Total, licensed, and nonlicensed marriages: California counties, 1980 157
5–17. Licensed marriages by month of marriage: California counties, 1979 158

Page

5–18. Licensed marriages by month of marriage: California counties, 1980 159
5–19. Licensed marriages by single years of age of bride and groom by marriage order: California, 1979 160
5–20. Licensed marriages by single years of age of bride and groom by marriage order: California, 1980 162
5–21. Total and primary licensed marriages by age of bride by age of groom: California, 1979 and 1980 164
5–22. Nonprimary licensed marriages by previous marital status of bride and groom by age of bride by age of groom: California, 1979 and 1980 168

Figure 5–A. Percent of marriages by marriage order of bride and groom: California, 1966–1980 145
5–B. Percent youthful and older primary marriages and nonprimary marriages: California, 1966, 1970, and 1980 154
5–C. Youthful and older primary marriages and nonprimary marriages: California, 1966–1980 155

Table 5–1

TOTAL, LICENSED, AND NONLICENSED MARRIAGES
CALIFORNIA, 1972–1980

(Number, rate per 1,000 population, and annual percent change)

YEAR OF MARRIAGE	TOTAL	LICENSED	NONLICENSED	TOTAL	LICENSED	NONLICENSED
	Number			Rate		
1972	176,993	175,918	1,075[a]	8.6	8.5	0.1[a]
	(177,208)[b]	175,918	(1,290)[b]	(8.6)[b]	8.5	(0.1)[b]
1973	172,176	169,319	2,857	8.2	8.1	0.1
1974	171,437	160,882	10,555	8.1	7.6	0.5
1975	173,864	154,803	19,061	8.1	7.2	0.9
1976	181,396	151,271	30,125	8.3	6.9	1.4
1977	181,424	149,416	32,008	8.1	6.7	1.4
1978	188,051	150,589	37,462	8.2	6.6	1.6
1979	199,697	157,736	41,961	8.6	6.8	1.8
1980	210,864	162,824	48,040	8.9	6.8	2.0
	Annual Percent Change					
1972	–	–	–	–	–	–
1973	(–2.8)[b]	–3.8	(121.5)[b]	(–4.7)[b]	–4.7	(–)[b]
1974	–0.4	–5.0	269.4	–1.2	–6.2	400.0
1975	1.4	–3.8	80.6	–	–5.3	80.0
1976	4.3	–2.3	58.0	2.5	–4.2	55.6
1977	c	–1.2	6.3	–2.4	–2.9	–
1978	3.7	0.8	17.0	1.2	–1.5	14.3
1979	6.2	4.7	12.0	4.9	3.0	12.5
1980	5.6	3.2	14.5	3.5	–	11.1
	Net Percent Change, 1972–1980					
	(19.0)[b]	–7.4	(3,624.0)[b]	(3.5)[b]	–20.0	(1,900.0)[b]

a Figure is for ten months, March through December 1972.

b Figures use annual totals projected from ten-month reporting period for 1972 nonlicensed marriages.

c Less than 0.1 percent.

Note: Nonlicensed marriages are confidential marriages performed under provisions of Section 4213, California Civil Code. Reporting of county totals to the state began in March 1972.

Source: State of California, Department of Health Services, Marriage Records.
State of California, Department of Finance, Population Research Unit, Interim July 1 State Estimates, Adjusted to April 1,1980 Census.

Table 5–2

EFFECT OF CALIFORNIA NONLICENSED MARRIAGES ON MARRIAGE RATE UNITED STATES, 1974–1980

YEAR	RATE PER 1,000 POPULATION	
	Excluding Nonlicensed Marriages	Including Nonlicensed Marriages
1974	10.5	10.6
1975	10.1	10.2
1976	10.0	10.2
1977	10.1	10.2
1978	10.3	10.5
1979	10.5	10.7
1980	10.7	10.9

Note: Prior to 1974, the number of California nonlicensed marriages was not large enough to affect the marriage rate for the United States.

Source: State of California, Department of Health Services, Marriage Records.

National Center for Health Statistics, Monthly Vital Statistics Report, *Annual Summary of Births, Deaths, Marriages, and Divorces: United States, 1980*, Vol. 29, No. 13, September 17, 1981.

Table 5–3

COUNTIES HIGHEST IN RATE AND PERCENT OF NONLICENSED MARRIAGES, AND COMPARISON WITH REMAINING COUNTIES CALIFORNIA, 1978–1980

(By place of occurrence)

COUNTY OF MARRIAGE	1978		1979		1980		1978		1979		1980	
	Rate per 1,000 Population						Nonlicensed Marriages as a Percent of Total Marriages					
	Rate	Rank	Rate	Rank	Rate	Rank	Percent	Rank	Percent	Rank	Percent	Rank
California	1.6	. . .	1.8	. . .	2.0	. . .	19.9	. . .	21.0	. . .	22.8	. . .
Del Norte	. . .	. . .	1.9	9	2.4	7	. . .	. . .	. . .	. . .	. . .	. . .
El Dorado	8.1	1	20.7	1	48.9	1	42.9	1	66.2	1	81.7	1
Kern	1.7	8	2.3	6	3.3	4	20.0	9	26.0	5	34.0	3
Lassen	. . .	. . .	. . .	. . .	2.2	9	. . .	. . .	. . .	. . .	. . .	. . .
Los Angeles	2.5	5	2.6	5	2.7	5	29.5	4	29.5	4	30.0	4
Mono	. . .	. . .	2.9	4	2.3	8	. . .	. . .	22.2	10	. . .	. . .
Orange	1.8	7	2.1	7	2.2	9	21.0	8	23.2	8	23.8	6
Riverside	1.7	8	2.0	8	2.5	6	22.6	7	24.8	7	29.3	5
San Bernardino	3.7	2	3.9	2	4.1	2	39.0	2	40.0	2	41.5	2
San Diego	3.3	3	3.5	3	3.5	3	32.8	3	33.9	3	34.0	3
Santa Barbara	1.7	8	1.9	9	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
Santa Cruz	2.7	4	2.6	5	2.3	8	23.9	6	22.4	9	. . .	. . .
Ventura	1.9	6	. . .	. . .	. . .	. . .	24.7	5	22.0	11	. . .	. . .
	Average Rate[1]						Average Percent[2]					
Highest Ranking Counties	2.5		2.7		3.1		28.9		30.1		32.7	
Remaining Counties	0.3		0.4		0.5		4.5		5.3		7.4	
Difference	2.2		2.3		2.6		24.4		24.8		25.3	

[1] Calculated by summing nonlicensed marriages in the specified counties and year, and dividing by the combined population of those counties in that year.

[2] Calculated by summing nonlicensed marriages in the specified counties and year, and dividing by the aggregated total marriages (licensed plus nonlicensed) in the specified counties and year.

Note: All counties that exceeded the statewide rate or percentage of nonlicensed marriages in any of the years 1978–1980 are listed in this table.

Source: State of California, Department of Health Services, Marriage Records.
State of California, Department of Finance, Intercensal Estimates of July 1 Total Population, Adjusted to April 1, 1980 Census, March 1981.
State of California, Department of Finance, Interim July 1 Total Population Projections 1980–1990, Report 81 P–1, April 1981.

Table 5–4

EFFECT OF CALIFORNIA COUPLES MARRYING IN NEVADA ON THE CALIFORNIA MARRIAGE RATE CALIFORNIA AND THE UNITED STATES, 1970–1980

(By place of occurrence)

YEAR	CALIFORNIA				UNITED STATES	
	Unadjusted		Adjusted[1]			
	Number	Rate	Number	Rate	Number	Rate
1970	172,388	8.6	226,071	11.3	2,158,802	10.6
1971	168,049	8.3	221,625	10.9	2,190,481	10.6
1972	176,993	8.6	235,484	11.5	2,282,154	11.0
1973	172,176	8.2	229,676	11.1	2,284,108	10.9
1974	171,437	8.1	228,245	10.9	2,229,667	10.5
1975	173,864	8.1	229,721	10.8	2,152,662	10.1
1976	181,396	8.3	238,820	11.1	2,154,807	10.0
1977	181,424	8.1	236,794	10.8	2,178,367	10.1
1978	188,051	8.2	254,611	11.4	2,282,272[a]	10.5[a]
1979	199,697	8.6	266,728	11.5	2,359,000[b]	10.7[b]
1980	210,864	8.9	274,340	11.5	2,413,000[b]	10.9[b]

[1] An estimated 55 percent of total Nevada marriages involve California residents. The adjusted figures combine the latter with total marriages occurring in California.

[a] Beginning with 1978, United States figures include California nonlicensed marriages (Section 4213, California Civil Code).

[b] Provisional data.

Note: Rates are per 1,000 estimated population.

Source: State of California, Department of Health Services Marriage Records.
State of Nevada, Division of Health, Vital Statistics Section.
National Center for Health Statistics, *Vital Statistics of the United States, 1970 through 1977; Monthly Vital Statistics Reports*, Vol. 29, No. 13, September 17, 1981, for 1978 through 1980 data.

Table 5–5

MARRIAGES OF BRIDES BY MARRIAGE ORDER COMBINATION OF BRIDE AND GROOM CALIFORNIA, 1966–1980

YEAR	ALL MARRIAGES	FIRST MARRIAGES			REMARRIAGES			UN-KNOWN[1]
		Total	For Both	Remarriage For Groom	Total	First Marriage For Groom	Remarriage For Both	
	NUMBER							
1966	144,085	107,620	96,430	11,190	35,617	11,438	24,179	848
1967	150,000	112,901	101,602	11,299	36,285	11,891	24,394	814
1968	161,944	123,310	110,856	12,454	37,563	12,502	25,061	1,071
1969	166,832	127,040	113,807	13,233	38,879	12,928	25,951	913
1970	172,388	127,308	112,322	14,986	44,429[a]	14,413	30,016[a]	651
1971	168,049	122,296	107,192	15,104	45,041	14,554	30,487	712
1972	175,918	128,556	112,537[b]	16,019	46,803	15,142	31,661	559
1973	169,319	122,940	106,617	16,323	45,792	14,870	30,922	587
1974	160,882	115,759	99,545	16,214	44,594	14,512	30,082	529
1975	154,803	109,442	92,842	16,600	44,889	14,222	30,667	472
1976	151,271	106,950	89,967	16,983	43,851	13,817	30,034	470
1977	149,416	104,678	87,194	17,484	44,356	13,813	30,543	382
1978	150,589	106,146	88,236	17,910	44,107	14,119	29,988	336
1979	157,736	111,178	92,546	18,632	46,188	15,047	31,141	370
1980	162,824	115,902	96,549	19,353	46,627	16,108	30,519	295
	PERCENT DISTRIBUTION							
1966	100.0	74.7	66.9	7.8	24.7	7.9	16.8	0.6
1967	100.0	75.3	67.7	7.5	24.2	7.9	16.3	0.5
1968	100.0	76.1	68.5	7.7	23.2	7.7	15.5	0.7
1969	100.0	76.1	68.2	7.9	23.3	7.7	15.6	0.5
1970	100.0	73.8	65.2	8.7	25.8	8.4	17.4	0.4
1971	100.0	72.8	63.8	9.0	26.8	8.7	18.1	0.4
1972	100.0	73.1	64.0	9.1	26.6	8.6	18.0	0.3
1973	100.0	72.6	63.0	9.6	27.0	8.8	18.3	0.3
1974	100.0	72.0	61.9	10.1	27.7	9.0	18.7	0.3
1975	100.0	70.7	60.0	10.7	29.0	9.2	19.8	0.3
1976	100.0	70.7	59.5	11.2	29.0	9.1	19.9	0.3
1977	100.0	70.1	58.4	11.7	29.7	9.2	20.4	0.3
1978	100.0	70.5	58.6	11.9	29.3	9.4	19.9	0.2
1979	100.0	70.5	58.7	11.8	29.3	9.5	19.7	0.2
1980	100.0	71.2	59.3	11.9	28.6	9.9	18.7	0.2

[1] Marriage order unknown for either the bride or groom, or both.

[a] The large increment in remarriages in 1970 was related to the Family Law Act, implemented January 1, 1970. This statute shortened the compulsory waiting period for dissolutions of marriage from one year to six months. An unusually large number of pending dissolutions thus suddenly became final in 1970. Many of these newly divorced men and women remarried that same year.

[b] The 1972 increment in primary marriages (first for both partners) is believed to have resulted from first marriages among large numbers of Vietnam veterans released in 1971 and 1972.

Note: This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972.

Percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Marriage Records.

Table 5–6

MARRIAGES OF GROOMS BY MARRIAGE ORDER COMBINATION OF BRIDE AND GROOM CALIFORNIA, 1966–1980

YEAR	ALL MARRIAGES	FIRST MARRIAGES			REMARRIAGES			UN-KNOWN[1]
		Total	For Both	Remarriage For Bride	Total	First Marriage For Bride	Remarriage For Both	
	NUMBER							
1966	144,085	107,868	96,430	11,438	35,369	11,190	24,179	848
1967	150,000	113,493	101,602	11,891	35,693	11,299	24,394	814
1968	161,944	123,358	110,856	12,502	37,515	12,454	25,061	1,071
1969	166,832	126,735	113,807	12,928	39,184	13,233	25,951	913
1970	172,388	126,735	112,322	14,413	45,002[a]	14,986	30,016[a]	651
1971	168,049	121,746	107,192	14,554	45,591	15,104	30,487	712
1972	175,918	127,679	112,537[b]	15,142	47,680	16,019	31,661	559
1973	169,319	121,487	106,617	14,870	47,245	16,323	30,922	587
1974	160,882	114,057	99,545	14,512	46,296	16,214	30,082	529
1975	154,803	107,064	92,842	14,222	47,267	16,600	30,667	472
1976	151,271	103,784	89,967	13,817	47,017	16,983	30,034	470
1977	149,416	101,007	87,194	13,813	48,027	17,484	30,543	382
1978	150,589	102,355	88,236	14,119	47,898	17,910	29,988	336
1979	157,736	107,593	92,546	15,047	49,773	18,632	31,141	370
1980	162,824	112,657	96,549	16,108	49,872	19,353	30,519	295
	PERCENT DISTRIBUTION							
1966	100.0	74.9	66.9	7.9	24.5	7.8	16.8	0.6
1967	100.0	75.7	67.7	7.9	23.8	7.5	16.3	0.5
1968	100.0	76.2	68.5	7.7	23.2	7.7	15.5	0.7
1969	100.0	76.0	68.2	7.7	23.5	7.9	15.6	0.5
1970	100.0	73.5	65.2	8.4	26.1	8.7	17.4	0.4
1971	100.0	72.4	63.8	8.7	27.1	9.0	18.1	0.4
1972	100.0	72.6	64.0	8.6	27.1	9.1	18.0	0.3
1973	100.0	71.8	63.0	8.8	27.9	9.6	18.3	0.3
1974	100.0	70.9	61.9	9.0	28.8	10.1	18.7	0.3
1975	100.0	69.2	60.0	9.2	30.5	10.7	19.8	0.3
1976	100.0	68.6	59.5	9.1	31.1	11.2	19.9	0.3
1977	100.0	67.6	58.4	9.2	32.1	11.7	20.4	0.3
1978	100.0	68.0	58.6	9.4	31.8	11.9	19.9	0.2
1979	100.0	68.2	58.7	9.5	31.6	11.8	19.7	0.2
1980	100.0	69.2	59.3	9.9	30.6	11.9	18.7	0.2

[1] Marriage order unknown for either the bride or groom, or both.

[a] The large increment in remarriages in 1970 was related to the Family Law Act, implemented January 1, 1970. This statute shortened the compulsory waiting period for dissolutions of marriage from one year to six months. An unusually large number of pending dissolutions thus suddenly became final in 1970. Many of these newly divorced men and women remarried that same year.

[b] The 1972 increment in primary marriages (first for both partners) is believed to have resulted from first marriages among large numbers of Vietnam veterans released in 1971 and 1972.

Note: This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972.

Percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Marriage Records.

Figure 5—A

PERCENT OF MARRIAGES BY MARRIAGE ORDER OF BRIDE AND GROOM CALIFORNIA, 1966—1980



Source: Tables 5—5 and 5—6.

Table 5–7

ANNUAL PERCENT CHANGE IN MARRIAGES OF BRIDES AND GROOMS BY MARRIAGE ORDER AND MARRIAGE ORDER COMBINATION CALIFORNIA 1966–1980

YEAR OF MAR–RIAGE	ALL MAR–RIAGES	MARRIAGE ORDER				MARRIAGE ORDER COMBINATION			
		First Marriage		Remarriage		Pri-mary[1]	Nonprimary		
		Bride	Groom	Bride	Groom		First for Bride—Remarriage for Groom	First for Groom—Remarriage for Bride	Remarriage for Both
1966	–	–	–	–	–	–	–	–	–
1967	4.1	4.9	5.2	1.9	0.9	5.4	1.0	4.0	0.9
1968	8.0	9.2	8.7	3.5	5.1	9.1	10.2	5.1	2.7
1969	3.0	3.0	2.7	3.5	4.4	2.7	6.3	3.4	3.6
1970	3.3	0.2	–	14.3 [a]	14.8 [a]	–1.3	13.2 [a]	11.5 [a]	15.7 [a]
1971	–2.5	–3.9	–3.9	1.4	1.3	–4.6	0.8	1.0	1.6
1972	4.7	5.1	4.9	3.9	4.6	5.0 [b]	6.1	4.0	3.9
1973	–3.8	–4.4	–4.8	–2.2	–0.9	–5.3	1.9	–1.8	–2.3
1974	–5.0	–5.8	–6.1	–2.6	–2.0	–6.6	–0.7	–2.4	–2.7
1975	–3.8	–5.5	–6.1	0.7	2.1	–6.7	2.4	–2.0	1.9
1976	–2.3	–2.3	–3.1	–2.3	–0.5	–3.1	2.3	–2.8	–2.1
1977	–1.2	–2.1	–2.7	1.2	2.1	–3.1	3.0	–0.0	1.7
1978	0.8	1.4	1.3	–0.6	–0.3	1.2	2.4	2.2	–1.8
1979	4.7	4.7	5.1	4.7	3.9	4.9	4.0	6.6	3.8
1980	3.2	4.2	4.7	1.0	0.2	4.3	3.9	7.1	–2.0

[1] First marriage for both bride and groom.

[a] The large increment in remarriages in 1970 was related to the Family Law Act, implemented January 1, 1970. This statute shortened the compulsory waiting period for dissolutions of marriage from one year to six months. An unusually large number of pending dissolutions thus suddenly became final in 1970. Many of these newly divorced men and women remarried that same year.

[b] The 1972 increment in primary marriages is believed to have resulted from first marriages among large numbers of Vietnam veterans released in 1971 and 1972.

Note: This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972.

Source: Table 5–5 and 5–6.

State of California, Department of Health Services, Marriage Records.

Table 5–8

ANNUAL COMPONENTS OF CHANGE IN MARRIAGES OF BRIDES AND GROOMS BY MARRIAGE ORDER AND MARRIAGE ORDER COMBINATION CALIFORNIA, 1966–1980

(Annual change in number)

YEAR OF MAR–RIAGE	ALL MAR–RIAGES	MARRIAGE ORDER				MARRIAGE ORDER COMBINATION				UN-KNOWN[2]
		First Marriage		Remarriage		Pri-mary[1]	Nonprimary			
		Bride	Groom	Bride	Groom		First for Bride–Remar-riage for Groom	First for Groom–Remar-riage for Bride	Remar-riage for Both	
1967	5,915	5,281	5.625	668	324	5,172	109	453	215	–34
1968	11,944	10,409	9,865	1,278	1,822	9,254	1,155	611	667	257
1969	4,888	3,730	3,377	1,316	1,669	2,951	779	426	890	–158
1970	5,556	268	–	5,550[a]	5,818[a]	–1,485	1,753[a]	1,485[a]	4,065[a]	–262
1971	–4,339	–5,012	–4,989	612	589	–5,130	118	141	471	61
1972	7,869	6,260	5,933	1,762	2,089	5,345[b]	915	588	1,174	–153
1973	–6,599	–5,616	–6,192	–1,011	–435	–5,920	304	–272	–739	28
1974	–8,437	–7,181	–7,430	–1,198	–949	–7,072	–109	–358	–840	–58
1975	–6,079	–6,317	–6,993	295	971	–6,703	386	–290	585	–57
1976	–3,532	–2,492	–3,280	–1,038	–250	–2,875	383	–405	–633	–2
1977	–1,855	–2,272	–2,777	505	1,010	–2,773	501	–4	509	–88
1978	1,173	1,468	1,348	–249	–129	1,042	426	306	–555	–46
1979	7,147	5,032	5,238	2,081	1,875	4,310	722	928	1,153	34
1980	5,088	4,724	5,064	439	99	4,003	721	1,061	–622	–75

[1] First marriage for both bride and groom.

[2] Marriage order unknown for either the bride or groom, or both.

[a] The large increment in remarriages in 1970 was related to the Family Law Act, implemented January 1, 1970. This statute shortened the compulsory waiting period for dissolutions of marriage from one year to six months. An unusually large number of pending dissolutions thus suddenly became final in 1970. Many of these newly divorced men and women remarried that same year.

[b] The 1972 increment in primary marriages (first for both partners) is believed to have resulted from first marriages among large numbers of Vietnam veterans released in 1971 and 1972.

Note: This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972.

Source: Table 5–5 and 5–6.

State of California, Department of Health Services, Marriage Records.

Table 5–9

MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM CALIFORNIA, 1979 AND 1980

PREVIOUS MARITAL STATUS	1980		1979	
	Bride	Groom	Bride	Groom
	NUMBER			
Total	162,824	162,824	157,736	157,736
Single	115,949	112,697	111,237	107,643
Divorced	41,934	45,060	40,871	44,550
Widowed	4,724	4,836	5,344	5,260
Unknown	217	231	284	283
	PERCENT			
Total	100.0	100.0	100.0	100.0
Single	71.2	69.2	70.5	68.2
Divorced	25.8	27.7	25.9	28.2
Widowed	2.9	3.0	3.4	3.3
Unknown	0.1	0.1	0.2	0.2

Note: Percents are rounded independently and may not add to totals.

This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972. Nonlicensed marriages totaled 41,961 in 1979 and 48,040 in 1980.

Source: State of California, Department of Health Services, Marriage Records.

Table 5–10

MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM–PRESENCE OF A DIVORCED PARTNER CALIFORNIA, 1966–1980

YEAR OF MARRIAGE	PREVIOUS MARITAL STATUS COMBINATION		
	Total	One or Both Partners Divorced	All Other[1] Combinations
	NUMBER		
1966	144,085	42,150	101,935
1967	150,000	42,826	107,174
1968	161,944	45,381	116,563
1969	166,832	47,178	119,654
1970	172,388	54,549	117,839
1971	168,049	55,292	112,757
1972	175,918	57,995	117,923
1973	169,319	57,601	111,718
1974	160,882	56,623	104,259
1975	154,803	57,562	97,241
1976	151,271	57,185	94,086
1977	149,416	58,286	91,130
1978	150,589	58,753	91,836
1979	157,736	61,025	96,711
1980	162,824	62,642	100,182
	ANNUAL PERCENT CHANGE		
1966	–	–	–
1967	4.1	1.6	5.1
1968	8.0	6.0	8.8
1969	3.0	4.0	2.7
1970	3.3	15.6[a]	–1.5
1971	–2.5	1.4	–4.3
1972	4.7	4.9	4.6
1973	–3.8	–0.7	–5.3
1974	–5.0	–1.7	–6.7
1975	–3.8	1.7	–6.7
1976	–2.3	–0.7	–3.2
1977	–1.2	1.9	–3.1
1978	0.8	0.8	0.8
1979	4.7	3.9	5.3
1980	3.2	2.6	3.6
	PERCENT DISTRIBUTION		
1966	100.0	29.3	70.7
1967	100.0	28.6	71.4
1968	100.0	28.0	72.0
1969	100.0	28.3	71.7
1970	100.0	31.6	68.4
1971	100.0	32.9	67.1
1972	100.0	33.0	67.0
1973	100.0	34.0	66.0
1974	100.0	35.2	64.8
1975	100.0	37.2	62.8
1976	100.0	37.8	62.2
1977	100.0	39.0	61.0
1978	100.0	39.0	61.0
1979	100.0	38.7	61.3
1980	100.0	38.5	61.5

[1] Includes single bride–single groom, single bride–widowed groom, widowed bride–single groom, widowed bride–widowed groom, and previous marital status for either or both not ascertained.

[a] Large increment resulted from implementation of the Family Law Act, January 1, 1970. See footnote a, Table 5–8.

Note: This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972.

Source: State of California, Department of Health Services, Marriage Records.

Table 5–11

MEDIAN AGE OF BRIDE AND GROOM BY MARRIAGE ORDER
CALIFORNIA, 1966–1980

YEAR OF MARRIAGE	BRIDES			GROOMS		
	Marriage Order					
	Total	First Marriage	Second or Higher	Total	First Marriage	Second or Higher
1966	21.5	20.2	34.3	23.9	22.5	38.6
1967	21.4	20.3	34.2	23.9	22.4	38.4
1968	21.5	20.5	33.2	23.7	22.4	37.6
1969	21.6	20.5	32.5	23.7	22.5	38.8
1970	22.0	20.7	32.5	24.1	22.7	37.0
1971	22.3	20.8	32.5	24.5	22.9	37.1
1972	22.2	20.8	32.4	24.4	22.7	36.9
1973	22.5	20.9	32.0	24.8	22.9	36.5
1974	22.7	21.1	31.8	25.0	23.1	36.0
1975	23.0	21.3	31.8	25.5	23.3	35.7
1976	23.3	21.5	31.8	25.7	23.5	35.5
1977	23.6	21.7	32.0	26.0	23.7	35.7
1978	23.8	22.0	32.0	26.2	24.0	35.7
1979	24.0	22.2	32.4	26.5	24.2	35.9
1980	24.2	22.4	32.6	26.6	24.3	35.9

Note: This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972.

Source: State of California, Department of Health Services, Marriage Records.

Table 5–12

MEDIAN AGE OF BRIDE AND GROOM AT PRIMARY MARRIAGE
CALIFORNIA, 1966–1980

YEAR OF MARRIAGE	BRIDES	GROOMS	YEAR OF MARRIAGE	BRIDES	GROOMS
1966	19.9	22.1	1974	20.7	22.7
1967	20.1	22.1	1975	20.9	22.9
1968	20.3	22.0	1976	21.1	23.1
1969	20.3	22.2	1977	21.3	23.3
1970	20.4	22.4	1978	21.6	23.5
1971	20.6	22.6	1979	21.8	23.7
1972	20.5	22.4	1980	22.0	23.9
1973	20.6	22.6			

Note: Primary marriages are first marriages of both the bride and groom.

This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972.

Source: State of California, Department of Health Services, Marriage Records.

Table 5–13

YOUTHFUL MARRIAGES AS A PERCENT OF ALL PRIMARY MARRIAGES

CALIFORNIA, 1966–1980

YEAR	AGE COMBINATION OF GROOM AND BRIDE							
	Total Primary Marriages	Youthful	Older	All Youthful Marriages	Groom Under 18 and Bride Under 18	Groom Under 18 and Bride 18–19	Groom 18–20 and Bride Under 18	Groom 18–20 and Bride 18–19
	NUMBER			PERCENT				
1966	96,430	28,876	67,554	29.9	1.5	0.5	9.8	18.1
1967	101,602	29,480	72,122	29.0	1.4	0.5	9.3	17.9
1968	110,856	29,575	81,281	26.7	1.4	0.5	8.9	15.9
1969	113,807	29,720	84,087	26.1	1.6	0.5	8.8	15.2
1970	112,169	28,275	83,894	25.2	1.6	0.5	8.4	14.7
1971	107,066	24,679	82,387	23.1	1.4	0.5	5.8	15.4
1972	112,429[a]	28,555[a]	83,874[a]	25.4[a]	1.4	0.5	6.4[a]	17.1[a]
1973	106,617	25,580	81,037	24.0	1.3	0.5	5.9	16.3
1974	99,545	22,215	77,330	22.3	1.1	0.4	5.5	15.3
1975	92,841	19,200	73,641	20.7	0.8	0.3	4.9	14.6
1976	89,967	16,769	73,198	18.6	0.6	0.3	4.5	13.2
1977	87,191	14,929	72,262	17.1	0.7	0.3	4.1	12.1
1978	88,236	13,173	75,063	14.9	0.5	0.2	3.4	10.8
1979	92,546	12,750	79,796	13.8	0.4	0.2	3.1	10.0
1980	96,549	12,466	84,083	12.9	0.4	0.2	2.8	9.4

a Increase in primary, and especially in youthful primary marriages in 1972 is believed to have resulted from first marriages among large numbers of Vietnam veterans released in 1971 and 1972.

Note: Youthful marriages are defined as primary marriages (first marriages for both partners) in which the groom is under 21 years of age and the bride is under 20 years of age.

This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972.

Percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Marriage Records.

Table 5–14

TOTAL LICENSED MARRIAGES AND YOUTHFUL MARRIAGES BY MARRIAGE ORDER COMBINATION
CALIFORNIA, 1966–1980
(Number, annual percent change, and percent distribution)

MARRIAGE ORDER	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980
	NUMBER														
Total	144,085	150,000	161,944	166,832	172,388	168,049	175,918	169,319	160,882	154,803	151,271	149,416	150,589	157,736	162,824
Youthful Primary	28,876	29,480	29,575	29,720	28,275	24,679	28,555[a]	25,580	22,215	19,200	16,769	14,929	13,173	12,750	12,466
Older Primary	67,554	72,122	81,281	84,087	83,894	82,387	83,874[a]	81,037	77,330	73,641	73,198	72,262	75,063	79,796	84,083
Nonprimary	47,655	48,398	51,088	53,025	60,219[b]	60,983	63,489	62,702	61,337	61,962	61,304	62,225	62,353	65,190	66,275
	ANNUAL PERCENT CHANGE														
Total	–	4.1	8.0	3.0	3.3	–2.5	4.7	–3.8	–5.0	–3.8	–2.3	–1.2	0.8	4.7	3.2
Youthful Primary	–	2.1	0.3	0.5	–4.8	–12.7	15.7[a]	–10.4	–13.2	–13.6	–12.7	–11.0	–11.8	–3.2	–2.2
Older Primary	–	6.8	12.7	3.4	–0.2	–1.8	1.8[a]	–3.4	–4.6	–4.8	–0.6	–1.3	3.9	6.3	5.4
Nonprimary	–	1.6	5.6	3.8	13.6[b]	1.3	4.1	–1.2	–2.2	1.0	–1.1	1.5	0.2	4.5	1.7
	PERCENT DISTRIBUTION														
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Youthful Primary	20.0	19.7	18.3	17.8	16.4	14.7	16.2[a]	15.1	13.8	12.4	11.1	10.0	8.7	8.1	7.7
Older Primary	46.9	48.1	50.2	50.4	48.7	49.0	47.7	47.9	48.1	47.6	48.4	48.4	49.8	50.6	51.6
Nonprimary	33.1	32.3	31.5	31.8	34.9	36.3	36.1	37.0	38.1	40.0	40.5	41.6	41.4	41.3	40.7

[a] Increase in primary, and especially in youthful primary marriages in 1972 is believed to have resulted from first marriages among large numbers of Vietnam veterans released in 1971 and 1972.

[b] Large increment of nonprimary (remarriage of one or both partners) resulted from implementation of the Family Law Act, January 1, 1970. See footnote a, Table 5–7 or 5–8.

Note: Primary marriages are first marriages of both bride and groom. Youthful primary marriages are those wherein the bride is under age 20 and the groom is under 21. Nonprimary marriages include all marriages wherein one or both partners have been previously married.

This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972.

Distribution by marriage order percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Marriage Records.

Figure 5—B

PERCENT YOUTHFUL AND OLDER PRIMARY MARRIAGES AND NONPRIMARY MARRIAGES CALIFORNIA, 1966, 1970, AND 1980



Source: Table 5—14.

Figure 5–C

YOUTHFUL AND OLDER PRIMARY MARRIAGES AND NONPRIMARY MARRIAGES CALIFORNIA, 1966–1980



Source: Table 5–14.

Table 5–15

TOTAL, LICENSED, AND NONLICENSED MARRIAGES CALIFORNIA COUNTIES, 1979

(By place of occurrence)

COUNTY OF MARRIAGE	NUMBER			RATE		
	Total	Licensed	Nonlicensed	Total	Licensed	Nonlicensed
California	199,697	157,736	41,961	8.6	6.8	1.8
Alameda	8,059	7,760	299	7.3	7.0	0.3
Alpine	26	25	1	23.6	22.7	a
Amador	134	128	6	7.2	6.8	0.3
Butte	857	854	3	6.2	6.2	a
Calaveras	132	132	–	6.6	6.6	–
Colusa	63	61	2	4.8	4.7	a
Contra Costa	4,011	3,673	338	6.2	5.7	0.5
Del Norte	186	152	34	10.5	8.6	1.9
El Dorado	2,533	857	1,676	31.3	10.6	20.7
Fresno	4,192	3,733	459	8.3	7.4	0.9
Glenn	139	138	1	6.6	6.6	a
Humboldt	1,011	996	15	9.3	9.2	0.1
Imperial	737	726	11	8.2	8.1	0.1
Inyo	112	109	3	6.2	6.0	a
Kern	3,535	2,615	920	9.0	6.6	2.3
Kings	561	544	17	7.6	7.4	0.2
Lake	228	216	12	6.6	6.2	0.3
Lassen	163	129	34	7.7	6.1	1.6
Los Angeles	64,469	45,431	19,038	8.7	6.1	2.6
Madera	454	444	10	7.5	7.4	0.2
Marin	2,186	2,077	109	9.8	9.3	0.5
Mariposa	267	266	1	25.2	25.1	a
Mendocino	678	646	32	10.4	9.9	0.5
Merced	946	938	8	7.2	7.1	0.1
Modoc	58	56	2	6.9	6.7	a
Mono	108	84	24	13.2	10.2	2.9
Monterey	4,165	3,943	222	14.5	13.7	0.8
Napa	736	710	26	7.5	7.2	0.3
Nevada	490	490	–	10.1	10.1	–
Orange	17,029	13,080	3,949	9.0	6.9	2.1
Placer	873	868	5	7.7	7.6	0.0
Plumas	138	136	2	8.3	8.1	a
Riverside	5,133	3,858	1,275	8.0	6.0	2.0
Sacramento	5,519	5,103	416	7.2	6.6	0.5
San Benito	215	215	–	8.8	8.8	–
San Bernardino	8,339	5,000	3,339	9.8	5.8	3.9
San Diego	19,054	12,589	6,465	10.4	6.9	3.5
San Francisco	6,297	5,924	373	9.3	8.7	0.5
San Joaquin	1,960	1,933	27	5.8	5.7	0.1
San Luis Obispo	1,435	1,258	177	9.5	8.3	1.2
San Mateo	3,770	3,699	71	6.4	6.3	0.1
Santa Barbara	3,407	2,847	560	11.5	9.6	1.9
Santa Clara	8,634	8,380	254	6.8	6.6	0.2
Santa Cruz	2,144	1,663	481	11.6	9.0	2.6
Shasta	972	925	47	8.6	8.2	0.4
Sierra	25	25	–	8.1	8.1	–
Siskiyou	376	374	2	9.7	9.6	a
Solano	1,348	1,298	50	6.0	5.8	0.2
Sonoma	2,325	2,210	115	8.0	7.6	0.4
Stanislaus	1,733	1,671	62	6.6	6.4	0.2
Sutter	263	262	1	5.1	5.1	a
Tehama	255	251	4	6.8	6.7	a
Trinity	118	113	5	10.1	9.7	0.4
Tulare	1,822	1,741	81	7.6	7.2	0.3
Tuolumne	352	340	12	10.6	10.3	0.4
Ventura	3,956	3,084	872	7.7	6.0	1.7
Yolo	588	575	13	5.3	5.1	0.1
Yuba	381	381	–	7.7	7.7	–

a Rates not calculated for fewer than five cases.

Note: Nonlicensed marriages are confidential marriages performed under provisions of Section 4213, California Civil Code. Reporting of county totals to the State began in March 1972.

Rates are per 1,000 estimated population.

Source: State of California, Department of Health Services, Marriage Records.

State of California, Department of Finance, Intercensal Estimates of July 1 Total Population, Adjusted to April 1, 1980 Census, March 1981.

Table 5–16

TOTAL, LICENSED, AND NONLICENSED MARRIAGES CALIFORNIA COUNTIES, 1980

(By place of occurrence)

COUNTY OF MARRIAGE	NUMBER			RATE		
	Total	Licensed	Nonlicensed	Total	Licensed	Nonlicensed
California	210,864	162,824	48,040	8.9	6.8	2.0
Alameda	8,231	7,916	315	7.4	7.2	0.3
Alpine	18	18	–	16.4	16.4	–
Amador	155	151	4	7.9	7.7	a
Butte	937	929	8	6.4	6.4	0.1
Calaveras	157	157	–	7.5	7.5	–
Colusa	100	98	2	7.9	7.7	a
Contra Costa	3,955	3,786	169	6.0	5.7	0.3
Del Norte	215	171	44	11.7	9.3	2.4
El Dorado	5,243	958	4,285	59.8	10.9	48.9
Fresno	4,655	3,651	1,004	9.0	7.1	1.9
Glenn	159	158	1	7.4	7.3	a
Humboldt	1,078	1,066	12	10.0	9.9	0.1
Imperial	773	761	12	8.3	8.2	0.1
Inyo	124	124	–	6.9	6.9	–
Kern	3,950	2,606	1,344	9.7	6.4	3.3
Kings	657	632	25	8.9	8.6	0.3
Lake	278	256	22	7.5	6.9	0.6
Lassen	216	169	47	9.9	7.8	2.2
Los Angeles	66,718	46,723	19,995	8.9	6.2	2.7
Madera	424	407	17	6.6	6.4	0.3
Marin	2,283	2,138	145	10.2	9.6	0.7
Mariposa	291	291	–	25.5	25.5	–
Mendocino	643	609	34	9.6	9.1	0.5
Merced	1,047	1,028	19	7.7	7.6	0.1
Modoc	46	44	2	5.3	5.1	a
Mono	115	95	20	13.4	11.0	2.3
Monterey	4,348	4,093	255	14.9	14.1	0.9
Napa	738	716	22	7.4	7.2	0.2
Nevada	574	574	–	10.9	10.9	–
Orange	18,178	13,846	4,332	9.4	7.1	2.2
Placer	978	940	38	8.3	7.9	0.3
Plumas	155	155	–	8.8	8.8	–
Riverside	5,744	4,060	1,684	8.6	6.0	2.5
Sacramento	5,521	5,047	474	7.0	6.4	0.6
San Benito	199	198	1	7.9	7.9	a
San Bernardino	8,938	5,232	3,706	9.9	5.8	4.1
San Diego	19,394	12,791	6,603	10.4	6.8	3.5
San Francisco	6,524	6,091	433	9.6	9.0	0.6
San Joaquin	2,084	2,055	29	6.0	5.9	0.1
San Luis Obispo	1,423	1,303	120	9.1	8.3	0.8
San Mateo	3,799	3,730	69	6.5	6.3	0.1
Santa Barbara	3,491	2,878	613	11.7	9.6	2.0
Santa Clara	9,190	8,861	329	7.1	6.8	0.3
Santa Cruz	2,077	1,640	437	11.0	8.7	2.3
Shasta	1,010	990	20	8.7	8.5	0.2
Sierra	34	31	3	11.0	10.0	a
Siskiyou	324	306	18	8.1	7.6	0.4
Solano	1,407	1,345	62	5.9	5.6	0.3
Sonoma	2,293	2,182	111	7.6	7.2	0.4
Stanislaus	1,912	1,836	76	7.2	6.9	0.3
Sutter	283	280	3	5.4	5.4	a
Tehama	250	246	4	6.3	6.2	a
Trinity	110	105	5	9.2	8.8	0.4
Tulare	1,890	1,791	99	7.6	7.2	0.4
Tuolumne	362	352	10	10.6	10.3	0.3
Ventura	4,212	3,263	949	7.9	6.1	1.8
Yolo	589	581	8	5.2	5.1	0.1
Yuba	365	364	1	7.3	7.3	a

a Rates not calculated for fewer than five cases.

Note: Nonlicensed marriages are confidential marriages performed under provisions of Section 4213, California Civil Code. Reporting of county totals to the State began in March 1972.

Rates are per 1,000 estimated population.

Source: State of California, Department of Health Services, Marriage Records.

State of California, Department of Finance, Interim July 1 Total Population Projections; 1980–1990, Report 81 P–1, April 1981.

Table 5–17

LICENSED MARRIAGES BY MONTH OF MARRIAGE
CALIFORNIA COUNTIES, 1979

(By place of occurrence)

COUNTY OF MARRIAGE	TOTAL		January	February	March	April	May	June	July	August	September	October	November	December
	Number	Rate												
California	157,736	6.8	8,289	9,890	11,226	11,913	13,065	19,854	14,595	17,098	15,413	11,325	11,605	13,463
Alameda	7,760	7.0	402	491	513	567	641	958	772	903	783	546	562	622
Alpine	25	22.7	–	–	2	1	–	4	4	–	4	2	4	4
Amador	128	6.8	8	7	7	9	13	14	14	14	13	9	11	9
Butte	854	6.2	39	45	54	68	89	115	84	81	91	63	66	59
Calaveras	132	6.6	12	8	8	7	7	17	10	20	16	10	10	7
Colusa	61	4.7	2	3	5	7	6	12	2	6	8	3	2	5
Contra Costa	3,673	5.7	161	211	242	266	318	502	355	414	395	260	247	302
Del Norte	152	8.6	7	8	12	17	18	15	14	20	9	9	9	14
El Dorado	857	10.6	31	59	46	67	84	104	69	98	94	75	55	75
Fresno	3,733	7.4	204	256	271	274	338	464	316	410	369	282	258	291
Glenn	138	6.6	7	9	9	17	18	12	10	14	14	7	9	12
Humboldt	996	9.2	54	63	67	59	90	132	79	99	116	70	83	84
Imperial	726	8.1	41	73	64	75	67	79	46	61	43	53	60	64
Inyo	109	6.0	6	5	4	6	9	18	9	17	9	9	4	13
Kern	2,615	6.6	141	179	200	208	244	300	225	285	230	186	193	224
Kings	544	7.4	30	28	36	41	62	67	60	63	46	41	37	33
Lake	216	6.2	15	15	11	11	19	26	22	18	22	16	20	21
Lassen	129	6.1	7	7	5	10	10	19	16	16	14	10	9	6
Los Angeles	45,431	6.1	2,425	2,929	3,236	3,445	3,671	5,664	4,297	4,815	4,421	3,287	3,307	3,934
Madera	444	7.4	23	30	32	30	43	52	37	42	44	43	32	36
Marin	2,077	9.3	119	108	141	152	180	256	178	248	232	160	155	148
Mariposa	266	25.1	10	15	8	22	30	45	24	24	24	28	16	20
Mendocino	646	9.9	24	41	40	55	48	97	74	64	58	56	41	48
Merced	938	7.1	57	66	73	77	68	121	80	109	69	68	78	72
Modoc	56	6.7	2	2	5	2	2	5	5	5	7	7	4	10
Mono	84	10.2	5	5	5	3	6	12	11	10	13	2	5	7
Monterey	3,943	13.7	216	256	300	332	320	467	287	389	399	293	295	389
Napa	710	7.2	31	47	36	50	68	96	82	84	81	41	35	59
Nevada	490	10.1	18	27	40	34	50	54	46	46	61	40	36	38
Orange	13,080	6.9	702	829	939	939	1,036	1,604	1,209	1,520	1,304	942	961	1,095
Placer	868	7.6	33	40	57	50	65	129	66	95	116	84	64	69
Plumas	136	8.1	2	6	1	10	11	24	6	19	23	11	9	14
Riverside	3,858	6.0	198	260	324	312	342	490	334	359	325	267	286	361
Sacramento	5,103	6.6	261	314	361	393	408	670	450	552	480	385	392	437
San Benito	215	8.8	13	13	24	17	13	20	24	15	21	18	21	16
San Bernardino	5,000	5.8	251	334	391	388	424	619	454	483	492	358	382	424
San Diego	12,589	6.9	734	795	955	982	1,018	1,492	1,150	1,321	1,160	849	964	1,169
San Francisco	5,924	8.7	340	328	442	431	470	669	563	674	557	470	453	527
San Joaquin	1,933	5.7	95	105	132	155	163	249	179	221	184	137	165	148
San Luis Obispo	1,258	8.3	53	73	87	85	112	171	106	134	137	88	86	126
San Mateo	3,699	6.3	190	224	235	279	321	485	378	410	428	240	244	265
Santa Barbara	2,847	9.6	162	161	214	201	219	349	269	319	288	201	206	258
Santa Clara	8,380	6.6	389	481	531	638	704	1,153	843	1,019	825	545	552	700
Santa Cruz	1,663	9.0	77	85	114	137	136	217	161	187	171	120	117	141
Shasta	925	8.2	54	52	63	60	86	115	90	113	84	47	80	81
Sierra	25	8.1	–	1	–	–	1	3	6	3	4	1	5	1
Siskiyou	374	9.6	14	14	31	21	23	64	34	53	31	24	32	33
Solano	1,298	5.8	79	90	88	98	96	181	106	127	129	86	92	126
Sonoma	2,210	7.6	89	116	149	165	202	299	228	254	215	173	169	151
Stanislaus	1,671	6.4	84	103	118	134	120	232	148	181	164	111	140	136
Sutter	262	5.1	16	32	20	21	23	30	15	16	13	28	25	23
Tehama	251	6.7	9	15	20	18	19	38	17	27	28	15	24	21
Trinity	113	9.7	3	5	7	8	12	15	14	12	10	10	8	9
Tulare	1,741	7.2	107	119	138	139	157	229	136	148	142	140	140	146
Tuolumne	340	10.3	17	25	31	22	41	43	17	37	32	27	28	20
Ventura	3,084	6.0	177	225	220	235	261	401	259	323	264	207	235	277
Yolo	575	5.1	25	32	40	38	39	85	66	63	56	42	44	45
Yuba	381	7.7	18	20	22	25	24	51	39	38	45	23	38	38

Note: Rates are per 1,000 estimated population.

In addition to marriages shown, under provisions of Section 4213 of the California Civil Code, 41,961 nonlicensed marriages were reported by county clerks to the State Department of Health Services during the reporting period. These are excluded from this table because no characteristics of these marriages are available, other than the total number occurring per year since 1972.

Source: State of California, Department of Health Services, Marriage Records.
State of California, Department of Finance, Intercensal Estimates of July 1 Total Population, Adjusted to April 1, 1980 Census, March 1981.

Table 5–18

LICENSED MARRIAGES BY MONTH OF MARRIAGE
CALIFORNIA COUNTIES, 1980

(By place of occurrence)

COUNTY OF MARRIAGE	TOTAL		January	February	March	April	May	June	July	August	September	October	November	December
	Number	Rate												
California	162,824	6.8	8,454	10,791	12,287	11,872	15,514	19,174	14,267	19,624	13,885	12,096	13,064	11,796
Alameda	7,916	7.2	417	481	619	542	772	984	691	1,007	773	526	549	555
Alpine	18	16.4	1	–	–	–	6	3	2	3	2	1	–	–
Amador	151	7.7	11	9	8	16	11	22	16	6	14	6	19	13
Butte	929	6.4	55	55	67	69	101	113	62	116	78	54	97	62
Calaveras	157	7.5	8	12	7	12	19	21	13	17	16	11	14	7
Colusa	98	7.7	4	7	7	4	8	15	7	14	4	7	11	10
Contra Costa	3,786	5.7	202	244	255	267	347	483	320	510	366	257	266	269
Del Norte	171	9.3	2	13	9	18	16	17	16	27	20	10	16	7
El Dorado	958	10.9	41	58	67	69	94	137	79	137	95	72	58	51
Fresno	3,651	7.1	214	253	290	242	373	421	314	394	315	302	289	244
Glenn	158	7.3	9	8	10	16	19	15	10	20	17	10	12	12
Humboldt	1,066	9.9	49	51	74	77	94	147	83	125	114	82	86	84
Imperial	761	8.2	41	55	65	61	73	87	62	56	69	69	58	65
Inyo	124	6.9	6	9	11	8	15	18	10	12	13	4	7	11
Kern	2,606	6.4	133	159	226	196	227	305	223	288	210	193	240	206
Kings	632	8.6	32	52	56	46	63	58	41	65	61	54	54	50
Lake	256	6.9	9	18	12	20	33	32	23	30	22	28	10	19
Lassen	169	7.8	6	13	12	8	15	16	11	26	14	20	15	13
Los Angeles	46,723	6.2	2,427	3,134	3,596	3,457	4,389	5,466	4,157	5,551	3,889	3,476	3,758	3,423
Madera	407	6.4	23	25	38	34	42	44	39	40	33	30	28	31
Marin	2,138	9.6	110	131	155	144	208	247	184	284	220	160	157	138
Mariposa	291	25.5	19	12	22	25	40	31	23	30	22	24	22	21
Mendocino	609	9.1	23	35	56	37	65	79	47	82	50	46	49	40
Merced	1,028	7.6	54	74	74	83	102	120	88	105	89	79	88	72
Modoc	44	5.1	2	1	1	1	7	7	4	6	3	1	9	2
Mono	95	11.0	6	7	7	3	7	12	9	16	7	11	3	7
Monterey	4,093	14.1	252	302	313	331	401	382	314	449	322	348	374	305
Napa	716	7.2	24	32	50	47	70	95	73	97	56	59	54	59
Nevada	574	10.9	19	37	34	33	71	67	61	79	51	42	43	37
Orange	13,846	7.1	660	890	1,034	1,020	1,318	1,595	1,252	1,765	1,168	1,085	1,113	946
Placer	940	7.9	40	42	65	61	98	123	79	116	106	80	83	47
Plumas	155	8.8	5	7	9	12	16	21	14	21	17	14	13	6
Riverside	4,060	6.0	203	275	321	329	376	506	343	432	313	281	351	330
Sacramento	5,047	6.4	260	335	391	376	471	651	456	593	409	384	386	335
San Benito	198	7.9	8	13	14	10	19	21	17	26	18	17	14	21
San Bernardino	5,232	5.8	256	385	373	378	482	683	445	580	418	391	465	376
San Diego	12,791	6.8	680	900	964	970	1,175	1,401	1,112	1,507	1,043	927	1,076	1,036
San Francisco	6,091	9.0	406	450	429	455	571	609	496	676	547	488	445	519
San Joaquin	2,055	5.9	98	137	175	140	217	252	175	256	167	138	158	142
San Luis Obispo	1,303	8.3	56	77	113	86	128	156	84	170	118	89	122	104
San Mateo	3,730	6.3	178	234	234	237	379	446	339	495	372	302	271	243
Santa Barbara	2,878	9.6	147	198	228	191	249	340	281	332	240	211	241	220
Santa Clara	8,861	6.8	470	562	636	631	863	1,093	836	1,204	747	610	635	574
Santa Cruz	1,640	8.7	71	114	110	107	148	199	149	219	157	129	138	99
Shasta	990	8.5	53	64	72	76	115	100	85	127	76	61	95	66
Sierra	31	10.0	1	2	–	–	3	3	6	5	6	1	4	–
Siskiyou	306	7.6	15	13	14	31	28	40	26	48	18	17	30	26
Solano	1,345	5.6	65	95	111	110	117	168	129	150	114	88	98	100
Sonoma	2,182	7.2	103	138	128	159	209	280	205	292	189	148	159	172
Stanislaus	1,836	6.9	103	121	158	127	190	224	151	191	140	138	172	121
Sutter	280	5.4	17	8	25	26	28	28	19	32	22	23	27	25
Tehama	246	6.2	12	17	23	14	20	35	23	30	15	16	25	16
Trinity	105	8.8	2	5	4	5	13	18	6	14	11	9	12	6
Tulare	1,791	7.2	98	136	145	131	184	207	154	203	139	138	145	111
Tuolumne	352	10.3	26	12	37	22	40	45	38	30	38	18	30	16
Ventura	3,263	6.1	174	211	254	226	290	[illegible]66	276	415	261	228	304	258
Yolo	581	5.1	14	47	55	35	57	78	48	63	45	54	38	47
Yuba	364	7.3	34	16	24	41	22	42	41	40	26	29	28	21

Note: Rates are per 1,000 estimated population.

In addition to marriages shown, under provisions of Section 4213 of the California Civil Code, 48,040 nonlicensed marriages were reported by county clerks to the State Department of Health Services during the reporting period. These are excluded from this table because no characteristics of these marriages are available, other than the total number occurring per year since 1972.

Source: State of California, Department of Health Services, Marriage Records.

State of California, Department of Finance, Interim July 1 Total Population Projections 1980–1990, Report 81 P–1, April 1981.

Table 5–19

LICENSED MARRIAGES BY SINGLE YEARS OF AGE OF BRIDE AND GROOM BY MARRIAGE ORDER
CALIFORNIA, 1979
(By place of occurrence)

AGE IN YEARS	MARRIAGE ORDER									
	Bride					Groom				
	Total	First	Second	Third or Higher	Not Stated	Total	First	Second	Third or Higher	Not Stated
Total	157,736	111,237	37,200	9,203	96	157,736	107,644	39,914	10,086	92
Under 15	51	51	–	–	–	–	–	–	–	–
15	461	461	–	–	–	4	4	–	–	–
16	1,488	1,487	1	–	–	62	62	–	–	–
17	3,290	3,283	6	1	–	570	570	–	–	–
18	10,932	10,863	69	–	–	3,292	3,289	3	–	–
19	12,187	12,012	169	4	2	6,101	6,081	18	–	2
20	13,103	12,708	386	5	4	8,666	8,568	95	1	2
21	13,131	12,412	702	14	3	10,913	10,705	207	1	–
22	12,395	11,316	1,032	42	5	12,348	11,944	391	11	2
23	11,442	9,957	1,410	74	1	11,746	11,024	710	12	–
24	9,888	8,058	1,716	110	4	10,880	9,883	961	34	2
25	8,427	6,329	1,950	145	3	10,128	8,758	1,329	38	3
26	7,358	5,062	2,122	169	5	9,089	7,480	1,528	80	1
27	6,406	4,054	2,103	246	3	8,017	6,053	1,841	123	–
28	5,361	2,974	2,096	287	4	6,933	4,897	1,878	153	5
29	4,703	2,277	2,096	329	1	6,217	3,963	2,077	174	3
30	4,349	1,886	2,065	395	3	5,621	3,215	2,131	273	2
31	3,807	1,401	2,002	399	5	5,057	2,504	2,253	295	5
32	3,456	1,047	1,968	439	2	4,603	2,001	2,226	369	7
33	2,410	720	1,350	333	7	3,437	1,322	1,757	351	7
34	2,162	525	1,234	401	2	2,969	1,005	1,594	367	3
35	1,874	406	1,109	355	4	2,669	782	1,509	376	2
36	1,790	328	1,088	374	–	2,490	662	1,428	399	1
37	1,440	248	856	336	–	1,958	425	1,182	350	1
38	1,254	194	729	329	2	1,773	369	1,010	393	1
39	1,106	168	659	276	3	1,618	301	937	378	2
40	1,061	139	648	272	2	1,367	217	836	312	2
41	940	120	570	250	–	1,256	170	775	310	1
42	764	89	446	227	2	1,188	152	749	286	1
43	740	85	450	203	2	1,121	133	698	289	1
44	718	67	450	201	–	1,070	128	656	284	2
45	675	60	395	218	2	964	89	594	278	3
46	570	38	363	168	1	885	83	564	237	1
47	522	51	309	161	1	818	76	515	227	–
48	537	35	344	156	2	831	83	507	240	1
49	504	36	322	145	1	825	67	529	227	2
50	434	33	268	132	1	710	52	464	192	2
51	406	28	255	121	2	674	61	395	218	–
52	384	26	231	126	1	610	46	368	194	2
53	331	24	206	101	–	563	42	333	188	–
54	336	17	185	132	2	556	44	322	188	2

Note: In addition to marriages shown, under provisions of Section 4213 of the California Civil Code, 41,961 nonlicensed marriages were reported by county clerks to the State Department of Health Services during the reporting period. No characteristics of these marriages are available other than the total number occurring per year since 1972.

Source: State of California, Department of Health Services, Marriage Records.

Table 5–19 (Continued)

LICENSED MARRIAGES BY SINGLE YEARS OF AGE OF BRIDE AND GROOM BY MARRIAGE ORDER
CALIFORNIA, 1979
(By place of occurrence)

AGE IN YEARS	MARRIAGE ORDER									
	Bride					Groom				
	Total	First	Second	Third or Higher	Not Stated	Total	First	Second	Third or Higher	Not Stated
55	352	21	210	119	2	581	48	320	211	2
56	310	16	189	104	1	472	24	287	161	–
57	274	11	165	96	2	512	33	314	161	4
58	275	15	180	80	–	476	30	300	146	–
59	225	12	133	78	2	408	24	242	140	2
60	249	13	155	81	–	359	16	222	120	1
61	238	10	151	77	–	327	12	201	113	1
62	249	5	164	79	1	292	12	169	110	1
63	217	7	138	71	1	284	12	196	76	–
64	210	4	122	84	–	313	21	191	99	2
65	220	6	145	69	–	302	13	195	93	1
66	221	8	138	74	1	269	7	181	79	2
67	210	3	136	70	1	247	7	171	69	–
68	190	6	125	59	–	264	12	193	59	–
69	169	1	110	58	–	229	9	147	73	–
70	143	1	94	47	1	229	8	157	62	2
71	128	3	82	43	–	210	6	148	56	–
72	124	5	77	42	–	177	3	122	52	–
73	93	3	58	31	1	140	4	104	32	–
74	84	1	49	33	1	146	4	83	59	–
75	68	–	40	28	–	144	4	102	37	1
76	53	1	31	21	–	118	4	74	40	–
77	59	1	41	17	–	111	4	84	23	–
78	50	1	35	14	–	99	2	69	27	1
79	33	2	19	12	–	81	1	61	19	–
80	21	–	7	14	–	71	3	42	26	–
81	22	–	14	8	–	67	3	45	18	1
82	12	–	9	3	–	53	–	35	18	–
83	8	–	3	5	–	34	1	22	11	–
84	11	–	9	2	–	35	–	24	11	–
85	3	1	2	–	–	16	–	10	6	–
86	2	–	–	2	–	23	–	12	11	–
87	2	–	1	1	–	8	1	2	5	–
88	1	–	–	1	–	8	–	4	4	–
89	–	–	–	–	–	7	–	5	2	–
90	2	–	2	–	–	5	1	–	4	–
91	1	–	1	–	–	4	–	1	3	–
92	–	–	–	–	–	–	–	–	–	–
93	1	–	1	–	–	3	–	2	1	–
94	–	–	–	–	–	2	–	2	–	–
95	–	–	–	–	–	–	–	–	–	–
96	–	–	–	–	–	2	–	1	1	–
97	–	–	–	–	–	–	–	–	–	–
98 and Over	1	1	–	–	–	–	–	–	–	–
Not Stated	12	4	4	4	–	9	5	4	–	–

Note: In addition to marriages shown, under provisions of Section 4213 of the California Civil Code, 41,961 nonlicensed marriages were reported by county clerks to the State Department of Health Services during the reporting period. No characteristics of these marriages are available other than the total number occurring per year since 1972.

Source: State of California, Department of Health Services, Marriage Records.

Table 5–20

LICENSED MARRIAGES BY SINGLE YEARS OF AGE OF BRIDE AND GROOM BY MARRIAGE ORDER
CALIFORNIA, 1980
(By place of occurrence)

AGE IN YEARS	MARRIAGE ORDER									
	Bride					Groom				
	Total	First	Second	Third or Higher	Not Stated	Total	First	Second	Third or Higher	Not Stated
Total	162,824	115,949	37,621	9,217	37	162,824	112,697	39,966	10,114	47
Under 15	69	69	–	–	–	1	1	–	–	–
15	509	509	–	–	–	4	4	–	–	–
16	1,471	1,470	1	–	–	92	92	–	–	–
17	3,107	3,097	10	–	–	550	550	–	–	–
18	10,478	10,425	52	–	1	3,179	3,178	1	–	–
19	12,457	12,284	170	2	1	6,165	6,146	18	–	1
20	13,023	12,658	364	1	–	8,738	8,661	77	–	–
21	13,126	12,468	645	12	1	10,979	10,798	179	–	2
22	12,795	11,766	991	37	1	12,141	11,772	363	6	–
23	11,920	10,446	1,408	63	3	12,284	11,625	645	14	–
24	10,244	8,513	1,644	87	–	11,326	10,385	920	19	2
25	9,054	7,045	1,877	132	–	10,492	9,215	1,242	34	1
26	8,016	5,804	2,025	186	1	9,504	7,853	1,557	93	1
27	6,966	4,459	2,252	255	–	8,345	6,526	1,708	109	2
28	5,816	3,368	2,164	283	1	7,359	5,253	1,940	166	–
29	5,111	2,601	2,193	316	1	6,687	4,431	2,059	197	–
30	4,520	2,076	2,053	390	1	6,034	3,619	2,164	250	1
31	3,981	1,529	2,001	450	1	5,096	2,720	2,086	288	2
32	3,506	1,193	1,894	418	1	4,665	2,208	2,101	353	3
33	3,315	955	1,834	525	1	4,389	1,731	2,222	436	–
34	2,428	627	1,399	400	2	3,224	1,165	1,690	365	4
35	1,951	465	1,117	367	2	2,784	891	1,512	379	2
36	1,837	375	1,093	367	2	2,608	696	1,509	403	–
37	1,738	289	1,085	363	1	2,310	569	1,301	440	–
38	1,378	244	803	329	2	1,911	412	1,106	393	–
39	1,183	187	698	298	–	1,758	328	1,026	403	1
40	1,045	139	622	282	2	1,498	266	885	345	2
41	927	119	541	266	1	1,331	202	826	303	–
42	867	105	512	249	1	1,286	169	777	338	2
43	797	78	454	263	2	1,090	153	643	293	1
44	660	59	411	189	1	1,058	110	675	271	2
45	598	58	346	194	–	961	93	603	264	1
46	565	46	337	182	–	847	87	550	210	–
47	511	34	312	165	–	785	67	465	253	–
48	501	33	315	151	2	791	74	481	236	–
49	440	46	282	111	1	817	83	485	247	2
50	485	32	299	154	–	716	70	433	213	–
51	384	25	245	114	–	607	54	382	170	1
52	351	15	234	102	–	665	62	410	192	1
53	365	17	224	124	–	591	42	371	177	1
54	333	28	190	115	–	536	32	333	170	1

Note: In addition to marriages shown, under provisions of Section 4213 of the California Civil Code, 48,040 nonlicensed marriages were reported by county clerks to the State Department of Health Services during the reporting period. No characteristics of these marriages are available other than the total number occurring per year since 1972.

Source: State of California, Department of Health Services, Marriage Records.

Table 5–20 (Continued)

LICENSED MARRIAGES BY SINGLE YEARS OF AGE OF BRIDE AND GROOM BY MARRIAGE ORDER
CALIFORNIA, 1980
(By place of occurrence)

AGE IN YEARS	MARRIAGE ORDER									
	Bride					Groom				
	Total	First	Second	Third or Higher	Not Stated	Total	First	Second	Third or Higher	Not Stated
55	300	25	179	96	–	510	24	314	169	3
56	278	20	163	95	–	462	32	276	154	–
57	281	11	175	95	–	417	33	245	139	–
58	238	17	152	68	1	474	21	285	166	2
59	225	14	137	73	1	428	29	268	131	–
60	260	11	166	82	1	365	22	216	127	–
61	208	6	134	68	–	330	12	207	109	2
62	211	8	143	60	–	305	9	206	89	1
63	209	8	134	67	–	287	11	178	98	–
64	189	6	117	66	–	305	11	207	87	–
65	208	6	134	68	–	278	12	184	82	–
66	168	9	111	48	–	234	10	152	72	–
67	160	6	99	55	–	268	17	167	84	–
68	157	6	114	37	–	210	7	143	60	–
69	137	4	86	47	–	194	9	135	50	–
70	128	6	85	36	1	183	2	127	54	–
71	100	3	62	35	–	162	7	105	50	–
72	84	6	51	27	–	160	3	108	49	–
73	76	7	46	23	–	137	10	90	37	–
74	75	3	35	37	–	132	4	91	36	1
75	64	3	37	24	–	99	4	68	27	–
76	51	–	42	9	–	88	2	55	31	–
77	39	1	27	11	–	94	1	62	31	–
78	28	2	14	12	–	104	–	75	28	1
79	23	1	14	8	–	79	2	58	19	–
80	22	1	18	3	–	61	1	44	16	–
81	20	–	13	7	–	47	–	31	16	–
82	13	–	8	5	–	45	3	29	13	–
83	8	–	5	3	–	45	2	27	16	–
84	5	–	3	2	–	22	–	9	13	–
85	5	–	3	2	–	22	–	14	8	–
86	2	–	–	2	–	22	–	13	9	–
87	3	–	2	1	–	13	–	9	4	–
88	1	–	1	–	–	12	–	9	3	–
89	3	–	2	1	–	8	–	6	2	–
90	3	–	2	1	–	6	1	2	3	–
91	1	–	–	1	–	2	–	1	1	–
92	–	–	–	–	–	3	–	2	1	–
93	–	–	–	–	–	–	–	–	–	–
94	–	–	–	–	–	–	–	–	–	–
95	2	–	2	–	–	–	–	–	–	–
96	–	–	–	–	–	–	–	–	–	–
97	–	–	–	–	–	–	–	–	–	–
98 and Over	1	–	1	–	–	1	–	1	–	–
Not Stated	10	3	7	–	–	6	3	2	–	1

Note: In addition to marriages shown, under provisions of Section 4213 of the California Civil Code, 48,040 nonlicensed marriages were reported by county clerks to the State Department of Health Services during the reporting period. No characteristics of these marriages are available other than the total number occurring per year since 1972.

Source: State of California, Department of Health Services, Marriage Records.

Table 5–21

TOTAL AND PRIMARY LICENSED MARRIAGES BY AGE OF BRIDE BY AGE OF GROOM CALIFORNIA, 1979 AND 1980

AGE OF BRIDE	TOTAL	AGE OF GROOM												
		Under 18 Years	18	19	20	21	22	23	24	25–29	30–44	45–64	65 and Over	Not Stated
1980 TOTAL MARRIAGES														
Total	162,824	647	3,179	6,165	8,738	10,979	12,141	12,284	11,326	42,387	41,042	11,199	2,731	6
Under 16 Years	578	75	122	112	95	64	30	28	16	27	9	—	—	—
16	1,471	139	304	301	233	158	111	71	48	76	29	1	—	—
17	3,107	192	468	620	571	413	297	191	105	200	49	1	—	—
18	10,478	132	1,114	1,864	1,884	1,643	1,150	881	533	999	266	11	1	—
19	12,457	63	571	1,573	2,138	2,084	1,761	1,173	852	1,768	455	19	—	—
20	13,023	19	274	818	1,797	2,196	2,023	1,645	1,170	2,384	678	18	1	—
21	13,126	15	113	379	862	1,845	2,147	1,923	1,410	3,238	1,163	29	1	1
22	12,795	5	67	153	420	1,041	1,875	1,975	1,663	4,102	1,449	44	1	—
23	11,920	2	43	109	237	512	1,086	1,761	1,664	4,683	1,766	56	1	—
24	10,244	1	27	58	148	303	513	916	1,392	4,619	2,191	73	3	—
25–29	34,963	4	61	134	286	542	901	1,369	1,976	15,416	13,539	709	26	—
30–44	30,133	—	15	44	67	172	247	343	487	4,804	18,709	5,099	145	1
45–64	6,932	—	—	—	—	5	—	8	10	69	730	4,869	1,241	—
65 and Over	1,587	—	—	—	—	1	—	—	—	1	7	268	1,310	—
Not Stated	10	—	—	—	—	—	—	—	—	1	2	2	1	4
1979 TOTAL MARRIAGES														
Total	157,736	636	3,292	6,101	8,666	10,913	12,348	11,746	10,880	40,384	38,197	11,460	3,104	9
Under 16 Years	512	68	117	95	79	51	34	26	11	27	4	—	—	—
16	1,488	147	313	293	240	145	118	78	47	86	21	—	—	—
17	3,290	199	479	660	595	460	300	188	137	231	40	1	—	—
18	10,932	136	1,257	1,908	1,934	1,741	1,299	812	514	1,059	263	6	2	1
19	12,187	52	574	1,582	2,149	2,014	1,700	1,174	813	1,654	457	17	1	—
20	13,103	17	255	772	1,705	2,219	2,083	1,639	1,217	2,474	699	20	2	1
21	13,131	4	120	366	868	1,865	2,208	1,869	1,393	3,314	1,088	34	2	—
22	12,395	6	58	144	405	971	1,917	1,855	1,673	3,932	1,383	51	—	—
23	11,442	2	40	87	223	499	1,062	1,609	1,558	4,506	1,802	52	2	—
24	9,888	1	20	63	135	301	544	866	1,287	4,557	2,044	68	2	—
25–29	32,255	4	42	98	252	534	872	1,340	1,818	14,162	12,447	665	21	—
30–44	27,871	—	16	33	79	109	205	281	400	4,327	17,129	5,157	134	1
45–64	7,298	—	—	—	2	4	6	8	11	53	813	5,102	1,297	2
65 and Over	1,932	—	—	—	—	—	—	1	—	1	5	285	1,640	—
Not Stated	12	—	1	—	—	—	—	—	1	1	2	2	1	4
1980 PRIMARY MARRIAGES														
Total	96,549	641	3,099	5,956	8,311	10,158	10,872	10,605	9,150	27,046	10,294	375	40	2
Under 16 Years	563	75	122	112	95	63	29	24	13	24	6	—	—	—
16	1,426	139	304	301	233	156	108	67	42	60	16	—	—	—
17	2,995	192	468	619	564	403	285	183	95	162	24	—	—	—
18	9,865	131	1,108	1,852	1,871	1,615	1,106	815	478	762	124	3	—	—
19	11,355	62	567	1,551	2,100	2,035	1,708	1,093	753	1,295	188	3	—	—
20	11,553	18	266	802	1,742	2,125	1,916	1,531	1,037	1,834	279	3	—	—
21	10,920	15	108	357	818	1,744	2,016	1,758	1,244	2,389	467	3	—	1
22	10,157	5	58	139	379	960	1,711	1,810	1,467	3,064	557	7	—	—
23	8,799	2	35	86	196	432	960	1,558	1,431	3,415	677	6	1	—
24	6,860	1	23	45	113	228	404	759	1,140	3,356	784	7	—	—
25–29	17,037	1	34	81	183	341	555	893	1,282	9,264	4,340	57	6	—
30–44	4,832	—	6	11	17	56	74	113	168	1,413	2,785	185	3	1
45–64	172	—	—	—	—	—	—	1	—	7	46	95	23	—
65 and Over	13	—	—	—	—	—	—	—	—	—	—	6	7	—
Not Stated	2	—	—	—	—	—	—	—	—	1	1	—	—	—
1979 PRIMARY MARRIAGES														
Total	92,546	636	3,215	5,913	8,228	10,101	11,047	9,940	8,750	25,386	8,874	420	31	5
Under 16 Years	501	68	117	95	78	50	32	26	11	23	1	—	—	—
16	1,438	147	313	292	236	139	111	75	41	74	10	—	—	—
17	3,152	199	476	658	589	451	283	175	121	180	19	1	—	—
18	10,255	136	1,254	1,892	1,907	1,695	1,252	739	468	791	119	1	—	1
19	11,053	52	567	1,562	2,112	1,942	1,631	1,075	707	1,232	169	4	—	—
20	11,413	17	250	752	1,660	2,144	1,973	1,495	1,050	1,798	267	6	—	1
21	10,892	4	115	339	813	1,784	2,061	1,692	1,233	2,444	406	1	—	—
22	9,708	6	47	129	367	899	1,764	1,645	1,451	2,883	509	8	—	—
23	8,274	2	33	70	181	417	922	1,427	1,349	3,233	632	7	1	—
24	6,442	1	12	48	106	217	417	690	1,058	3,177	712	4	—	—
25–29	15,112	4	25	63	148	324	537	827	1,138	8,318	3,678	48	2	—
30–44	4,115	—	6	13	30	38	63	73	120	1,229	2,309	224	9	1
45–64	181	—	—	—	1	1	1	—	2	4	42	115	14	1
65 and Over	7	—	—	—	—	—	—	1	—	—	—	1	5	—
Not Stated	3	—	—	—	—	—	—	—	1	—	1	—	—	1

Note: Primary marriages are first marriages of both bride and groom.

This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of thes marriages are available, other than the total number occurring per year since 1972. Nonlicensed marriages totalled 41,961 in 1979, and 48,040 i 1980.

Source: State of California, Department of Health Services, Marriage Records.

Table 5–21 (Continued)

TOTAL AND PRIMARY LICENSED MARRIAGES BY AGE OF BRIDE BY AGE OF GROOM CALIFORNIA, 1979 AND 1980

(Percent distribution by age of bride and groom)

AGE OF BRIDE	TOTAL	AGE OF GROOM												
		Under 18 Years	18	19	20	21	22	23	24	25–29	30–44	45–64	65 and Over	Not Stated
	1980 TOTAL MARRIAGES													
Total	100.0	0.4	2.0	3.8	5.4	6.7	7.5	7.5	7.0	26.0	25.2	6.9	1.7	0.0
Under 16 Years	0.4	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	—	—	—
16	0.9	0.1	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	—	—
17	1.9	0.1	0.3	0.4	0.4	0.3	0.2	0.1	0.1	0.1	0.0	0.0	—	—
18	6.4	0.1	0.7	1.1	1.2	1.0	0.7	0.5	0.3	0.6	0.2	0.0	0.0	—
19	7.7	0.0	0.4	1.0	1.3	1.3	1.1	0.7	0.5	1.1	0.3	0.0	—	—
20	8.0	0.0	0.2	0.5	1.1	1.3	1.2	1.0	0.7	1.5	0.4	0.0	0.0	—
21	8.1	0.0	0.1	0.2	0.5	1.1	1.3	1.2	0.9	2.0	0.7	0.0	0.0	0.0
22	7.9	0.0	0.0	0.1	0.3	0.6	1.2	1.2	1.0	2.5	0.9	0.0	0.0	—
23	7.3	0.0	0.0	0.1	0.1	0.3	0.7	1.1	1.0	2.9	1.1	0.0	0.0	—
24	6.3	0.0	0.0	0.0	0.1	0.2	0.3	1.6	0.9	2.8	1.3	0.0	0.0	—
25–29	21.5	0.0	0.0	0.1	0.2	0.3	0.6	1.8	1.2	9.5	8.3	0.4	0.0	—
30–44	18.5	—	0.0	0.0	0.0	0.1	0.2	1.2	0.3	3.0	11.5	3.1	0.1	0.0
45–64	4.3	—	—	—	—	0.0	—	0.0	0.0	0.0	0.4	3.0	0.8	—
65 and Over	1.0	—	—	—	—	0.0	—	—	—	0.0	0.0	0.2	0.8	—
Not Stated	0.0	—	—	—	—	—	—	—	—	0.0	0.0	0.0	0.0	0.0
	1979 TOTAL MARRIAGES													
Total	100.0	0.4	2.1	3.9	5.5	6.9	7.8	7.4	6.9	25.6	24.2	7.3	2.0	0.0
Under 16 Years	0.3	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	—	—	—
16	0.9	0.1	0.2	0.2	0.2	0.1	0.1	0.0	0.0	0.1	0.0	—	—	—
17	2.1	0.1	0.3	0.4	0.4	0.3	0.2	0.1	0.1	0.1	0.0	0.0	—	—
18	6.9	0.1	0.8	1.2	1.2	1.1	0.8	0.5	0.3	0.7	0.2	0.0	0.0	0.0
19	7.7	0.0	0.4	1.0	1.4	1.3	1.1	0.7	0.5	1.0	0.3	0.0	0.0	—
20	8.3	0.0	0.2	0.5	1.1	1.4	1.3	1.0	0.8	1.6	0.4	0.0	0.0	0.0
21	8.3	0.0	0.1	0.2	0.6	1.2	1.4	1.2	0.9	2.1	0.7	0.0	0.0	—
22	7.9	0.0	0.0	0.1	0.3	0.6	1.2	1.2	1.1	2.5	0.9	0.0	—	—
23	7.3	0.0	0.0	0.1	0.1	0.3	0.7	1.0	1.0	2.9	1.1	0.0	0.0	—
24	6.3	0.0	0.0	0.0	0.1	0.2	0.3	0.5	1.8	2.9	1.3	0.0	0.0	—
25–29	20.4	0.0	0.0	0.1	0.2	0.3	0.6	0.8	1.2	9.0	7.9	0.4	0.0	—
30–44	17.7	—	0.0	0.0	0.1	0.1	0.1	0.2	0.3	2.7	10.9	3.3	0.1	0.0
45–64	4.6	—	—	—	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.2	0.8	0.0
65 and Over	1.2	—	—	—	—	—	—	0.0	—	0.0	0.0	0.2	1.0	—
Not Stated	0.0	—	0.0	—	—	—	—	—	0.0	0.0	0.0	0.0	0.0	0.0
	1980 PRIMARY MARRIAGES													
Total	100.0	0.7	3.2	6.2	8.6	10.5	11.3	11.0	9.5	28.0	10.7	0.4	0.0	0.0
Under 16 Years	0.6	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	—	—	—
16	1.5	0.1	0.3	0.3	0.2	0.2	0.1	0.1	0.0	0.1	0.0	—	—	—
17	3.1	0.2	0.5	0.6	0.6	0.4	0.3	0.2	0.1	0.2	0.0	—	—	—
18	10.2	0.1	1.1	1.9	1.9	1.7	1.1	0.8	0.5	0.8	0.1	0.0	—	—
19	11.8	0.1	0.6	1.6	2.2	2.1	1.8	1.1	0.8	1.3	0.2	0.0	—	—
20	12.0	0.0	0.3	0.8	1.8	2.2	2.0	1.6	1.1	1.9	0.3	0.0	—	—
21	11.3	0.0	0.1	0.4	0.8	1.8	2.1	1.8	1.3	2.5	0.5	0.0	—	0.0
22	10.5	0.0	0.1	0.1	0.4	1.0	1.8	1.9	1.5	3.2	0.6	0.0	—	—
23	9.1	0.0	0.0	0.1	0.2	1.4	1.0	1.6	1.5	3.5	0.7	0.0	0.0	—
24	7.1	0.0	0.0	0.0	0.1	0.2	1.4	0.8	1.2	3.5	0.8	0.0	—	—
25–29	17.6	0.0	0.0	0.1	0.2	0.4	0.6	0.9	1.3	9.6	4.5	0.1	0.0	—
30–44	5.0	—	0.0	0.0	0.0	0.1	0.1	0.1	0.2	1.5	2.9	0.2	0.0	0.0
45–64	0.2	—	—	—	—	—	—	0.0	—	0.0	0.0	0.1	0.0	—
65 and Over	0.0	—	—	—	—	—	—	—	—	—	—	0.0	0.0	—
Not Stated	0.0	—	—	—	—	—	—	—	—	0.0	0.0	—	—	—
	1979 PRIMARY MARRIAGES													
Total	100.0	0.7	3.5	6.4	8.9	10.9	11.9	10.7	9.5	27.4	9.6	0.5	0.0	0.0
Under 16 Years	0.5	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	—	—	—
16	1.6	0.2	0.3	0.3	0.3	0.2	0.1	0.1	0.0	0.1	0.0	—	—	—
17	3.4	0.2	0.5	0.7	0.6	0.5	0.3	0.2	0.1	0.2	0.0	0.0	—	—
18	11.1	0.1	1.4	2.0	2.1	1.8	1.4	0.8	0.5	0.9	0.1	0.0	—	0.0
19	11.9	0.1	0.6	1.7	2.3	2.1	1.8	1.2	0.8	1.3	0.2	0.0	—	—
20	12.3	0.0	0.3	0.8	1.8	2.3	2.1	1.6	1.1	1.9	0.3	0.0	—	0.0
21	11.8	0.0	0.1	0.4	0.9	1.9	2.2	1.8	1.3	2.6	0.4	0.0	—	—
22	10.5	0.0	0.1	0.1	0.4	1.0	1.9	1.8	1.6	3.1	0.5	0.0	—	—
23	8.9	0.0	0.0	0.1	0.2	0.5	1.0	1.5	1.5	3.5	0.7	0.0	0.0	—
24	7.0	0.0	0.0	0.1	0.1	0.2	0.5	0.7	1.1	3.4	0.8	0.0	—	—
25–29	16.3	0.0	0.0	0.1	0.2	0.4	0.6	0.9	1.2	9.0	4.0	0.1	0.0	—
30–44	4.4	—	0.0	0.0	0.0	0.0	0.1	0.1	0.1	1.3	2.5	0.2	0.0	0.0
45–64	0.2	—	—	—	0.0	0.0	0.0	—	0.0	0.0	0.0	0.1	0.0	0.0
65 and Over	—	—	—	—	—	—	—	0.0	—	—	—	0.0	0.0	—
Not Stated	—	—	—	—	—	—	—	—	0.0	—	0.0	—	—	0.0

Note: Primary marriages are first marriages of both bride and groom.

This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972. Nonlicensed marriages totalled 41,961 in 1979, and 48,040 in 1980.

Source: State of California, Department of Health Services, Marriage Records.

Table 5–21 (Continued)

TOTAL AND PRIMARY LICENSED MARRIAGES BY AGE OF BRIDE BY AGE OF GROOM CALIFORNIA, 1979 AND 1980

(Percent distribution by age of bride)

AGE OF BRIDE	TOTAL	AGE OF GROOM												
		Under 18 Years	18	19	20	21	22	23	24	25–29	30–44	45–64	65 and Over	Not Stated
1980 TOTAL MARRIAGES														
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 16 Years	0.4	11.6	3.8	1.8	1.1	0.6	0.2	0.2	0.1	0.1	0.0	—	—	—
16	0.9	21.5	9.6	4.9	2.7	1.4	0.9	0.6	0.4	0.2	0.1	0.0	—	—
17	1.9	29.7	14.7	10.1	6.5	3.8	2.4	1.6	0.9	0.5	0.1	0.0	—	—
18	6.4	20.4	35.0	30.2	21.6	15.0	9.5	7.6	4.7	2.4	0.6	0.1	0.0	—
19	7.7	9.7	18.0	25.5	24.5	19.0	14.5	9.5	7.5	4.2	1.1	0.2	—	—
20	8.0	2.9	8.6	13.3	20.6	20.0	16.7	13.4	10.3	5.6	1.7	0.2	0.0	—
21	8.1	2.3	3.6	6.1	9.9	16.8	17.7	15.7	12.4	7.6	2.8	0.3	0.0	16.7
22	7.9	0.8	2.1	2.5	4.8	9.5	15.4	16.1	14.7	9.7	3.5	0.4	0.0	—
23	7.3	0.3	1.4	1.8	2.7	4.7	8.9	14.3	14.7	11.0	4.3	0.5	0.0	—
24	6.3	0.2	0.8	0.9	1.7	2.8	4.2	7.5	12.3	10.9	5.3	0.7	0.1	—
25–29	21.5	0.6	1.9	2.2	3.3	4.9	7.4	11.1	17.4	36.4	33.0	6.3	1.0	—
30–44	18.5	—	0.5	0.7	0.8	1.6	2.0	2.8	4.3	11.3	45.6	45.5	5.3	16.7
45–64	4.3	—	—	—	—	0.0	—	0.1	0.1	0.2	1.8	43.5	45.4	—
65 and Over	1.0	—	—	—	—	0.0	—	—	—	0.0	0.0	2.4	48.0	—
Not Stated	0.0	—	—	—	—	—	—	—	—	0.0	0.0	0.0	0.0	66.7
1979 TOTAL MARRIAGES														
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 16 Years	0.3	10.7	3.6	1.6	0.9	0.5	0.3	0.2	0.1	0.1	0.0	—	—	—
16	0.9	23.1	9.5	4.8	2.8	1.3	1.0	0.7	0.4	0.2	0.1	—	—	—
17	2.1	31.3	14.6	10.8	6.9	4.2	2.4	1.6	1.3	0.6	0.1	0.0	—	—
18	6.9	21.4	38.2	31.3	22.3	16.0	10.5	6.9	4.7	2.6	0.7	0.1	0.1	11.1
19	7.7	8.2	17.4	25.9	24.8	18.5	13.8	10.0	7.5	4.1	1.2	0.1	0.0	—
20	8.3	2.7	7.7	12.7	19.7	20.3	16.9	14.0	11.2	6.1	1.8	0.2	0.1	11.1
21	8.3	0.6	3.6	6.0	10.0	17.1	17.9	15.9	12.8	8.2	2.8	0.3	0.1	—
22	7.9	0.9	1.8	2.4	4.7	8.9	15.5	15.8	15.4	9.7	3.6	0.4	—	—
23	7.3	0.3	1.2	1.4	2.6	4.6	8.6	13.7	14.3	11.2	4.7	0.5	0.1	—
24	6.3	0.2	0.6	1.0	1.6	2.8	4.4	7.4	11.8	11.3	5.4	0.6	0.1	—
25–29	20.4	0.6	1.3	1.6	2.9	4.9	7.1	11.4	16.7	35.1	32.6	5.8	0.7	—
30–44	17.7	—	0.5	0.5	0.9	1.0	1.7	2.4	3.7	10.7	44.8	45.0	4.3	11.1
45–64	4.6	—	—	—	0.0	0.0	0.0	0.1	0.1	0.1	2.1	44.5	41.8	22.2
65 and Over	1.2	—	—	—	—	—	—	0.0	—	0.0	0.0	2.5	52.8	—
Not Stated	0.0	—	0.0	—	—	—	—	—	0.0	0.0	0.0	0.0	0.0	44.4
1980 PRIMARY MARRIAGES														
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 16 Years	0.6	11.7	3.9	1.9	1.1	0.6	0.3	0.2	0.1	0.1	0.1	—	—	—
16	1.5	21.7	9.8	5.1	2.8	1.5	1.0	0.6	0.5	0.2	0.2	—	—	—
17	3.1	30.0	15.1	10.4	6.8	4.0	2.6	1.7	1.0	0.6	0.2	—	—	—
18	10.2	20.4	35.8	31.1	22.5	15.9	10.2	7.7	5.2	2.8	1.2	0.8	—	—
19	11.8	9.7	18.3	26.0	25.3	20.0	15.7	10.3	8.2	4.8	1.8	0.8	—	—
20	12.0	2.8	8.6	13.5	21.0	20.9	17.6	14.4	11.3	6.8	2.7	0.8	—	—
21	11.3	2.3	3.5	6.0	9.8	17.2	18.5	16.6	13.6	8.8	4.5	0.8	—	50.0
22	10.5	0.8	1.9	2.3	4.6	9.5	15.7	17.1	16.0	11.3	5.4	1.9	—	—
23	9.1	0.3	1.1	1.4	2.4	4.3	8.8	14.7	15.6	12.6	6.6	1.6	2.5	—
24	7.1	0.2	0.7	0.8	1.4	2.2	3.7	7.2	12.5	12.4	7.6	1.9	—	—
25–29	17.6	0.2	1.1	1.4	2.2	3.4	5.1	8.4	14.0	34.3	42.2	15.2	15.0	—
30–44	5.0	—	0.2	0.2	0.2	0.6	0.7	1.1	1.8	5.2	27.1	49.3	7.5	50.0
45–64	0.2	—	—	—	—	—	—	0.0	—	0.0	0.4	25.3	57.5	—
65 and Over	0.0	—	—	—	—	—	—	—	—	—	—	1.6	17.5	—
Not Stated	0.0	—	—	—	—	—	—	—	—	0.0	0.0	—	—	—
1979 PRIMARY MARRIAGES														
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 16 Years	0.5	10.7	3.6	1.6	0.9	0.5	0.3	0.3	0.1	0.1	0.0	—	—	—
16	1.6	23.1	9.7	4.9	2.9	1.4	1.0	0.8	0.5	0.3	0.1	—	—	—
17	3.4	31.3	14.8	11.1	7.2	4.5	2.6	1.8	1.4	0.7	0.2	0.2	—	—
18	11.1	21.4	39.0	32.0	23.2	16.8	11.3	7.4	5.3	3.1	1.3	0.2	—	20.0
19	11.9	8.2	17.6	26.4	25.7	19.2	14.8	10.8	8.1	4.9	1.9	1.0	—	—
20	12.3	2.7	7.8	12.7	20.2	21.2	17.9	15.0	12.0	7.1	3.0	1.4	—	20.0
21	11.8	0.6	3.6	5.7	9.9	17.7	18.7	17.0	14.1	9.6	4.6	0.2	—	—
22	10.5	0.9	1.5	2.2	4.5	8.9	16.0	16.5	16.6	11.4	5.7	1.9	—	—
23	8.9	0.3	1.0	1.2	2.2	4.1	8.3	14.4	15.4	12.7	7.1	1.7	3.2	—
24	7.0	0.2	0.4	0.8	1.3	2.1	3.8	6.9	12.1	12.5	8.0	1.0	—	—
25–29	16.3	0.6	0.8	1.1	1.8	3.2	4.9	8.3	13.0	32.8	41.4	11.4	6.5	—
30–44	4.4	—	0.2	0.2	0.4	0.4	0.6	0.7	1.4	4.8	26.0	53.3	29.0	20.0
45–64	0.2	—	—	—	0.0	0.0	0.0	—	0.0	0.0	0.5	27.4	45.2	20.0
65 and Over	0.0	—	—	—	—	—	—	0.0	—	—	—	0.2	16.1	—
Not Stated	0.0	—	—	—	—	—	—	—	0.0	—	0.0	—	—	20.0

Note: Primary marriages are first marriages of both bride and groom.

This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972. Nonlicensed marriages totalled 41,961 in 1979, and 48,040 in 1980.

Source: State of California, Department of Health Services, Marriage Records.

Table 5–21 (Continued)

TOTAL AND PRIMARY LICENSED MARRIAGES
BY AGE OF BRIDE BY AGE OF GROOM
CALIFORNIA, 1979 AND 1980

(Percent distribution by age of groom)

AGE OF BRIDE	TOTAL	AGE OF GROOM												
		Under 18 Years	18	19	20	21	22	23	24	25–29	30–44	45–64	65 and Over	Not Stated
1980 TOTAL MARRIAGES														
Total	100.0	0.4	2.0	3.8	5.4	6.7	7.5	7.5	7.0	26.0	25.2	6.9	1.7	0.0
Under 16 Years	100.0	13.0	21.1	19.4	16.4	11.1	5.2	4.8	2.8	4.7	1.6	—	—	—
16	100.0	9.4	20.7	20.5	15.8	10.7	7.5	4.8	3.3	5.2	2.0	0.1	—	—
17	100.0	6.2	15.1	20.0	18.4	13.3	9.6	6.1	3.4	6.4	1.6	0.0	—	—
18	100.0	1.3	10.6	17.8	18.0	15.7	11.0	8.4	5.1	9.5	2.5	0.1	0.0	—
19	100.0	0.5	4.6	12.6	17.2	16.7	14.1	9.4	6.8	14.2	3.7	0.2	—	—
20	100.0	0.1	2.1	6.3	13.8	16.9	15.5	12.6	9.0	18.3	5.2	0.1	0.0	—
21	100.0	0.1	0.9	2.9	6.6	14.1	16.4	14.7	10.7	24.7	8.9	0.2	0.0	0.0
22	100.0	0.0	0.5	1.2	3.3	8.1	14.7	15.4	13.0	32.1	11.3	0.3	0.0	—
23	100.0	0.0	0.4	0.9	2.0	4.3	9.1	14.8	14.0	39.3	14.8	0.5	0.0	—
24	100.0	0.0	0.3	0.6	1.4	3.0	5.0	8.9	13.6	45.1	21.4	0.7	0.0	—
25–29	100.0	0.0	0.2	0.4	0.8	1.6	2.6	3.9	5.7	44.1	38.7	2.0	0.0	—
30–44	100.0	—	0.0	0.1	0.2	0.6	0.8	1.1	1.6	15.9	62.1	16.9	0.5	0.0
45–64	100.0	—	—	—	—	0.1	—	0.1	0.1	1.0	10.5	70.2	17.9	—
65 and Over	100.0	—	—	—	—	0.1	—	—	—	0.1	0.4	16.9	82.5	—
Not Stated	100.0	—	—	—	—	—	—	—	—	10.0	20.0	20.0	10.0	40.0
1979 TOTAL MARRIAGES														
Total	100.0	0.4	2.1	3.9	5.5	6.9	7.8	7.4	6.9	25.6	24.2	7.3	2.0	0.0
Under 16 Years	100.0	13.3	22.9	18.6	15.4	10.0	6.6	5.1	2.1	5.3	0.8	—	—	—
16	100.0	9.9	21.0	19.7	16.1	9.7	7.9	5.2	3.2	5.8	1.4	—	—	—
17	100.0	6.0	14.6	20.1	18.1	14.0	9.1	5.7	4.2	7.0	1.2	0.0	—	—
18	100.0	1.2	11.5	17.5	17.7	15.9	11.9	7.4	4.7	9.7	2.4	0.1	0.0	0.0
19	100.0	0.4	4.7	13.0	17.6	16.5	13.9	9.6	6.7	13.6	3.7	0.1	0.0	—
20	100.0	0.1	1.9	5.9	13.0	16.9	15.9	12.5	9.3	18.9	5.3	0.2	0.0	0.0
21	100.0	0.0	0.9	2.8	6.6	14.2	16.8	14.2	10.6	25.2	8.3	0.3	0.0	—
22	100.0	0.0	0.5	1.2	3.3	7.8	15.5	15.0	13.5	31.7	11.2	0.4	—	—
23	100.0	0.0	0.3	0.8	1.9	4.4	9.3	14.1	13.6	39.4	15.7	0.5	0.0	—
24	100.0	0.0	0.2	0.6	1.4	3.0	5.5	8.8	13.0	46.1	20.7	0.7	0.0	—
25–29	100.0	0.0	0.1	0.3	0.8	1.7	2.7	4.2	5.6	43.9	38.6	2.1	0.1	—
30–44	100.0	—	0.1	0.1	0.3	0.4	0.7	1.0	1.4	15.5	61.5	18.5	0.5	0.0
45–64	100.0	—	—	—	0.0	0.0	0.1	0.1	0.2	0.7	11.1	69.9	17.8	0.0
65 and Over	100.0	—	—	—	—	—	—	0.1	—	0.1	0.3	14.8	84.9	—
Not Stated	100.0	—	8.3	—	—	—	—	—	8.3	8.3	16.7	16.7	8.3	33.3
1980 PRIMARY MARRIAGES														
Total	100.0	0.7	3.2	6.2	8.6	10.5	11.3	11.0	9.5	28.0	10.7	0.4	0.0	0.0
Under 16 Years	100.0	13.3	21.7	19.9	16.9	11.2	5.2	4.3	2.3	4.3	1.1	—	—	—
16	100.0	9.7	21.3	21.1	16.3	10.9	7.6	4.7	2.9	4.2	1.1	—	—	—
17	100.0	6.4	15.6	20.7	18.8	13.5	9.5	6.1	3.2	5.4	0.8	—	—	—
18	100.0	1.3	11.2	18.8	19.0	16.4	11.2	8.3	4.8	7.7	1.3	0.0	—	—
19	100.0	0.5	5.0	13.7	18.5	17.9	15.0	9.6	6.6	11.4	1.7	0.0	—	—
20	100.0	0.2	2.3	6.9	15.1	18.4	16.6	13.3	9.0	15.9	2.4	0.0	—	—
21	100.0	0.1	1.0	3.3	7.5	16.0	18.5	16.1	11.4	21.9	4.3	0.0	—	0.0
22	100.0	0.0	0.6	1.4	3.7	9.5	16.8	17.8	14.4	30.2	5.5	0.1	—	—
23	100.0	0.0	0.4	1.0	2.2	4.9	10.9	17.7	16.3	38.8	7.7	0.1	0.0	—
24	100.0	0.0	0.3	0.7	1.6	3.3	5.9	11.1	16.6	48.9	11.4	0.1	—	—
25–29	100.0	0.0	0.2	0.5	1.1	2.0	3.3	5.2	7.5	54.4	25.5	0.3	0.0	—
30–44	100.0	—	0.1	0.2	0.4	1.2	1.5	2.3	3.5	29.2	57.6	3.8	0.1	0.0
45–64	100.0	—	—	—	—	—	—	0.6	—	4.1	26.7	55.2	13.4	—
65 and Over	100.0	—	—	—	—	—	—	—	—	—	—	46.2	53.8	—
Not Stated	100.0	—	—	—	—	—	—	—	—	50.0	50.0	—	—	—
1979 PRIMARY MARRIAGES														
Total	100.0	0.7	3.5	6.4	8.9	10.9	11.9	10.7	9.5	27.4	9.6	0.5	0.0	0.0
Under 16 Years	100.0	13.6	23.4	19.0	15.6	10.0	6.4	5.2	2.2	4.6	0.2	—	—	—
16	100.0	10.2	21.8	20.3	16.4	9.7	7.7	5.2	2.9	5.1	0.7	—	—	—
17	100.0	6.3	15.1	20.9	18.7	14.3	9.0	5.6	3.8	5.7	0.6	0.0	—	—
18	100.0	1.3	12.2	18.4	18.6	16.5	12.2	7.2	4.6	7.7	1.2	0.0	—	0.0
19	100.0	0.5	5.1	14.1	19.1	17.6	14.8	9.7	6.4	11.1	1.5	0.0	—	—
20	100.0	0.1	2.2	6.6	14.5	18.8	17.3	13.1	9.2	15.8	2.3	0.1	—	0.0
21	100.0	0.0	1.1	3.1	7.5	16.4	18.9	15.5	11.3	22.4	3.7	0.0	—	—
22	100.0	0.1	0.5	1.3	3.8	9.3	18.2	16.9	14.9	29.7	5.2	0.1	—	—
23	100.0	0.0	0.4	0.8	2.2	5.0	11.1	17.2	16.3	39.1	7.6	0.1	0.0	—
24	100.0	0.0	0.2	0.7	1.6	3.4	6.5	10.7	16.4	49.3	11.1	0.1	—	—
25–29	100.0	0.0	0.2	0.4	1.0	2.1	3.6	5.5	7.5	55.0	24.3	0.3	0.0	—
30–44	100.0	—	0.1	0.3	1.7	0.9	1.5	1.8	2.9	29.9	56.1	5.4	0.2	0.0
45–64	100.0	—	—	—	1.6	0.6	0.6	—	1.1	2.2	23.2	63.5	7.7	0.6
65 and Over	100.0	—	—	—	—	—	—	14.3	—	—	—	14.3	71.4	—
Not Stated	100.0	—	—	—	—	—	—	—	33.3	—	33.3	—	—	33.3

Note: Primary marriages are first marriages of both bride and groom.

This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972. Nonlicensed marriages totalled 41,961 in 1979, and 48,040 in 1980.

Source: State of California, Department of Health Services, Marriage Records.

12—76474

Table 5–22

NONPRIMARY LICENSED MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM BY AGE OF BRIDE BY AGE OF GROOM CALIFORNIA, 1979 AND 1980

AGE OF BRIDE	1980						1979					
	Total	Age of Groom					Total	Age of Groom				
		Under 20 Years	20–24	25–44	45–64	65 and Over		Under 20 Years	20–24	25–44	45–64	65 and Over
	SINGLE BRIDE, DIVORCED GROOM											
Total	18,766	16	1,638	15,783	1,271	58	17,999	12	1,737	14,955	1,246	49
Under 20 Years	1,618	8	466	1,120	23	1	1,722	7	545	1,151	16	3
20–24	7,447	8	987	6,304	143	5	7,571	5	1,019	6,411	133	3
25–44	9,512	—	185	8,337	962	28	8,535	—	173	7,373	965	24
45–64	175	—	—	22	137	16	165	—	—	20	126	19
65 and Over	14	—	—	—	6	8	6	—	—	—	6	—
	SINGLE BRIDE, WIDOWED GROOM											
Total	586	—	17	248	205	116	632	1	14	276	236	105
Under 20 Years	26	—	5	20	1	—	27	1	5	20	1	—
20–24	97	—	10	75	11	1	129	—	8	98	20	3
25–44	314	—	2	149	130	33	330	—	1	158	145	26
45–64	112	—	—	4	62	46	115	—	—	—	68	47
65 and Over	37	—	—	—	1	36	31	—	—	—	2	29
	DIVORCED BRIDE, SINGLE GROOM											
Total	15,441	263	4,011	10,773	378	16	14,340	231	3,931	9,846	316	16
Under 20 Years	165	35	97	33	—	—	183	34	124	25	—	—
20–24	3,306	107	1,734	1,463	2	—	3,335	119	1,748	1,464	4	—
25–44	11,596	121	2,162	9,103	209	1	10,464	78	2,037	8,182	167	—
45–64	360	—	17	170	162	11	349	—	22	174	142	11
65 and Over	14	—	1	4	5	4	9	—	—	1	3	5
	DIVORCED BRIDE, DIVORCED GROOM											
Total	24,350	1	531	17,682	5,830	306	24,393	3	608	17,588	5,917	277
Under 20 Years	53	1	16	34	2	—	43	1	23	18	1	—
20–24	1,781	—	247	1,500	34	—	1,955	2	295	1,620	37	1
25–44	19,547	—	266	15,731	3,512	38	19,309	—	289	15,508	3,478	34
45–64	2,869	—	2	417	2,247	203	2,972	—	1	442	2,357	172
65 and Over	100	—	—	—	35	65	114	—	—	—	44	70
	DIVORCED BRIDE, WIDOWED GROOM											
Total	2,117	—	3	346	1,232	536	2,112	—	5	373	1,188	546
Under 20 Years	—	—	—	—	—	—	—	—	—	—	—	—
20–24	25	—	3	20	2	—	35	—	2	31	2	—
25–44	810	—	—	310	450	50	788	—	3	317	420	48
45–64	1,104	—	—	16	754	334	1,082	—	—	25	742	315
65 and Over	178	—	—	—	26	152	207	—	—	—	24	183
	WIDOWED BRIDE, SINGLE GROOM											
Total	666	11	119	380	115	41	705	7	114	398	136	50
Under 20 Years	3	1	2	—	—	—	9	2	5	2	—	—
20–24	63	6	37	20	—	—	84	3	40	41	—	—
25–44	420	4	77	312	27	—	420	2	66	317	34	1
45–64	133	—	3	45	68	17	144	—	3	38	82	21
65 and Over	47	—	—	3	20	24	48	—	—	—	20	28
	WIDOWED BRIDE, DIVORCED GROOM											
Total	1,919	—	8	651	1,010	250	2,121	—	16	629	1,113	363
Under 20 Years	3	—	—	3	—	—	—	—	—	—	—	—
20–24	29	—	2	26	1	—	29	—	8	20	1	—
25–44	765	—	6	556	199	4	754	—	8	505	236	5
45–64	908	—	—	65	729	114	1,058	—	—	99	806	153
65 and Over	214	—	—	1	81	132	280	—	—	5	70	205
	WIDOWED BRIDE, WIDOWED GROOM											
Total	2,127	—	1	44	731	1,351	2,508	—	—	39	817	1,652
Under 20 Years	—	—	—	—	—	—	—	—	—	—	—	—
20–24	—	—	—	—	—	—	2	—	—	1	1	—
25–44	106	—	1	40	57	8	106	—	—	22	78	6
45–64	1,063	—	—	4	588	471	1,181	—	—	16	626	539
65 and Over	958	—	—	—	86	872	1,219	—	—	—	112	1,107
	PREVIOUS MARITAL STATUS NOT STATED FOR EITHER											
Total	295	4	44	181	50	16	370	10	62	215	69	14
Under 20 Years	19	2	10	7	—	—	26	7	11	8	—	—
20–24	71	2	25	43	1	—	90	1	36	52	1	—
25–44	157	—	9	128	20	—	193	2	15	149	27	—
45–64	36	—	—	3	27	6	50	—	—	6	38	6
65 and Over	12	—	—	—	2	10	11	—	—	—	3	8

Note: Nonprimary marriages are second or higher order for one or both partners.

This table excludes marriages with age of either bride or groom or both not stated, as follows: 8 in 1980, and 10 in 1979.

This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972.

Source: State of California, Department of Health Services, Marriage Records.

Table 5–22 (Continued)

NONPRIMARY LICENSED MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM BY AGE OF BRIDE BY AGE OF GROOM CALIFORNIA, 1979 AND 1980

(Percent distribution by age of bride and groom)

AGE OF BRIDE	1980						1979					
	Total	Age of Groom					Total	Age of Groom				
		Under 20 Years	20—24	25—44	45—64	65 and Over		Under 20 Years	20—24	25—44	45—64	65 and Over
SINGLE BRIDE, DIVORCED GROOM												
Total	100.0	0.1	8.7	84.1	6.8	0.3	100.0	0.1	9.7	83.1	6.9	0.3
Under 20 Years	8.6	0.0	2.5	6.0	0.1	0.0	9.6	0.0	3.0	6.4	0.1	0.0
20—24	39.7	0.0	5.3	33.6	0.8	0.0	42.1	0.0	5.7	35.6	0.7	0.0
25—44	50.7	—	1.0	44.4	5.1	0.1	47.4	—	1.0	41.0	5.4	0.1
45—64	0.9	—	—	0.1	0.7	0.1	0.9	—	—	0.1	0.7	0.1
65 and Over	0.1	—	—	—	0.0	0.0	0.0	—	—	—	0.0	—
SINGLE BRIDE, WIDOWED GROOM												
Total	100.0	—	2.9	42.3	35.0	19.8	100.0	0.2	2.2	43.7	37.3	16.6
Under 20 Years	4.4	—	0.9	3.4	0.2	—	4.3	0.2	0.8	3.2	0.2	—
20—24	16.6	—	1.7	12.8	1.9	0.2	20.4	—	1.3	15.5	3.2	0.5
25—44	53.6	—	0.3	25.4	22.2	5.6	52.2	—	0.2	25.0	22.9	4.1
45—64	19.1	—	—	0.7	10.6	7.8	18.2	—	—	—	10.8	7.4
65 and Over	6.3	—	—	—	0.2	6.1	4.9	—	—	—	0.3	4.6
DIVORCED BRIDE, SINGLE GROOM												
Total	100.0	1.7	26.0	69.8	2.4	0.1	100.0	1.6	27.4	68.7	2.2	0.1
Under 20 Years	1.1	0.2	0.6	0.2	—	—	1.3	0.2	0.9	0.2	—	—
20—24	21.4	0.7	11.2	9.5	0.0	—	23.3	0.8	12.2	10.2	0.0	—
25—44	75.1	0.8	14.0	59.0	1.4	0.0	73.0	0.5	14.2	57.1	1.2	—
45—64	2.3	—	0.1	1.1	1.0	0.1	2.4	—	0.2	1.2	1.0	0.1
65 and Over	0.1	—	0.0	0.0	0.0	0.0	0.1	—	—	0.0	0.0	0.0
DIVORCED BRIDE, DIVORCED GROOM												
Total	100.0	0.0	2.2	72.6	23.9	1.3	100.0	0.0	2.5	72.1	24.3	1.1
Under 20 Years	0.2	0.0	0.1	0.1	0.0	—	0.2	0.0	0.1	0.1	0.0	—
20—24	7.3	—	1.0	6.2	0.1	—	8.0	0.0	1.2	6.6	0.2	0.0
25—44	80.3	—	1.1	64.6	14.4	0.2	79.2	—	1.2	63.6	14.3	0.1
45—64	11.8	—	0.0	1.7	9.2	0.8	12.2	—	0.0	1.8	9.7	0.7
65 and Over	0.4	—	—	—	0.1	0.3	0.5	—	—	—	0.2	0.3
DIVORCED BRIDE, WIDOWED GROOM												
Total	100.0	—	0.1	16.3	58.2	25.3	100.0	—	0.2	17.7	56.3	25.9
Under 20 Years	—	—	—	—	—	—	—	—	—	—	—	—
20—24	1.2	—	0.1	0.9	0.1	—	1.7	—	0.1	1.5	0.1	—
25—44	38.3	—	—	14.6	21.3	2.4	37.3	—	0.1	15.0	19.9	2.3
45—64	52.1	—	—	0.8	35.6	15.8	51.2	—	—	1.2	35.1	14.9
65 and Over	8.4	—	—	—	1.2	7.2	9.8	—	—	—	1.1	8.7
WIDOWED BRIDE, SINGLE GROOM												
Total	100.0	1.7	17.9	57.1	17.3	6.2	100.0	1.0	16.2	56.5	19.3	7.1
Under 20 Years	0.5	0.2	0.3	—	—	—	1.3	0.3	0.7	0.3	—	—
20—24	9.5	0.9	5.6	3.0	—	—	11.9	0.4	5.7	5.8	—	—
25—44	63.1	0.6	11.6	46.8	4.1	—	59.6	0.3	9.4	45.0	4.8	0.1
45—64	20.0	—	0.5	6.8	10.2	2.6	20.4	—	0.4	5.4	11.6	3.0
65 and Over	7.1	—	—	0.5	3.0	3.6	6.8	—	—	—	2.8	4.0
WIDOWED BRIDE, DIVORCED GROOM												
Total	100.0	—	0.4	33.9	52.6	13.0	100.0	—	0.8	29.7	52.5	17.1
Under 20 Years	0.2	—	—	0.2	—	—	—	—	—	—	—	—
20—24	1.5	—	0.1	1.4	0.1	—	1.4	—	0.4	0.9	0.0	—
25—44	39.9	—	0.3	29.0	10.4	0.2	35.5	—	0.4	23.8	11.1	0.2
45—64	47.3	—	—	3.4	38.0	5.9	49.9	—	—	4.7	38.0	7.2
65 and Over	11.3	—	—	0.1	4.3	6.9	13.2	—	—	0.2	3.3	9.7
WIDOWED BRIDE, WIDOWED GROOM												
Total	100.0	—	0.0	2.1	34.4	63.5	100.0	—	—	1.6	32.6	65.9
Under 20 Years	—	—	—	—	—	—	—	—	—	—	—	—
20—24	—	—	—	—	—	—	0.1	—	—	0.0	0.0	—
25—44	5.0	—	0.0	1.9	2.7	0.4	4.2	—	—	0.9	3.1	0.2
45—64	50.0	—	—	0.2	27.6	22.1	47.1	—	—	0.6	25.0	21.5
65 and Over	45.0	—	—	—	4.0	41.0	48.6	—	—	—	4.5	44.1
PREVIOUS MARITAL STATUS NOT STATED FOR EITHER												
Total	100.0	1.4	14.9	61.4	16.9	5.4	100.0	2.7	16.8	58.1	18.6	3.8
Under 20 Years	6.4	0.7	3.4	2.4	—	—	7.0	1.9	3.0	2.2	—	—
20—24	24.1	0.7	8.5	14.6	0.3	—	24.3	0.3	9.7	14.1	0.3	—
25—44	53.2	—	3.1	43.4	6.8	—	52.2	0.5	4.1	40.3	7.3	—
45—64	12.2	—	—	1.0	9.2	2.0	13.5	—	—	1.6	10.3	1.6
65 and Over	4.1	—	—	—	0.7	3.4	3.0	—	—	—	0.8	2.2

Note: Nonprimary marriages are second or higher order for one or both partners.

This table excludes marriages with age of either bride or groom or both not stated, as follows: 8 in 1980, and 10 in 1979.

This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972.

Percents are rounded independently, and may not add to totals.

Source: State of California, Department of Health Services, Marriage Records.

Table 5–22 (Continued)

NONPRIMARY LICENSED MARRIAGES
BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM
BY AGE OF BRIDE BY AGE OF GROOM
CALIFORNIA, 1979 AND 1980

(Percent distribution by age of bride)

AGE OF BRIDE	1980						1979					
	Total	Age of Groom					Total	Age of Groom				
		Under 20 Years	20–24	25–44	45–64	65 and Over		Under 20 Years	20–24	25–44	45–64	65 and Over
	SINGLE BRIDE, DIVORCED GROOM											
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 20 Years	8.6	50.0	28.4	7.1	1.8	1.7	9.6	58.3	31.4	7.7	1.3	6.1
20–24	39.7	50.0	60.3	39.9	11.3	8.6	42.1	41.7	58.6	42.9	10.7	6.1
25–44	50.7	—	11.3	52.8	75.7	48.3	47.4	—	10.0	49.3	77.4	49.0
45–64	0.9	—	—	0.1	10.8	27.6	0.9	—	—	0.1	10.1	38.8
65 and Over	0.1	—	—	—	0.5	13.8	0.0	—	—	—	0.6	—
	SINGLE BRIDE, WIDOWED GROOM											
Total	100.0	—	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 20 Years	4.4	—	29.4	8.1	0.5	—	4.3	100.0	35.7	7.2	0.4	—
20–24	16.6	—	58.8	30.2	5.4	0.9	20.4	—	57.1	35.5	8.5	2.9
25–44	53.6	—	11.8	60.1	63.4	28.4	52.2	—	7.1	57.2	61.4	24.8
45–64	19.1	—	—	1.6	30.2	39.7	18.2	—	—	—	28.8	44.8
65 and Over	6.3	—	—	—	0.5	31.0	4.9	—	—	—	0.8	27.6
	DIVORCED BRIDE, SINGLE GROOM											
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 20 Years	1.1	13.3	2.4	0.3	—	—	1.3	14.7	3.2	0.3	—	—
20–24	21.4	40.7	43.2	13.6	0.5	—	23.3	51.5	44.5	14.9	1.3	—
25–44	75.1	46.0	53.9	84.5	55.3	6.3	73.0	33.8	51.8	83.1	52.8	—
45–64	2.3	—	0.4	1.6	42.9	68.8	2.4	—	0.6	1.8	44.9	68.8
65 and Over	0.1	—	0.0	0.0	1.3	25.0	0.1	—	—	0.0	0.9	31.3
	DIVORCED BRIDE, DIVORCED GROOM											
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 20 Years	0.2	100.0	3.0	0.2	0.0	—	0.2	33.3	3.8	0.1	0.0	—
20–24	7.3	—	46.5	8.5	0.6	—	8.0	66.7	48.5	9.2	0.6	0.4
25–44	80.3	—	50.1	89.0	60.2	12.4	79.2	—	47.5	88.2	58.8	12.3
45–64	11.8	—	0.4	2.4	38.5	66.3	12.2	—	0.2	2.5	39.8	62.1
65 and Over	0.4	—	—	—	0.6	21.2	0.5	—	—	—	0.7	25.3
	DIVORCED BRIDE, WIDOWED GROOM											
Total	100.0	—	100.0	100.0	100.0	100.0	100.0	—	100.0	100.0	100.0	100.0
Under 20 Years	—	—	—	—	—	—	—	—	—	—	—	—
20–24	1.2	—	100.0	5.8	0.2	—	1.7	—	40.0	8.3	0.2	—
25–44	38.3	—	—	89.6	36.5	9.3	37.3	—	60.0	85.0	35.4	8.8
45–64	52.1	—	—	4.6	61.2	62.3	51.2	—	—	6.7	62.5	57.7
65 and Over	8.4	—	—	—	2.1	28.4	9.8	—	—	—	2.0	33.5
	WIDOWED BRIDE, SINGLE GROOM											
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 20 Years	0.5	9.1	1.7	—	—	—	1.3	28.6	4.4	0.5	—	—
20–24	9.5	54.5	31.1	5.3	—	—	11.9	42.9	35.1	10.3	—	—
25–44	63.1	36.4	64.7	82.1	23.5	—	59.6	28.6	57.9	79.6	25.0	2.0
45–64	20.0	—	2.5	11.8	59.1	41.5	20.4	—	2.6	9.5	60.3	42.0
65 and Over	7.1	—	—	0.8	17.4	58.5	6.8	—	—	—	14.7	56.0
	WIDOWED BRIDE, DIVORCED GROOM											
Total	100.0	—	100.0	100.0	100.0	100.0	100.0	—	100.0	100.0	100.0	100.0
Under 20 Years	0.2	—	—	0.5	—	—	—	—	—	—	—	—
20–24	1.5	—	25.0	4.0	0.1	—	1.4	—	50.0	3.2	0.1	—
25–44	39.9	—	75.0	85.4	19.7	1.6	35.5	—	50.0	80.3	21.2	1.4
45–64	47.3	—	—	10.0	72.2	45.6	49.9	—	—	15.7	72.4	42.1
65 and Over	11.2	—	—	0.2	8.0	52.8	13.2	—	—	0.8	6.3	56.5
	WIDOWED BRIDE, WIDOWED GROOM											
Total	100.0	—	100.0	100.0	100.0	100.0	100.0	—	—	100.0	100.0	100.0
Under 20 Years	—	—	—	—	—	—	—	—	—	—	—	—
20–24	—	—	—	—	—	—	0.1	—	—	2.6	0.1	—
25–44	5.0	—	100.0	90.9	7.8	0.6	4.2	—	—	56.4	9.5	0.4
45–64	50.0	—	—	9.1	80.4	34.9	47.1	—	—	41.0	76.6	32.6
65 and Over	45.0	—	—	—	11.8	64.5	48.6	—	—	—	13.7	67.0
	PREVIOUS MARITAL STATUS NOT STATED FOR EITHER											
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 20 Years	6.4	50.0	22.7	3.9	—	—	7.0	70.0	17.7	3.7	—	—
20–24	24.1	50.0	56.8	23.8	2.0	—	24.3	10.0	58.1	24.2	1.4	—
25–44	53.2	—	20.5	70.7	40.0	—	52.2	20.0	24.2	69.3	39.1	—
45–64	12.2	—	—	1.7	54.0	37.5	13.5	—	—	2.8	55.1	42.9
65 and Over	4.1	—	—	—	4.0	62.5	3.0	—	—	—	4.3	57.1

Note: Nonprimary marriages are second or higher order for one or both partners.

This table excludes marriages with age of either bride or groom or both not stated, as follows: 8 in 1980. and 10 in 1979.

This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972.

Percents are rounded independently, and may not add to totals.

Source: State of California, Department of Health Services, Marriage Records.

Table 5–22 (Continued)

NONPRIMARY LICENSED MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM BY AGE OF BRIDE BY AGE OF GROOM CALIFORNIA, 1979 AND 1980

(Percent distribution by age of groom)

AGE OF BRIDE	1980						1979					
	Total	Age of Groom					Total	Age of Groom				
		Under 20 Years	20–24	25–44	45–64	65 and Over		Under 20 Years	20–24	25–44	45–64	65 and Over
SINGLE BRIDE, DIVORCED GROOM												
Total	100.0	0.1	8.7	84.1	6.8	0.3	100.0	0.1	9.7	83.1	6.9	0.3
Under 20 Years	100.0	0.5	28.8	69.2	1.4	0.1	100.0	0.4	31.6	66.8	0.9	0.2
20–24	100.0	0.1	13.3	84.7	1.9	0.1	100.0	0.1	13.5	84.7	1.8	0.0
25–44	100.0	—	1.9	87.6	10.1	0.3	100.0	—	2.0	86.4	11.3	0.3
45–64	100.0	—	—	12.6	78.3	9.1	100.0	—	—	12.1	76.4	11.5
65 and Over	100.0	—	—	—	42.9	57.1	100.0	—	—	—	100.0	—
SINGLE BRIDE, WIDOWED GROOM												
Total	100.0	—	2.9	42.3	35.0	19.8	100.0	0.2	2.2	43.7	37.3	16.6
Under 20 Years	100.0	—	19.2	76.9	3.8	—	100.0	3.7	18.5	74.1	3.7	—
20–24	100.0	—	10.3	77.3	11.3	1.0	100.0	—	6.2	76.0	15.5	2.3
25–44	100.0	—	0.6	47.5	41.4	10.5	100.0	—	0.3	47.9	43.9	7.9
45–64	100.0	—	—	3.6	55.4	41.1	100.0	—	—	—	59.1	40.9
65 and Over	100.0	—	—	—	2.7	97.3	100.0	—	—	—	6.5	93.5
DIVORCED BRIDE, SINGLE GROOM												
Total	100.0	1.7	26.0	69.8	2.4	0.1	100.0	1.6	27.4	68.7	2.2	0.1
Under 20 Years	100.0	21.2	58.8	20.0	—	—	100.0	18.6	67.8	13.7	—	—
20–24	100.0	3.2	52.5	44.3	0.1	—	100.0	3.6	52.4	43.9	0.1	—
25–44	100.0	1.0	18.6	78.5	1.8	0.0	100.0	0.7	19.5	78.2	1.6	—
45–64	100.0	—	4.7	47.2	45.0	3.1	100.0	—	6.3	49.9	40.7	3.2
65 and Over	100.0	—	7.1	28.6	35.7	28.6	100.0	—	—	11.1	33.3	55.6
DIVORCED BRIDE, DIVORCED GROOM												
Total	100.0	0.0	2.2	72.6	23.9	1.3	100.0	0.0	2.5	72.1	24.3	1.1
Under 20 Years	100.0	1.9	30.2	64.2	3.8	—	100.0	2.3	53.5	41.9	2.3	—
20–24	100.0	—	13.9	84.2	1.9	—	100.0	0.1	15.1	82.9	1.9	0.1
25–44	100.0	—	1.4	80.5	18.0	0.2	100.0	—	1.5	80.3	18.0	0.2
45–64	100.0	—	0.1	14.5	78.3	7.1	100.0	—	0.0	14.9	79.3	5.8
65 and Over	100.0	—	—	—	35.0	65.0	100.0	—	—	—	38.6	61.4
DIVORCED BRIDE, WIDOWED GROOM												
Total	100.0	—	0.1	16.3	58.2	25.3	100.0	—	0.2	17.7	56.3	25.9
Under 20 Years	—	—	—	—	—	—	—	—	—	—	—	—
20–24	100.0	—	12.0	80.0	8.0	—	100.0	—	5.7	88.6	5.7	—
25–44	100.0	—	—	38.3	55.6	6.2	100.0	—	0.4	40.2	53.3	6.1
45–64	100.0	—	—	1.4	68.3	30.3	100.0	—	—	2.3	68.6	29.1
65 and Over	100.0	—	—	—	14.6	85.4	100.0	—	—	—	11.6	88.4
WIDOWED BRIDE, SINGLE GROOM												
Total	100.0	1.7	17.9	57.1	17.3	6.2	100.0	1.0	16.2	56.5	19.3	7.1
Under 20 Years	100.0	33.3	66.7	—	—	—	100.0	22.2	55.6	22.2	—	—
20–24	100.0	9.5	58.7	31.7	—	—	100.0	3.6	47.6	48.8	—	—
25–44	100.0	1.0	18.3	74.3	6.4	—	100.0	0.5	15.7	75.5	8.1	0.2
45–64	100.0	—	2.3	33.8	51.1	12.8	100.0	—	2.1	26.4	56.9	14.6
65 and Over	100.0	—	—	6.4	42.6	51.1	100.0	—	—	—	41.7	58.3
WIDOWED BRIDE, DIVORCED GROOM												
Total	100.0	—	0.4	33.9	52.6	13.0	100.0	—	0.8	29.7	52.5	17.1
Under 20 Years	100.0	—	—	100.0	—	—	—	—	—	—	—	—
20–24	100.0	—	6.9	89.7	3.4	—	100.0	—	27.6	69.0	3.4	—
25–44	100.0	—	0.8	72.7	26.0	0.5	100.0	—	1.1	67.0	31.3	0.7
45–64	100.0	—	—	7.2	80.3	12.6	100.0	—	—	9.4	76.2	14.5
65 and Over	100.0	—	—	0.5	37.9	61.7	100.0	—	—	1.8	25.0	73.2
WIDOWED BRIDE, WIDOWED GROOM												
Total	100.0	—	0.0	2.1	34.4	63.5	100.0	—	—	1.6	32.6	65.9
Under 20 Years	—	—	—	—	—	—	—	—	—	—	—	—
20–24	—	—	—	—	—	—	100.0	—	—	50.0	50.0	—
25–44	100.0	—	0.9	37.7	53.8	7.5	100.0	—	—	20.8	73.6	5.7
45–64	100.0	—	—	0.4	55.3	44.3	100.0	—	—	1.4	53.0	45.6
65 and Over	100.0	—	—	—	9.0	91.0	100.0	—	—	—	9.2	90.8
PREVIOUS MARITAL STATUS NOT STATED FOR EITHER												
Total	100.0	1.4	14.9	61.4	16.9	5.4	100.0	2.7	16.8	58.1	18.6	3.8
Under 20 Years	100.0	10.5	52.6	36.8	—	—	100.0	26.9	42.3	30.8	—	—
20–24	100.0	2.8	35.2	60.6	1.4	—	100.0	1.1	40.0	57.8	1.1	—
25–44	100.0	—	5.7	81.5	12.7	—	100.0	1.0	7.8	77.2	14.0	—
45–64	100.0	—	—	8.3	75.0	16.7	100.0	—	—	12.0	76.0	12.0
65 and Over	100.0	—	—	—	16.7	83.3	100.0	—	—	—	27.3	72.7

Note: Nonprimary marriages are second or higher order for one or both partners.

This table excludes marriages with age of either bride or groom or both not stated, as follows: 8 in 1980, and 10 in 1979.

This table excludes nonlicensed marriages performed under provisions of Section 4213 of the California Civil Code. No characteristics of these marriages are available, other than the total number occurring per year since 1972.

Percents are rounded independently, and may not add to totals.

Source: State of California, Department of Health Services, Marriage Records.

6. MARRIAGE DISSOLUTIONS

Page

Table 6–1. Final decrees of dissolution of marriage and judgment of nullity by metropolitan and nonmetropolitan area: California, 1966, 1970, and 1980 174
6–2. Divorce-annulment rates: United States, California, and United States excluding California, 1960–1980 176
6–3. Final decrees of dissolution of marriage, judgment of nullity, and legal separation: California counties, 1979. 178
6–4. Final decrees of dissolution of marriage, judgment of nullity, and legal separation: California counties, 1980. 179
6–5. Final decrees of dissolution of marriage and judgment of nullity, counties highest in marriage dissolution rate: California, 1966–1980 180

Figure 6–A. Marriage and marriage dissolution rates: California, 1940–1980 175
6–B. Divorce-annulment rates: United States, California, and United States excluding California, 1960–1980 177

Table 6–1

FINAL DECREES OF DISSOLUTION OF MARRIAGE AND JUDGMENT OF NULLITY BY METROPOLITAN AND NONMETROPOLITAN AREA[1] CALIFORNIA, 1966, 1970, AND 1980

(Number and Rate)

AREA[1]	1966		1970		1980	
	Number	Rate	Number	Rate	Number	Rate
California	69,145	3.7	112,942	5.6	138,361	5.8
Metropolitan	63,389	3.7	105,610	5.7	131,208	5.8
Nonmetropolitan	5,756	3.2	7,332	5.0	7,153	6.0

[1] Counties falling within Standard Metropolitan Statistical Areas (SMSAs) are classified as metropolitan. These include Alameda, Contra Costa, Fresno, Kern, Los Angeles, Marin, Monterey, Napa, Orange, Placer, Riverside, Sacramento, San Bernardino, San Diego, San Francisco, San Joaquin, San Mateo, Santa Barbara, Santa Clara, Solano, Ventura, and Yolo. For 1970, Sonoma and Stanislaus are added. For 1980, Butte, Santa Cruz, Shasta, Sutter, Tulare, and Yuba are added.

Note: Rates are per 1,000 population.

Source: State of California, Department of Health Services, Marriage Dissolution Records.

State of California, Department of Finance, Intercensal Estimates of July 1 Total Population, Adjusted to April 1, 1970 Census; Intercensal Estimates of July 1 Total Population, Adjusted to April 1, 1980 Census, March 1981; Interim July 1 Total Population Projections 1980–1990, Report 81 P–1, April 1981.

Figure 6–A

MARRIAGE AND MARRIAGE DISSOLUTION RATES
CALIFORNIA, 1940–1980

(By place of occurrence)



Source: State of California, Department of Health Services, Marriage and Marriage Dissolution Records.

Table 6–2

DIVORCE-ANNULMENT RATES[1] UNITED STATES, CALIFORNIA, AND UNITED STATES EXCLUDING CALIFORNIA, 1960–1980

(By place of occurrence)

YEAR	UNITED STATES	CALIFORNIA		UNITED STATES EXCLUDING CALIFORNIA
		RATE	PERCENT ABOVE U. S. RATE	
1960	2.2	3.1	40.9	2.1
1961	2.3	3.1	34.8	2.2
1962	2.2	3.2	45.5	2.1
1963	2.3	3.2	39.1	2.2
1964	2.4	3.3	37.5	2.3
1965	2.5	3.8	52.0	2.3
1966	2.5	3.7	48.0	2.4
1967	2.6	3.7	42.3	2.5
1968	2.9	3.9	34.5	2.8
1969	3.2	4.1	28.1	3.1
1970	3.5	5.6	60.0	3.2
1971	3.7	5.3	43.2	3.6
1972	4.0	5.4	35.0	3.9
1973	4.4	5.6	27.3	4.2
1974	4.6	5.7	23.9	4.5
1975	4.9	6.0	22.4	4.7
1976	5.0	6.1	22.0	4.9
1977	5.0	5.9	18.0	4.9
1978	5.2	5.8	11.5	5.1
1979	5.3[a]	5.9	11.3	5.2[a]
1980	5.3[a]	5.8	9.4	5.3[a]

[1] In California, from January 1, 1970 forward, the Family Law Act replaced the term "divorce" with "dissolution of marriage," and "annulment" with "judgment of nullity."

[a] Provisional data.

Note: Rates are per 1,000 population. California rates were calculated with population denominators that have been adjusted to the 1970 and 1980 Censuses, and may differ from previously published rates.

Source: NCHS, *Vital and Health Statistics*, Vol. 21, No. 24, December 1973.
NCHS, *Vital Statistics of the United States, 1970*, Vol. III, 1974.
NCHS, *Monthly Vital Statistics Report*, Vol. 28, No. 2, Supplement, May 16, 1979.
NCHS, *Monthly Vital Statistics Report*, Vol. 29, No. 4, Supplement, July 31, 1980.
NCHS, *Monthly Vital Statistics Report*, Vol. 29, No. 12, March 18, 1981.

U. S. Bureau of the Census, *Current Population Reports*, Series P–25, No. 543, March 1975, and No. 611, October 1975.
U. S. Bureau of the Census, *Statistical Abstract of the United States*, September 1978.

State of California, Department of Finance, Intercensal Estimates of July 1 Total Population, Adjusted to April 1, 1970 Census; Intercensal Estimates of July 1 Total Population, Adjusted to April 1, 1980 Census, March 1981; Interim July 1 Total Population Projections 1980–1990, Report 81 P–1, April 1981.

State of California, Department of Health Services, Marriage Dissolution Records.

Figure 6—B

DIVORCE-ANNULMENT RATES
UNITED STATES, CALIFORNIA, AND
UNITED STATES EXCLUDING CALIFORNIA, 1960–1980

(By place of occurrence)



Source: Table 6–2.

Table 6–3

FINAL DECREES OF DISSOLUTION OF MARRIAGE, JUDGMENT OF NULLITY, AND LEGAL SEPARATION CALIFORNIA COUNTIES, 1979

(By county granting decree)

COUNTY	TOTAL	TYPE OF DECREE			RATE[1]
		Dissolution of Marriage	Judgment of Nullity	Legal Separation	
California	138,377	134,698	3,183	496	5.9
Alameda	7,073	6,941	109	23	6.4
Alpine	5	5	–	–	4.5
Amador	79	78	1	–	4.2
Butte	838	809	23	6	6.0
Calaveras	90	87	3	–	4.5
Colusa	58	58	–	–	4.4
Contra Costa	4,035	3,890	129	16	6.2
Del Norte	120	115	5	–	6.8
El Dorado	481	470	10	1	5.9
Fresno	2,945	2,848	88	9	5.8
Glenn	120	115	5	–	5.7
Humboldt	806	801	4	1	7.4
Imperial	335	311	23	1	3.7
Inyo	112	104	8	–	6.2
Kern	2,543	2,440	97	6	6.4
Kings	425	410	13	2	5.8
Lake	195	179	14	2	5.5
Lassen	134	125	6	3	6.2
Los Angeles	38,663	38,019	572	72	5.2
Madera	267	255	12	–	4.4
Marin	1,588	1,557	21	10	7.1
Mariposa	45	44	1	–	4.2
Mendocino	503	475	26	2	7.7
Merced	755	732	17	6	5.7
Modoc	49	45	4	–	5.8
Mono	50	50	–	–	6.1
Monterey	1,818	1,748	51	19	6.3
Napa	553	533	14	6	5.5
Nevada	294	284	8	2	6.0
Orange	12,823	12,503	267	53	6.7
Placer	561	550	11	–	4.9
Plumas	101	100	1	–	6.0
Riverside	3,714	3,559	129	26	5.8
Sacramento	5,589	5,356	192	41	7.2
San Benito	129	107	21	1	5.2
San Bernardino	5,144	4,957	163	24	6.0
San Diego	10,785	10,726	50	9	5.9
San Francisco	3,716	3,584	111	21	5.4
San Joaquin	2,119	2,032	74	13	6.2
San Luis Obispo	868	839	24	5	5.7
San Mateo	3,400	3,251	130	19	5.8
Santa Barbara	1,831	1,758	62	11	6.1
Santa Clara	8,771	8,464	289	18	6.9
Santa Cruz	1,223	1,198	18	7	6.6
Shasta	909	864	41	4	8.0
Sierra	16	16	–	–	5.2
Siskiyou	238	230	7	1	6.1
Solano	1,530	1,469	46	15	6.7
Sonoma	2,095	2,026	60	9	7.1
Stanislaus	1,625	1,577	45	3	6.2
Sutter	324	310	12	2	6.2
Tehama	169	165	3	1	4.5
Trinity	70	68	1	1	5.9
Tulare	1,309	1,261	48	–	5.4
Tuolumne	222	213	7	2	6.6
Ventura	3,093	2,997	80	16	6.0
Yolo	630	600	25	5	5.6
Yuba	394	390	2	2	7.9

[1] Rate of dissolutions of marriage and judgments of nullity per 1,000 estimated population. Legal separations not included because (a) they do not legally dissolve the marriage and (b) statistics for the United States or other individual states do not usually include legal separations.

Source: State of California, Department of Health Services, Marriage Dissolution Records.

State of California, Department of Finance, Intercensal Estimates of July 1 Total Population, Adjusted to April 1, 1980 Census, March 1981.

Table 6–4

FINAL DECREES OF DISSOLUTION OF MARRIAGE, JUDGMENT OF NULLITY, AND LEGAL SEPARATION CALIFORNIA COUNTIES, 1980

(By county granting decree)

COUNTY	TOTAL	TYPE OF DECREE			RATE[1]
		Dissolution of Marriage	Judgment of Nullity	Legal Separation	
California	138,914	135,162	3,199	553	5.8
Alameda	6,652	6,487	140	25	6.0
Alpine	3	3	–	–	a
Amador	129	127	1	1	6.5
Butte	907	878	24	5	6.2
Calaveras	127	126	1	–	6.0
Colusa	66	62	3	1	5.1
Contra Costa	3,862	3,735	103	24	5.8
Del Norte	133	131	2	–	7.2
El Dorado	545	527	17	1	6.2
Fresno	2,982	2,876	99	7	5.8
Glenn	142	138	4	–	6.6
Humboldt	756	738	13	5	7.0
Imperial	357	339	16	2	3.8
Inyo	110	100	10	–	6.1
Kern	2,730	2,615	105	10	6.7
Kings	443	430	8	5	5.9
Lake	204	179	23	2	5.5
Lassen	158	147	7	4	7.1
Los Angeles	38,485	37,790	628	67	5.1
Madera	319	311	6	2	5.0
Marin	1,454	1,411	32	11	6.5
Mariposa	45	45	–	–	3.9
Mendocino	533	507	24	2	7.9
Merced	764	735	23	6	5.6
Modoc	55	54	1	–	6.4
Mono	47	47	–	–	5.5
Monterey	1,774	1,702	53	19	6.0
Napa	586	567	17	2	5.9
Nevada	368	355	11	2	6.9
Orange	12,676	12,359	272	45	6.5
Placer	625	609	10	6	5.2
Plumas	75	73	1	1	4.2
Riverside	4,013	3,858	134	21	5.9
Sacramento	5,610	5,362	206	42	7.1
San Benito	125	109	16	–	5.0
San Bernardino	5,409	5,233	146	30	6.0
San Diego	10,476	10,403	54	19	5.6
San Francisco	3,476	3,338	117	21	5.1
San Joaquin	2,131	2,055	72	4	6.1
San Luis Obispo	899	858	34	7	5.7
San Mateo	3,513	3,373	122	18	5.9
Santa Barbara	1,939	1,876	42	21	6.4
Santa Clara	8,866	8,612	218	36	6.8
Santa Cruz	1,151	1,132	15	4	6.1
Shasta	1,009	974	32	3	8.6
Sierra	17	16	1	–	5.5
Siskiyou	246	241	4	1	6.1
Solano	1,660	1,601	47	12	6.9
Sonoma	2,041	1,968	61	12	6.7
Stanislaus	1,790	1,732	52	6	6.7
Sutter	361	347	12	2	6.9
Tehama	200	194	3	3	5.0
Trinity	64	63	–	1	5.3
Tulare	1,358	1,306	47	5	5.5
Tuolumne	271	262	7	2	7.8
Ventura	3,142	3,047	77	18	5.8
Yolo	651	628	18	5	5.7
Yuba	384	371	8	5	7.6

a Rates not calculated for fewer than five cases.

[1] Rate of dissolutions of marriage and judgments of nullity per 1,000 estimated population. Legal separations not included because (a) they do not legally dissolve the marriage and (b) statistics for the United States or other individual states do not usually include legal separations.

Source: State of California, Department of Health Services, Marriage Dissolution Records.

State of California, Department of Finance, Interim July 1 Total Population Projections 1980–1990, Report 81 P–1, April 1981.

Table 6–5

FINAL DECREES OF DISSOLUTION OF MARRIAGE AND JUDGMENT OF NULLITY
COUNTIES HIGHEST IN MARRIAGE DISSOLUTION RATE
CALIFORNIA, 1966–1980

YEAR	California	COUNTY											
		Del Norte		Humboldt		Mendocino		Sacramento		Shasta		Yuba	
	Rate	Rate	Rank	Rate	Rank	Rate	Rank	Rate	Rank	Rate	Rank	Rate	Rank
1966	3.7	5.2	1	4.1	4	4.4	3	...	...	4.4	3	...	...
1967	3.7	4.3	4	...	...	4.7	3	...	...	4.2	5	...	...
1968	3.9	4.9	2	4.2	5	...	...	4.3	4	4.7	3	...	...
1969	4.1	...	...	...	...	5.3	1	4.4	4	5.2	2	...	...
1970	5.6	6.2	5	...	...	7.1	2	6.4	3	7.6	1	...	...
1971	5.3	7.8	2	6.3	3	6.2	4	6.2	4	8.8	1	5.9	5
1972	5.4	6.3	4	6.6	3	6.3	4	...	...	7.6	1	7.3	2
1973	5.6	8.3	1	...	...	...	...	6.6	5	7.9	2	...	...
1974	5.7	7.4	2	...	...	6.5	5	...	...	8.1	1	6.6	4
1975	6.0	...	...	7.1	5	7.5	2	7.3	4	8.2	1	8.2	1
1976	6.1	8.0	2	7.5	3	7.5	3	7.4	4	8.3	1	7.3	5
1977	5.9	...	...	...	...	7.7	3	7.1	4	7.8	2	8.3	1
1978	5.8	8.3	1	7.6	4	7.9	2	7.3	5	7.6	4	7.8	3
1979	5.9	...	...	7.4	4	7.7	3	7.2	5	8.0	1	7.9	2
1980	5.8	7.2	5	...	...	7.9	2	...	...	8.6	1	7.6	4
Score[1]	...	11		8		13		10		15		9	

[1] Number of years ranked in the top 5 counties during the 15 years 1966–1980.

Note: Counties included in this table ranked among the top 5 in rate in over half (8 or more) the 15 years 1966 through 1980.

Rates are per 1,000 estimated population. Rates were calculated using revised population estimates, adjusted to the 1970 and 1980 Censuses. Both the rates and the ranking of counties may differ from those previously published. Rates are sensitive to changes in population estimates, especially in smaller counties. Hence, more reliance should be placed upon inclusion among the top five ranking counties, and on consistency of inclusion, than on specific rank position.

Source: State of California, Department of Finance, Intercensal Estimates of July 1 Total Population, Adjusted to April 1, 1970 Census; Intercensal Estimates of July 1 Total Population, Adjusted to April 1, 1980 Census, March 1981; Interim July 1 Total Population Projections 1980–1990, Report 81 P–1, April 1981.

State of California, Department of Health Services, Marriage Dissolution Records.

7. DEATHS

Page

Table 7–1. Ten leading causes of death: California, 1979 and 1980 182
7–2. Five leading causes of death by sex and age: California, 1980 184
7–3. Five leading causes of death by sex and age: California, 1979 186
7–4. Deaths by month of death: California counties, 1979 188
7–5. Deaths by month of death: California counties, 1980 189
7–6. Age and sex-specific death rates and percent change: California, 1978–1980 . . 190
7–7. Deaths by sex, race, and age: California, 1980 191
7–8. Deaths by sex, race, and age: California counties, 1980 192
7–9. Deaths by sex, race, and age: California, 1979 206
7–10. Deaths by sex, race, and age: California counties, 1979 207
7–11. Deaths from selected causes: California counties, 1980 222
7–12. Deaths from selected causes: California counties, 1979 234
7–13. Deaths from selected external causes of injury and poisoning: California counties, 1980 246
7–14. Deaths from selected external causes of injury and poisoning: California counties, 1979 248
7–15. Deaths from each cause by sex and age: California, 1980 250
7–16. Deaths from each cause by sex and age: California, 1979 388

Figure 7–A. Percent distribution of the ten leading causes of death: California, 1980 183
7–B. Percent change in rate for the ten leading causes of death: California, 1979 to 1980 183

Table 7–1

TEN LEADING CAUSES OF DEATH
CALIFORNIA, 1979 AND 1980

(By place of residence)

(Number and Rate, with Percent Change, and Percent Distribution)

CAUSE OF DEATH	NINTH REVISION ICD NUMBER	1979	1980	PERCENT CHANGE 1979 TO 1980
		Number		
All Causes	001–999	177,214	186,428	5.2
Diseases of the heart	390–398, 402, 404, 410–429	63,132	66,271	5.0
Malignant neoplasms	140–208	38,754	40,178	3.7
Cerebrovascular disease	430–438	16,192	16,694	3.1
Accidents and adverse effects	800–949	10,808	10,732	–0.7
Chronic obstructive pulmonary disease and allied conditions	490–496	5,338	6,125	14.7
Pneumonia and influenza	480–487	4,355	5,570	27.9
Chronic liver disease and cirrhosis	571	4,270	4,477	4.8
Homicide	960–969	2,966	3,445	16.1
Suicide	950–959	3,534	3,429	–3.0
Atherosclerosis	440	2,753	2,736	–0.6
All other causes	Residual	25,112	26,771	6.6
		Rate		Percent Change 1979 to 1980
All Causes	001–999	760.7	784.2	3.1
Diseases of the heart	390–398, 402, 404, 410–429	271.0	278.8	2.9
Malignant neoplasms	140–208	166.4	169.0	1.6
Cerebrovascular disease	430–438	69.5	70.2	1.0
Accidents and adverse effects	800–949	46.4	45.1	–2.8
Chronic obstructive pulmonary disease and allied conditions	490–496	22.9	25.8	12.7
Pneumonia and influenza	480–487	18.7	23.4	25.1
Chronic liver disease and cirrhosis	571	18.3	18.8	2.7
Homicide	960–969	12.7	14.5	14.2
Suicide	950–959	15.2	14.4	–5.3
Atherosclerosis	440	11.8	11.5	–2.5
All other causes	Residual	107.8	112.6	4.5
		Percent		Difference 1980 Minus 1979
All Causes	001–999	100.0	100.0	. . .
Diseases of the heart	390–398, 402, 404, 410–429	35.6	35.5	–0.1
Malignant neoplasms	140–208	21.9	21.6	–0.3
Cerebrovascular disease	430–438	9.1	9.0	–0.1
Accidents and adverse effects	800–949	6.1	5.8	–0.3
Chronic obstructive pulmonary disease and allied conditions	490–496	3.0	3.3	+0.3
Pneumonia and influenza	480–487	2.5	3.0	+0.5
Chronic liver disease and cirrhosis	571	2.4	2.4	–
Homicide	960–969	1.7	1.8	+0.1
Suicide	950–959	2.0	1.8	–0.2
Atherosclerosis	440	1.6	1.5	–0.1
All other causes	Residual	14.2	14.4	+0.2

Note: Rates are per 100,000 estimated population.
Percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Death Records.
State of California, Department of Finance, Population Research Unit, Interim State Estimates (July 1 Population), Adjusted to 1980 Census, March 1981.

Figure 7–A

PERCENT DISTRIBUTION OF THE TEN LEADING CAUSES OF DEATH CALIFORNIA, 1980

(By place of residence)



Source: Table 7–1.

Figure 7–B

PERCENT CHANGE IN RATE FOR THE TEN LEADING CAUSES OF DEATH CALIFORNIA, 1979 TO 1980



Source: Table 7–1.

Table 7–2

FIVE LEADING CAUSES OF DEATH BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MALE			FEMALE		
		Number	Percent	Rank	Number	Percent	Rank
		UNDER 1					
	All Causes	2,503	100.0		1,948	100.0	
760–779	Certain conditions originating in the perinatal period	1,164	46.5	1	901	46.3	1
740–759	Congenital anomalies	541	21.6	2	483	24.8	2
800–949	Accidents and adverse effects	67	2.7	3	35	1.8	3
810–825	Motor vehicle accidents	16	0.6		9	0.5	
800–807, 826–949	All other accidents and adverse effects	51	2.0		26	1.3	
480–487	Pneumonia and influenza	44	1.8	4	23	1.2	5
320–322	Meningitis	30	1.2	5	16[a]	0.8[a]	a
390–398, 402, 404–429	Diseases of the heart	28[a]	1.1[a]	a	31	1.6	4
	All other causes[1]	629	25.1		459	23.6	
		1–4					
	All Causes	512	100.0		307	100.0	
800–949	Accidents and adverse effects	239	46.7	1	131	42.7	1
810–825	Motor vehicle accidents	81	15.8		56	18.2	
800–807, 826–949	All other accidents and adverse effects	158	30.9		75	24.4	
740–759	Congenital anomalies	63	12.3	2	34	11.1	2
140–208	Malignant neoplasms	34	6.6	3	14	4.6	4
960–969	Homicide	23	4.5	4	14	4.6	4
320–322	Meningitis	14	2.7	5	5[a]	1.6[a]	a
390–398, 402, 404–429	Diseases of the heart	11[a]	2.1[a]	a	20	6.5	3
	All other causes	128	25.0		89	29.0	
		5–14					
	All Causes	610	100.0		405	100.0	
800–949	Accidents and adverse effects	288	47.2	1	156	38.5	1
810–825	Motor vehicle accidents	179	29.3		111	27.4	
800–807, 826–949	All other accidents and adverse effects	109	17.9		45	11.1	
140–208	Malignant neoplasms	116	19.0	2	73	18.0	2
740–759	Congenital anomalies	33	5.4	3	22	5.4	4
960–969	Homicide	33	5.4	3	26	6.4	3
390–398, 402, 404–429	Diseases of the heart	14	2.3	5	18	4.4	5
	All other causes	126	20.7		110	27.2	
		15–24					
	All Causes	4,161	100.0		1,284	100.0	
800–949	Accidents and adverse effects	2,177	52.3	1	580	45.2	1
810–825	Motor vehicle accidents	1,621	39.0		457	35.6	
800–807, 826–949	All other accidents and adverse effects	556	13.4		123	9.6	
960–969	Homicide	922	22.2	2	199	15.5	2
950–959	Suicide	450	10.8	3	95	7.4	4
140–208	Malignant neoplasms	160	3.8	4	108	8.4	3
390–398, 402, 404–429	Diseases of the heart	78	1.9	5	36	2.8	5
	All other causes	374	9.0		266	20.7	
		25–34					
	All Causes	4,344	100.0		1,627	100.0	
800–949	Accidents and adverse effects	1,607	37.0	1	434	26.7	1
810–825	Motor vehicle accidents	976	22.5		289	17.8	
800–807, 826–949	All other accidents and adverse effects	631	14.5		145	8.9	
960–969	Homicide	855	19.7	2	171	10.5	4
950–959	Suicide	637	14.7	3	208	12.8	3
140–208	Malignant neoplasms	293	6.7	4	267	16.4	2
390–398, 402, 404–429	Diseases of the heart	219	5.0	5	82	5.0	5
	All other causes	733	16.9		465	28.6	

Table 7–2 (Continued)

FIVE LEADING CAUSES OF DEATH BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MALE			FEMALE		
		Number	Percent	Rank	Number	Percent	Rank
		35–44					
	All Causes	3,903	100.0		2,245	100.0	
800–949	Accidents and adverse effects	809	20.7	1	263	11.7	2
810–825	Motor vehicle accidents	455	11.7		145	6.5	
800–807, 826–949	All other accidents and adverse effects	354	9.1		118	5.3	
390–398, 402, 404–429	Diseases of the heart	777	19.9	2	242	10.8	3
140–208	Malignant neoplasms	534	13.7	3	766	34.1	1
960–969	Homicide	405	10.4	4	86[a]	3.8[a]	a
950–959	Suicide	357	9.1	5	170	7.6	5
571	Chronic liver disease and cirrhosis	356[a]	9.1[a]	a	176	7.8	4
	All other causes	665	17.0		542	24.1	
		45–54					
	All Causes	7,891	100.0		4,766	100.0	
390–398, 402, 404–429	Diseases of the heart	2,660	33.7	1	829	17.4	2
140–208	Malignant neoplasms	1,946	24.7	2	2,053	43.1	1
571	Chronic liver disease and cirrhosis	737	9.3	3	351	7.4	3
800–949	Accidents and adverse effects	678	8.6	4	255	5.4	5
810–825	Motor vehicle accidents	339	4.3		134	2.8	
800–807, 826–949	All other accidents and adverse effects	340	4.3		121	2.5	
950–959	Suicide	318	4.0	5	171[a]	3.6[a]	a
430–438	Cerebrovascular disease	262[a]	3.3[a]	a	262	5.5	4
	All other causes	1,289	16.3		845	17.7	
		55–64					
	All Causes	16,729	100.0		10,444	100.0	
390–398, 402, 404–429	Diseases of the heart	6,589	39.4	1	2,539	24.3	2
140–208	Malignant neoplasms	4,863	29.1	2	4,330	41.5	1
571	Chronic liver disease and cirrhosis	916	5.5	3	490	4.7	4
430–438	Cerebrovascular disease	629	3.8	4	585	5.6	3
800–949	Accidents and adverse effects	618	3.7	5	302[a]	2.9[a]	a
810–825	Motor vehicle accidents	270	1.6		137	1.3	
800–807, 826–949	All other accidents and adverse effects	349	2.1		165	1.6	
490–496	Chronic obstructive pulmonary disease and allied conditions	603[a]	3.6[a]	a	395	3.8	5
	All other causes	2,510	15.0		1,803	17.3	
		65–74					
	All Causes	24,303	100.0		17,305	100.0	
390–398, 402, 404–429	Diseases of the heart	9,788	40.3	1	6,058	35.0	1
140–208	Malignant neoplasms	6,775	27.9	2	5,322	30.8	2
430–438	Cerebrovascular disease	1,515	6.2	3	1,498	8.7	3
490–496	Chronic obstructive pulmonary disease and allied conditions	1,403	5.8	4	791	4.6	4
571	Chronic liver disease and cirrhosis	544	2.2	5	350[a]	2.0[a]	a
250	Diabetes mellitus	346[a]	1.4[a]	a	416	2.4	5
	All other causes	3,932	16.2		2,870	16.6	
		75 AND OVER					
	All Causes	34,636	100.0		46,358	100.0	
390–398, 402, 404–429	Diseases of the heart	14,964	43.2	1	21,268	45.9	1
140–208	Malignant neoplasms	6,367	18.4	2	6,136	13.2	3
430–438	Cerebrovascular disease	3,872	11.2	3	7,712	16.6	2
490–496	Chronic obstructive pulmonary disease and allied conditions	1,705	4.9	4	932[a]	2.0[a]	a
480–487	Pneumonia and influenza	1,671	4.8	5	2,160	4.7	4
440	Atherosclerosis	742[a]	2.1[a]	a	1,567	3.4	5
	All other causes	5,315	15.3		6,583	14.2	

1 Includes 403 male deaths and 266 female deaths attributed to Sudden Infant Death Syndrome (SIDS), Ninth Revision ICD Number 798.0. See text, page 15, for more detail regarding SIDS omission among the five leading causes of death.

a Not among five leading causes of death in this age group.

Note: Percents are rounded independently and may not add to totals.
This table excludes 147 deaths of unknown age.

Source: State of California, Department of Health Services, Death Records.

Table 7–3

FIVE LEADING CAUSES OF DEATH BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MALE			FEMALE		
		Number	Percent	Rank	Number	Percent	Rank
		UNDER 1					
	All Causes	2,442	100.0		1,836	100.0	
760–779	Certain conditions originating in the perinatal period	1,120	45.9	1	837	45.6	1
740–759	Congenital anomalies	519	21.3	2	459	25.0	2
800–949	Accidents and adverse effects	59	2.4	3	42	2.3	3
810–825	Motor vehicle accidents	19	0.8		7	0.4	
800–807, 826–949	All other accidents and adverse effects	40	1.6		35	1.9	
480–487	Pneumonia and influenza	35	1.4	4	31	1.7	4
390–398, 402, 404–429	Diseases of the heart	31	1.3	5	31	1.7	4
320–322	Meningitis	31	1.3	5	20[a]	1.1[a]	a
	All other causes[1]	647	26.5		416	22.7	
		1–4					
	All Causes	502	100.0		351	100.0	
800–949	Accidents and adverse effects	217	43.2	1	142	40.5	1
810–825	Motor vehicle accidents	89	17.7		66	18.8	
800–807, 826–949	All other accidents and adverse effects	128	25.5		76	21.7	
740–759	Congenital anomalies	52	10.4	2	58	16.5	2
140–208	Malignant neoplasms	43	8.6	3	23	6.6	4
390–398, 402, 404–429	Diseases of the heart	19	3.8	4	13	3.7	5
960–969	Homicide	18	3.6	5	24	6.8	3
	All other causes	153	30.5		91	25.9	
		5–14					
	All Causes	620	100.0		383	100.0	
800–949	Accidents and adverse effects	341	55.0	1	149	38.9	1
810–825	Motor vehicle accidents	219	35.3		103	26.9	
800–807, 826–949	All other accidents and adverse effects	122	19.7		46	12.0	
140–208	Malignant neoplasms	89	14.4	2	83	21.7	2
960–969	Homicide	36	5.8	3	16	4.2	4
740–759	Congenital anomalies	31	5.0	4	22	5.7	3
480–487	Pneumonia and influenza	12	1.9	5	6[a]	1.6[a]	a
390–398, 402, 404–429	Diseases of the heart	9[a]	1.5[a]	a	14	3.7	5
	All other causes	102	16.5		93	24.3	
		15–24					
	All Causes	4,188	100.0		1,364	100.0	
800–949	Accidents and adverse effects	2,276	54.3	1	630	46.2	1
810–825	Motor vehicle accidents	1,692	40.4		504	37.0	
800–807, 826–949	All other accidents and adverse effects	584	13.9		126	9.2	
960–969	Homicide	797	19.0	2	163	12.0	2
950–959	Suicide	470	11.2	3	148	10.9	3
140–208	Malignant neoplasms	175	4.2	4	112	8.2	4
980–989	Injury undetermined whether accidentally or purposely inflicted	70	1.7	5	12[a]	0.9[a]	a
390–398, 402, 404–429	Diseases of the heart	58[a]	1.4[a]	a	46	3.4	5
	All other causes	342	8.2		253	18.5	
		25–34					
	All Causes	4,047	100.0		1,619	100.0	
800–949	Accidents and adverse effects	1,610	39.8	1	451	27.9	1
810–825	Motor vehicle accidents	997	24.6		278	17.2	
800–807, 826–949	All other accidents and adverse effects	613	15.1		173	10.7	
960–969	Homicide	691	17.0	2	147	9.1	4
950–959	Suicide	630	15.6	3	205	12.7	3
140–208	Malignant neoplasms	252	6.2	4	269	16.6	2
390–398, 402, 404–429	Diseases of the heart	205	5.1	5	84	5.2	5
	All other causes	659	16.3		463	28.6	

Table 7–3 (Continued)

FIVE LEADING CAUSES OF DEATH BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MALE			FEMALE		
		Number	Percent	Rank	Number	Percent	Rank
		35–44					
	All Causes	3,760	100.0		2,158	100.0	
800–949	Accidents and adverse effects	817	21.7	1	269	12.5	2
810–825	Motor vehicle accidents	437	11.6		150	7.0	
800–807, 826–949	All other accidents and adverse effects	380	10.1		119	5.5	
390–398, 402, 404–429	Diseases of the heart	719	19.1	2	239	11.1	3
140–208	Malignant neoplasms	535	14.2	3	699	32.4	1
571	Chronic liver disease and cirrhosis	355	9.4	4	171	7.9	5
950–959	Suicide	341	9.1	5	181	8.4	4
	All other causes	993	26.4		599	27.8	
		45–54					
	All Causes	7,989	100.0		4,821	100.0	
390–398, 402, 404–429	Diseases of the heart	2,778	34.8	1	802	16.6	2
140–208	Malignant neoplasms	1,885	23.6	2	2,140	44.4	1
571	Chronic liver disease and cirrhosis	756	9.5	3	346	7.2	3
800–949	Accidents and adverse effects	677	8.5	4	252	5.2	5
810–825	Motor vehicle accidents	322	4.0		107	2.2	
800–807, 826–949	All other accidents and adverse effects	355	4.4		145	3.0	
905–959	Suicide	313	3.9	5	187[a]	3.9[a]	a
430–438	Cerebrovascular disease	261[a]	3.3[a]	a	272	5.6	4
	All other causes	1,319	16.5		822	17.1	
		55–64					
	All Causes	16,289	100.0		10,129	100.0	
390–398, 402, 404–429	Diseases of the heart	6,415	39.4	1	2,531	25.0	2
140–208	Malignant neoplasms	4,833	29.7	2	4,253	42.0	1
571	Chronic liver disease and cirrhosis	875	5.4	3	467	4.6	4
430–438	Cerebrovascular disease	678	4.2	4	588	5.8	3
800–949	Accidents and adverse effects	610	3.7	5	299[a]	3.0[a]	a
810–825	Motor vehicle accidents	290	1.8		126	1.2	
800–807, 826–949	All other accidents and adverse effects	320	2.0		173	1.7	
490–496	Chronic obstructive pulmonary disease and allied conditions	527[a]	3.2[a]	a	344	3.4	5
	All other causes	2,351	14.4		1,647	16.3	
		65–74					
	All Causes	23,119	100.0		15,786	100.0	
390–398, 402, 404–429	Diseases of the heart	9,419	40.7	1	5,396	34.2	1
140–208	Malignant neoplasms	6,468	28.0	2	4,970	31.5	2
430–438	Cerebrovascular disease	1,504	6.5	3	1,498	9.5	3
490–496	Chronic obstructive pulmonary disease and allied conditions	1,240	5.4	4	626	4.0	4
571	Chronic liver disease and cirrhosis	507	2.2	5	310[a]	2.0[a]	a
250	Diabetes mellitus	301[a]	1.3[a]	a	332	2.1	5
	All other causes	3,680	15.9		2,654	16.8	
		75 AND OVER					
	All Causes	32,923	100.0		42,752	100.0	
390–398, 402, 404–429	Diseases of the heart	14,329	43.5	1	19,976	46.7	1
140–208	Malignant neoplasms	6,095	18.5	2	5,813	13.6	3
430–438	Cerebrovascular disease	3,816	11.6	3	7,227	16.9	2
490–496	Chronic obstructive pulmonary disease and allied conditions	1,546	4.7	4	766[a]	1.8[a]	a
480–487	Pneumonia and influenza	1,364	4.1	5	1,555	3.6	4
440	Atherosclerosis	814[a]	2.5[a]	a	1,539	3.6	5
	All other causes	4,959	15.1		5,876	13.7	

[1] Includes 381 male deaths and 239 female deaths attributed to Sudden Infant Death Syndrome (SIDS), Ninth Revision ICD Number 798.0. See text, page 15, for more detail regarding SIDS omission among the five leading causes of death.

[a] Not among five leading causes of death in this age group.

Note: Percents are rounded independently and may not add to totals.
This table excludes 136 deaths of unknown age.

Source: State of California, Department of Health Services, Death Records.

Table 7—4

DEATHS BY MONTH OF DEATH
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY	TOTAL DEATHS	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
California	177,214	15,683	13,989	15,246	14,900	15,250	14,158	14,382	13,905	14,123	14,471	14,977	16,130
Alameda	8,723	780	670	737	742	756	671	732	715	670	704	756	790
Alpine	3	1	—	—	1	1	—	—	—	—	—	—	—
Amador	188	18	13	16	10	16	14	10	15	17	22	16	21
Butte	1,407	143	87	130	102	130	110	117	114	108	119	126	121
Calaveras	200	12	14	15	18	12	25	20	15	15	19	17	18
Colusa	130	10	19	8	12	13	8	13	9	5	12	5	16
Contra Costa	4,346	398	305	406	376	352	337	381	326	325	377	371	392
Del Norte	179	12	17	11	17	18	11	12	12	13	23	17	16
El Dorado	550	60	47	45	43	51	43	46	38	36	51	50	40
Fresno	3,623	286	290	307	312	297	289	273	285	281	315	340	348
Glenn	197	11	16	17	19	14	24	13	15	28	12	11	17
Humboldt	885	88	69	67	72	77	64	75	65	66	85	71	86
Imperial	630	62	60	64	53	49	44	53	54	47	39	46	59
Inyo	208	15	14	13	23	22	11	17	16	14	22	17	24
Kern	3,051	285	214	242	261	267	238	245	247	240	271	277	264
Kings	476	37	36	33	46	41	49	56	37	33	41	27	40
Lake	475	38	35	58	40	31	30	36	43	44	37	37	46
Lassen	160	12	14	16	16	10	12	11	17	15	11	11	15
Los Angeles	58,783	5,230	4,722	4,989	4,925	5,174	4,703	4,732	4,566	4,741	4,672	5,001	5,328
Madera	514	43	43	42	44	42	41	44	46	51	32	40	46
Marin	1,475	124	114	109	133	120	114	121	119	110	128	152	131
Mariposa	92	11	7	5	9	6	5	8	8	7	11	6	9
Mendocino	598	56	46	42	49	49	48	53	45	49	49	55	57
Merced	885	84	83	65	65	76	68	82	71	87	72	61	71
Modoc	69	5	5	6	3	8	2	5	3	12	13	4	3
Mono	44	5	7	5	3	5	1	2	1	8	2	3	2
Monterey	1,894	145	154	185	136	174	154	154	150	160	157	154	171
Napa	936	100	71	98	69	79	68	83	62	75	69	75	87
Nevada	425	40	27	42	46	38	35	42	35	27	39	24	30
Orange	11,734	983	859	1,008	1,008	1,043	969	942	931	944	968	1,025	1,054
Placer	857	63	74	73	75	77	58	85	80	62	56	78	76
Plumas	127	8	6	11	7	12	10	10	9	10	10	18	16
Riverside	6,173	493	495	557	509	560	532	476	464	499	513	511	564
Sacramento	5,749	488	421	467	490	485	456	510	453	408	499	502	570
San Benito	189	26	17	13	11	15	11	10	14	11	21	22	18
San Bernardino	6,636	595	531	574	566	502	577	559	522	524	536	566	584
San Diego	12,694	1,155	1,045	1,147	1,061	1,043	1,007	955	989	1,044	1,047	1,026	1,175
San Francisco	7,601	714	653	667	653	638	608	588	612	614	615	594	645
San Joaquin	3,047	282	244	246	233	272	241	229	251	227	247	271	304
San Luis Obispo	1,235	114	112	100	88	102	86	113	101	84	114	93	128
San Mateo	4,195	379	346	355	386	363	309	350	316	331	310	354	396
Santa Barbara	2,235	191	179	204	187	173	174	188	180	183	191	186	199
Santa Clara	7,207	665	557	638	598	616	600	608	555	538	573	587	672
Santa Cruz	1,569	132	121	162	121	113	124	120	129	151	130	140	126
Shasta	924	88	55	82	73	86	71	76	69	74	64	83	103
Sierra	27	7	4	—	2	—	3	1	3	—	4	1	2
Siskiyou	388	34	32	27	33	36	48	29	25	21	32	30	41
Solano	1,476	149	113	123	124	127	128	112	116	116	121	122	125
Sonoma	2,638	233	209	219	215	253	190	209	190	219	237	212	252
Stanislaus	2,085	173	159	167	173	165	166	200	163	181	163	198	177
Sutter	390	34	27	39	38	24	35	34	26	27	40	31	35
Tehama	366	28	33	31	42	37	20	23	35	30	22	20	45
Trinity	92	10	3	6	10	6	7	11	4	6	13	6	10
Tulare	1,911	156	131	185	180	167	142	131	163	166	164	162	164
Tuolumne	280	21	24	31	15	27	18	24	23	25	18	20	34
Ventura	3,065	247	266	240	267	277	250	255	249	249	257	243	265
Yolo	760	71	43	59	58	71	68	61	75	58	69	62	65
Yuba	418	33	31	42	32	32	31	37	29	37	33	44	37

Source: State of California, Department of Health Services, Death Records.

Table 7–5

DEATHS BY MONTH OF DEATH
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY	TOTAL DEATHS	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
California	186,428	16,528	15,186	15,794	15,114	14,943	14,662	14,929	14,897	14,576	15,160	15,517	19,122
Alameda	9,358	786	791	801	770	781	738	739	721	733	749	797	952
Alpine	5	—	1	—	—	—	1	—	1	—	—	1	1
Amador	220	15	26	24	22	14	20	14	18	9	14	23	21
Butte	1,439	96	111	152	133	108	110	130	125	96	127	116	135
Calaveras	184	18	15	17	18	18	13	10	12	15	13	14	21
Colusa	135	8	12	13	11	10	9	18	9	9	12	11	13
Contra Costa	4,548	421	403	387	359	327	358	389	364	381	349	401	409
Del Norte	180	18	18	10	11	11	18	13	11	13	14	15	28
El Dorado	589	33	56	52	52	43	51	47	45	35	50	47	78
Fresno	4,060	385	311	332	331	308	311	364	302	274	342	361	439
Glenn	215	15	22	15	25	28	17	11	18	17	18	9	20
Humboldt	893	83	82	91	72	76	69	64	64	74	77	63	78
Imperial	726	69	42	60	67	72	57	60	55	55	65	51	73
Inyo	181	14	11	18	14	16	13	11	19	14	16	19	16
Kern	3,273	290	237	270	279	257	263	271	266	269	262	284	325
Kings	532	40	52	37	40	51	36	51	43	47	41	52	42
Lake	513	45	39	39	44	41	49	40	31	39	46	51	49
Lassen	158	14	12	10	13	18	9	15	9	14	13	15	16
Los Angeles	61,329	5,641	4,957	5,069	4,891	4,881	4,790	4,851	4,941	4,723	4,913	5,028	6,644
Madera	499	41	39	34	40	42	37	51	40	41	42	37	55
Marin	1,630	148	120	148	139	147	142	103	136	118	122	134	173
Mariposa	98	8	12	7	10	8	7	13	4	2	8	6	13
Mendocino	584	57	42	44	53	58	40	32	48	47	49	60	54
Merced	982	77	76	93	85	91	71	83	74	80	86	78	88
Modoc	79	2	9	7	8	8	5	6	5	12	5	5	7
Mono	33	1	4	3	6	—	3	1	5	3	2	—	5
Monterey	1,994	170	134	179	152	168	162	173	148	167	165	166	210
Napa	933	90	75	69	94	64	80	76	80	66	71	71	97
Nevada	500	40	40	35	46	37	41	39	39	31	50	51	51
Orange	11,956	1,034	939	1,040	961	932	958	949	963	955	997	1,001	1,227
Placer	944	90	72	66	83	84	75	78	98	80	67	72	79
Plumas	165	14	14	15	18	14	19	16	7	6	11	13	18
Riverside	6,733	663	549	584	549	534	553	534	505	541	517	575	629
Sacramento	5,962	471	514	515	487	500	449	477	458	462	551	470	608
San Benito	165	13	10	16	14	18	14	11	13	12	16	15	13
San Bernardino	7,196	637	591	587	573	583	583	577	602	615	562	545	741
San Diego	13,616	1,179	1,107	1,150	1,075	1,076	1,051	1,136	1,124	1,094	1,123	1,158	1,343
San Francisco	7,836	695	737	685	620	622	595	588	618	603	623	666	784
San Joaquin	3,114	285	272	260	259	228	255	251	220	253	247	269	315
San Luis Obispo	1,358	118	114	129	100	113	114	102	110	107	106	119	126
San Mateo	4,435	366	357	388	319	372	377	339	360	356	384	400	417
Santa Barbara	2,279	199	187	194	205	190	167	165	172	201	185	190	224
Santa Clara	7,610	673	620	617	650	629	606	591	628	602	604	615	775
Santa Cruz	1,596	138	120	142	129	132	110	127	122	159	133	140	144
Shasta	978	96	86	72	88	75	92	84	79	59	91	66	90
Sierra	25	2	1	3	—	2	2	3	3	2	5	1	1
Siskiyou	415	28	37	32	27	27	34	60	31	35	34	33	37
Solano	1,440	111	128	136	115	104	131	88	106	124	127	113	157
Sonoma	2,715	251	199	265	204	213	212	204	230	170	250	234	283
Stanislaus	2,183	187	178	198	198	167	163	188	183	158	182	158	223
Sutter	442	38	31	42	40	36	32	33	39	34	37	31	49
Tehama	424	38	27	44	34	31	34	53	35	25	35	36	32
Trinity	101	8	17	10	5	3	9	4	11	9	6	8	11
Tulare	2,057	158	159	170	177	175	145	178	174	163	179	191	188
Tuolumne	337	25	21	34	18	29	18	23	29	33	30	33	44
Ventura	3,234	271	245	280	267	279	263	291	256	245	237	287	313
Yolo	907	75	80	72	77	68	58	82	66	65	84	79	101
Yuba	335	40	25	32	37	24	23	22	22	24	16	33	37

Source: State of California, Department of Health Services, Death Records.

Table 7–6

AGE AND SEX-SPECIFIC DEATH RATES
AND PERCENT CHANGE
CALIFORNIA, 1978–1980

(By place of residence)

AGE (In Years)	1978			1979			1980		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Ages	769.7	849.9	691.8	760.7	836.0	687.6	784.2	850.8	719.5
Under 1	1,145.5	1,280.7	1,003.9	1,142.8	1,275.0	1,004.3	1,173.2	1,289.1	1,051.7
1–4	68.6	76.6	60.3	64.1	73.8	53.9	61.3	74.9	47.0
5–14	29.3	36.6	21.7	28.6	34.7	22.3	29.3	34.5	23.9
15–24	124.1	180.6	64.8	126.5	186.0	63.8	120.8	179.7	58.6
25–44	171.3	229.2	112.9	169.4	227.3	110.9	170.9	231.5	109.8
45–64	896.2	1,148.4	660.7	870.7	1,116.3	641.5	870.7	1,115.2	642.6
65–74	2,833.3	3,840.6	2,043.1	2,716.7	3,668.1	1,968.9	2,816.1	3,733.3	2,093.7
75–84	6,320.0	8,295.6	5,129.0	6,251.5	8,207.8	5,077.1	6,366.9	8,282.5	5,221.7
85 and Over	15,101.9	17,875.3	13,891.9	15,004.1	17,770.7	13,822.8	15,806.1	18,677.9	14,605.0

PERCENT CHANGE

AGE (In Years)	1977 to 1978			1978 to 1979			1979 to 1980		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Ages	1.0	1.0	1.0	–1.2	–1.6	–0.6	3.1	1.8	4.6
Under 1	–0.4	–0.7	–0.1	–0.2	–0.4	0.0	2.7	1.1	4.7
1–4	12.3	13.1	11.5	–6.6	–3.7	–10.6	–4.4	1.5	–12.8
5–14	–4.2	–0.5	–10.3	–2.4	–5.2	2.8	2.4	–0.6	7.2
15–24	–5.1	–3.4	–10.0	1.9	3.0	–1.5	–4.5	–3.4	–8.2
25–44	–0.4	1.1	–3.6	–1.1	–0.8	–1.8	0.9	1.8	–1.0
45–64	–1.0	–0.5	–1.9	–2.8	–2.8	–2.9	–	–0.1	0.2
65–74	0.9	0.3	1.7	–4.1	–4.5	–3.6	3.7	1.8	6.3
75–84	–0.3	1.0	–1.5	–1.1	–1.1	–1.0	1.8	0.9	2.8
85 and Over	2.5	2.7	2.5	–0.6	–0.6	–0.5	5.3	5.1	5.7

Note: Rates are per 100,000 estimated population.

Rates have been recalculated for 1977–1980, based on higher population estimates adjusted to the April 1, 1980 Census, and, therefore, may differ from rates published earlier.

Denominators used to calculate rates are July 1 population estimates, derived by interpolating between the April 1, 1970 and April 1, 1980 Censuses, and multiplying the resultant ratios for sex and age categories against intercensal July 1 total population estimates by the Department of Finance.

Source: State of California, Department of Health Services, Death Records.

U.S. Bureau of the Census, U.S. Census of Population, 1970, California, General Population Characteristics, PC (1)–B6, Table 19.

State of California, Department of Finance, State Census Data Center, 1980 Census data from Summary Tape File 1.

State of California, Department of Finance, Population Research Unit, Interim July 1 State Estimates, Adjusted to April 1, 1980 Census, March 1981.

Table 7–7

DEATHS BY SEX, RACE, AND AGE
CALIFORNIA, 1980

(By place of residence)

SEX AND RACE	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
TOTAL	186,428	2,886	1,565	819	475	540	2,255	3,190	3,082	2,889	2,769	3,379	4,887	7,770	11,953	15,220	19,481	22,127	23,368	23,013	34,613	147
White[1]	168,173	2,264	1,230	664	398	465	1,962	2,649	2,507	2,351	2,253	2,748	4,067	6,681	10,445	13,546	17,575	20,197	21,561	21,571	32,902	137
Black	13,417	481	269	118	58	51	229	450	468	462	400	498	652	859	1,189	1,314	1,406	1,354	1,140	938	1,071	10
Indian	358	9	8	6	1	3	5	19	11	12	21	17	16	14	29	30	30	27	32	23	45	–
Chinese	1,127	26	9	4	1	1	7	5	14	9	20	15	39	43	65	86	133	169	185	136	160	–
Japanese	1,022	8	5	3	1	2	7	16	22	7	10	13	29	65	82	105	77	50	109	148	263	–
Filipino	886	26	9	6	4	5	7	14	15	20	20	18	22	29	44	40	122	181	171	77	56	–
Other	1,445	72	35	18	12	13	38	37	45	28	45	70	62	79	99	99	138	149	170	120	116	–
Male	99,695	1,585	918	512	280	330	1,675	2,486	2,289	2,055	1,806	2,097	3,096	4,795	7,414	9,315	11,720	12,583	12,315	10,259	12,062	103
White[1]	88,997	1,250	731	416	232	293	1,451	2,082	1,877	1,667	1,464	1,696	2,588	4,133	6,482	8,338	10,600	11,443	11,267	9,537	11,354	96
Black	7,718	267	148	70	35	27	179	337	341	341	278	328	419	528	727	755	793	730	588	429	391	7
Indian	214	4	2	3	1	–	5	16	6	6	15	11	13	11	21	18	16	14	19	11	22	–
Chinese	677	12	7	4	–	1	3	3	9	7	13	6	27	21	44	51	85	111	111	85	77	–
Japanese	546	2	5	3	–	–	3	12	15	4	3	9	12	37	53	66	53	32	63	65	109	–
Filipino	669	12	5	2	3	3	5	8	12	12	13	11	10	19	22	29	85	154	148	68	48	–
Other	874	38	20	14	9	6	29	28	29	18	20	36	27	46	65	58	88	99	119	64	61	–
Female	86,733	1,301	647	307	195	210	580	704	793	834	963	1,282	1,791	2,975	4,539	5,905	7,761	9,544	11,053	12,754	22,551	44
White[1]	79,176	1,014	499	248	166	172	511	567	630	684	789	1,052	1,479	2,548	3,963	5,208	6,975	8,754	10,294	12,034	21,548	41
Black	5,699	214	121	48	23	24	50	113	127	121	122	170	233	331	462	559	613	624	552	509	680	3
Indian	144	5	6	3	–	3	–	3	5	6	6	6	3	3	8	12	14	13	13	12	23	–
Chinese	450	14	2	–	1	–	4	2	5	2	7	9	12	22	21	35	48	58	74	51	83	–
Japanese	476	6	–	–	1	2	4	4	7	3	7	4	17	28	29	39	24	18	46	83	154	–
Filipino	217	14	4	4	1	2	2	6	3	8	7	7	12	10	22	11	37	27	23	9	8	–
Other	571	34	15	4	3	7	9	9	16	10	25	34	35	33	34	41	50	50	51	56	55	–

[1] The "White" category includes "Mexican," and "race not specified" or "unknown." No separate "Hispanic" or "Mexican" category is shown because there are indications that these categories were underreported.

Source: State of California, Department of Health Services, Death Records.

Table 7–8

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Alameda	9,358	125	67	34	24	17	95	118	148	175	151	192	259	406	662	792	929	1,029	1,146	1,162	1,822	5
White	7,372	79	42	23	15	9	67	76	91	104	96	124	177	288	475	590	708	819	946	997	1,642	4
Black	1,632	40	22	8	9	8	24	36	50	65	48	51	68	102	169	177	176	168	150	125	135	1
Indian	16	–	–	1	–	–	1	–	1	2	1	4	–	1	–	1	1	–	2	–	1	–
Chinese	81	3	–	1	–	–	–	–	–	1	1	1	4	2	6	5	14	10	18	5	10	–
Japanese	34	–	–	–	–	–	–	2	4	–	1	–	1	3	1	2	2	–	3	7	8	–
Filipino	51	–	1	–	–	–	–	1	1	2	1	1	1	3	3	5	8	8	9	4	3	–
Other	172	3	2	1	–	–	3	3	1	1	3	11	8	7	8	12	20	24	18	24	23	–
Male	4,886	60	46	18	19	11	69	92	110	134	99	102	151	250	421	481	557	587	581	522	573	3
White	3,738	40	30	12	10	7	47	60	68	79	68	63	104	182	306	365	420	473	466	431	505	2
Black	925	18	14	3	9	4	18	26	39	51	29	30	40	58	105	98	102	86	78	65	51	1
Indian	12	–	–	1	–	–	1	–	–	–	1	3	–	1	–	1	1	–	2	–	1	–
Chinese	55	1	–	1	–	–	–	–	–	1	–	1	3	–	4	4	11	6	14	4	5	–
Japanese	11	–	–	–	–	–	–	2	2	–	–	–	–	2	1	–	–	–	–	2	2	–
Filipino	40	–	1	–	–	–	–	1	1	2	1	1	–	1	1	4	8	7	9	2	1	–
Other	105	1	1	1	–	–	3	3	–	1	–	4	4	6	4	9	15	15	12	18	8	–
Female	4,472	65	21	16	5	6	26	26	38	41	52	90	108	156	241	311	372	442	565	640	1,249	2
White	3,634	39	12	11	5	2	20	16	23	25	28	61	73	106	169	225	288	346	480	566	1,137	2
Black	707	22	8	5	–	4	6	10	11	14	19	21	28	44	64	79	74	82	72	60	84	–
Indian	4	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Chinese	26	2	–	–	–	–	–	–	–	–	1	–	1	2	2	1	3	4	4	1	5	–
Japanese	23	–	–	–	–	–	–	–	2	–	1	–	1	1	–	2	2	–	3	5	6	–
Filipino	11	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	1	–	2	2	–
Other	67	2	1	–	–	–	–	–	1	–	3	7	4	1	4	3	5	9	6	6	15	–
Alpine	5	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	2	–	1	–	–
White	4	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	1	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–
White	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
White	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Amador	220	3	3	–	1	–	1	2	–	2	4	3	5	7	16	23	22	35	21	27	45	–
White	218	3	3	–	1	–	1	2	–	2	4	3	4	7	15	23	22	35	21	27	45	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Male	122	–	1	–	–	–	1	1	–	2	3	1	2	3	14	15	17	26	12	15	9	–
White	120	–	1	–	–	–	1	1	–	2	3	1	1	3	13	15	17	26	12	15	9	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Female	98	3	2	–	1	–	–	1	–	–	1	2	3	4	2	8	5	9	9	12	36	–
White	98	3	2	–	1	–	–	1	–	–	1	2	3	4	2	8	5	9	9	12	36	–
Butte	1,439	15	6	2	5	3	12	17	28	14	18	12	28	42	69	129	189	190	197	183	278	2
White	1,412	15	6	2	5	3	12	17	28	14	18	11	27	42	67	127	185	184	192	182	273	2
Black	22	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	3	5	5	1	3	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Male	807	6	2	1	3	1	9	13	21	11	12	9	16	28	46	88	124	121	116	84	95	1
White	788	6	2	1	3	1	9	13	21	11	12	8	15	28	44	87	121	116	112	83	94	1
Black	16	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	4	4	1	1	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Female	632	9	4	1	2	2	3	4	7	3	6	3	12	14	23	41	65	69	81	99	183	1
White	624	9	4	1	2	2	3	4	7	3	6	3	12	14	23	40	64	68	80	99	179	1
Black	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	2	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Calaveras	184	2	–	–	–	–	2	–	7	2	3	3	6	8	6	15	25	24	22	25	34	–
White	183	2	–	–	–	–	2	–	7	2	2	3	6	8	6	15	25	24	22	25	34	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Male	112	1	–	–	–	–	1	–	6	1	1	2	3	6	3	8	17	16	12	17	18	–
White	112	1	–	–	–	–	1	–	6	1	1	2	3	6	3	8	17	16	12	17	18	–
Female	72	1	–	–	–	–	1	–	1	1	2	1	3	2	3	7	8	8	10	8	16	–
White	71	1	–	–	–	–	1	–	1	1	1	1	3	2	3	7	8	8	10	8	16	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–8 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neonatal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Unknown
Colusa	135	1	–	–	–	1	–	1	1	1	–	2	4	4	9	9	11	17	19	18	36	1
White	132	1	–	–	–	1	–	1	1	1	–	2	4	4	9	8	11	17	19	16	36	1
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Male	83	1	–	–	–	1	–	1	1	–	–	1	1	3	8	8	10	7	12	10	19	–
White	83	1	–	–	–	1	–	1	1	–	–	1	1	3	8	8	10	7	12	10	19	–
Female	52	–	–	–	–	–	–	–	–	1	–	1	3	1	1	1	1	10	7	8	17	1
White	49	–	–	–	–	–	–	–	–	1	–	1	3	1	1	–	1	10	7	6	17	1
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Contra Costa	4,548	58	36	23	9	14	56	68	76	86	56	95	126	198	338	411	510	528	553	528	775	4
White	4,087	43	27	18	4	10	49	52	57	64	46	78	105	177	296	360	464	479	510	501	743	4
Black	376	14	9	4	4	2	4	15	15	21	9	14	19	16	37	39	36	36	34	22	26	–
Chinese	22	–	–	1	–	–	–	1	–	–	–	1	1	1	2	2	4	4	3	1	1	–
Japanese	22	–	–	–	–	–	–	–	1	1	–	–	–	–	2	4	2	3	3	4	2	–
Filipino	16	1	–	–	–	–	–	–	–	–	–	1	1	2	–	2	2	4	2	–	1	–
Other	25	–	–	–	1	2	3	–	3	–	1	1	–	2	1	4	2	2	1	–	2	–
Male	2,381	32	20	11	2	10	42	54	49	65	35	56	76	122	183	245	293	299	284	228	273	2
White	2,120	26	16	7	1	8	38	41	38	46	29	47	66	112	160	210	268	271	260	212	262	2
Black	209	6	4	3	1	1	2	12	9	19	6	8	9	8	20	25	19	19	17	14	7	–
Chinese	13	–	–	1	–	–	–	1	–	–	–	–	1	–	1	2	2	2	3	–	–	–
Japanese	14	–	–	–	–	–	–	–	1	–	–	–	–	–	1	4	2	2	1	2	1	–
Filipino	11	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	3	2	–	1	–
Other	14	–	–	–	–	1	2	–	1	–	–	–	–	1	1	3	–	2	1	–	2	–
Female	2,167	26	16	12	7	4	14	14	27	21	21	39	50	76	155	166	217	229	269	300	502	2
White	1,967	17	11	11	3	2	11	11	19	18	17	31	39	65	136	150	196	208	250	289	481	2
Black	167	8	5	1	3	1	2	3	6	2	3	6	10	8	17	14	17	17	17	8	19.	–
Chinese	9	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	2	–	1	1	–
Japanese	8	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	2	2	1	–
Filipino	5	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–
Other	11	–	–	–	1	1	1	–	2	–	1	1	–	1	–	1	2	–	–	–	–	–
Del Norte	180	3	2	2	–	1	1	1	3	–	–	1	3	5	16	17	25	22	19	28	29	2
White	175	3	2	2	–	1	1	1	3	–	–	1	3	5	16	17	24	21	19	26	28	2
Indian	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–
Male	104	2	1	–	–	1	1	1	3	–	–	1	2	1	6	11	19	14	14	9	18	–
White	101	2	1	–	–	1	1	1	3	–	–	1	2	1	6	11	18	14	14	8	17	–
Indian	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–
Female	76	1	1	2	–	–	–	–	–	–	–	–	1	4	10	6	6	8	5	19	11	2
White	74	1	1	2	–	–	–	–	–	–	–	–	1	4	10	6	6	7	5	18	11	2
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
El Dorado	589	11	10	2	3	2	8	15	6	9	8	11	16	18	41	48	67	78	77	69	90	–
White	586	10	10	2	3	2	8	14	6	9	8	11	16	18	41	48	67	78	77	69	89	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Filipino	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	336	8	7	–	2	–	5	14	5	6	5	7	13	11	26	28	41	50	38	32	38	–
White	333	7	7	–	2	–	5	13	5	6	5	7	13	11	26	28	41	50	38	32	37	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Filipino	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	253	3	3	2	1	2	3	1	1	3	3	4	3	7	15	20	26	28	39	37	52	–
White	253	3	3	2	1	2	3	1	1	3	3	4	3	7	15	20	26	28	39	37	52	–
Fresno	4,060	74	40	20	11	26	56	98	89	65	64	62	89	172	210	314	430	468	515	468	784	5
White	3,709	60	35	18	9	25	54	87	80	58	55	57	78	145	192	284	392	420	481	440	735	4
Black	265	11	5	2	2	1	2	10	8	7	8	4	10	21	15	24	30	37	21	19	27	1
Indian	12	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	2	–	4	–
Chinese	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	2	1	1	–
Japanese	37	1	–	–	–	–	–	–	–	–	–	1	–	–	1	2	3	2	6	6	15	–
Filipino	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	2	1	–	–
Other	19	1	–	–	–	–	–	1	1	–	1	–	–	4	1	1	3	2	1	1	2	–
Male	2,256	39	16	16	8	18	40	83	71	50	45	37	61	108	141	183	261	275	270	222	307	5
White	2,055	36	14	15	6	18	38	74	64	45	37	35	55	91	130	169	238	243	247	209	287	4
Black	156	1	2	1	2	–	2	9	6	5	8	2	5	14	9	11	17	24	14	10	13	1
Indian	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–
Chinese	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–
Japanese	21	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	4	2	6	–
Filipino	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	2	1	–	–
Other	8	1	–	–	–	–	–	–	1	–	–	–	–	2	–	1	1	1	–	–	1	–

Table 7–8 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, SEX, AND RACE[3]	TOTAL ALL AGES	AGE IN YEARS																			
		Under 1																			
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Fresno (Cont'd.)																					
Female	1,804	35	24	5	3	8	16	15	18	15	19	25	28	64	69	131	169	193	245	246	477	–
White	1,654	24	21	3	3	7	16	13	16	13	18	22	23	54	62	115	154	177	234	231	448	–
Black	109	10	3	1	–	1	–	1	2	2	–	2	5	7	6	13	13	13	7	9	14	–
Indian	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	4	–
Chinese	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	1	–
Japanese	16	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	4	9	–
Other	11	–	–	–	–	–	–	1	–	–	1	–	–	2	1	–	2	1	1	1	1	–
Glenn	215	2	4	1	–	1	7	6	4	1	1	1	6	6	6	22	21	26	24	33	43	–
White	210	2	2	1	–	1	7	6	4	1	1	1	6	6	6	20	21	26	24	33	42	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Indian	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Male	115	2	1	1	–	1	6	4	3	–	–	1	4	4	3	14	9	15	13	15	19	–
White	112	2	1	1	–	1	6	4	3	–	–	1	4	4	3	12	9	15	13	15	18	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Female	100	–	3	–	–	–	1	2	1	1	1	–	2	2	3	8	12	11	11	18	24	–
White	98	–	1	–	–	–	1	2	1	1	1	–	2	2	3	8	12	11	11	18	24	–
Indian	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Humboldt	893	6	8	5	2	2	12	21	22	13	13	11	21	34	64	72	101	104	96	124	160	2
White	857	6	7	3	2	1	11	18	19	12	12	10	20	34	62	72	96	100	95	121	154	2
Black	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Indian	34	–	–	2	–	1	1	3	3	1	1	1	1	–	2	–	5	3	1	3	6	–
Male	516	3	5	3	1	1	8	13	19	11	9	6	16	21	39	44	66	68	53	65	64	1
White	496	3	4	2	1	1	7	11	17	10	8	6	15	21	37	44	62	67	52	64	63	1
Black	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Indian	18	–	–	1	–	–	1	2	2	1	1	–	1	–	2	–	4	–	1	1	1	–
Female	377	3	3	2	1	1	4	8	3	2	4	5	5	13	25	28	35	36	43	59	96	1
White	361	3	3	1	1	–	4	7	2	2	4	4	5	13	25	28	34	33	43	57	91	1
Indian	16	–	–	1	–	1	–	1	1	–	–	1	–	–	–	–	1	3	–	2	5	–
Imperial	726	7	5	5	2	2	24	13	16	12	7	13	21	34	52	88	92	94	80	64	81	14
White	669	7	5	5	2	2	23	13	15	9	6	13	20	33	49	81	84	86	74	57	71	14
Black	35	–	–	–	–	–	–	–	–	3	–	–	1	–	3	4	6	6	3	4	5	–
Indian	10	–	–	–	–	–	–	–	1	–	1	–	–	–	–	3	–	2	1	–	2	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Filipino	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	–
Other	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Male	458	4	3	3	1	2	19	10	11	9	4	10	12	23	34	54	63	62	43	39	38	14
White	419	4	3	3	1	2	19	10	11	7	3	10	12	23	33	49	57	56	38	35	29	14
Black	20	–	–	–	–	–	–	–	–	2	–	–	–	–	1	2	4	4	2	1	4	–
Indian	9	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	2	1	–	2	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Filipino	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	–
Other	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Female	268	3	2	2	1	–	5	3	5	3	3	3	9	11	18	34	29	32	37	25	43	–
White	250	3	2	2	1	–	4	3	4	2	3	3	8	10	16	32	27	30	36	22	42	–
Black	15	–	–	–	–	–	–	–	–	1	–	–	1	–	2	2	2	2	1	3	1	–
Indian	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Inyo	181	1	–	–	–	1	3	4	2	2	–	2	3	5	12	20	29	22	25	21	27	2
White	166	1	–	–	–	–	3	2	2	1	–	2	3	4	10	19	27	21	25	19	25	2
Indian	15	–	–	–	–	1	–	2	–	1	–	–	–	1	2	1	2	1	–	2	2	–
Male	107	1	–	–	–	–	3	4	2	–	–	2	1	4	10	11	19	11	16	9	12	2
White	99	1	–	–	–	–	3	2	2	–	–	2	1	3	8	10	19	11	16	8	11	2
Indian	8	–	–	–	–	–	–	2	–	–	–	–	–	1	2	1	–	–	–	1	1	–
Female	74	–	–	–	–	1	–	–	–	2	–	–	2	1	2	9	10	11	9	12	15	–
White	67	–	–	–	–	–	–	–	–	1	–	–	2	1	2	9	8	10	9	11	14	–
Indian	7	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	2	1	–	1	1	–
Kern	3,273	71	37	20	12	12	53	76	69	53	48	68	83	169	221	298	386	390	391	350	463	3
White	3,016	59	33	20	11	11	50	71	63	47	46	62	73	156	196	280	354	360	363	324	434	3
Black	205	7	4	–	1	1	2	4	6	6	1	6	7	11	22	17	26	21	24	17	22	–
Indian	7	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	2	–	–	1	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Japanese	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	2	1	–
Filipino	30	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	8	4	6	6	–
Other	8	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	3	1	–	–	–	–

Table 7–8 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Kern (Cont'd.)																						
Male	1,864	30	18	15	6	7	34	63	57	40	29	50	57	103	129	188	243	237	224	161	173	–
White	1,690	21	16	15	5	6	32	58	52	35	28	44	49	93	111	177	223	216	205	147	157	–
Black	133	6	2	–	1	1	1	4	5	5	1	6	5	9	17	10	16	12	15	6	11	–
Indian	4	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	1	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–
Filipino	26	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	8	4	6	5	–
Other	6	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Female	1,409	41	19	5	6	5	19	13	12	13	19	18	26	66	92	110	143	153	167	189	290	3
White	1,326	38	17	5	6	5	18	13	11	12	18	18	24	63	85	103	131	144	158	177	277	3
Black	72	1	2	–	–	–	1	–	1	1	–	–	2	2	5	7	10	9	9	11	11	–
Indian	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Filipino	4	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Other	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Kings	532	9	8	6	3	4	12	14	8	10	8	10	14	26	27	27	59	69	70	58	90	–
White	489	8	6	6	3	4	11	12	8	9	7	10	12	23	23	25	56	61	63	55	87	–
Black	34	1	2	–	–	–	1	2	–	1	1	–	1	2	3	2	1	6	5	3	3	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Other	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–
Male	285	5	5	4	2	2	8	7	3	7	5	7	10	17	15	18	36	42	36	22	34	–
White	259	4	4	4	2	2	8	5	3	6	4	7	8	14	13	17	34	37	33	21	33	–
Black	21	1	1	–	–	–	–	2	–	1	1	–	1	2	1	1	1	4	3	1	1	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
Female	247	4	3	2	1	2	4	7	5	3	3	3	4	9	12	9	23	27	34	36	56	–
White	230	4	2	2	1	2	3	7	5	3	3	3	4	9	10	8	22	24	30	34	54	–
Black	13	–	1	–	–	–	1	–	–	–	–	–	–	–	2	1	–	2	2	2	2	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Lake	513	4	2	1	–	3	6	2	8	6	2	6	11	20	35	49	84	83	60	49	82	–
White	505	3	2	1	–	3	6	2	8	6	2	6	11	19	35	46	84	81	59	49	82	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Indian	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Male	293	2	–	1	–	2	3	1	5	4	1	5	6	12	21	34	48	50	37	24	37	–
White	289	2	–	1	–	2	3	1	5	4	1	5	6	12	21	32	48	49	36	24	37	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Female	220	2	2	–	–	1	3	1	3	2	1	1	5	8	14	15	36	33	23	25	45	–
White	216	1	2	–	–	1	3	1	3	2	1	1	5	7	14	14	36	32	23	25	45	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Indian	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Lassen	158	2	1	1	–	–	11	2	1	3	2	2	8	4	13	12	22	24	17	14	19	–
White	155	2	1	1	–	–	11	2	1	3	2	2	8	4	13	10	22	24	17	14	18	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Male	96	–	–	–	–	–	7	2	–	3	–	1	4	4	11	8	15	15	11	9	6	–
White	93	–	–	–	–	–	7	2	–	3	–	1	4	4	11	6	15	15	11	9	5	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Female	62	2	1	1	–	–	4	–	1	–	2	1	4	–	2	4	7	9	6	5	13	–
White	62	2	1	1	–	–	4	–	1	–	2	1	4	–	2	4	7	9	6	5	13	–
Los Angeles	61,329	1,082	501	243	163	165	726	1,144	1,063	1,027	1,002	1,192	1,715	2,748	3,980	4,976	6,040	7,062	7,381	7,611	11,487	21
White	52,398	750	352	182	131	131	554	834	769	749	719	843	1,307	2,172	3,219	4,165	5,140	6,168	6,593	6,924	10,676	20
Black	7,413	282	124	52	26	27	152	273	261	251	235	307	355	491	645	674	761	747	617	520	612	1
Indian	65	3	1	–	–	–	1	2	2	3	5	5	4	4	4	7	4	6	6	4	4	–
Chinese	258	14	5	–	–	1	3	3	2	4	14	4	11	17	17	24	28	34	34	21	22	–
Japanese	557	3	3	1	1	1	3	11	11	3	5	9	13	36	45	62	37	25	63	89	136	–
Filipino	148	7	3	1	–	1	–	4	3	4	6	2	6	3	8	9	23	24	23	8	9	–
Other	490	23	11	7	5	4	13	17	13	13	18	22	19	25	42	35	47	58	45	45	28	–
Male	31,692	597	296	149	91	105	544	889	777	711	680	757	1,106	1,689	2,458	2,976	3,556	3,830	3,642	3,156	3,669	14
White	26,635	412	217	111	71	87	409	659	571	524	491	528	846	1,343	1,997	2,512	3,060	3,343	3,225	2,841	3,375	13
Black	4,182	160	64	32	15	15	123	205	182	174	165	204	233	298	386	385	414	388	305	226	207	1
Indian	35	1	–	–	–	–	1	1	1	1	1	3	1	3	3	5	2	5	3	3	1	–
Chinese	136	6	3	–	–	1	–	2	2	2	8	–	9	5	11	11	17	21	19	13	6	–
Japanese	312	–	3	1	–	–	2	7	8	1	2	7	6	24	30	42	25	15	42	43	54	–
Filipino	99	2	2	1	–	–	–	2	4	3	4	1	2	3	6	6	13	19	16	7	8	–
Other	293	16	7	4	5	2	9	13	9	6	9	14	9	13	25	15	25	39	32	23	18	–

Table 7–8 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neonatal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Unknown
Los Angeles (Cont'd.)																						
Female	29,637	485	205	94	72	60	182	255	286	316	322	435	609	1,059	1,522	2,000	2,484	3,232	3,739	4,455	7,818	7
White	25,763	338	135	71	60	44	145	175	198	225	228	315	461	829	1.222	1,653	2,080	2,825	3,368	4,083	7,301	7
Black	3,231	122	60	20	11	12	29	68	79	77	70	103	122	193	259	289	347	359	312	294	405	–
Indian	30	2	1	–	–	–	–	1	1	2	4	2	3	1	1	2	2	1	3	1	3	–
Chinese	122	8	2	–	–	–	3	1	–	2	6	4	2	12	6	13	11	13	15	8	16	–
Japanese	245	3	–	–	1	1	1	4	3	2	3	2	7	12	15	20	12	10	21	46	82	–
Filipino	49	5	3	–	–	1	–	2	1	1	2	1	4	–	2	3	10	5	7	1	1	–
Other	197	7	4	3	–	2	4	4	4	7	9	8	10	12	17	20	22	19	13	22	10	–
Madera	499	11	3	3	1	3	10	13	10	7	13	6	11	14	32	38	67	49	55	57	95	1
White	459	9	3	3	1	3	8	13	10	7	12	5	10	13	29	37	61	48	47	52	87	1
Black	31	2	–	–	–	–	2	–	–	–	–	1	1	1	2	1	3	–	6	4	8	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Filipino	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Other	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Male	291	8	2	1	1	–	9	11	7	4	9	5	5	10	24	23	41	33	27	27	43	1
White	262	7	2	1	1	–	8	11	7	4	8	4	5	9	22	22	37	32	20	25	36	1
Black	20	1	–	–	–	–	1	–	–	–	–	1	–	1	1	1	1	–	5	1	7	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Filipino	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Other	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Female	208	3	1	2	–	3	1	2	3	3	4	1	6	4	8	15	26	16	28	30	52	–
White	197	2	1	2	–	3	–	2	3	3	4	1	5	4	7	15	24	16	27	27	51	–
Black	11	1	–	–	–	–	1	–	–	–	–	–	1	–	1	–	2	–	1	3	1	–
Marin	1,630	10	7	6	2	4	14	11	22	23	24	24	41	69	109	135	181	214	170	220	344	–
White	1,599	10	3	6	2	4	14	11	19	23	21	22	39	68	105	132	177	210	169	218	341	–
Black	19	–	1	–	–	–	–	–	2	–	1	1	2	1	–	3	3	2	1	–	2	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–
Japanese	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other	3	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Male	797	8	6	5	1	1	10	9	16	15	17	16	17	39	61	75	113	107	85	92	104	–
White	778	8	4	5	1	1	10	9	14	15	16	15	15	38	61	73	110	103	85	91	104	–
Black	14	–	1	–	–	–	–	–	2	–	1	1	2	1	–	2	2	2	–	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Other	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	833	2	1	1	1	3	4	2	6	8	7	8	24	30	48	60	68	107	85	128	240	–
White	821	2	1	1	1	3	4	2	5	8	7	8	24	30	44	59	67	107	84	127	237	–
Black	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Mariposa	98	2	1	–	–	–	1	2	1	–	1	1	3	4	5	5	11	14	16	13	18	–
White	98	2	1	–	–	–	1	2	1	–	1	1	3	4	5	5	11	14	16	13	18	–
Male	49	–	–	–	–	–	1	1	–	–	–	–	3	3	3	2	4	11	11	4	6	–
White	49	–	–	–	–	–	1	1	–	–	–	–	3	3	3	2	4	11	11	4	6	–
Female	49	2	1	–	–	–	–	1	1	–	1	1	–	1	2	3	7	3	5	9	12	–
White	49	2	1	–	–	–	–	1	1	–	1	1	–	1	2	3	7	3	5	9	12	–
Mendocino	584	8	8	3	2	2	9	16	15	8	9	11	14	28	41	48	56	71	67	63	104	1
White	565	8	7	2	2	2	9	14	14	8	8	11	14	27	38	46	55	71	65	62	101	1
Black	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Indian	12	–	1	–	–	–	–	2	–	–	1	–	–	1	3	1	–	–	1	1	1	–
Japanese	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Male	329	6	5	3	1	1	5	15	12	6	2	5	9	17	28	27	33	44	42	28	39	1
White	318	6	4	2	1	1	3	14	11	6	2	5	9	16	26	26	32	44	41	28	38	1
Black	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Indian	5	–	1	–	–	–	–	1	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7–8 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1		1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
		Neo-natal	1–11 Months																			
Mendocino (Cont'd.)																						
Female	255	2	3	–	1	1	4	1	3	2	7	6	5	11	13	21	23	27	25	35	65	–
White	247	2	3	–	1	1	4	–	3	2	6	6	5	11	12	20	23	27	24	34	63	–
Indian	7	–	–	–	–	–	–	1	–	–	1	–	–	–	1	1	–	–	1	1	1	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Merced	982	18	7	4	4	8	16	23	18	16	9	17	35	48	62	80	112	133	134	83	155	–
White	910	16	6	4	3	8	16	23	18	14	9	16	33	40	57	76	103	119	126	78	145	–
Black	53	1	1	–	–	–	–	–	–	1	–	1	2	6	5	4	8	10	3	4	7	–
Japanese	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	3	–
Filipino	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–
Other	9	1	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	2	3	–	–	–
Male	589	7	4	1	2	3	13	21	16	12	8	12	23	33	42	56	81	81	74	37	61	–
White	543	7	4	1	1	3	13	21	16	10	8	11	22	25	38	55	75	72	68	35	56	–
Black	32	–	–	–	–	–	–	–	–	1	–	1	1	6	4	1	6	5	2	1	4	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–
Filipino	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–
Other	8	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	2	3	–	–	–
Female	393	11	3	3	2	3	3	2	2	4	1	5	12	15	20	24	31	52	60	46	94	–
White	367	9	2	3	2	3	3	2	2	4	1	5	11	15	19	21	28	47	58	43	89	–
Black	21	1	1	–	–	–	–	–	–	–	–	–	1	–	1	3	2	5	1	3	3	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Modoc	79	–	–	2	–	–	–	–	–	1	2	–	3	2	5	4	12	13	12	9	14	–
White	71	–	–	1	–	–	–	–	–	1	2	–	–	2	5	4	11	12	12	8	13	–
Indian	8	–	–	1	–	–	–	–	–	–	–	–	3	–	–	–	1	1	–	1	1	–
Male	40	–	–	–	–	–	–	–	–	–	1	–	3	2	4	4	5	4	3	5	9	–
White	35	–	–	–	–	–	–	–	–	–	1	–	–	2	4	4	5	4	3	4	8	–
Indian	5	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	1	–
Female	39	–	–	2	–	–	–	–	–	1	1	–	–	–	1	–	7	9	9	4	5	–
White	36	–	–	1	–	–	–	–	–	1	1	–	–	–	1	–	6	8	9	4	5	–
Indian	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Mono	33	2	–	–	–	1	1	2	1	–	3	–	3	2	4	1	2	4	4	2	1	–
White	28	2	–	–	–	1	1	1	1	–	3	–	2	1	4	–	2	4	4	2	–	–
Indian	5	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–	–	1	–
Male	21	–	–	–	–	–	1	1	1	–	2	–	3	2	2	–	1	4	2	1	1	–
White	17	–	–	–	–	–	1	–	1	–	2	–	2	1	2	–	1	4	2	1	–	–
Indian	4	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	1	–
Female	12	2	–	–	–	1	–	1	–	–	1	–	–	–	2	1	1	–	2	1	–	–
White	11	2	–	–	–	1	–	1	–	–	1	–	–	–	2	–	1	–	2	1	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Monterey	1,994	45	20	8	3	4	26	40	34	45	26	25	54	91	130	148	208	229	252	241	363	2
White	1,851	40	18	7	3	3	26	32	28	39	24	24	44	83	119	134	193	216	230	233	353	2
Black	68	4	2	1	–	–	–	5	5	6	1	1	7	5	6	12	6	–	1	2	4	–
Chinese	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–
Japanese	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	1	–
Filipino	24	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	5	5	9	1	1	–
Other	40	1	–	–	–	1	–	2	1	–	1	–	2	3	2	2	2	7	10	3	3	–
Male	1,112	31	9	6	2	3	22	29	28	33	17	15	37	48	82	86	137	131	149	116	131	–
White	1,005	28	8	5	2	3	22	22	23	29	16	14	30	43	74	77	126	119	128	109	127	–
Black	46	2	1	1	–	–	–	5	4	4	–	1	6	3	5	8	4	–	–	1	1	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Japanese	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	–	–
Filipino	20	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	4	9	1	1	–
Other	34	1	–	–	–	–	–	2	1	–	1	–	1	2	2	1	1	7	10	3	2	–
Female	882	14	11	2	1	1	4	11	6	12	9	10	17	43	48	62	71	98	103	125	232	2
White	846	12	10	2	1	–	4	10	5	10	8	10	14	40	45	57	67	97	102	124	226	2
Black	22	2	1	–	–	–	–	–	1	2	1	–	1	2	1	4	2	–	1	1	3	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Filipino	4	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–	–	–	–
Other	6	–	–	–	–	1	–	–	–	–	–	–	1	1	–	1	1	–	–	–	1	–
Napa	933	5	3	3	1	2	9	8	8	11	5	11	13	24	62	63	90	119	129	132	234	1
White	929	3	3	2	1	2	9	8	8	11	4	11	13	23	62	63	90	119	129	132	233	1
Black	3	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Male	518	1	2	1	1	1	7	5	5	8	4	6	8	12	46	45	57	74	69	69	96	1
White	515	1	2	1	1	1	7	5	5	8	3	6	8	11	46	45	57	74	69	69	95	1
Black	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–8 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Napa (Cont'd.)																						
Female	415	4	1	2	–	1	2	3	3	3	1	5	5	12	16	18	33	45	60	63	138	–
White	414	4	1	1	–	1	2	3	3	3	1	5	5	12	16	18	33	45	60	63	138	–
Black	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nevada	500	3	3	–	1	–	3	3	9	10	7	12	7	10	31	48	68	58	61	53	113	–
White	499	3	3	–	1	–	3	3	9	10	7	12	7	10	31	48	68	58	61	53	112	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Male	249	2	3	–	–	–	1	1	4	8	6	7	6	5	18	26	33	38	32	18	41	–
White	248	2	3	–	–	–	1	1	4	8	6	7	6	5	18	26	33	38	32	18	40	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Female	251	1	–	–	1	–	2	2	5	2	1	5	1	5	13	22	35	20	29	35	72	–
White	251	1	–	–	1	–	2	2	5	2	1	5	1	5	13	22	35	20	29	35	72	–
Orange	11,956	198	94	63	29	44	171	212	204	142	172	237	351	537	802	857	1,156	1,250	1,528	1,569	2,338	2
White	11,711	176	86	59	26	38	161	201	191	136	167	226	338	520	789	839	1,146	1,233	1,505	1,558	2,314	2
Black	75	5	4	3	–	3	3	5	3	2	–	4	5	10	2	7	3	6	4	2	4	–
Indian	3	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Chinese	21	1	–	–	–	–	–	–	2	–	–	–	–	–	–	4	3	4	5	2	–	–
Japanese	39	–	1	–	–	–	2	–	3	1	–	–	3	2	4	2	1	1	5	2	12	–
Filipino	10	3	–	–	–	–	–	1	–	–	–	1	1	–	2	–	–	–	–	1	1	–
Other	97	13	3	1	3	3	5	3	5	3	5	6	4	5	5	5	3	6	9	4	6	–
Male	6,230	110	55	40	20	27	126	170	143	100	102	134	225	332	500	531	693	675	783	666	797	1
White	6,098	101	49	37	18	23	119	160	138	96	101	132	216	322	490	522	685	666	769	662	791	1
Black	45	2	4	3	–	2	2	5	1	2	–	1	3	7	1	3	3	3	1	1	1	–
Indian	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chinese	10	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	2	3	–	–	–
Japanese	17	–	1	–	–	–	1	–	1	1	–	–	3	1	3	2	–	–	2	–	2	–
Filipino	5	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	1	–	–
Other	53	5	1	–	2	2	4	3	2	1	1	1	2	2	4	3	3	4	8	2	3	–
Female	5,726	88	39	23	9	17	45	42	61	42	70	103	126	205	302	326	463	575	745	903	1,541	1
White	5,613	75	37	22	8	15	42	41	53	40	66	94	122	198	299	317	461	567	736	896	1,523	1
Black	30	3	–	–	–	1	1	–	2	–	–	3	2	3	1	4	–	3	3	1	3	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Chinese	11	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	1	2	2	2	–	–
Japanese	22	–	–	–	–	–	1	–	2	–	–	–	–	1	1	–	1	1	3	2	10	–
Filipino	5	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Other	44	8	2	1	1	1	1	–	3	2	4	5	2	3	1	2	–	2	1	2	3	–
Placer	944	8	7	6	2	4	11	17	16	15	13	17	18	35	55	80	115	136	102	122	164	1
White	930	7	7	6	2	4	11	17	16	15	13	16	18	35	55	79	113	134	100	122	159	1
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Indian	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Japanese	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	4	–
Other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	546	4	5	3	1	–	8	11	11	12	9	11	13	15	39	57	75	84	59	61	68	–
White	537	3	5	3	1	–	8	11	11	12	9	10	13	15	39	57	74	82	58	61	65	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Indian	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	-	1	1	–	–	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–
Other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	398	4	2	3	1	4	3	6	5	3	4	6	5	20	16	23	40	52	43	61	96	1
White	393	4	2	3	1	4	3	6	5	3	4	6	5	20	16	22	39	52	42	61	94	1
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–
Plumas	165	2	1	2	–	–	3	3	1	2	1	3	2	12	13	15	18	27	25	13	22	–
White	159	2	1	2	–	–	3	3	1	2	1	2	2	12	12	15	15	27	24	13	22	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Indian	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Male	108	1	1	1	–	–	3	3	1	2	1	3	2	5	9	11	14	17	16	7	11	–
White	105	1	1	1	–	–	3	3	1	2	1	2	2	5	9	11	12	17	16	7	11	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Female	57	1	–	1	–	–	–	–	–	–	–	–	–	7	4	4	4	10	9	6	11	–
White	54	1	–	1	–	–	–	–	–	–	–	–	–	7	3	4	3	10	8	6	11	–
Indian	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–

Table 7–8 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Riverside	6,733	124	53	28	13	12	82	106	79	84	90	98	150	198	360	547	801	943	979	856	1,120	10
White	6,433	110	45	22	11	12	77	95	64	77	82	88	136	183	341	520	777	910	951	830	1,093	9
Black	243	11	7	6	2	–	3	6	14	4	6	7	10	13	17	24	19	26	21	22	24	1
Indian	26	2	–	–	–	–	1	5	–	2	1	1	2	–	1	2	5	3	–	1	–	–
Japanese	6	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	3	–
Filipino	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	–	–
Other	19	–	1	–	–	–	1	–	1	1	1	2	1	2	–	–	–	2	6	1	–	–
Male	3,841	72	28	14	8	8	64	81	65	58	55	52	89	111	225	352	503	579	565	456	450	6
White	3,660	62	23	10	8	8	62	70	53	52	49	46	79	102	213	334	489	561	552	442	439	6
Black	136	8	4	4	–	–	–	6	11	3	4	4	7	7	10	16	12	11	8	12	9	–
Indian	20	1	–	–	–	–	1	5	–	2	1	1	2	–	1	1	2	3	–	–	–	–
Japanese	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–
Filipino	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	–	–
Other	15	–	1	–	–	–	1	–	1	1	1	1	1	2	–	–	–	2	4	–	–	–
Female	2,892	52	25	14	5	4	18	25	14	26	35	46	61	87	135	195	298	364	414	400	670	4
White	2,773	48	22	12	3	4	15	25	11	25	33	42	57	81	128	186	288	349	399	388	654	3
Black	107	3	3	2	2	–	3	–	3	1	2	3	3	6	7	8	7	15	13	10	15	1
Indian	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	1	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Other	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	–	–
Sacramento	5,962	68	64	30	18	21	55	97	79	85	84	123	165	255	414	575	687	743	699	683	1,011	6
White	5,443	58	49	20	16	16	50	82	68	75	75	107	134	221	370	537	630	693	644	638	954	6
Black	329	8	10	10	2	3	5	13	8	9	4	11	28	26	26	29	34	32	27	25	19	–
Indian	9	–	–	–	–	1	–	–	–	–	2	–	–	–	3	–	1	–	–	–	2	–
Chinese	43	–	1	–	–	–	–	–	1	–	–	2	–	–	2	1	4	7	8	6	11	–
Japanese	51	–	–	–	–	–	–	–	–	–	2	–	2	3	5	3	8	2	2	8	16	–
Filipino	18	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	7	1	1	–
Other	69	1	4	–	–	1	–	2	2	1	1	3	1	4	7	4	8	6	11	5	8	–
Male	3,216	39	33	17	10	11	39	59	60	58	52	75	101	150	263	357	423	436	386	297	345	5
White	2,910	34	24	11	9	9	35	50	54	51	46	68	84	132	235	334	387	397	348	275	322	5
Black	200	5	7	6	1	2	4	8	4	6	3	5	17	15	14	18	21	27	17	14	6	–
Indian	7	–	–	–	–	–	–	–	–	–	2	–	–	–	3	–	1	–	–	–	1	–
Chinese	26	–	1	–	–	–	–	–	–	–	–	1	–	–	1	1	1	6	5	4	6	–
Japanese	20	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	4	–	1	1	8	–
Filipino	16	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	3	7	1	1	–
Other	37	–	1	–	–	–	–	1	2	1	1	1	–	1	7	1	7	3	8	2	1	–
Female	2,746	29	31	13	8	10	16	38	19	27	32	48	64	105	151	218	264	307	313	386	666	1
White	2,533	24	25	9	7	7	15	32	14	24	29	39	50	89	135	203	243	296	296	363	632	1
Black	129	3	3	4	1	1	1	5	4	3	1	6	11	11	12	11	13	5	10	11	13	–
Indian	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Chinese	17	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	3	1	3	2	5	–
Japanese	31	–	–	–	–	–	–	–	–	–	2	–	2	2	2	1	4	2	1	7	8	–
Filipino	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	32	1	3	–	–	1	–	1	–	–	–	2	1	3	–	3	1	3	3	3	7	–
San Benito	165	2	5	–	–	–	1	2	1	3	3	1	3	4	7	11	23	18	24	20	37	–
White	161	2	5	–	–	–	1	2	1	3	3	1	2	4	7	11	23	16	23	20	37	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Male	95	1	5	–	–	–	–	2	1	3	2	1	2	2	5	8	15	14	11	8	15	–
White	91	1	5	–	–	–	–	2	1	3	2	1	1	2	5	8	15	12	10	8	15	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Female	70	1	–	–	–	–	1	–	–	–	1	–	1	2	2	3	8	4	13	12	22	–
White	70	1	–	–	–	–	1	–	–	–	1	–	1	2	2	3	8	4	13	12	22	–
San Bernardino	7,196	127	79	51	16	21	117	138	120	120	87	132	156	271	462	633	727	882	923	877	1,250	7
White	6,865	109	72	47	13	20	111	126	107	108	73	114	144	256	439	602	703	843	897	854	1,221	6
Black	298	16	7	3	3	1	6	11	13	11	13	14	10	14	22	30	22	34	23	19	25	1
Indian	11	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	2	2	3	2	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–
Filipino	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	3	–	–	–	–
Other	13	2	–	1	–	–	–	1	–	–	1	2	1	1	–	1	1	–	1	1	–	–
Male	4,044	64	46	37	10	8	99	117	90	76	57	79	110	189	277	396	441	494	519	433	495	7
White	3,838	54	40	34	9	7	93	109	77	66	48	69	103	179	263	376	423	475	502	423	482	6
Black	189	10	6	2	1	1	6	7	13	10	8	8	5	10	14	19	17	16	15	9	11	1
Indian	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Filipino	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Other	8	–	–	1	–	–	–	1	–	–	1	1	1	–	–	1	1	–	1	–	–	–

Table 7–8 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neonatal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Unknown
San Bernardino (Cont'd.)																						
Female	3,152	63	33	14	6	13	18	21	30	44	30	53	46	82	185	237	286	388	404	444	755	–
White	3,027	55	32	13	4	13	18	17	30	42	25	45	41	77	176	226	280	368	395	431	739	–
Black	109	6	1	1	2	–	–	4	–	1	5	6	5	4	8	11	5	18	8	10	14	–
Indian	6	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	2	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Other	3	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–
San Diego	13,616	223	129	56	39	40	144	257	223	197	193	209	330	540	816	1,067	1,482	1,672	1,755	1,680	2,542	22
White	12,905	178	99	44	35	33	127	230	195	178	168	185	299	508	758	1,012	1,412	1,617	1,685	1,633	2,487	22
Black	487	34	23	8	2	4	11	23	23	15	18	14	22	19	38	41	48	35	45	32	32	–
Indian	21	–	–	–	1	–	–	1	1	–	–	2	–	1	2	2	–	–	5	2	4	–
Chinese	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	2	1	2	–
Japanese	22	–	–	–	–	–	–	–	–	2	–	–	1	1	4	1	1	1	–	4	7	–
Filipino	61	4	1	2	1	1	–	2	1	1	3	3	2	5	3	2	8	10	7	3	2	–
Other	109	7	6	2	–	2	6	1	3	1	4	5	6	5	11	8	12	6	11	5	8	–
Male	7,185	130	75	35	26	22	107	218	174	139	122	135	201	317	492	644	849	928	929	752	871	19
White	6,783	101	62	31	22	19	95	198	152	123	108	118	187	304	456	616	814	897	887	729	845	19
Black	276	22	9	2	2	1	8	17	19	12	12	9	12	8	25	20	26	18	26	13	15	–
Indian	14	–	–	–	1	–	–	1	1	–	–	2	–	–	2	–	–	–	2	1	4	–
Chinese	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	1	1	–
Japanese	10	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1	1	1	–	4	–	–
Filipino	40	3	1	–	1	1	–	2	–	1	1	3	–	1	2	2	5	7	6	2	2	–
Other	54	4	3	2	–	1	4	–	2	1	1	3	2	3	6	5	2	3	6	2	4	–
Female	6,431	93	54	21	13	18	37	39	49	58	71	74	129	223	324	423	633	744	826	928	1,671	3
White	6,122	77	37	13	13	14	32	32	43	55	60	67	112	204	302	396	598	720	798	904	1,642	3
Black	211	12	14	6	–	3	3	6	4	3	6	5	10	11	13	21	22	17	19	19	17	–
Indian	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	3	1	–	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–
Japanese	12	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	7	–
Filipino	21	1	–	2	–	–	–	–	1	–	2	–	2	4	1	–	3	3	1	1	–	–
Other	55	3	3	–	–	1	2	1	1	–	3	2	4	2	5	3	10	3	5	3	4	–
San Francisco	7,836	46	40	17	13	7	26	64	118	115	106	139	189	311	448	571	788	1,038	1,103	1,073	1,612	12
White	6,077	26	16	7	7	5	17	39	82	77	74	91	117	218	304	408	580	788	870	908	1,434	9
Black	853	11	17	5	4	1	2	18	19	28	25	32	48	62	102	102	102	103	71	53	45	3
Indian	14	1	–	–	–	–	1	–	1	2	2	–	–	1	1	1	2	–	1	–	1	–
Chinese	551	1	2	2	1	–	3	1	7	3	3	6	14	17	23	36	59	91	98	84	100	–
Japanese	51	–	1	–	–	–	–	1	2	–	–	1	1	4	2	7	6	3	4	5	14	–
Filipino	190	4	1	1	1	1	1	3	4	3	–	4	2	5	10	11	29	44	42	14	10	–
Other	100	3	3	2	–	–	2	2	3	2	2	5	7	4	6	6	10	9	17	9	8	–
Male	4,269	24	24	11	7	3	19	47	88	94	73	94	143	219	286	355	460	607	607	525	576	7
White	3,185	15	8	4	4	3	12	30	60	64	50	63	92	156	198	257	339	444	467	429	485	5
Black	491	4	9	3	3	–	1	12	15	22	16	25	36	42	58	57	52	58	39	23	14	2
Indian	12	1	–	–	–	–	1	–	–	2	2	–	–	1	1	1	2	–	1	–	–	–
Chinese	344	1	2	2	–	–	2	–	4	3	3	3	9	12	19	22	38	59	58	54	53	–
Japanese	27	–	1	–	–	–	–	1	2	–	–	–	1	–	1	5	3	2	2	1	8	–
Filipino	141	2	1	–	–	–	1	2	4	2	–	2	2	4	4	7	16	37	34	13	10	–
Other	69	1	3	2	–	–	2	2	3	1	2	1	3	4	5	6	10	7	6	5	6	–
Female	3,567	22	16	6	6	4	7	17	30	21	33	45	46	92	162	216	328	431	496	548	1,036	5
White	2,892	11	8	3	3	2	5	9	22	13	24	28	25	62	106	151	241	344	403	479	949	4
Black	362	7	8	2	1	1	1	6	4	6	9	7	12	20	44	45	50	45	32	30	31	1
Indian	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Chinese	207	–	–	–	1	–	1	1	3	–	–	3	5	5	4	14	21	32	40	30	47	–
Japanese	24	–	–	–	–	–	–	–	–	–	–	1	–	4	1	2	3	1	2	4	6	–
Filipino	49	2	–	1	1	1	–	1	–	1	–	2	–	1	6	4	13	7	8	1	–	–
Other	31	2	–	–	–	–	–	–	–	1	–	4	4	–	1	–	–	2	11	4	2	–
San Joaquin	3,114	34	37	15	8	12	50	47	43	45	41	46	93	124	199	257	329	371	430	348	584	1
White	2,744	27	27	14	5	12	44	42	37	41	36	45	70	110	178	222	283	326	371	305	548	1
Black	191	5	10	1	2	–	3	3	3	3	4	1	18	10	18	28	26	15	18	10	13	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Chinese	27	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	2	4	7	6	3	–
Japanese	23	–	–	–	–	–	–	1	–	–	–	–	–	2	1	1	1	–	7	3	7	–
Filipino	91	–	–	–	–	–	2	1	1	1	1	–	1	1	–	1	13	22	19	19	9	–
Other	36	2	–	–	1	–	1	–	2	–	–	–	2	–	–	4	4	4	8	5	3	–
Male	1,831	22	22	11	4	10	41	38	39	31	27	29	64	85	127	172	206	253	250	158	241	1
White	1,557	18	16	11	4	10	35	35	33	29	22	29	46	77	112	146	174	215	202	127	215	1
Black	128	3	6	–	–	–	3	1	3	1	4	–	16	5	13	20	15	12	14	5	7	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Chinese	18	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	3	3	4	3	–
Japanese	15	–	–	–	–	–	–	1	–	–	–	–	–	2	1	–	1	–	6	1	3	–
Filipino	86	–	–	–	–	–	2	1	1	1	1	–	–	–	–	1	12	21	18	19	9	–
Other	25	1	–	–	–	–	1	–	2	–	–	–	1	–	–	4	2	2	7	2	3	–

Table 7–8 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
San Joaquin (Cont'd.)																						
Female	1,283	12	15	4	4	2	9	9	4	14	14	17	29	39	72	85	123	118	180	190	343	–
White	1,187	9	11	3	1	2	9	7	4	12	14	16	24	33	66	76	109	111	169	178	333	–
Black	63	2	4	1	2	–	–	2	–	2	–	1	2	5	5	8	11	3	4	5	6	–
Chinese	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	4	2	–	–
Japanese	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	4	–
Filipino	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	1	–	–	–
Other	11	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	2	2	1	3	–	–
San Luis Obispo	1,358	8	7	6	3	3	17	21	17	12	10	16	26	34	65	126	160	184	176	188	278	1
White	1,341	8	7	6	3	3	17	20	16	12	10	16	25	34	64	124	160	181	171	186	277	1
Black	7	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	2	2	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Filipino	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–
Other	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Male	721	–	4	3	1	1	11	16	14	9	6	8	17	23	34	85	104	105	99	81	99	1
White	711	–	4	3	1	1	11	15	13	9	6	8	16	23	34	84	104	104	96	80	98	1
Black	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Filipino	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–
Other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	637	8	3	3	2	2	6	5	3	3	4	8	9	11	31	41	56	79	77	107	179	–
White	630	8	3	3	2	2	6	5	3	3	4	8	9	11	30	40	56	77	75	106	179	–
Black	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
San Mateo	4,435	52	30	13	8	2	47	53	40	68	64	66	132	209	314	412	448	520	545	563	847	2
White	4,081	44	25	8	7	2	45	45	32	50	47	53	112	176	289	380	403	491	515	541	815	1
Black	209	7	3	2	1	–	–	6	6	13	11	10	12	20	12	20	29	11	17	14	14	1
Chinese	27	1	1	–	–	–	1	–	1	1	1	–	–	1	6	3	5	1	1	2	2	–
Japanese	16	–	–	–	–	–	–	–	–	–	1	–	2	2	2	1	1	1	–	1	5	–
Filipino	50	–	1	1	–	–	1	–	1	2	2	2	3	3	2	3	8	11	6	–	4	–
Other	52	–	–	2	–	–	–	2	–	2	2	1	3	7	3	5	2	5	6	5	7	–
Male	2,337	34	15	9	5	2	37	35	31	51	46	41	82	124	184	260	277	310	275	232	287	–
White	2,115	29	12	5	5	2	35	31	25	36	32	30	73	98	168	237	246	293	263	222	273	–
Black	128	5	2	1	–	–	–	4	5	11	9	8	7	15	7	15	20	5	6	4	4	–
Chinese	20	–	1	–	–	–	1	–	1	1	1	–	–	1	4	3	3	1	–	2	1	–
Japanese	10	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	1	–	1	3	–
Filipino	31	–	–	1	–	–	1	–	–	1	2	2	1	3	1	2	6	7	2	–	2	–
Other	33	–	–	2	–	–	–	–	–	2	1	1	1	5	3	3	1	3	4	3	4	–
Female	2,098	18	15	4	3	–	10	18	9	17	18	25	50	85	130	152	171	210	270	331	560	2
White	1,966	15	13	3	2	–	10	14	7	14	15	23	39	78	121	143	157	198	252	319	542	1
Black	81	2	1	1	1	–	–	2	1	2	2	2	5	5	5	5	9	6	11	10	10	1
Chinese	7	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	1	–	1	–
Japanese	6	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	2	–
Filipino	19	–	1	–	–	–	–	–	1	1	–	–	2	–	1	1	2	4	4	–	2	–
Other	19	–	–	–	–	–	–	2	–	–	1	–	2	2	–	2	1	2	2	2	3	–
Santa Barbara	2,279	25	16	8	4	5	15	33	32	19	25	32	45	85	124	175	234	249	316	310	527	–
White	2,215	23	14	7	4	5	15	31	32	16	24	32	42	82	119	167	225	245	309	304	519	–
Black	34	2	2	1	–	–	–	2	–	1	–	–	1	2	4	6	3	2	1	3	4	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Japanese	11	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	2	1	1	1	1	–
Filipino	17	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	4	1	5	2	1	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Male	1,137	9	9	5	3	4	11	24	25	14	16	20	27	58	77	103	139	132	153	125	183	–
White	1,105	8	8	4	3	4	11	23	25	12	16	20	26	57	74	100	134	129	148	124	179	–
Black	15	1	1	1	–	–	–	1	–	1	–	–	1	1	3	3	–	1	–	–	1	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Filipino	13	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	4	1	5	1	1	–
Female	1,142	16	7	3	1	1	4	9	7	3	9	12	18	27	47	72	95	117	163	185	344	–
White	1,110	15	6	3	1	1	4	8	7	4	8	12	16	25	45	67	91	116	161	180	340	–
Black	19	1	1	–	–	–	–	1	–	–	–	–	–	1	1	3	3	1	1	3	3	–
Japanese	8	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	1	–	1	1	–	–
Filipino	4	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	1	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

Table 7–8 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Santa Clara	7,610	136	70	44	20	25	110	136	134	132	133	140	223	347	536	638	711	857	892	879	1,443	4
White	7,191	117	59	39	18	24	104	130	114	121	121	124	201	324	501	595	663	820	856	848	1,408	4
Black	171	7	7	3	–	–	3	5	15	10	6	9	9	10	11	18	16	15	9	10	8	–
Indian	5	–	1	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–
Chinese	43	4	–	–	–	–	–	–	1	–	1	–	4	2	2	7	6	7	3	3	3	–
Japanese	76	1	–	1	–	1	1	1	–	–	1	–	1	5	9	10	9	4	9	8	15	–
Filipino	43	1	–	–	1	–	1	–	1	–	3	1	2	2	4	–	7	5	8	5	2	–
Other	81	6	3	1	1	–	1	–	3	1	–	6	5	4	7	8	10	6	7	5	7	–
Male	4,047	73	38	31	13	17	85	100	96	90	78	87	135	206	344	392	424	481	465	384	504	2
White	3,800	67	33	27	11	17	80	96	78	83	71	76	121	193	318	370	395	458	444	375	485	2
Black	103	4	4	2	–	–	3	3	13	6	4	7	5	8	10	8	7	5	5	4	5	–
Indian	3	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Chinese	24	1	–	–	–	–	–	–	1	–	1	–	3	1	1	5	3	6	1	1	–	–
Japanese	40	–	–	1	–	–	–	1	–	–	–	–	1	3	8	4	8	3	2	1	8	–
Filipino	29	1	–	–	1	–	1	–	1	–	1	–	2	1	1	–	3	5	7	3	2	–
Other	48	2	1	1	1	–	1	–	3	1	–	4	2	–	5	5	8	4	6	–	4	–
Female	3,563	61	32	13	7	8	25	36	38	42	55	53	88	141	192	246	287	376	427	495	939	2
White	3,391	50	26	12	7	7	24	34	36	38	50	48	80	131	183	225	268	362	412	473	923	2
Black	68	3	3	1	–	–	–	2	2	4	2	2	4	2	1	10	9	10	4	6	3	–
Indian	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Chinese	19	3	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	1	2	2	3	–
Japanese	36	1	–	–	–	1	1	–	–	–	1	–	–	2	1	6	1	1	7	7	7	–
Filipino	14	–	–	–	–	–	–	–	–	–	2	1	–	1	3	–	4	–	1	2	–	–
Other	33	4	2	–	–	–	–	–	–	–	–	2	3	4	2	3	2	2	1	5	3	–
Santa Cruz	1,596	20	10	3	3	4	14	22	13	16	22	20	25	56	77	83	155	181	229	236	406	1
White	1,565	18	10	3	3	4	14	20	12	16	20	19	24	56	76	82	154	176	222	231	404	1
Black	5	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	1	–	–	–	–
Indian	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Japanese	7	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	1	–
Filipino	11	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	5	2	–	–
Other	4	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–
Male	833	11	7	2	–	3	9	16	10	14	17	16	17	33	45	52	84	111	134	116	155	1
White	827	11	7	2	–	3	9	14	9	14	15	15	16	33	45	51	84	106	128	111	153	1
Black	4	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	1	–	–	–	–
Indian	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Japanese	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–
Filipino	11	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	5	2	–	–
Other	3	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Female	743	9	3	1	3	1	5	6	3	2	5	4	8	23	32	31	71	70	95	120	251	–
White	738	7	3	1	3	1	5	6	3	2	5	4	8	23	31	31	70	70	94	120	251	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Japanese	3	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Shasta	978	8	8	6	4	4	12	14	14	8	20	16	30	41	71	95	145	128	129	102	122	1
White	953	7	5	6	4	4	12	13	14	8	20	15	30	40	71	90	141	125	124	102	121	1
Black	10	1	1	–	–	–	–	1	–	–	–	–	–	1	–	2	1	1	1	–	1	–
Indian	15	–	2	–	–	–	–	–	–	–	–	1	–	–	–	3	3	2	4	–	–	–
Male	575	6	5	3	3	3	10	13	6	6	11	12	18	28	47	61	82	80	73	50	57	1
White	562	5	4	3	3	3	10	12	6	6	11	12	18	27	47	56	81	79	72	50	56	1
Black	6	1	–	–	–	–	–	1	–	–	–	–	–	1	–	2	–	–	–	–	1	–
Indian	7	–	1	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	–	–	–
Female	403	2	3	3	1	1	2	1	8	2	9	4	12	13	24	34	63	48	56	52	65	–
White	391	2	1	3	1	1	2	1	8	2	9	3	12	13	24	34	60	46	52	52	65	–
Black	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
Indian	8	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	3	–	–	–
Sierra	25	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	5	6	4	2	4	–
White	24	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	5	6	4	2	3	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	3	1	1	–
White	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	3	1	1	–
Female	11	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	2	1	1	3	–
White	10	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	2	1	1	2	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Siskiyou	415	6	6	2	2	2	4	3	7	12	7	9	9	17	26	30	48	52	63	47	61	2
White	398	6	6	2	2	2	2	3	7	12	6	8	9	17	25	28	47	52	60	44	58	2
Black	9	–	–	–	–	–	2	–	–	–	–	1	–	–	–	1	1	–	1	2	1	–
Indian	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	2	1	2	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–8 (Continued)

DEATHS BY SEX, RACE AND AGE CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Siskiyou (Cont'd.)																						
Male	244	1	4	2	2	1	3	2	3	7	4	8	3	13	18	23	32	30	37	22	28	1
White	233	1	4	2	2	1	2	2	3	7	3	7	3	13	17	21	31	30	35	21	27	1
Black	6	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	1	–	1	1	–	–
Indian	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	1	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Female	171	5	2	–	–	1	1	1	4	5	3	1	6	4	8	7	16	22	26	25	33	1
White	165	5	2	–	–	1	–	1	4	5	3	1	6	4	8	7	16	22	25	23	31	1
Black	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Indian	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–
Solano	1,440	32	15	12	6	5	23	23	27	23	34	44	41	53	111	130	160	148	163	167	221	2
White	1,235	28	11	9	6	5	20	17	17	17	25	35	34	45	92	106	134	125	142	154	211	2
Black	147	4	3	1	–	–	2	5	8	3	6	6	5	5	17	20	21	12	15	9	5	–
Indian	4	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Filipino	25	–	–	1	–	–	1	1	–	3	–	1	–	1	2	3	–	6	3	1	2	–
Other	25	–	–	–	–	–	–	–	2	–	2	2	1	1	–	1	4	4	3	3	2	–
Male	801	21	11	6	5	4	14	18	17	13	14	25	26	29	72	82	103	80	90	81	89	1
White	680	18	8	5	5	4	12	14	12	10	7	20	23	24	60	68	88	64	79	73	85	1
Black	91	3	3	1	–	–	2	4	5	3	5	4	3	3	12	11	12	9	5	4	2	–
Indian	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Filipino	15	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	6	3	1	1	–
Other	14	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	3	1	3	3	1	–
Female	639	11	4	6	1	1	9	5	10	10	20	19	15	24	39	48	57	68	73	86	132	1
White	555	10	3	4	1	1	8	3	5	7	18	15	11	21	32	38	46	61	63	81	126	1
Black	56	1	–	–	–	–	–	1	3	–	1	2	2	2	5	9	9	3	10	5	3	–
Indian	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Filipino	10	–	–	1	–	–	1	1	–	3	–	1	–	–	2	–	–	–	–	–	1	–
Other	11	–	–	–	–	–	–	–	2	–	1	1	1	–	–	1	1	3	–	–	1	–
Sonoma	2,715	32	21	12	3	12	35	48	48	41	27	36	50	74	145	199	276	360	396	373	527	–
White	2,674	30	21	11	3	12	34	46	45	39	27	34	50	72	140	195	274	355	393	370	523	–
Black	18	1	–	1	–	–	–	2	1	1	–	–	–	–	3	2	–	3	–	2	2	–
Indian	3	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Japanese	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Filipino	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	–
Other	12	1	–	–	–	–	–	–	1	1	–	1	–	2	–	–	2	–	2	1	1	–
Male	1,509	19	10	9	2	7	19	39	33	35	19	17	29	44	92	122	170	211	237	187	208	–
White	1,481	17	10	8	2	7	19	37	32	33	19	15	29	43	89	120	168	207	234	185	207	–
Black	13	1	–	1	–	–	–	2	–	1	–	–	–	–	2	1	–	3	–	2	–	–
Indian	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Filipino	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–
Other	8	1	–	–	–	–	–	–	–	1	–	1	–	1	–	–	2	–	2	–	–	–
Female	1,206	13	11	3	1	5	16	9	15	6	8	19	21	30	53	77	106	149	159	186	319	–
White	1,193	13	11	3	1	5	15	9	13	6	8	19	21	29	51	75	106	148	159	185	316	–
Black	5	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	2	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Japanese	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other	4	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	1	–
Stanislaus	2,183	23	15	9	4	9	33	38	33	30	34	42	50	74	154	151	259	261	269	293	398	4
White	2,138	22	15	8	4	9	32	37	32	29	32	40	50	69	150	146	255	256	263	289	397	3
Black	30	1	–	1	–	–	1	1	–	1	–	–	–	4	4	3	3	3	3	3	1	1
Indian	5	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	1	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Filipino	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	1	–	–
Other	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Male	1,198	15	10	6	2	7	23	29	24	21	18	22	29	45	94	82	174	158	143	142	150	4
White	1,169	14	10	5	2	7	22	29	23	20	17	21	29	42	91	80	171	153	140	140	150	3
Black	18	1	–	1	–	–	1	–	–	1	–	–	–	2	3	2	2	3	–	1	–	1
Indian	4	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	1	–	–	–
Filipino	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	1	–	–

Table 7–8 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Stanislaus (Cont'd.)																						
Female	985	8	5	3	2	2	10	9	9	9	16	20	21	29	60	69	85	103	126	151	248	–
White	969	8	5	3	2	2	10	8	9	9	15	19	21	27	59	66	84	103	123	149	247	–
Black	12	–	–	–	–	–	–	1	–	–	–	–	–	2	1	1	1	–	3	2	1	–
Indian	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Sutter	442	5	4	1	1	1	7	8	11	7	4	12	10	18	19	44	42	43	78	51	76	–
White	420	5	4	1	1	1	7	8	10	6	4	11	10	18	18	43	41	41	75	47	69	–
Black	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Japanese	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	4	–
Filipino	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	9	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	1	2	1	2	–
Male	242	2	4	–	1	1	5	5	8	7	4	6	7	8	11	22	28	25	48	22	28	–
White	227	2	4	–	1	1	5	5	7	6	4	5	7	8	10	22	27	24	46	20	23	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Japanese	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–
Filipino	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	5	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	1	–	1	–
Female	200	3	–	1	–	–	2	3	3	–	–	6	3	10	8	22	14	18	30	29	48	–
White	193	3	–	1	–	–	2	3	3	–	–	6	3	10	8	21	14	17	29	27	46	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Other	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–
Tehama	424	4	4	4	2	3	1	8	6	8	7	6	8	13	24	29	59	55	59	54	70	–
White	423	4	4	4	2	3	1	8	6	8	7	6	8	13	24	29	59	55	58	54	70	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Male	249	2	3	3	1	2	–	6	4	6	7	2	7	7	20	15	33	27	41	36	27	–
White	248	2	3	3	1	2	–	6	4	6	7	2	7	7	20	15	33	27	40	36	27	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Female	175	2	1	1	1	1	1	2	2	2	–	4	1	6	4	14	26	28	18	18	43	–
White	175	2	1	1	1	1	1	2	2	2	–	4	1	6	4	14	26	28	18	18	43	–
Trinity	101	2	–	–	2	–	–	2	1	3	1	2	2	9	6	12	17	11	8	11	12	–
White	98	2	–	–	2	–	–	2	1	3	–	2	2	8	6	12	17	11	8	10	12	–
Indian	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–
Male	66	1	–	–	1	–	–	1	–	3	1	1	2	4	6	10	10	8	5	8	5	–
White	63	1	–	–	1	–	–	1	–	3	–	1	2	3	6	10	10	8	5	7	5	–
Indian	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–
Female	35	1	–	–	1	–	–	1	1	–	–	1	–	5	–	2	7	3	3	3	7	–
White	35	1	–	–	1	–	–	1	1	–	–	1	–	5	–	2	7	3	3	3	7	–
Tulare	2,057	31	30	16	7	8	41	39	43	33	36	42	43	72	113	175	230	255	275	239	329	–
White	1,962	30	28	16	6	8	39	39	42	31	33	41	41	69	110	169	215	240	264	228	313	–
Black	47	1	2	–	–	–	1	–	1	–	1	–	2	2	–	3	9	5	3	7	10	–
Indian	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
Japanese	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	3	–
Filipino	30	–	–	–	1	–	1	–	–	2	2	–	–	1	2	1	3	9	6	1	1	–
Other	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–
Male	1,193	15	21	9	2	5	29	31	35	21	27	29	28	49	70	105	141	162	157	126	131	–
White	1,136	15	19	9	1	5	28	31	35	20	24	28	27	47	69	105	126	152	150	118	127	–
Black	28	–	2	–	–	–	1	–	–	–	1	–	1	1	–	–	9	3	–	7	3	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Filipino	24	–	–	–	1	–	–	–	–	1	2	–	–	1	1	–	3	7	6	1	1	–
Other	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–
Female	864	16	9	7	5	3	12	8	8	12	9	13	15	23	43	70	89	93	118	113	198	–
White	826	15	9	7	5	3	11	8	7	11	9	13	14	22	41	64	89	88	114	110	186	–
Black	19	1	–	–	–	–	–	–	1	–	–	–	1	1	–	3	–	2	3	–	7	–
Indian	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Japanese	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	3	–
Filipino	6	–	–	–	–	–	1	–	–	1	–	–	–	–	1	1	–	2	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–8 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1980

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Tuolumne	337	2	2	2	1	–	2	1	3	3	3	3	4	11	27	21	52	49	49	44	58	–
White	335	2	2	2	1	–	2	1	3	3	3	3	4	11	26	21	52	49	48	44	58	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Male	181	–	2	1	1	–	1	–	3	1	2	2	2	6	14	16	31	28	31	23	17	–
White	180	–	2	1	1	–	1	–	3	1	2	2	2	6	13	16	31	28	31	23	17	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Female	156	2	–	1	–	–	1	1	–	2	1	1	2	5	13	5	21	21	18	21	41	–
White	155	2	–	1	–	–	1	1	–	2	1	1	2	5	13	5	21	21	17	21	41	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Ventura	3,234	66	22	15	16	16	45	62	77	52	43	81	88	126	213	267	349	372	380	379	563	2
White	3,151	57	21	10	16	14	45	59	72	52	43	78	82	122	205	257	342	367	371	379	557	2
Black	46	3	1	3	–	–	–	2	4	–	–	2	3	1	3	8	4	3	4	–	5	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Japanese	7	–	–	1	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–	–	–	–
Filipino	11	1	–	–	–	2	–	–	–	–	–	–	1	1	1	–	2	2	1	–	–	–
Other	16	5	–	1	–	–	–	1	1	–	–	1	1	–	1	–	–	–	4	–	1	–
Male	1,716	35	19	12	7	10	32	48	56	36	29	57	43	83	120	158	200	205	197	159	210	–
White	1,669	31	18	9	7	8	32	46	53	36	29	55	43	81	114	152	195	203	191	159	207	–
Black	25	1	1	1	–	–	–	1	3	–	–	1	–	1	3	5	3	1	2	–	2	–
Japanese	3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Filipino	9	1	–	–	–	2	–	–	–	–	–	–	–	1	1	–	2	1	1	–	–	–
Other	10	2	–	1	–	–	–	1	–	–	–	1	–	–	1	–	–	–	3	–	1	–
Female	1,518	31	3	3	9	6	13	14	21	16	14	24	45	43	93	109	149	167	183	220	353	2
White	1,482	26	3	1	9	6	13	13	19	16	14	23	39	41	91	105	147	164	180	220	350	2
Black	21	2	–	2	–	–	–	1	1	–	–	1	3	–	–	3	1	2	2	–	3	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Japanese	4	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Other	6	3	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–
Yolo	907	12	11	4	2	2	10	9	12	6	17	11	27	28	64	93	105	105	116	102	170	1
White	876	9	10	2	2	2	9	9	12	6	17	11	24	27	61	92	104	101	111	100	166	1
Black	14	–	–	1	–	–	–	–	–	–	–	–	2	1	1	1	1	2	2	2	1	–
Indian	3	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Chinese	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other	7	–	1	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	1	–	2	–
Male	521	8	8	3	2	1	7	6	12	4	10	7	14	17	46	63	70	61	67	51	63	1
White	500	5	7	1	2	1	6	6	12	4	10	7	13	16	44	62	69	59	65	50	60	1
Black	9	–	–	1	–	–	–	–	–	–	–	–	1	1	1	1	1	–	1	1	1	–
Indian	3	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Chinese	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other	3	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Female	386	4	3	1	–	1	3	3	–	2	7	4	13	11	18	30	35	44	49	51	107	–
White	376	4	3	1	–	1	3	3	–	2	7	4	11	11	17	30	35	42	46	50	106	–
Black	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–
Yuba	335	10	3	–	–	–	5	6	11	5	5	3	15	18	30	32	51	40	40	26	35	–
White	313	8	2	–	–	–	5	6	8	5	4	3	14	15	30	27	49	38	38	26	35	–
Black	16	2	1	–	–	–	–	–	3	–	–	–	1	2	–	3	1	1	2	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–
Male	215	8	2	–	–	–	4	6	8	4	2	3	5	13	19	21	37	25	27	13	18	–
White	199	7	2	–	–	–	4	6	6	4	2	3	5	11	19	16	35	23	25	13	18	–
Black	11	1	–	–	–	–	–	–	2	–	–	–	–	1	–	3	1	1	2	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Female	120	2	1	–	–	–	1	–	3	1	3	–	10	5	11	11	14	15	13	13	17	–
White	114	1	–	–	–	–	1	–	2	1	2	–	9	4	11	11	14	15	13	13	17	–
Black	5	1	1	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

[1] The "White" category includes "Mexican," and "race not specified" or "unknown." No seperate "Hispanic" or "Mexican" category is shown because there are indications that these categories were underreported.

Source: State of California, Department of Health Services, Death Records.

Table 7–9

DEATHS BY SEX, RACE, AND AGE
CALIFORNIA, 1979

(By place of residence)

SEX AND RACE	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
TOTAL	177,214	2,788	1,490	853	489	514	2,273	3,279	3,010	2,656	2,664	3,254	4,949	7,861	11,665	14,753	18,249	20,656	22,423	21,776	31,476	136
White[1]	160,455	2,209	1,164	708	407	430	1,990	2,759	2,429	2,148	2,179	2,619	4,165	6,776	10,252	13,286	16,487	18,975	20,764	20,531	30,056	121
Black	12,431	461	270	111	67	59	223	422	476	401	395	508	631	859	1,113	1,157	1,331	1,182	1,069	770	914	12
Indian	353	8	8	4	2	3	10	22	19	20	18	18	17	27	27	26	20	32	30	16	26	–
Chinese	1,081	13	10	4	3	3	9	17	21	17	9	29	34	41	75	86	123	138	168	150	130	1
Japanese	954	5	7	1	1	3	5	13	14	9	18	11	24	61	85	72	70	57	131	140	227	–
Filipino	781	28	9	11	3	3	10	15	17	20	15	22	19	27	35	39	112	143	131	81	41	–
Other	1,159	64	22	14	6	13	26	31	34	41	30	47	59	70	78	87	106	129	130	88	82	2
Male	95,982	1,587	855	502	292	328	1,707	2,481	2,233	1,814	1,698	2,062	3,121	4,868	7,201	9,088	11,119	12,000	11,895	9,873	11,155	103
White[1]	86,064	1,291	671	423	239	273	1,500	2,120	1,823	1,484	1,385	1,645	2,634	4,192	6,319	8,174	10,060	10,981	10,944	9,242	10,570	94
Black	7,207	231	155	58	42	39	165	304	338	271	254	339	401	543	685	708	770	670	555	345	327	7
Indian	228	5	5	2	1	2	9	13	16	16	12	11	11	21	23	18	9	21	14	5	14	–
Chinese	668	9	7	4	3	2	7	12	10	9	7	19	24	28	47	62	78	88	97	97	58	–
Japanese	517	5	4	–	1	2	2	8	12	3	11	5	12	26	51	46	48	37	79	60	105	–
Filipino	586	11	5	6	2	2	7	10	8	9	9	12	7	16	22	24	89	121	113	75	38	–
Other	712	35	8	9	4	8	17	14	26	22	20	31	32	42	54	56	65	82	93	49	43	2
Female	81,232	1,201	635	351	197	186	566	798	777	842	966	1,192	1,828	2,993	4,464	5,665	7,130	8,656	10,528	11,903	20,321	33
White[1]	74,391	918	493	285	168	157	490	639	606	664	794	974	1,531	2,584	3,933	5,112	6,427	7,994	9,820	11,289	19,486	27
Black	5,224	230	115	53	25	20	58	118	138	130	141	169	230	316	428	449	561	512	514	425	587	5
Indian	125	3	3	2	1	1	1	9	3	4	6	7	6	6	4	8	11	11	16	11	12	–
Chinese	413	4	3	–	–	1	2	5	11	8	2	10	10	13	28	24	45	50	71	53	72	1
Japanese	437	–	3	1	–	1	3	5	2	6	7	6	12	35	34	26	22	20	52	80	122	–
Filipino	195	17	4	5	1	1	3	5	9	11	6	10	12	11	13	15	23	22	18	6	3	–
Other	447	29	14	5	2	5	9	17	8	19	10	16	27	28	24	31	41	47	37	39	39	–

[1] The "White" category includes "Mexican," and "race not specified" or "unknown." No separate "Hispanic" or "Mexican" category is shown because there are indications that these categories were underreported.

Source: State of California, Department of Health Services, Death Records.

Table 7–10

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Alameda	8,723	100	60	47	22	27	78	128	140	137	132	166	268	407	642	730	905	1,023	1,060	1,034	1,614	3
White	7,040	64	35	26	13	18	58	96	92	85	95	105	190	295	468	550	718	845	880	920	1,485	2
Black	1,416	28	22	16	7	7	18	27	45	49	36	52	67	97	157	149	163	144	149	82	100	1
Indian	10	1	–	–	–	–	–	1	–	1	–	1	1	1	–	–	1	1	2	–	–	–
Chinese	63	1	–	–	–	–	–	1	2	–	–	3	2	4	4	8	6	7	13	7	5	–
Japanese	30	1	–	–	–	–	–	–	–	–	1	–	1	–	5	3	3	2	1	2	11	–
Filipino	27	2	1	5	–	–	–	2	–	–	–	1	–	1	2	3	2	4	2	2	–	–
Other	137	3	2	–	2	2	2	1	1	2	–	4	7	9	6	17	12	20	13	21	13	–
Male	4,518	56	30	24	15	18	62	93	93	94	77	107	165	231	383	438	539	581	537	465	509	1
White	3,557	44	17	16	7	11	45	71	63	55	54	68	113	165	286	334	419	478	432	408	470	1
Black	794	9	11	6	6	5	15	18	28	36	22	33	44	58	86	84	108	78	83	36	28	–
Indian	5	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	1	–	–	–	–	–
Chinese	42	–	–	–	–	–	–	1	1	–	–	2	2	2	2	5	4	5	10	5	3	–
Japanese	14	1	–	–	–	–	–	–	–	–	1	–	1	–	2	1	1	2	1	1	3	–
Filipino	17	1	–	2	–	–	–	1	–	–	–	1	–	1	2	2	1	4	1	1	–	–
Other	89	1	2	–	2	2	2	1	1	2	–	3	4	4	5	12	5	14	10	14	5	–
Female	4,205	44	30	23	7	9	16	35	47	43	55	59	103	176	259	292	366	442	523	569	1,105	2
White	3,483	20	18	10	6	7	13	25	29	30	41	37	77	130	182	216	299	367	448	512	1,015	1
Black	622	19	11	10	1	2	3	9	17	13	14	19	23	39	71	65	55	66	66	46	72	1
Indian	5	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	–	–
Chinese	21	1	–	–	–	–	–	–	1	–	–	1	–	2	2	3	2	2	3	2	2	–
Japanese	16	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	2	–	–	1	8	–
Filipino	10	1	1	3	–	–	–	1	–	–	–	–	–	–	–	1	1	–	1	1	–	–
Other	48	2	–	–	–	–	–	–	–	[illegible]	–	1	3	5	1	5	7	6	3	7	8	–
Alpine	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
White	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Amador	188	1	1	–	–	3	4	3	2	1	2	3	2	8	17	17	23	21	19	29	32	–
White	187	1	1	–	–	3	4	3	2	1	2	3	2	8	17	17	22	21	19	29	32	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Male	108	1	–	–	–	2	2	2	2	1	2	1	2	4	11	11	15	13	13	15	11	–
White	108	1	–	–	–	2	2	2	2	1	2	1	2	4	11	11	15	13	13	15	11	–
Female	80	–	1	–	–	1	2	1	–	–	–	2	–	4	6	6	8	8	6	14	21	–
White	79	–	1	–	–	1	2	1	–	–	–	2	–	4	6	6	7	8	6	14	21	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Butte	1,407	10	6	10	3	–	16	22	26	14	6	20	18	39	69	104	184	181	193	201	284	1
White	1,371	10	6	10	3	–	15	19	24	13	6	19	18	38	67	101	180	176	184	199	282	1
Black	29	–	–	–	–	–	–	1	2	1	–	1	–	1	2	2	3	5	8	2	1	–
Indian	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	1	–
Filipino	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Male	798	5	3	5	3	–	11	15	22	11	3	12	11	21	42	60	128	119	115	103	108	1
White	777	5	3	5	3	–	10	14	20	10	3	12	11	20	41	59	125	115	111	101	108	1
Black	18	–	–	–	–	–	–	1	2	1	–	–	–	1	1	–	2	4	4	2	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Filipino	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Female	609	5	3	5	–	–	5	7	4	3	3	8	7	18	27	44	56	62	78	98	176	–
White	594	5	3	5	–	–	5	5	4	3	3	7	7	18	26	42	55	61	73	98	174	–
Black	11	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	1	4	–	1	–
Indian	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Calaveras	200	–	1	1	1	–	6	5	2	4	–	7	1	5	14	15	24	31	36	17	30	–
White	197	–	1	1	1	–	6	4	2	4	–	7	1	5	14	15	24	30	36	17	29	–
Indian	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Male	121	–	1	1	–	–	5	4	1	4	–	5	1	2	7	11	17	20	21	8	13	–
White	118	–	1	1	–	–	5	3	1	4	–	5	1	2	7	11	17	19	21	8	12	–
Indian	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Female	79	–	–	–	1	–	1	1	1	–	–	1	–	3	7	4	7	11	15	9	17	–
White	79	–	–	–	1	–	1	1	1	–	–	2	–	3	7	4	7	11	15	9	17	–

Table 7–10 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Colusa	130	–	1	3	–	–	–	4	1	3	1	1	3	7	11	11	10	15	17	12	30	–
White	128	–	1	3	–	–	–	4	1	3	1	1	3	6	10	11	10	15	17	12	30	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Male	75	–	1	2	–	–	–	4	1	2	1	–	2	5	8	9	5	9	10	5	11	–
White	73	–	1	2	–	–	–	4	1	2	1	–	2	4	7	9	5	9	10	5	11	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Female	55	–	–	1	–	–	–	–	–	1	–	1	1	2	3	2	5	6	7	7	19	–
White	55	–	–	1	–	–	–	–	–	1	–	1	1	2	3	2	5	6	7	7	19	–
Contra Costa	4,346	54	40	15	13	17	48	85	69	62	65	68	130	202	314	394	463	505	562	511	729	–
White	3,918	44	28	9	10	14	42	68	55	50	53	54	106	182	275	360	419	458	517	479	695	–
Black	357	9	11	6	3	3	6	14	14	9	10	12	17	15	34	30	39	39	34	27	25	–
Indian	5	–	–	–	–	–	–	1	–	1	–	–	1	–	–	1	1	–	–	–	–	–
Chinese	16	–	–	–	–	–	–	–	–	–	1	1	2	1	2	1	–	2	2	–	4	–
Japanese	14	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	2	2	1	3	–
Filipino	14	1	–	–	–	–	–	–	–	1	1	1	2	1	1	–	–	3	2	1	–	–
Other	22	–	1	–	–	–	–	2	–	1	–	–	2	1	–	1	3	1	5	3	2	–
Male	2,313	26	24	7	8	13	32	60	52	40	41	39	72	126	185	236	260	301	276	233	282	–
White	2,077	22	17	6	6	11	29	53	41	31	34	32	59	112	163	215	236	272	254	217	267	–
Black	201	3	7	1	2	2	3	7	11	7	7	5	10	11	21	18	21	23	16	13	13	–
Indian	3	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Chinese	6	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	1	–	–	1	–
Japanese	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	1	–
Filipino	8	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	3	1	1	–	–
Other	12	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	2	1	4	2	–	–
Female	2,033	28	16	8	5	4	16	25	17	22	24	29	58	76	129	158	203	204	286	278	447	–
White	1,841	22	11	3	4	3	13	15	14	19	19	22	47	70	112	145	183	186	263	262	428	–
Black	156	6	4	5	1	1	3	7	3	2	3	7	7	4	13	12	18	16	18	14	12	–
Indian	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Chinese	10	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	1	2	–	3	–
Japanese	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	1	2	–
Filipino	6	–	–	–	–	–	–	–	–	1	1	–	2	–	1	–	–	–	1	–	–	–
Other	10	–	1	–	–	–	–	2	–	–	–	–	1	1	–	–	1	–	1	1	2	–
Del Norte	179	2	5	–	2	1	1	5	5	1	2	4	3	7	11	18	20	23	21	20	28	–
White	174	2	4	–	2	1	1	4	5	1	2	4	3	7	11	18	20	23	19	20	27	–
Black	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Indian	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	1	–
Male	112	2	4	–	2	–	1	4	5	1	1	3	3	3	7	14	12	15	14	10	11	–
White	110	2	3	–	2	–	1	3	5	1	1	3	3	3	7	14	12	15	14	10	11	–
Black	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Indian	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	67	–	1	–	–	1	–	1	–	–	1	1	–	4	4	4	8	8	7	10	17	–
White	64	–	1	–	–	1	–	1	–	–	1	1	–	4	4	4	8	8	5	10	16	–
Indian	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
El Dorado	550	5	1	1	3	2	5	11	10	7	17	9	18	29	52	47	72	71	70	49	70	1
White	547	5	1	1	3	2	5	11	9	6	17	9	18	29	52	46	72	71	70	49	70	1
Filipino	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Male	330	4	–	1	3	2	3	7	8	4	12	6	6	16	36	30	50	49	39	25	29	–
White	329	4	–	1	3	2	3	7	7	4	12	6	6	16	36	30	50	49	39	25	29	–
Filipino	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	220	1	1	–	–	–	2	4	2	3	5	3	12	13	16	17	22	22	31	24	41	1
White	218	1	1	–	–	–	2	4	2	2	5	3	12	13	16	16	22	22	31	24	41	1
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fresno	3,623	75	30	25	9	18	69	88	70	60	61	75	89	172	205	282	370	418	421	412	669	5
White	3,301	62	25	20	8	17	63	75	63	52	53	66	77	153	182	259	327	380	395	392	627	5
Black	229	9	4	4	1	1	5	9	5	8	7	6	11	16	12	19	31	33	21	10	17	–
Indian	16	–	–	1	–	–	1	1	–	–	–	2	1	1	4	1	2	–	–	–	2	–
Chinese	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	3	–
Japanese	44	–	–	–	–	–	–	2	1	–	–	–	–	2	4	2	6	3	3	6	15	–
Filipino	14	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	2	2	2	3	2	–
Other	13	4	–	–	–	–	–	1	–	–	1	–	–	–	2	1	1	–	–	–	3	–

Table 7–10 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Fresno (Cont'd.)																						
Male	2,094	50	18	19	5	9	48	69	37	49	33	51	56	102	128	185	243	272	245	199	252	4
White	1,891	41	15	15	5	8	44	62	32	42	28	42	51	94	111	171	216	246	225	187	232	4
Black	144	6	2	3	–	1	3	6	4	7	4	6	5	7	9	11	19	22	15	7	7	–
Indian	11	–	–	1	–	–	1	–	–	–	–	2	–	–	4	1	–	–	–	–	2	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–
Japanese	24	–	–	–	–	–	–	1	1	–	–	–	–	1	1	2	4	2	3	3	6	–
Filipino	13	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	2	2	2	2	2	–
Other	8	3	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	1	–
Female	1,529	25	12	6	4	9	21	19	13	11	28	24	33	70	77	97	127	146	176	213	417	1
White	1,410	21	10	5	3	9	19	13	11	10	25	24	26	59	71	88	111	134	170	205	395	1
Black	85	3	2	1	1	–	2	3	1	1	3	–	6	9	3	8	12	11	6	3	10	–
Indian	5	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	2	–	–	–	–	–
Chinese	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–
Japanese	20	–	–	–	–	–	–	1	–	–	–	–	–	1	3	–	2	1	–	3	9	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other	5	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	2	–
Glenn	197	7	2	3	–	–	3	7	3	2	2	2	2	6	13	17	21	25	29	18	35	–
White	194	7	2	3	–	–	2	6	3	2	2	2	2	6	13	17	21	25	28	18	35	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Indian	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Male	120	6	2	1	–	–	2	7	2	2	1	2	–	5	9	8	13	18	16	8	18	–
White	117	6	2	1	–	–	1	6	2	2	1	2	–	5	9	8	13	18	15	8	18	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Indian	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Female	77	1	–	2	–	–	1	–	1	–	1	–	2	1	4	9	8	7	13	10	17	–
White	77	1	–	2	–	–	1	–	1	–	1	–	2	1	4	9	8	7	13	10	17	–
Humboldt	885	5	7	5	3	2	11	23	16	9	16	20	19	30	60	78	111	113	114	86	157	–
White	849	5	7	3	2	2	10	21	12	9	13	18	18	28	58	76	108	109	111	83	156	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Indian	32	–	–	2	1	–	1	2	4	–	3	2	1	2	2	1	1	3	3	3	1	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Male	507	5	5	2	2	2	6	15	15	7	12	9	12	21	37	42	68	66	79	36	66	–
White	484	5	5	1	1	2	5	14	11	7	9	8	12	19	35	42	66	65	76	35	66	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Indian	20	–	–	1	1	–	1	1	4	–	3	1	–	2	2	–	–	–	3	1	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Female	378	–	2	3	1	–	5	8	1	2	4	11	7	9	23	36	43	47	35	50	91	–
White	365	–	2	2	1	–	5	7	1	2	4	10	6	9	23	34	42	44	35	48	90	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Indian	12	–	–	1	–	–	–	1	–	–	–	1	1	–	–	1	1	3	–	2	1	–
Imperial	630	13	9	5	–	2	12	15	15	10	12	18	12	30	39	46	75	77	89	56	80	15
White	580	12	9	5	–	2	12	13	13	10	12	18	12	28	32	43	68	71	81	50	74	15
Black	29	–	–	–	–	–	–	2	2	–	–	–	–	2	5	3	5	2	3	1	4	–
Indian	9	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	–	–	2	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
Filipino	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	–	–
Male	387	7	4	2	–	1	10	13	12	5	5	14	9	19	20	29	50	50	39	31	32	15
White	349	6	4	2	–	1	10	11	11	5	5	14	9	18	16	27	44	45	32	27	27	15
Black	20	–	–	–	–	–	–	2	1	–	–	–	–	1	3	2	4	2	2	–	3	–
Indian	7	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	2	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
Filipino	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	–	–
Female	243	6	5	3	–	1	2	2	3	5	7	4	3	11	19	17	25	27	30	25	48	–
White	231	6	5	3	–	1	2	2	2	5	7	4	3	10	16	16	24	26	29	23	47	–
Black	9	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	1	–	1	1	1	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Inyo	208	4	–	1	2	–	3	3	4	3	6	7	5	10	13	17	27	29	30	26	18	–
White	196	4	–	1	2	–	3	3	3	2	5	7	4	9	11	16	27	27	29	25	18	–
Indian	12	–	–	–	–	–	–	–	1	1	1	–	1	1	2	1	–	2	1	1	–	–
Male	123	2	–	1	1	–	2	3	4	3	5	3	5	7	6	11	15	17	17	13	8	–
White	116	2	–	1	1	–	2	3	3	2	5	3	4	6	5	10	15	16	17	13	8	–
Indian	7	–	–	–	–	–	–	–	1	1	–	–	1	1	1	1	–	1	–	–	–	–
Female	85	2	–	–	1	–	1	–	–	–	1	4	–	3	7	6	12	12	13	13	10	–
White	80	2	–	–	1	–	1	–	–	–	–	4	–	3	6	6	12	11	12	12	10	–
Indian	5	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	1	–	–

Table 7–10 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Kern	3,051	61	33	17	11	12	62	71	57	40	39	65	98	159	211	257	353	392	393	318	401	1
White	2,794	52	32	15	10	11	56	65	53	33	31	58	83	149	193	228	327	368	356	299	374	1
Black	207	8	–	2	1	1	5	6	4	7	7	7	13	9	17	26	18	15	27	14	20	–
Indian	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Filipino	33	–	–	–	–	–	1	–	–	–	–	–	–	–	–	3	4	8	8	3	6	–
Other	10	1	1	–	–	–	–	–	–	–	–	–	2	–	1	–	2	1	1	1	–	–
Male	1,793	34	17	10	9	7	44	59	43	31	22	46	59	102	134	163	233	243	224	170	142	1
White	1,628	31	17	8	8	6	41	56	40	27	18	41	51	96	120	144	216	224	198	159	126	1
Black	127	3	–	2	1	1	3	3	3	4	4	5	7	6	13	17	11	10	17	7	10	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Filipino	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	8	7	3	6	–
Other	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	1	1	–	–
Female	1,258	27	16	7	2	5	18	12	14	9	17	19	39	57	77	94	120	149	169	148	259	–
White	1,166	21	15	7	2	5	15	9	13	6	13	17	32	53	73	84	111	144	158	140	248	–
Black	80	5	–	–	–	–	2	3	1	3	3	2	6	3	4	9	7	5	10	7	10	–
Indian	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Filipino	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Other	3	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kings	476	13	3	5	1	4	14	13	10	8	10	10	12	21	24	34	54	61	54	48	77	–
White	431	9	3	4	1	4	14	11	9	8	9	9	10	18	23	32	44	57	48	45	73	–
Black	35	4	–	1	–	–	–	1	1	–	–	–	2	3	1	2	7	2	6	2	3	–
Indian	3	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Filipino	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Other	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–
Male	285	7	3	1	1	3	10	11	9	7	9	10	7	14	16	20	40	35	31	24	27	–
White	253	4	3	1	1	3	10	9	8	7	8	9	6	12	15	18	30	31	28	23	27	–
Black	24	3	–	–	–	–	–	1	1	–	–	–	1	2	1	2	7	2	3	1	–	–
Indian	3	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Filipino	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Female	191	6	–	4	–	1	4	2	1	1	1	–	5	7	8	14	14	26	23	24	50	–
White	178	5	–	3	–	1	4	2	1	1	1	–	4	6	8	14	14	26	20	22	46	–
Black	11	1	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	3	1	3	–
Other	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Lake	475	2	2	2	1	–	4	4	8	6	5	8	13	23	25	57	69	58	68	56	64	–
White	466	2	2	2	1	–	4	4	8	5	4	8	11	22	25	55	69	58	66	56	64	–
Black	5	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	1	–	–	–
Indian	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Male	304	1	1	–	1	–	3	2	8	5	4	4	9	15	16	41	46	47	40	30	31	–
White	297	1	1	–	1	–	3	2	8	5	3	4	7	14	16	39	46	47	39	30	31	–
Black	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–
Indian	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Female	171	1	1	2	–	–	1	2	–	1	1	4	4	8	9	16	23	11	28	26	33	–
White	169	1	1	2	–	–	1	2	–	–	1	4	4	8	9	16	23	11	27	26	33	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Lassen	160	3	5	1	1	–	–	8	3	2	2	3	3	12	7	12	15	18	24	19	22	–
White	154	3	4	1	–	–	–	8	3	2	2	3	3	11	7	12	13	18	23	19	22	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Indian	3	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Male	83	1	4	–	–	–	–	6	2	2	1	1	2	6	4	9	9	10	10	8	8	–
White	81	1	4	–	–	–	–	6	2	2	1	1	2	5	4	9	8	10	10	8	8	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Female	77	2	1	1	1	–	–	2	1	–	1	2	1	6	3	3	6	8	14	11	14	–
White	73	2	–	1	–	–	–	2	1	–	1	2	1	6	3	3	5	8	13	11	14	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Indian	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–10 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Los Angeles	58,783	1,030	542	265	151	158	745	1,087	1,055	957	941	1,194	1,745	2,708	3,941	4,930	5,905	6,486	7,169	7,205	10,554	15
White	50,509	722	381	206	111	115	592	810	756	697	678	835	1,327	2,146	3,249	4,205	5,068	5,694	6,431	6,597	9,877	12
Black	6,913	262	143	47	35	37	135	252	267	219	227	315	370	488	602	621	705	649	569	453	514	3
Indian	62	1	1	–	–	–	–	3	3	6	5	3	3	5	4	6	3	5	5	4	5	–
Chinese	267	2	5	3	1	1	4	4	5	6	4	9	12	7	12	21	41	39	30	40	21	–
Japanese	494	2	4	–	–	2	1	7	5	6	9	5	12	27	39	41	39	32	73	76	114	–
Filipino	135	8	1	1	2	–	5	3	4	9	4	4	5	6	7	4	15	18	18	15	6	–
Other	403	33	7	8	2	3	8	8	15	14	14	23	16	29	28	32	34	49	43	20	17	–
Male	30,914	586	314	150	90	98	574	829	783	641	614	760	1,126	1,696	2,427	2,986	3,542	3,581	3,592	3,002	3,514	9
White	26,134	427	226	120	64	71	458	632	558	469	445	523	857	1,343	1,993	2,544	3,063	3,162	3,209	2,718	3,244	8
Black	3,963	133	77	22	22	24	103	183	201	145	147	211	239	309	371	379	398	330	282	202	184	1
Indian	43	–	1	–	–	–	–	1	3	6	3	3	3	4	4	2	2	5	2	2	2	–
Chinese	162	2	5	3	1	–	3	1	3	3	3	5	8	4	10	13	25	25	14	23	11	–
Japanese	278	2	3	–	–	2	1	4	4	3	5	2	7	13	26	27	26	19	46	31	57	–
Filipino	91	2	–	–	2	–	4	2	3	6	3	3	2	4	3	3	7	14	12	15	6	–
Other	243	20	2	5	1	1	5	6	11	9	8	13	10	19	20	18	21	26	27	11	10	–
Female	27,869	444	228	115	61	60	171	258	272	316	327	434	619	1,012	1,514	1,944	2,363	2,905	3,577	4,203	7,040	6
White	24,375	295	155	86	47	44	134	178	198	228	233	312	470	803	1,256	1,661	2,005	2,532	3,222	3,879	6,633	4
Black	2,950	129	66	25	13	13	32	69	66	74	80	104	131	179	231	242	307	319	287	251	330	2
Indian	19	1	–	–	–	–	–	2	–	–	2	–	–	1	–	4	1	–	3	2	3	–
Chinese	105	–	–	–	–	1	1	3	2	3	1	4	4	3	2	8	16	14	16	17	10	–
Japanese	216	–	1	–	–	–	–	3	1	3	4	3	5	14	13	14	13	13	27	45	57	–
Filipino	44	6	1	1	–	–	1	1	1	3	1	1	3	2	4	1	8	4	6	–	–	–
Other	160	13	5	3	1	2	3	2	4	5	6	10	6	10	8	14	13	23	16	9	7	–
Madera	514	11	4	4	2	3	5	13	7	11	12	7	15	23	27	50	61	64	61	62	72	–
White	479	11	3	4	2	3	5	13	7	11	10	6	13	21	24	48	57	62	55	56	68	–
Black	27	–	1	–	–	–	–	–	–	–	2	–	–	2	3	1	3	2	4	5	4	–
Indian	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Filipino	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–
Male	310	6	–	3	2	2	4	12	5	8	8	5	10	17	16	34	38	40	43	25	32	–
White	292	6	–	3	2	2	4	12	5	8	6	5	9	16	14	32	37	38	38	23	32	–
Black	14	–	–	–	–	–	–	–	–	–	2	–	–	1	2	1	1	2	3	2	–	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Female	204	5	4	1	–	1	1	1	2	3	4	2	5	6	11	16	23	24	18	37	40	–
White	187	5	3	1	–	1	1	1	2	3	4	1	4	5	10	16	20	24	17	33	36	–
Black	13	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	1	3	4	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Marin	1,475	13	10	4	3	3	15	13	28	25	20	30	31	67	117	122	152	170	180	185	284	3
White	1,448	13	9	4	3	3	15	12	27	23	20	28	29	65	112	121	150	168	176	184	283	3
Black	14	–	–	–	–	–	–	1	1	1	–	–	1	1	3	–	1	1	2	1	1	–
Indian	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chinese	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Other	3	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Male	790	8	4	1	3	2	13	8	23	20	11	16	20	38	74	76	96	102	95	82	96	2
White	773	8	4	1	3	2	13	8	22	18	11	15	19	37	71	75	94	101	92	81	96	2
Black	9	–	–	–	–	–	–	–	1	1	–	–	1	–	2	–	1	1	1	1	–	–
Indian	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Female	685	5	6	3	–	1	2	5	5	5	9	14	11	29	43	46	56	68	85	103	188	1
White	675	5	5	3	–	1	2	4	5	5	9	13	10	28	41	46	56	67	84	103	187	1
Black	5	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	1	–	1	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

Table 7–10 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Mariposa	92	2	1	1	2	1	–	–	2	–	–	–	2	2	5	10	7	9	15	13	20	–
White	90	2	1	1	2	1	–	–	2	–	–	–	2	2	5	9	7	8	15	13	20	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Male	48	2	1	1	2	–	–	–	2	–	–	–	2	2	4	5	2	7	7	6	5	–
White	48	2	1	1	2	–	–	–	2	–	–	–	2	2	4	5	2	7	7	6	5	–
Female	44	–	–	–	–	1	–	–	–	–	–	–	–	–	1	5	5	2	8	7	15	–
White	42	–	–	–	–	1	–	–	–	–	–	–	–	–	1	4	5	1	8	7	15	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mendocino	598	11	2	5	–	2	4	11	8	7	8	13	17	31	52	53	60	82	78	51	102	1
White	579	11	2	5	–	1	4	11	8	7	8	12	16	29	52	51	58	81	72	51	99	1
Indian	14	–	–	–	–	1	–	–	–	–	–	1	1	2	–	2	1	1	4	–	1	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Male	327	6	2	4	–	2	1	11	7	6	6	8	8	16	26	34	35	56	41	22	36	–
White	316	6	2	4	–	1	1	11	7	6	6	7	8	14	26	33	33	55	39	22	35	–
Indian	9	–	–	–	–	1	–	–	–	–	–	1	–	2	–	1	1	1	1	–	1	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Female	271	5	–	1	–	–	3	–	1	1	2	5	9	15	26	19	25	26	37	29	66	1
White	263	5	–	1	–	–	3	–	1	1	2	5	8	15	26	18	25	26	33	29	64	1
Indian	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	3	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Merced	885	17	4	9	5	–	16	20	22	13	16	15	24	46	61	74	97	109	97	108	131	1
White	821	16	3	7	5	–	15	18	22	11	15	13	23	42	57	65	87	100	97	100	124	1
Black	54	1	1	2	–	–	1	2	–	2	1	2	1	2	4	9	8	8	–	6	4	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Other	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	2	–
Male	540	7	3	7	4	–	12	14	19	10	10	8	17	28	43	46	68	73	59	55	56	1
White	498	7	2	6	4	–	12	13	19	8	9	7	16	25	42	39	60	66	59	50	53	1
Black	36	–	1	1	–	–	–	1	–	2	1	1	1	2	1	7	6	6	–	4	2	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–
Female	345	10	1	2	1	–	4	6	3	3	6	7	7	18	18	28	29	36	38	53	75	–
White	323	9	1	1	1	–	3	5	3	3	6	6	7	17	15	26	27	34	38	50	71	–
Black	18	1	–	1	–	–	1	1	–	–	–	1	–	–	3	2	2	2	–	2	2	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Other	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Modoc	69	2	3	–	1	1	1	–	1	1	3	1	3	3	2	7	8	4	9	5	14	–
White	66	2	2	–	1	1	1	–	1	1	3	1	3	3	2	7	7	3	9	5	14	–
Indian	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Male	45	2	3	–	1	1	1	–	1	–	2	1	3	3	1	5	4	2	5	2	8	–
White	43	2	2	–	1	1	1	–	1	–	2	1	3	3	1	5	4	1	5	2	8	–
Indian	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Female	24	–	–	–	–	–	–	–	–	1	1	–	–	–	1	2	4	2	4	3	6	–
White	23	–	–	–	–	–	–	–	–	1	1	–	–	–	1	2	3	2	4	3	6	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mono	44	3	1	–	–	2	2	3	2	1	1	1	3	–	1	3	3	7	7	1	3	–
White	39	3	1	–	–	2	–	2	2	1	1	1	3	–	1	3	2	6	7	1	3	–
Indian	5	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Male	28	2	–	–	–	1	2	3	1	1	1	1	2	–	1	2	2	3	5	1	–	–
White	25	2	–	–	–	1	–	2	1	1	1	1	2	–	1	2	2	3	5	1	–	–
Indian	3	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	16	1	1	–	–	1	–	–	1	–	–	–	1	–	–	1	1	4	2	–	3	–
White	14	1	1	–	–	1	–	–	1	–	–	–	1	–	–	1	–	3	2	–	3	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–

Table 7–10 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																			
		Under 1																			
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Monterey	1,894	44	28	11	10	4	30	51	37	30	25	37	53	92	121	146	182	228	237	208	319	1
White	1,751	34	27	9	8	4	27	47	29	24	20	32	45	80	109	138	173	212	221	201	310	1
Black	76	7	1	2	2	–	2	2	7	3	3	4	4	5	8	2	5	5	5	5	4	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–
Japanese	8	–	–	–	–	–	–	1	–	1	1	–	1	2	–	–	1	–	–	–	1	–
Filipino	19	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	–	5	6	1	–	–
Other	35	3	–	–	–	–	1	1	1	2	1	–	2	3	2	3	3	6	4	1	2	–
Male	1,028	28	19	6	5	4	19	39	24	20	16	26	31	52	71	101	103	146	129	83	103	1
White	941	20	19	5	3	4	16	36	19	18	13	22	27	45	64	96	100	136	117	81	99	1
Black	45	6	–	1	2	–	2	1	5	1	1	4	3	3	4	2	3	2	2	1	2	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Japanese	4	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Filipino	15	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	5	6	1	–	–
Other	20	2	–	–	–	–	1	1	–	1	1	–	–	2	1	2	1	3	3	–	2	–
Female	866	16	9	5	5	–	11	12	13	10	9	11	22	40	50	45	77	82	108	125	216	–
White	810	14	8	4	5	–	11	11	10	6	7	10	18	35	45	42	73	76	104	120	211	–
Black	31	1	1	1	–	–	–	1	2	2	2	–	1	2	4	–	2	3	3	4	2	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Japanese	4	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	1	–
Filipino	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–
Other	15	1	–	–	–	–	–	–	1	1	–	–	2	1	1	1	2	3	1	1	–	–
Napa	936	8	4	3	2	2	12	12	5	9	7	9	16	38	51	74	102	105	154	139	184	–
White	931	8	4	3	2	2	12	11	5	9	7	9	15	37	50	74	101	105	154	139	184	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Other	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Male	511	3	3	1	1	1	7	9	4	6	4	5	12	25	32	48	57	62	88	59	84	–
White	509	3	3	1	1	1	7	9	4	6	4	5	12	24	31	48	57	62	88	59	84	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Female	425	5	1	2	1	1	5	3	1	3	3	4	4	13	19	26	45	43	66	80	100	–
White	422	5	1	2	1	1	5	2	1	3	3	4	3	13	19	26	44	43	66	80	100	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Nevada	425	6	3	2	–	1	6	7	3	5	5	8	8	14	18	33	57	59	59	52	79	–
White	423	6	3	1	–	1	6	6	3	5	5	8	8	14	18	33	57	59	59	52	79	–
Indian	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	246	3	1	–	–	–	3	5	2	2	2	4	5	10	12	20	39	41	37	31	29	–
White	246	3	1	–	–	–	3	5	2	2	2	4	5	10	12	20	39	41	37	31	29	–
Female	179	3	2	2	–	1	3	2	1	3	3	4	3	4	6	13	18	18	22	21	50	–
White	177	3	2	1	–	1	3	1	1	3	3	4	3	4	6	13	18	18	22	21	50	–
Indian	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Orange	11,734	207	117	83	44	42	137	249	181	146	161	221	351	539	851	964	1,087	1,302	1,472	1,509	2,069	2
White	11,518	190	108	79	43	38	135	246	168	139	155	210	338	519	836	941	1,083	1,287	1,453	1,499	2,049	2
Black	70	8	6	–	1	–	2	–	7	2	4	5	3	10	5	6	–	4	3	–	4	–
Indian	10	1	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	1	1	1	3	–
Chinese	7	1	1	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	1	–	–
Japanese	41	1	–	1	–	–	–	–	1	1	1	2	2	7	2	4	–	–	6	6	7	–
Filipino	10	–	–	2	–	1	–	–	–	–	1	–	1	–	–	–	–	3	1	–	1	–
Other	78	6	2	1	–	2	–	3	4	4	–	2	7	3	7	12	4	7	7	2	5	–
Male	6,129	125	73	55	16	27	106	174	138	93	99	134	219	319	505	585	630	698	742	655	734	2
White	6,001	117	67	52	16	25	104	173	129	88	94	127	211	306	498	569	627	689	731	651	725	2
Black	43	4	3	–	–	–	2	–	3	2	4	4	2	8	2	3	–	–	1	–	1	–
Indian	5	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	1	–
Chinese	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Japanese	21	1	–	–	–	–	–	–	1	–	–	1	1	4	–	4	–	–	4	2	3	–
Filipino	9	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–	3	1	–	1	–
Other	47	1	1	1	–	2	–	1	2	3	–	2	4	1	4	8	3	5	5	1	3	–
Female	5,605	82	44	28	28	15	31	75	43	53	62	87	132	220	346	379	457	604	730	854	1,335	–
White	5,517	73	41	27	27	13	31	73	39	51	61	83	127	213	338	372	456	598	722	848	1,324	–
Black	27	4	1	–	1	–	–	–	2	–	–	1	1	2	3	3	–	4	2	–	3	–
Indian	5	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	2	–
Chinese	4	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–
Japanese	20	–	–	1	–	–	–	–	–	1	1	1	1	3	2	–	–	–	2	4	4	–
Filipino	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	31	3	1	–	–	–	–	2	2	1	–	–	3	2	3	4	1	2	2	1	2	–

Table 7–10 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Placer	857	8	8	6	3	2	15	9	4	19	8	13	26	31	50	68	111	119	114	96	147	–
White	843	8	7	6	3	2	14	8	4	19	7	13	25	30	50	68	111	118	113	95	142	–
Black	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Japanese	7	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	4	–
Filipino	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Male	491	6	5	6	1	1	10	9	3	13	5	3	14	18	35	41	69	77	68	47	60	–
White	482	6	4	6	1	1	10	8	3	13	5	3	14	17	35	41	69	76	67	46	57	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Japanese	5	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	2	–
Filipino	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Female	366	2	3	–	2	1	5	–	1	6	3	10	12	13	15	27	42	42	46	49	87	–
White	361	2	3	–	2	1	4	–	1	6	2	10	11	13	15	27	42	42	46	49	85	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Plumas	127	2	3	1	1	–	3	1	1	2	3	2	4	3	12	9	12	20	16	18	13	1
White	124	2	3	1	1	–	2	1	1	2	3	2	4	3	11	8	12	20	16	18	13	1
Black	3	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Male	73	2	2	–	1	–	3	1	1	1	2	2	1	3	11	5	7	10	10	9	1	1
White	71	2	2	–	1	–	2	1	1	1	2	2	1	3	10	5	7	10	10	9	1	1
Black	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Female	54	–	1	1	–	–	–	–	–	1	1	–	3	–	1	4	5	10	6	9	12	–
White	53	–	1	1	–	–	–	–	–	1	1	–	3	–	1	3	5	10	6	9	12	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Riverside	6,173	83	43	24	16	28	70	101	78	65	69	73	140	211	367	541	674	789	927	844	1,020	10
White	5,910	73	40	23	12	27	65	94	71	60	63	69	131	194	351	521	643	765	888	821	989	10
Black	222	8	3	1	3	–	3	6	5	4	6	3	6	15	14	17	27	19	34	20	28	–
Indian	13	1	–	–	–	1	1	–	1	–	–	–	2	1	2	1	1	1	–	1	–	–
Chinese	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–
Japanese	6	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–
Filipino	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
Other	14	1	–	–	–	–	1	1	1	1	–	1	1	1	–	2	1	1	1	–	1	–
Male	3,479	44	24	16	9	19	53	83	59	49	47	51	98	125	206	336	427	459	536	436	395	7
White	3,313	37	21	15	7	18	48	80	54	47	42	47	91	112	198	321	409	443	510	423	385	7
Black	135	5	3	1	1	–	3	3	4	2	5	3	5	11	6	12	15	14	22	10	10	–
Indian	9	1	–	–	–	1	1	–	–	–	–	–	1	1	2	1	–	–	–	1	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Japanese	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Filipino	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
Other	11	1	–	–	–	–	1	–	1	–	–	1	1	1	–	2	1	1	1	–	–	–
Female	2,694	39	19	8	7	9	17	18	19	16	22	22	42	86	161	205	247	330	391	408	625	3
White	2,595	36	19	8	5	9	17	14	17	13	21	22	40	82	153	200	234	322	378	398	604	3
Black	87	3	–	–	2	–	–	3	1	2	1	–	1	4	8	5	12	5	12	10	18	–
Indian	4	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	1	–	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–
Other	3	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Sacramento	5,749	86	52	29	21	11	71	96	116	85	93	96	169	276	398	555	637	654	697	674	928	5
White	5,186	67	37	23	18	10	61	80	99	68	77	79	147	239	349	506	580	593	643	624	881	5
Black	354	17	12	6	3	1	9	11	13	14	14	15	18	25	26	33	39	36	28	14	20	–
Indian	9	–	2	–	–	–	–	2	–	–	1	–	–	1	2	–	–	–	–	1	–	–
Chinese	59	1	–	–	–	–	1	3	2	–	–	–	–	4	5	7	5	8	10	7	6	–
Japanese	66	–	1	–	–	–	–	–	2	–	–	1	2	3	11	5	5	4	4	12	16	–
Filipino	16	–	–	–	–	–	–	–	–	2	–	–	–	2	–	1	3	5	3	–	–	–
Other	59	1	–	–	–	–	–	–	–	1	1	1	2	2	5	3	5	8	9	16	5	–
Male	3,244	52	31	20	13	8	52	79	83	56	59	56	101	170	250	357	394	405	394	311	347	4
White	2,895	40	20	15	13	8	46	65	73	44	50	46	85	149	214	323	356	365	362	287	328	4
Black	216	11	9	5	–	–	6	10	7	12	8	8	14	13	19	23	24	22	14	6	5	–
Indian	7	–	2	–	–	–	–	1	–	–	1	–	–	1	2	–	–	–	–	–	–	–
Chinese	43	1	–	–	–	–	–	3	1	–	–	–	–	3	4	6	3	6	7	6	3	–
Japanese	35	–	–	–	–	–	–	–	2	–	–	1	1	1	8	2	4	2	2	4	8	–
Filipino	13	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	3	4	3	–	–	–
Other	35	–	–	–	–	–	–	–	–	–	–	1	1	1	3	2	4	6	6	8	3	–
Female	2,505	34	21	9	8	3	19	17	31	29	34	40	68	106	148	198	243	249	303	363	581	1
White	2,291	27	17	8	5	2	15	15	24	24	27	33	62	90	135	183	224	228	281	337	553	1
Black	138	6	3	1	3	1	3	1	6	2	6	7	4	12	7	10	15	14	14	8	15	–
Indian	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Chinese	16	–	–	–	–	–	1	–	1	–	–	–	–	1	1	1	2	2	3	1	3	–
Japanese	31	–	1	–	–	–	–	–	–	–	–	–	1	2	3	3	1	2	2	8	8	–
Filipino	3	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–
Other	24	1	–	–	–	–	–	–	–	1	1	–	1	1	2	1	1	2	3	8	2	–

Table 7–10 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1979

(By place of residence)

		AGE IN YEARS																				
		Under 1																				
COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	Neonatal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Unknown
San Benito	189	3	3	3	1	2	7	4	6	2	2	2	5	4	9	14	21	28	22	18	33	–
White	186	3	3	3	1	2	7	4	6	2	2	2	5	4	9	14	20	26	22	18	33	–
Filipino	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Male	104	1	1	2	1	2	5	4	5	–	1	2	5	3	5	7	12	21	8	8	11	–
White	101	1	1	2	1	2	5	4	5	–	1	2	5	3	5	7	11	19	8	8	11	–
Filipino	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Female	85	2	2	1	–	–	2	–	1	2	1	–	–	1	4	7	9	7	14	10	22	–
White	85	2	2	1	–	–	2	–	1	2	1	–	–	1	4	7	9	7	14	10	22	–
San Bernardino	6,636	106	65	42	19	26	105	141	98	91	100	120	170	300	401	586	713	797	844	788	1,120	4
White	6,330	91	55	39	15	24	97	128	82	79	92	113	161	278	386	556	681	766	814	776	1,094	3
Black	266	14	9	3	4	1	5	12	14	10	7	6	7	18	15	26	26	28	27	10	23	1
Indian	9	1	–	–	–	–	1	1	1	–	–	1	–	–	–	–	2	2	–	–	–	–
Chinese	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–
Japanese	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	2	–	2	–
Filipino	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	–
Other	17	–	1	–	–	1	2	–	1	2	–	–	1	3	–	2	1	1	1	–	1	–
Male	3,631	58	45	22	13	16	74	105	76	60	63	77	107	187	234	369	427	448	452	386	408	4
White	3,446	51	38	19	10	14	69	94	67	51	58	73	103	176	225	348	412	424	434	379	398	3
Black	162	6	6	3	3	1	4	10	8	8	5	3	4	10	9	18	11	22	17	5	8	1
Indian	7	1	–	–	–	–	1	1	–	–	–	1	–	–	–	–	2	1	–	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Filipino	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–
Other	9	–	1	–	–	1	–	–	1	1	–	–	–	1	–	1	1	1	1	–	–	–
Female	3,005	48	20	20	6	10	31	36	22	31	37	43	63	113	167	217	286	349	392	402	712	–
White	2,884	40	17	20	5	10	28	34	15	28	34	40	58	102	161	208	269	342	380	397	696	–
Black	104	8	3	–	1	–	1	2	6	2	2	3	3	8	6	8	15	6	10	5	15	–
Indian	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Japanese	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	2	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other	8	–	–	–	–	–	2	–	–	1	–	–	1	2	–	1	–	–	–	–	1	–
San Diego	12,694	203	109	41	33	27	145	282	220	176	177	213	350	542	765	1,010	1,305	1,524	1,679	1,636	2,241	16
White	12,042	168	88	37	28	24	135	248	192	142	151	180	318	506	705	964	1,239	1,475	1,627	1,600	2,200	15
Black	485	27	17	4	4	2	5	28	19	24	21	22	24	27	47	42	49	32	36	24	30	1
Indian	25	–	2	–	–	–	1	3	–	4	–	2	–	2	3	–	1	2	2	2	1	–
Chinese	10	–	–	–	–	–	–	1	1	1	–	1	–	–	2	1	1	–	–	2	–	–
Japanese	17	–	–	–	–	–	2	–	1	–	–	1	1	1	–	–	–	1	3	2	5	–
Filipino	48	4	–	–	–	1	–	–	2	1	2	3	1	2	4	3	9	7	6	2	1	–
Other	67	4	2	–	1	–	2	2	5	4	3	4	6	4	4	–	6	7	5	4	4	–
Male	6,893	108	50	26	21	17	107	205	158	114	119	130	223	356	464	629	783	881	921	798	769	14
White	6,515	92	44	22	17	15	101	178	136	96	102	107	206	333	430	601	747	849	895	782	749	13
Black	284	11	6	4	4	1	4	24	16	16	15	16	13	18	27	26	22	21	17	10	12	1
Indian	14	–	–	–	–	–	1	2	–	1	–	2	–	1	2	–	–	2	2	–	1	–
Chinese	9	–	–	–	–	–	–	–	1	1	–	1	–	–	2	1	1	–	–	2	–	–
Japanese	8	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	1	1	3	–
Filipino	30	2	–	–	–	1	–	–	–	–	1	2	1	2	1	1	8	5	4	1	1	–
Other	33	3	–	–	–	–	1	1	4	–	1	1	3	2	2	–	5	3	2	2	3	–
Female	5,801	95	59	15	12	10	38	77	62	62	58	83	127	186	301	381	522	643	758	838	1,472	2
White	5,527	76	44	15	11	9	34	70	56	46	49	73	112	173	275	363	492	626	732	818	1,451	2
Black	201	16	11	–	–	1	1	4	3	8	6	6	11	9	20	16	27	11	19	14	18	–
Indian	11	–	2	–	–	–	–	1	–	3	–	–	–	1	1	–	1	–	–	2	–	–
Chinese	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Japanese	9	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–	2	1	2	–
Filipino	18	2	–	–	–	–	–	–	2	1	1	1	–	–	3	2	1	2	2	1	–	–
Other	34	1	2	–	1	–	1	1	1	4	2	3	3	2	2	–	1	4	3	2	1	–
San Francisco	7,601	52	45	12	5	6	43	95	132	106	90	137	195	317	468	546	801	953	1,044	999	1,525	30
White	5,968	30	13	6	2	1	31	61	81	66	66	91	123	217	323	410	611	765	840	836	1,374	21
Black	780	14	21	4	1	3	7	19	37	24	17	28	50	68	79	81	95	74	57	48	47	6
Indian	15	–	–	–	–	–	–	1	1	1	2	2	1	4	2	1	–	–	–	–	–	–
Chinese	515	5	4	1	2	1	1	6	8	7	2	8	11	19	40	35	51	67	95	78	73	1
Japanese	72	–	2	–	–	–	1	–	–	1	1	–	3	3	7	4	8	3	9	16	14	–
Filipino	170	2	3	–	–	1	2	7	3	3	–	1	5	5	8	10	27	37	27	18	11	–
Other	81	1	2	1	–	–	1	1	2	4	2	7	2	1	9	5	9	7	16	3	6	2
Male	4,140	26	28	7	3	5	25	70	89	76	69	102	122	215	300	331	483	541	571	476	579	22
White	3,139	15	8	4	1	1	19	45	61	51	51	71	78	146	211	247	367	408	448	377	514	16
Black	464	7	16	2	–	2	2	13	20	16	11	20	32	49	52	48	55	54	27	19	15	4
Indian	13	–	–	–	–	–	–	1	1	1	2	–	1	4	2	1	–	–	–	–	–	–
Chinese	316	2	2	1	2	1	1	5	3	4	2	6	8	13	21	25	33	45	56	54	32	–
Japanese	34	–	1	–	–	–	–	–	–	–	1	–	1	1	4	1	5	2	5	7	6	–
Filipino	119	1	1	–	–	1	2	5	2	2	–	–	1	1	4	5	20	27	22	17	8	–
Other	55	1	–	–	–	–	1	1	2	2	2	5	1	1	6	4	3	5	13	2	4	2
Female	3,461	26	17	5	2	1	18	25	43	30	21	35	73	102	168	215	318	412	473	523	946	8
White	2,829	15	5	2	1	–	12	16	20	15	15	20	45	71	112	163	244	357	392	459	860	5
Black	316	7	5	2	1	1	5	6	17	8	6	8	18	19	27	33	40	20	30	29	32	2
Indian	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Chinese	199	3	2	–	–	–	–	1	5	3	–	2	3	6	19	10	18	22	39	24	41	1
Japanese	38	–	1	–	–	–	1	–	–	1	–	–	2	2	3	3	3	1	4	9	8	–
Filipino	51	1	2	–	–	–	–	2	1	1	–	1	4	4	4	5	7	10	5	1	3	–
Other	26	–	2	1	–	–	–	–	–	2	–	2	1	–	3	1	6	2	3	1	2	–

Table 7–10 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neonatal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Unknown
San Joaquin	3,047	48	29	13	6	9	59	59	73	45	50	46	76	125	218	258	328	352	378	341	533	1
White	2,719	38	23	11	6	9	53	51	64	36	40	41	74	115	193	225	285	307	332	314	501	1
Black	181	7	5	1	–	–	5	6	7	6	5	5	2	8	17	25	25	22	11	8	16	–
Indian	7	–	–	–	–	–	–	–	–	1	2	–	–	–	–	1	–	2	–	1	–	–
Chinese	18	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	4	1	3	3	2	–
Japanese	20	–	–	–	–	–	–	1	1	–	–	–	–	–	4	2	–	4	4	–	4	–
Filipino	83	3	1	1	–	–	1	–	–	–	2	–	–	1	1	3	14	14	23	13	6	–
Other	19	–	–	–	–	–	–	1	1	2	1	–	–	–	–	1	–	2	5	2	4	–
Male	1,796	28	17	8	3	5	45	48	55	26	34	32	47	76	145	165	207	230	233	172	220	–
White	1,552	23	13	7	3	5	41	43	48	20	27	27	46	69	128	142	172	192	196	151	199	–
Black	121	4	3	–	–	–	4	4	5	4	3	5	1	6	11	17	18	16	7	4	9	–
Indian	4	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	1	–	–	–	–
Chinese	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	1	2	1	–
Japanese	16	–	–	–	–	–	–	1	1	–	–	–	–	–	4	2	–	4	1	–	3	–
Filipino	77	1	1	1	–	–	–	–	–	–	2	–	–	–	1	1	14	14	23	13	6	–
Other	15	–	–	–	–	–	–	–	1	1	1	–	–	–	–	1	–	2	5	2	2	–
Female	1,251	20	12	5	3	4	14	11	18	19	16	14	29	49	73	93	121	122	145	169	313	1
White	1,167	15	10	4	3	4	12	8	16	16	13	14	28	46	65	83	113	115	136	163	302	1
Black	60	3	2	1	–	–	1	2	2	2	2	–	1	2	6	8	7	6	4	4	7	–
Indian	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–
Chinese	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	2	1	1	–
Japanese	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–
Filipino	6	2	–	–	–	–	1	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
Other	4	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	2	–
San Luis Obispo	1,235	13	8	3	3	2	11	18	11	13	17	16	25	38	74	108	145	155	174	148	252	1
White	1,215	13	8	3	3	2	11	17	11	13	16	15	25	37	73	105	143	152	172	146	249	1
Black	6	–	–	–	–	–	–	–	–	–	1	1	–	–	–	3	1	–	–	–	–	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Filipino	9	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	3	2	2	–	–
Other	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Male	699	8	2	1	1	1	8	11	7	9	15	11	17	25	51	70	90	97	98	69	107	1
White	684	8	2	1	1	1	8	11	7	9	14	10	17	25	50	68	89	94	96	67	105	1
Black	5	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	1	–	–	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Filipino	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	2	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Female	536	5	6	2	2	1	3	7	4	4	2	5	8	13	23	38	55	58	76	79	145	–
White	531	5	6	2	2	1	3	6	4	4	2	5	8	12	23	37	54	58	76	79	144	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Filipino	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
San Mateo	4,195	52	27	11	11	6	40	66	58	55	57	71	124	210	295	389	456	521	504	488	752	2
White	3,877	40	22	5	10	6	36	52	47	44	47	57	111	191	268	361	415	487	479	466	731	2
Black	189	6	3	4	–	–	2	10	6	6	8	9	6	11	18	20	24	19	13	10	14	–
Indian	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Chinese	26	1	–	–	–	–	–	–	2	1	1	1	2	–	2	3	4	2	3	3	1	–
Japanese	10	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	1	3	3	–
Filipino	44	2	1	1	1	–	–	–	1	2	–	2	1	2	3	2	7	10	5	4	–	–
Other	46	3	1	1	–	–	2	3	1	–	1	2	4	5	3	3	6	3	3	2	3	–
Male	2,197	27	14	8	4	4	29	44	41	34	28	45	81	120	192	244	286	297	256	203	238	2
White	1,996	20	12	3	4	4	26	34	35	30	20	37	74	108	172	220	260	275	239	192	229	2
Black	113	3	1	4	–	–	2	8	3	1	6	5	3	7	12	16	14	10	8	4	6	–
Indian	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Chinese	18	1	–	–	–	–	–	–	1	–	1	1	2	–	2	3	3	1	2	1	–	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–
Filipino	31	1	1	1	–	–	–	–	–	1	–	–	–	1	3	2	6	8	4	3	–	–
Other	33	2	–	–	–	–	1	2	1	–	1	2	2	4	3	3	3	3	2	1	3	–
Female	1,998	25	13	3	7	2	11	22	17	21	29	26	43	90	103	145	170	224	248	285	514	–
White	1,881	20	10	2	6	2	10	18	12	14	27	20	37	83	96	141	155	212	240	274	502	–
Black	76	3	2	–	–	–	–	2	3	5	2	4	3	4	6	4	10	9	5	6	8	–
Chinese	8	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	1	1	2	1	–
Japanese	7	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	1	3	–
Filipino	13	1	–	–	1	–	–	–	1	1	–	2	1	1	–	–	1	2	1	1	–	–
Other	13	1	1	1	–	–	1	1	–	–	–	–	2	1	–	–	3	–	1	1	–	–

Table 7–10 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Santa Barbara	2,235	30	13	5	6	7	23	44	32	33	26	28	48	72	126	169	216	259	291	330	476	1
White	2,162	25	12	4	6	7	23	43	27	31	24	26	46	70	122	161	210	252	284	324	464	1
Black	49	4	1	1	–	–	–	1	4	2	2	2	2	1	3	3	4	5	2	5	7	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Japanese	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	3	–
Filipino	10	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	5	–	1	–
Other	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–	1	–
Male	1,183	15	5	2	4	5	19	37	25	21	12	14	28	46	84	103	125	163	155	154	166	–
White	1,142	14	4	1	4	5	19	37	23	21	12	12	28	45	81	98	120	160	150	151	157	–
Black	24	1	1	1	–	–	–	–	1	–	–	2	–	1	2	2	3	2	1	2	5	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Japanese	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	2	–
Filipino	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	–	1	–
Other	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–
Female	1,052	15	8	3	2	2	4	7	7	12	14	14	20	26	42	66	91	96	136	176	310	1
White	1,020	11	8	3	2	2	4	6	4	10	12	14	18	25	41	63	90	92	134	173	307	1
Black	25	3	–	–	–	–	–	1	3	2	2	–	2	–	1	1	1	3	1	3	2	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Filipino	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Santa Clara	7,207	147	37	45	19	34	119	122	129	116	130	144	224	322	529	602	669	804	822	863	1,307	3
White	6,859	119	50	37	18	30	107	115	111	108	118	129	213	301	499	566	632	776	784	844	1,279	3
Black	142	18	5	5	–	2	4	3	10	5	4	7	5	8	14	10	20	7	6	3	6	–
Indian	4	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
Chinese	39	2	–	–	–	–	2	1	–	1	–	4	2	3	1	2	1	6	5	3	6	–
Japanese	56	1	–	–	–	–	–	–	2	–	4	1	2	1	5	–	3	4	15	7	11	–
Filipino	45	4	–	–	–	–	–	2	3	–	2	2	1	5	4	3	10	3	3	2	1	–
Other	62	3	2	3	1	2	6	1	1	2	2	1	1	4	6	1	3	6	9	4	4	–
Male	3,850	83	31	27	11	19	96	96	92	76	81	87	141	205	339	359	419	445	419	370	453	1
White	3,634	69	25	23	10	17	86	90	80	72	74	79	133	190	315	350	397	427	393	360	443	1
Black	79	9	4	1	–	2	4	2	6	3	2	3	3	5	11	4	10	5	3	1	1	–
Indian	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–
Chinese	23	2	–	–	–	–	2	1	–	–	–	3	2	3	1	2	–	2	2	1	2	–
Japanese	36	1	–	–	–	–	–	–	2	–	3	–	1	–	4	–	3	3	10	4	5	–
Filipino	33	1	–	–	–	–	–	2	1	–	–	1	1	4	3	3	9	2	3	2	1	–
Other	42	1	2	3	1	–	4	1	1	1	2	1	1	3	5	–	–	5	8	2	1	–
Female	3,357	64	26	18	8	15	23	26	37	40	49	57	83	117	190	243	250	359	403	493	854	2
White	3,225	50	25	14	8	13	21	25	31	36	44	50	80	111	184	236	235	349	391	484	836	2
Black	63	9	1	4	–	–	–	1	4	2	2	4	2	3	3	6	10	2	3	2	5	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Chinese	16	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	4	3	2	4	–
Japanese	20	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	1	5	3	6	–
Filipino	12	3	–	–	–	–	–	–	2	–	2	1	–	1	1	–	1	1	–	–	–	–
Other	20	2	–	–	–	2	2	–	–	1	–	–	–	1	1	1	3	1	1	2	3	–
Santa Cruz	1,569	19	12	5	4	2	13	18	28	24	19	15	29	38	67	118	140	186	210	257	364	1
White	1,541	19	10	5	4	2	12	18	27	24	19	15	28	38	67	116	135	181	205	253	362	1
Black	4	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–
Indian	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Chinese	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Japanese	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	–
Filipino	9	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	3	1	2	2	–	–
Other	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
Male	855	11	9	5	1	2	11	14	23	16	14	11	19	24	41	65	95	106	117	127	143	1
White	833	11	7	5	1	2	10	14	22	16	14	11	19	24	41	64	91	101	113	124	142	1
Black	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Indian	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Chinese	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–
Filipino	9	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	3	1	2	2	–	–
Other	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
Female	714	8	3	–	3	–	2	4	5	8	5	4	10	14	26	53	45	80	93	130	221	–
White	708	8	3	–	3	–	2	4	5	8	5	4	9	14	26	52	44	80	92	129	220	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7–10 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Shasta	924	8	7	9	3	3	19	18	24	11	17	16	23	42	67	88	100	122	120	97	129	1
White	906	7	7	9	3	3	19	17	21	11	16	16	23	40	65	85	99	121	119	97	127	1
Indian	14	1	–	–	–	–	–	1	3	–	–	–	–	1	1	3	1	1	1	–	1	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Male	557	7	6	6	2	2	16	13	18	7	10	9	12	28	42	61	76	80	71	36	54	1
White	545	6	6	6	2	2	16	12	16	7	10	9	12	27	41	58	76	79	70	36	53	1
Indian	12	1	–	–	–	–	–	1	2	–	–	–	–	1	1	3	–	1	1	–	1	–
Female	367	1	1	3	1	1	3	5	6	4	7	7	11	14	25	27	24	42	49	61	75	–
White	361	1	1	3	1	1	3	5	5	4	6	7	11	13	24	27	23	42	49	61	74	–
Indian	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Sierra	27	1	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	3	5	5	5	–
White	27	1	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	3	5	5	5	–
Male	17	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	4	2	1	–
White	17	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	4	2	1	–
Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	3	4	–
White	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	3	4	–
Siskiyou	388	5	3	1	2	–	5	3	4	8	6	6	9	23	23	42	38	53	38	52	66	1
White	382	4	3	1	2	–	5	3	4	8	6	5	9	23	23	42	38	51	38	51	65	1
Black	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–
Indian	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Male	234	5	–	–	2	–	3	2	3	6	4	2	5	18	15	24	28	41	23	23	29	1
White	232	4	–	–	2	–	3	2	3	6	4	2	5	18	15	24	28	40	23	23	29	1
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Female	154	–	3	1	–	–	2	1	1	2	2	4	4	5	8	18	10	12	15	29	37	–
White	150	–	3	1	–	–	2	1	1	2	2	3	4	5	8	18	10	11	15	28	36	–
Black	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–
Indian	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Solano	1,476	29	13	9	8	6	22	33	26	22	34	25	54	82	115	129	154	169	182	162	199	3
White	1,309	24	10	7	6	3	19	30	23	20	28	18	43	63	98	114	134	152	171	150	193	3
Black	127	5	3	2	2	1	3	2	3	–	5	5	9	14	15	13	15	12	6	8	4	–
Indian	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–
Japanese	4	–	–	–	–	1	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
Filipino	12	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	4	3	1	2	–	–
Other	20	–	–	–	–	1	–	1	–	1	1	–	2	2	1	2	1	1	4	2	1	–
Male	825	17	7	7	3	3	16	18	21	18	19	13	39	51	81	79	96	95	86	81	74	1
White	734	14	6	6	2	2	16	16	18	17	15	8	33	45	68	70	86	83	80	76	72	1
Black	70	3	1	1	1	–	–	2	3	–	3	4	6	5	11	7	8	9	2	3	1	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Filipino	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	2	–	–
Other	11	–	–	–	–	1	–	–	–	1	1	–	–	–	1	2	1	1	3	–	–	–
Female	651	12	6	2	5	3	6	15	5	4	15	12	15	31	34	50	58	74	96	81	125	2
White	575	10	4	1	4	1	3	14	5	3	13	10	10	18	30	44	48	69	91	74	121	2
Black	57	2	2	1	1	1	3	–	–	–	2	1	3	9	4	6	7	3	4	5	3	–
Indian	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Japanese	3	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Filipino	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	1	–	–	–	–
Other	9	–	–	–	–	–	–	1	–	–	–	–	2	2	–	–	–	–	1	2	1	–
Sonoma	2,638	31	13	9	4	7	42	33	35	37	33	47	64	79	137	194	270	365	394	341	502	1
White	2,593	29	13	9	4	6	39	32	35	36	31	47	62	78	134	188	264	359	390	339	497	1
Black	11	1	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	3	1	–	2	–
Indian	13	1	–	–	–	–	1	–	–	–	1	–	–	–	1	3	–	2	2	–	2	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–
Japanese	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	1	–
Filipino	4	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	1	–	–	–
Other	9	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	3	1	–	1	–	–

Table 7–10 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Sonoma (Cont'd.)																						
Male	1,440	16	6	1	3	4	33	27	25	28	18	28	37	41	81	123	163	221	205	175	203	–
White	1,417	15	6	1	3	4	31	27	25	28	17	28	36	41	79	119	161	216	203	175	202	–
Black	8	1	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	3	1	–	–	–
Indian	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	1	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Other	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–
Female	1,198	15	7	8	1	3	9	6	10	9	15	19	27	38	56	71	105	144	189	166	299	1
White	1,176	14	7	8	1	2	8	5	10	8	14	19	26	37	55	69	103	143	187	164	295	1
Black	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–
Indian	7	1	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	2	–	1	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–
Filipino	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Other	5	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	1	–	1	–	–
Stanislaus	2,085	33	9	12	8	3	34	38	34	30	42	43	45	89	125	175	193	257	254	276	384	1
White	2,047	31	9	12	8	3	34	37	34	30	42	42	41	85	122	172	188	253	250	274	379	1
Black	25	1	–	–	–	–	–	1	–	–	–	1	2	4	1	2	4	1	3	1	4	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Filipino	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–
Other	3	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Male	1,188	20	5	6	5	2	21	30	30	23	26	31	29	59	76	105	119	168	145	140	147	1
White	1,166	19	5	6	5	2	21	29	30	23	26	31	27	57	75	103	115	164	143	139	145	1
Black	12	1	–	–	–	–	–	1	–	–	–	–	–	2	–	1	3	1	1	–	2	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Filipino	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Female	897	13	4	6	3	1	13	8	4	7	16	12	16	30	49	70	74	89	109	136	237	–
White	881	12	4	6	3	1	13	8	4	7	16	11	14	28	47	69	73	89	107	135	234	–
Black	13	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	1	–	2	1	2	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Sutter	390	2	4	3	1	3	7	5	8	6	9	7	9	14	19	22	45	50	50	54	72	–
White	368	2	4	3	1	3	7	5	7	6	9	5	7	14	19	20	44	48	48	51	65	–
Black	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Japanese	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	1	1	–
Filipino	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Other	10	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–	2	4	–
Male	234	2	2	1	–	3	4	5	7	5	4	6	6	10	12	16	28	37	28	28	30	–
White	215	2	2	1	–	3	4	5	7	5	4	4	4	10	12	14	27	35	26	26	24	–
Black	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Japanese	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–
Filipino	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Other	8	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–	1	3	–
Female	156	–	2	2	1	–	3	–	1	1	5	1	3	4	7	6	17	13	22	26	42	–
White	153	–	2	2	1	–	3	–	–	1	5	1	3	4	7	6	17	13	22	25	41	–
Japanese	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Tehama	366	3	–	1	–	–	2	6	8	5	4	3	9	20	16	29	42	48	48	53	69	–
White	364	3	–	1	–	–	1	6	8	5	4	2	9	20	16	29	42	48	48	53	69	–
Indian	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Male	197	1	–	–	–	–	2	5	5	4	3	1	6	11	8	17	21	28	29	31	25	–
White	196	1	–	–	–	–	1	5	5	4	3	1	6	11	8	17	21	28	29	31	25	–
Indian	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	169	2	–	1	–	–	–	1	3	1	1	2	3	9	8	12	21	20	19	22	44	–
White	168	2	–	1	–	–	–	1	3	1	1	1	3	9	8	12	21	20	19	22	44	–
Indian	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–10 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Trinity	92	–	–	1	–	–	2	–	2	2	3	–	2	5	8	11	15	10	13	7	11	–
White	91	–	–	1	–	–	2	–	2	2	3	–	2	5	7	11	15	10	13	7	11	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Male	62	–	–	1	–	–	2	–	1	2	3	–	2	4	7	9	10	5	8	4	4	–
White	61	–	–	1	–	–	2	–	1	2	3	–	2	4	6	9	10	5	8	4	4	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Female	30	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	5	5	5	3	7	–
White	30	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	5	5	5	3	7	–
Tulare	1,911	37	11	14	12	9	27	50	30	37	20	29	45	63	130	141	203	206	232	227	387	1
White	1,843	37	11	14	12	8	26	46	30	37	20	29	43	59	125	135	193	201	223	222	373	1
Black	36	–	–	–	–	–	1	4	–	–	–	–	2	3	4	4	5	1	5	3	4	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–
Japanese	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	3	–
Filipino	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	4	2	4	–
Other	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Male	1,095	21	7	10	9	6	23	40	21	27	13	22	25	36	82	100	117	136	133	121	145	1
White	1,049	21	7	10	9	5	22	37	21	27	13	22	23	34	78	95	111	131	127	117	138	1
Black	21	–	–	–	–	–	1	3	–	–	–	–	2	1	4	3	1	1	2	2	1	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–
Filipino	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	4	2	4	–
Other	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Female	816	16	4	4	3	3	4	10	9	10	7	7	20	27	48	41	86	70	99	106	242	–
White	796	16	4	4	3	3	4	9	9	10	7	7	20	25	47	40	82	70	96	105	235	–
Black	15	–	–	–	–	–	–	1	–	–	–	–	–	2	–	1	4	–	3	1	3	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Tuolumne	280	5	3	1	2	1	3	4	3	7	6	6	6	11	12	26	27	40	37	35	45	–
White	278	5	3	1	2	1	3	4	3	7	6	6	6	10	12	26	27	40	36	35	45	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Male	157	4	3	1	2	1	2	2	3	6	4	3	5	6	7	14	17	28	20	11	18	–
White	156	4	3	1	2	1	2	2	3	6	4	3	5	5	7	14	17	28	20	11	18	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Female	123	1	–	–	–	–	1	2	–	1	2	3	1	5	5	12	10	12	17	24	27	–
White	122	1	–	–	–	–	1	2	–	1	2	3	1	5	5	12	10	12	16	24	27	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Ventura	3,065	54	22	14	7	12	60	47	41	57	59	56	91	159	193	220	293	332	430	396	519	3
White	2,975	52	22	13	7	11	58	46	36	53	49	53	86	153	189	215	285	324	421	385	514	3
Black	49	2	–	–	–	–	1	1	3	3	7	–	4	2	1	2	6	6	4	5	2	–
Indian	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	2	–
Chinese	4	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–
Japanese	12	–	–	–	–	–	–	–	–	–	–	1	–	3	2	–	–	–	2	3	1	–
Filipino	14	–	–	1	–	–	–	–	2	1	2	2	1	–	–	1	1	–	1	2	–	–
Other	5	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–
Male	1,645	28	14	7	5	7	50	36	25	39	36	31	53	92	131	131	175	200	222	186	174	3
White	1,601	27	14	7	5	6	48	36	22	37	30	30	51	89	130	130	169	195	219	180	173	3
Black	26	1	–	–	–	–	1	–	3	2	3	–	2	2	1	–	4	4	1	2	–	–
Indian	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–
Chinese	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Filipino	8	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	1	–	1	2	–	–
Other	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Female	1,420	26	8	7	2	5	10	11	16	18	23	25	38	67	62	89	118	132	208	210	345	–
White	1,374	25	8	6	2	5	10	10	14	16	19	23	35	64	59	85	116	129	202	205	341	–
Black	23	1	–	–	–	–	–	1	–	1	4	–	2	–	–	2	2	2	3	3	2	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Japanese	10	–	–	–	–	–	–	–	–	–	–	1	–	3	2	–	–	–	2	1	1	–
Filipino	6	–	–	1	–	–	–	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–
Other	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–

Table 7–10 (Continued)

DEATHS BY SEX, RACE AND AGE
CALIFORNIA COUNTIES, 1979

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																			
		Under 1																			
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Yolo	760	11	3	5	2	1	13	14	11	17	8	11	31	38	41	53	75	96	99	83	148	–
White	728	11	3	5	2	1	12	13	10	15	6	11	29	36	39	49	74	90	99	81	142	–
Black	13	–	–	–	–	–	–	–	–	–	1	–	2	1	1	2	–	2	–	2	2	–
Indian	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Japanese	7	–	–	–	–	–	1	–	–	–	–	–	–	1	1	2	–	–	–	–	2	–
Filipino	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	2	–
Other	4	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	1	–	–	–	–
Male	454	6	–	4	1	1	11	11	6	13	3	8	14	23	24	33	47	65	61	47	76	–
White	437	6	–	4	1	1	10	11	5	11	2	8	13	22	23	31	46	62	61	46	74	–
Black	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	1	–	–
Indian	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Japanese	3	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Filipino	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–
Other	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Female	306	5	3	1	1	–	2	3	5	4	5	3	17	15	17	20	28	31	38	36	72	–
White	291	5	3	1	1	–	2	2	5	4	4	3	16	14	16	18	28	28	38	35	68	–
Black	8	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	1	–	1	2	–
Japanese	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	2	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Yuba	418	8	3	6	–	–	4	11	6	11	5	7	12	16	24	45	44	58	61	38	58	1
White	396	7	3	6	–	–	4	9	6	10	5	7	11	14	22	45	43	55	56	36	56	1
Black	10	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	1	1	2	–	1	–
Indian	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
Chinese	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Filipino	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	4	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	1	–	–	–
Male	253	5	1	4	–	–	4	8	4	10	4	4	8	11	16	33	31	37	33	16	23	1
White	240	4	1	4	–	–	4	7	4	9	4	4	7	9	15	33	31	36	29	16	22	1
Black	5	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	1	–	–	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Chinese	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Filipino	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
Female	165	3	2	2	–	–	–	3	2	1	1	3	4	5	8	12	13	21	28	22	35	–
White	156	3	2	2	–	–	–	2	2	1	1	3	4	5	7	12	12	19	27	20	34	–
Black	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] The "White" category includes "Mexican," and "race not specified" or "unknown." No separate "Hispanic" or "Mexican" category is shown because there are indications that these categories were underreported.

Source: State of California, Department of Health Services, Death Records.

Table 7–11

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNITES, 1980

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	California		Alameda	Alpine	Amador	Butte	Calaveras	Colusa	Contra Costa	Del Norte	El Dorado	Fresno	Glenn	Humboldt	Imperial
		Number	Rate													
001–999	Total, All Causes	186,428	784.2	9,358	5	220	1,439	184	135	4,548	180	589	4,060	215	893	726
001–139	Infectious and Parasitic Diseases	1,326	5.6	62	–	3	7	–	–	38	3	4	37	–	6	6
007–009	Certain other intestinal infections	52	0.2	1	–	1	–	–	–	1	–	–	1	–	1	–
010–018	Tuberculosis	169	0.7	4	–	–	–	–	–	5	1	–	8	–	–	1
036	Meningococcal infection	27	0.1	4	–	–	–	–	–	2	–	–	–	–	–	–
045, 046, 047, 048, 049, 053.0, 053.1, 054.3, 054.7, 055.0, 056.0, 062, 063, 064, 072.1, 072.2, 138, 139.0	Central nervous system viral diseases	67	0.3	3	–	–	–	–	–	1	–	1	–	–	–	–
070	Viral hepatitis	130	0.5	10	–	–	1	–	–	3	–	–	4	–	1	–
090–097	Syphilis	11	0.0[a]	1	–	–	–	–	–	–	–	–	1	–	–	–
Remainder of 001–139	Other infectious and parasitic diseases	870	3.7	39	–	2	6	–	–	26	2	3	23	–	4	5
140–208	Neoplasms, Malignant	40,178	169.0	2,026	–	48	321	30	26	1,080	34	131	792	45	161	133
140–149	Lip, oral cavity, and pharynx	901	3.8	53	–	1	6	–	–	17	–	4	19	3	4	5
151	Stomach	1,531	6.4	81	–	–	7	2	1	43	–	4	26	–	7	11
150, 152–159	Other digestive organs and peritoneum	8,989	37.8	471	–	15	67	9	8	222	8	29	183	9	39	32
162	Trachea, bronchus and lung	10,051	42.3	497	–	13	94	10	8	264	9	33	180	10	49	34
160, 161, 163–165	Other respiratory and intrathoracic organs	402	1.7	28	–	–	–	–	1	5	–	1	10	–	–	1
174–175	Breast	3,648	30.5[b,c]	196	–	6	24	1	1	104	3	8	65	3	11	4
180	Cervix uteri	448	3.7[c]	16	–	–	1	–	–	12	–	–	13	–	2	1
179, 181, 182	Other parts of uterus	626	5.2[c]	25	–	1	5	1	–	20	1	5	17	1	3	2
183–184	Other female genital organs	1,109	9.3[c]	50	–	1	3	1	–	32	3	2	26	1	4	2
185–187	Male genital organs	2,223	18.8[c]	117	–	2	23	–	4	73	–	10	51	7	8	8
188–189	Bladder and other urinary organs	1,651	6.9	70	–	2	12	–	1	40	2	7	27	–	7	2
170–173, 190–199	Other and unspecified sites	4,815	20.3	240	–	5	41	4	–	154	2	14	108	5	14	20
201	Hodgkin's disease	188	0.8	8	–	–	2	–	1	5	–	–	7	–	1	–
204–208	Leukemia	1,670	7.0	72	–	1	19	2	1	43	4	5	35	3	5	5
200, 202, 203	Other malignant neoplasm of lymphatic and haematopoietic tissues	1,926	8.1	102	–	1	17	–	–	46	2	9	25	3	7	6
210–239	Benign Neoplasms, Carcinoma in Situ, and Neoplasms of Uncertain Behavior and of Unspecified Nature	634	2.7	44	–	–	6	2	–	26	–	2	14	–	3	4
240–279	Endocrine, Nutritional and Metabolic Diseases and Immunity Disorders	3,551	14.9	182	–	2	24	3	5	98	5	11	87	4	22	8
250	Diabetes mellitus	2,616	11.0	130	–	2	19	3	2	69	4	6	63	2	15	6
240–246, 251–279	Other endocrine, nutritional and metabolic diseases and immunity disorders	935	3.9	52	–	–	5	–	3	29	1	5	24	2	7	2
280–289	Diseases of the Blood and Blood-Forming Organs	538	2.3	27	–	–	4	–	1	14	–	2	14	–	3	3
280–285	Anemias	250	1.1	16	–	–	3	–	1	5	–	1	6	–	1	2
286–289	Other diseases of blood and blood-forming organs	288	1.2	11	–	–	1	–	–	9	–	1	8	–	2	1
290–319	Mental Disorders	1,347	5.7	75	–	1	9	1	–	53	–	6	30	3	10	8
320–389	Diseases of the Nervous System and Sense Organs	2,135	9.0	117	–	2	22	2	–	70	1	10	50	3	12	6
320–322	Meningitis	127	0.5	6	–	–	1	–	–	2	–	1	2	1	–	1
323, 324, 326	Other inflammatory diseases of the central nervous system	73	0.3	8	–	–	1	–	–	2	–	–	1	–	–	–
325, 330–337, 340–389	Other diseases of the nervous system and sense organs	1,935	8.1	103	–	2	20	2	–	66	1	9	47	2	12	5

Table 7–11 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1980

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	California		Alameda	Alpine	Amador	Butte	Calaveras	Colusa	Contra Costa	Del Norte	El Dorado	Fresno	Glenn	Humboldt	Imperial
		Number	Rate													
390–459	Diseases of the Circulatory System	88,962	374.2	4,490	3	108	670	106	68	2,043	85	247	1,877	103	401	307
390–398, 402, 404–429	Diseases of the heart	66,271	278.8	3,379	3	67	476	78	45	1,500	60	184	1,341	85	307	240
390–398	Rheumatic fever and rheumatic heart disease	903	3.8	32	–	1	4	–	1	29	1	3	26	–	5	1
402, 404	Hypertensive heart disease with or without renal disease	2,659	11.2	230	–	1	10	2	1	62	1	1	54	1	17	5
410–411	Acute ischaemic heart disease	22,157	93.2	877	2	35	187	35	18	483	21	69	450	21	106	111
412	Old myocardial infarction	133	0.6	6	1	–	2	–	–	7	–	–	3	–	1	1
413	Angina pectoris	33	0.1	–	–	–	–	–	–	1	–	–	1	–	1	–
414	Other forms of chronic ischaemic heart disease	24,913	104.8	1,683	–	15	172	31	15	594	12	63	634	45	74	66
424	Other diseases of endocardium	919	3.9	48	–	–	11	–	2	27	2	4	24	2	7	–
415–423, 425–429	All other forms of heart disease	14,554	61.2	503	–	15	90	10	8	297	23	44	149	16	96	56
401, 403	Hypertension with or without renal disease	747	3.1	35	–	1	3	2	1	14	1	1	19	1	2	3
430–438	Cerebrovascular disease	16,694	70.2	798	–	23	155	18	17	400	17	25	370	14	73	46
440	Atherosclerosis	2,736	11.5	170	–	10	15	4	2	61	6	16	100	2	3	9
441–448	Other diseases of arteries, arterioles and capillaries	2,085	8.8	86	–	7	20	3	2	60	1	21	46	–	14	8
451–459	Diseases of veins and lymphatics, and other diseases of circulatory system	429	1.8	22	–	–	1	1	1	8	–	–	1	1	2	1
460–519	Diseases of the Respiratory System	13,118	55.2	598	1	11	158	7	11	305	19	42	284	20	76	61
466	Acute bronchitis and bronchiolitis	91	0.4	2	–	–	–	–	–	–	–	1	1	–	–	–
487	Influenza	234	1.0	13	–	–	1	–	1	5	–	5	5	–	–	1
480, 483	Viral pneumonia	129	0.5	3	–	–	–	1	1	–	–	–	–	–	–	–
481, 482	Bacterial pneumonia	520	2.2	29	–	1	9	–	–	10	–	4	13	–	3	1
484–486	Other and unspecified pneumonia	4,687	19.7	222	–	3	53	1	3	98	8	11	96	9	16	17
490	Bronchitis, unspecified	45	0.2	1	–	–	–	–	–	1	–	–	–	–	–	–
491	Chronic bronchitis	410	1.7	19	–	–	–	–	–	10	1	1	9	–	2	3
492	Emphysema	1,682	7.1	77	–	–	18	1	2	29	1	4	36	4	9	11
493	Asthma	345	1.5	17	–	1	1	1	–	6	–	1	4	–	3	–
494–496	Other chronic obstructive pulmonary disease and allied conditions	3,643	15.3	149	1	5	48	2	3	105	8	11	85	5	29	22
515	Postinflammatory pulmonary fibrosis	348	1.5	13	–	–	2	–	–	11	–	1	12	2	2	1
Remainder of 460–519	Other diseases of the respiratory system	984	4.1	53	–	1	6	1	1	30	1	3	23	–	12	5
520–579	Diseases of the Digestive System	8,634	36.3	471	–	16	55	11	4	219	9	33	189	7	44	50
531–533	Ulcer of stomach and duodenum	728	3.1	35	–	1	4	–	–	17	–	3	13	1	4	3
550–553, 560	Hernia of abdominal cavity and intestinal obstruction without mention of hernia	516	2.2	23	–	3	7	1	–	14	1	1	17	1	1	3
571	Chronic liver disease and cirrhosis	4,477	18.8	245	–	5	17	8	4	107	4	15	87	3	14	21
574–575	Cholelithiasis and other disorders of gallbladder	314	1.3	17	–	2	1	–	–	10	–	2	7	–	3	2
Remainder of 520–579	Other diseases of the digestive system	2,599	10.9	151	–	5	26	2	–	71	4	12	65	2	22	21
580–629	Diseases of the Genitourinary System	2,350	9.9	137	–	4	15	–	3	50	1	7	63	2	13	6
580	Acute glomerulonephritis	9	0.0[a]	–	–	–	–	–	–	–	–	–	1	–	–	–
581	Nephrotic syndrome	16	0.1	–	–	–	–	–	–	1	–	–	–	–	–	–
582–583, 587	Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	198	0.8	10	–	–	2	–	1	4	–	1	6	–	–	–
584–586, 588–589	Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	915	3.8	54	–	2	6	–	2	23	–	2	19	2	5	3
590	Infections of kidney	310	1.3	22	–	–	3	–	–	3	1	1	8	–	2	1
591, 593	Hydronephrosis and other disorders of kidney and ureter	128	0.5	8	–	–	2	–	–	1	–	–	3	–	1	–
600	Hyperplasia of prostate	74	0.3	3	–	–	1	–	–	2	–	–	1	–	1	–
Remainder of 580–629	Other diseases of the genitourinary system	700	2.9	40	–	2	1	–	–	16	–	3	25	–	4	2

Table 7–11 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1980

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	California		Alameda	Alpine	Amador	Butte	Calaveras	Colusa	Contra Costa	Del Norte	El Dorado	Fresno	Glenn	Humboldt	Imperial
		Number	Rate													
630–676	Complications of Pregnancy, Childbirth and the Puerperium	45	1.1[a]	4	–	–	–	–	–	1	–	–	–	–	–	–
740–759	Congenital Anomalies	1,526	6.4	81	–	1	7	–	–	43	1	8	42	1	6	5
760–779	Certain Conditions Originating in the Perinatal Period	2,071	5.1[a]	86	–	3	6	2	1	37	2	8	52	1	1	4
680–709, 710–739	Diseases of the Skin, Subcutaneous Tissue, Musculoskeletal System and Connective Tissue	789	3.3	43	–	–	7	1	–	29	–	–	16	1	3	1
780–799	Symptoms, Signs and Ill-Defined Conditions	1,226	5.2	65	–	1	7	1	2	28	3	10	28	1	9	5
800–949	Accidents and Adverse Effects	10,732	45.1	461	1	18	96	12	10	268	15	48	327	21	91	91
810–819	Motor vehicle traffic accidents	5,679	23.9	201	1	10	60	7	4	133	5	27	194	15	48	42
820–825	Motor vehicle nontraffic accidents	212	0.9	7	–	1	3	–	–	8	–	2	3	–	1	1
800–807, 826–838, 840–848	Other transport accidents	454	1.9	24	–	1	3	2	–	25	3	2	14	–	10	4
850–858	Accidental poisoning by drugs, medicaments and biologicals	621	2.6	13	–	–	2	1	–	8	1	3	17	1	4	3
930–949	Drugs, medicaments and biological substances causing adverse effects in therapeutic use	24	0.1	2	–	–	–	–	–	–	–	–	–	–	–	1
860–869	Accidental poisoning by other solid and liquid substances, gases and vapors	134	0.6	6	–	–	1	–	–	9	–	1	11	–	1	1
870–876	Misadventures to patients during surgical and medical care	60	0.3	4	–	1	–	–	–	2	–	–	1	–	–	2
878–879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure	145	0.6	10	–	–	2	–	–	6	1	1	1	–	1	–
Remainder of 800–949	All other accidents and adverse effects	3,403	14.3	194	–	5	25	2	6	77	5	12	86	5	26	37
950–959	Suicide	3,429	14.4	177	–	1	15	5	4	87	1	14	43	1	16	12
960–969	Homicide	3,445	14.5	132	–	–	9	–	–	53	1	5	109	2	12	16
970–978	Legal Intervention	28	0.1	1	–	–	–	–	–	–	–	–	–	–	1	–
980–989	Injury Undetermined Whether Accidentally or Purposely Inflicted	358	1.5	79	–	1	1	1	–	6	–	1	6	–	3	–
990–999	Injury Resulting from Operations of War	6	0.0[a]	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–11 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1980

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Inyo	Kern	Kings	Lake	Lassen	Los Angeles	Madera	Marin	Mariposa	Mendocino	Merced	Modoc	Mono	Monterey	Napa
001–999	Total, All Causes	181	3,273	532	513	158	61,329	499	1,630	98	584	982	79	33	1,994	933
001–139	Infectious and Parasitic Diseases	1	36	4	4	2	391	5	15	1	2	7	–	–	10	6
007–009	Certain other intestinal infections	–	1	–	–	–	27	–	–	1	1	–	–	–	–	–
010–018	Tuberculosis	–	6	–	–	–	59	1	–	–	–	–	–	–	1	–
036	Meningococcal infection	–	–	–	–	–	6	–	–	–	–	–	–	–	–	–
045, 046, 047, 048, 049, 053.0, 053.1, 054.3, 054.7, 055.0, 056.0, 062, 063, 064, 072.1, 072.2, 138, 139.0	Central nervous system viral diseases	–	1	–	–	–	21	–	2	–	–	1	–	–	1	–
070	Viral hepatitis	–	2	1	1	–	53	–	–	–	–	1	–	–	–	–
090–097	Syphilis	–	1	–	–	–	2	–	–	–	–	1	–	–	–	–
Remainder of 001–139	Other infectious and parasitic diseases	1	25	3	3	2	223	4	13	–	1	4	–	–	8	6
140–208	Neoplasms, Malignant	34	670	94	123	38	12,712	103	397	19	126	226	12	6	441	228
140–149	Lip, oral cavity, and pharynx	1	13	1	7	2	297	1	7	–	2	3	–	–	9	8
151	Stomach	1	19	2	1	1	559	7	11	1	7	9	–	–	15	10
150, 152–159	Other digestive organs and peritoneum	6	122	21	22	10	2,922	22	101	3	28	46	2	–	104	49
162	Trachea, bronchus and lung	10	204	22	43	9	3,017	26	100	4	29	68	3	2	131	49
160, 161, 163–165	Other respiratory and intrathoracic organs	–	2	2	1	–	133	–	4	–	2	2	–	–	2	2
174–175	Breast	2	48	6	8	–	1,213	12	50	5	14	18	–	–	32	22
180	Cervix uteri	–	11	1	1	1	169	–	6	–	–	5	–	–	4	2
179, 181, 182	Other parts of uterus	–	6	–	2	2	208	2	6	–	2	3	–	–	8	2
183–184	Other female genital organs	–	13	5	1	2	352	–	14	–	5	3	–	1	12	3
185–187	Male genital organs	4	44	5	9	4	679	7	18	1	5	14	2	–	25	12
188–189	Bladder and other urinary organs	–	27	4	7	1	503	6	11	–	6	11	–	–	12	12
170–173, 190–199	Other and unspecified sites	3	91	19	17	3	1,494	12	37	2	13	26	4	2	49	34
201	Hodgkin's disease	–	6	–	–	–	52	–	2	–	–	–	–	–	1	1
204–208	Leukemia	2	29	3	2	2	519	6	16	2	8	8	1	–	18	6
200, 202 203	Other malignant neoplasm of lymphatic and haematopoietic tissues	5	35	3	2	1	595	2	14	1	5	10	–	1	19	16
210–239	Benign Neoplasms, Carcinoma in Situ, and Neoplasms of Uncertain Behavior and of Unspecified Nature	–	13	3	–	–	162	3	8	–	3	3	–	2	11	1
240–279	Endocrine, Nutritional and Metabolic Diseases and Immunity Disorders	4	79	10	5	3	1,190	9	30	3	9	25	2	1	49	23
250	Diabetes mellitus	3	54	6	3	3	944	9	18	2	5	21	2	1	31	17
240–246, 251–279	Other endocrine, nutritional and metabolic diseases and immunity disorders	1	25	4	2	–	246	–	12	1	4	4	–	–	18	6
280–289	Diseases of the Blood and Blood-Forming Organs	1	11	3	1	–	142	–	5	–	2	5	–	–	4	2
280–285	Anemias	–	6	2	–	–	65	–	3	–	1	3	–	–	2	–
286–289	Other diseases of blood and blood-forming organs	1	5	1	1	–	77	–	2	–	1	2	–	–	2	2
290–319	Mental Disorders	–	25	5	–	–	390	3	5	1	6	6	1	–	19	3
320–389	Diseases of the Nervous System and Sense Organs	1	24	4	7	2	608	7	22	–	11	13	–	–	21	20
320–322	Meningitis	–	2	1	–	–	33	–	1	–	1	1	–	–	1	–
323, 324, 326	Other inflammatory diseases of the central nervous system	–	2	–	–	–	14	–	1	–	1	1	–	–	1	1
325, 330–337, 340–389	Other diseases of the nervous system and sense organs	1	20	3	7	2	561	7	20	–	9	11	–	–	19	19

Table 7–11 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1980

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Inyo	Kern	Kings	Lake	Lassen	Los Angeles	Madera	Marin	Mariposa	Mendocino	Merced	Modoc	Mono	Monterey	Napa
390–459	Diseases of the Circulatory System	87	1,402	258	243	70	30,727	230	748	47	249	433	34	9	881	442
390–398, 402, 404–429	Diseases of the heart	49	1,102	179	184	46	23,444	156	493	33	185	327	26	7	606	337
390–398	Rheumatic fever and rheumatic heart disease	–	16	3	2	3	290	–	14	–	7	5	–	1	6	4
402, 404	Hypertensive heart disease with or without renal disease	–	52	6	12	1	1,270	3	9	–	5	5	1	–	15	15
410–411	Acute ischaemic heart disease	22	394	59	63	13	6,795	65	165	9	57	148	9	4	259	89
412	Old myocardial infarction	1	3	1	–	–	57	–	–	–	–	–	–	–	–	–
413	Angina pectoris	–	–	–	–	–	8	–	1	–	–	–	–	–	1	–
414	Other forms of chronic ischaemic heart disease	13	452	77	74	16	7,650	73	217	12	85	124	10	2	235	154
424	Other diseases of endocardium	–	16	2	2	–	198	4	8	2	1	4	–	–	15	10
415–423, 425–429	All other forms of heart disease	13	169	31	31	13	7,176	11	79	10	30	41	6	–	75	65
401, 403	Hypertension with or without renal disease	–	12	1	–	–	302	1	4	1	3	2	–	–	3	–
430–438	Cerebrovascular disease	27	206	55	46	16	5,559	61	189	7	44	76	4	1	193	75
440	Atherosclerosis	3	26	17	–	2	811	8	33	4	8	12	4	1	33	14
441–448	Other diseases of arteries, arterioles and capillaries	7	48	4	11	6	505	3	24	2	9	14	–	–	25	15
451–459	Diseases of veins and lymphatics, and other diseases of circulatory system	1	8	2	2	–	106	1	5	–	–	2	–	–	21	[illegible]
460–519	Diseases of the Respiratory System	18	245	28	47	8	3,787	27	123	7	44	63	11	2	152	71
466	Acute bronchitis and bronchiolitis	–	2	–	–	–	26	–	3	–	–	–	–	–	–	–
487	Influenza	–	5	–	1	–	72	–	7	–	1	–	–	1	6	3
480, 483	Viral pneumonia	–	2	1	1	1	59	–	4	–	–	–	1	–	2	1
481, 482	Bacterial pneumonia	–	10	1	–	–	189	–	4	–	1	2	1	–	3	–
484–486	Other and unspecified pneumonia	8	76	7	18	2	1,444	11	37	1	18	19	5	1	56	26
490	Bronchitis, unspecified	–	2	–	–	–	12	–	1	–	–	–	–	–	–	–
491	Chronic bronchitis	1	12	–	2	–	141	–	2	3	2	1	–	–	3	–
492	Emphysema	4	53	3	16	1	429	8	18	1	7	7	1	–	23	7
493	Asthma	–	5	1	–	–	106	–	–	1	–	1	–	–	4	2
494–496	Other chronic obstructive pulmonary disease and allied conditions	4	49	8	5	3	981	4	35	1	11	22	2	–	38	21
515	Postinflammatory pulmonary fibrosis	–	6	1	–	–	101	2	2	–	–	2	–	–	6	–
Remainder of 460–519	Other diseases of the respiratory system	1	23	6	4	1	227	2	10	–	4	9	1	–	11	11
520–579	Diseases of the Digestive System	9	157	24	18	5	2,675	18	84	6	26	53	6	4	91	46
531–533	Ulcer of stomach and duodenum	1	11	2	1	–	248	2	7	1	3	5	–	1	5	8
550–553, 560	Hernia of abdominal cavity and intestinal obstruction without mention of hernia	1	18	3	1	–	117	2	6	–	3	5	–	–	11	5
571	Chronic liver disease and cirrhosis	6	71	9	6	3	1,543	9	50	2	9	23	4	3	43	15
574–575	Cholelithiasis and other disorders of gallbladder	–	5	–	1	–	94	1	2	1	1	2	–	–	2	1
Remainder of 520–579	Other diseases of the digestive system	1	52	10	9	2	673	4	19	2	10	18	2	–	30	17
580–629	Diseases of the Genitourinary System	3	52	10	9	2	751	8	26	2	6	16	2	–	20	9
580	Acute glomerulonephritis	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
581	Nephrotic syndrome	–	1	–	–	–	6	–	–	1	–	–	–	–	–	–
582–583, 587	Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	–	4	–	1	–	67	–	1	–	–	1	–	–	1	1
584–586, 588–589	Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	2	22	6	6	–	253	4	9	–	4	7	1	–	5	3
590	Infections of kidney	1	5	2	–	–	100	2	5	–	–	3	–	–	6	2
591, 593	Hydronephrosis and other disorders of kidney and ureter	–	3	–	–	–	37	–	2	–	1	1	–	–	1	–
600	Hyperplasia of prostate	–	1	–	–	1	22	–	–	–	–	1	–	–	1	1
Remainder of 580–629	Other diseases of the genitourinary system	–	15	2	2	1	265	2	9	1	1	3	1	–	6	2

Table 7–11 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1980

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Inyo	Kern	Kings	Lake	Lassen	Los Angeles	Madera	Marin	Mariposa	Mendocino	Merced	Modoc	Mono	Monterey	Napa
630–676	Complications of Pregnancy, Childbirth and the Puerperium	–	1	–	–	–	24	–	–	–	–	–	–	–	–	–
740–759	Congenital Anomalies	–	28	5	1	–	521	10	7	1	2	9	1	–	27	3
760–779	Certain Conditions Originating in the Perinatal Period	2	52	6	4	2	808	10	8	2	4	11	–	2	31	2
680–709, 710–739	Diseases of the Skin, Subcutaneous Tissue, Musculoskeletal System and Connective Tissue	1	15	2	2	1	272	2	7	–	2	1	1	–	7	3
780–799	Symptoms, Signs and Ill-Defined Conditions	1	31	1	–	1	357	1	9	1	5	6	–	1	16	3
800–949	Accidents and Adverse Effects	12	290	56	39	18	2,911	38	71	5	66	77	9	4	156	55
810–819	Motor vehicle traffic accidents	8	167	31	23	10	1,484	25	38	4	35	42	5	3	84	34
820–825	Motor vehicle nontraffic accidents	–	8	–	–	–	48	–	1	–	2	2	–	–	9	–
800–807, 826–838, 840–848	Other transport accidents	–	16	3	1	–	72	–	7	–	10	4	–	–	5	1
850–858	Accidental poisoning by drugs, medicaments and biologicals	–	7	3	2	2	268	2	1	–	1	1	–	–	9	2
930–949	Drugs, medicaments and biological substances causing adverse effects in therapeutic use	–	1	–	1	–	5	–	–	–	–	–	–	–	–	1
860–869	Accidental poisoning by other solid and liquid substances, gases and vapors	1	2	–	–	–	21	–	–	–	2	2	–	–	4	–
870–876	Misadventures to patients during surgical and medical care	–	–	–	–	–	17	–	1	–	–	2	–	–	–	1
878–879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure	–	5	–	–	–	37	–	1	–	1	–	–	–	3	1
Remainder of 800–949	All other accidents and adverse effects	3	84	19	10	6	959	11	22	1	15	24	4	1	42	15
950–959	Suicide	5	58	11	7	6	1,072	13	46	2	11	15	–	1	31	9
960–969	Homicide	1	81	7	3	–	1,771	12	14	1	9	13	–	1	24	5
970–978	Legal Intervention	1	–	–	–	–	2	–	–	–	–	–	–	–	2	–
980–989	Injury Undetermined Whether Accidentally or Purposely Inflicted	–	3	1	–	–	53	–	5	–	1	–	–	–	1	2
990–999	Injury Resulting from Operations of War	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–

Table 7–11 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1980

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Nevada	Orange	Placer	Plumas	Riverside	Sacramento	San Benito	San Bernardino	San Diego	San Francisco	San Joaquin	San Luis Obispo	San Mateo	Santa Barbara	Santa Clara
001–999	Total, All Causes	500	11,956	944	165	6,733	5,962	165	7,196	13,616	7,836	3,114	1,358	4,435	2,279	7,610
001–139	Infectious and Parasitic Diseases	8	65	8	–	48	69	–	42	92	81	27	5	29	13	61
007–009	Certain other intestinal infections	–	3	–	–	1	2	–	2	2	2	1	–	–	–	–
010–018	Tuberculosis	–	4	–	–	10	5	–	2	11	15	5	–	1	1	4
036	Meringococcal infection	–	1	1	–	–	3	–	1	2	2	–	–	2	–	1
045, 046, 047, 048, 049, 053.0, 053.1, 054.3, 054.7, 055.0, 056.0, 062, 063, 064, 072.1, 072.2, 138, 139.0	Central nervous system viral diseases	1	6	–	–	2	2	–	6	4	2	–	2	2	–	6
070	Viral hepatitis	–	8	–	–	3	6	–	2	7	5	3	–	1	–	8
090–097	Syphilis	–	2	–	–	–	1	–	–	–	–	–	–	–	–	2
Remainder of 001–139	Other infectious and parasitic diseases	7	41	7	–	32	50	–	29	66	55	18	3	23	12	40
140–208	Neoplasms, Malignant	114	2,800	239	34	1,329	1,325	28	1,426	3,163	1,670	637	322	1,028	503	1,706
140–149	Lip, oral cavity, and pharynx	1	58	9	1	36	27	–	31	62	36	15	9	29	8	37
151	Stomach	4	102	4	1	49	41	3	43	108	74	17	11	48	18	71
150, 152–159	Other digestive organs and peritoneum	22	598	54	5	303	298	10	329	683	441	153	74	227	119	354
162	Trachea, bronchus and lung	35	699	65	3	314	368	6	364	841	382	154	93	248	112	411
160, 161, 163–165	Other respiratory and intrathoracic organs	–	31	2	1	9	14	–	11	39	22	5	1	17	3	12
174–175	Breast	5	263	25	2	123	121	2	117	276	120	60	16	88	47	168
180	Cervix uteri	–	39	2	–	13	15	–	11	35	11	3	1	5	5	21
179, 181, 182	Other parts of uterus	2	36	2	1	20	22	–	27	38	25	9	5	20	10	23
183–184	Other female genital organs	5	90	8	1	36	36	–	39	91	45	12	13	20	12	52
185–187	Male genital organs	8	134	15	4	79	60	1	81	156	95	45	18	50	30	83
188–189	Bladder and other urinary organs	4	125	5	3	56	53	1	59	145	84	30	11	50	17	70
170–173, 190–199	Other and unspecified sites	17	341	29	11	158	149	3	172	390	181	75	39	121	68	213
201	Hodgkin's disease	–	16	–	–	4	8	–	10	20	10	1	1	5	–	11
204–208	Leukemia	5	124	11	–	62	51	–	61	120	66	24	12	40	29	76
200, 202, 203	Other malignant neoplasm of lymphatic and haematopoietic tissues	6	144	8	1	67	62	2	71	159	78	34	18	60	25	104
210–239	Benign Neoplasms, Carcinoma in Situ, and Neoplasms of Uncertain Behavior and of Unspecified Nature	2	40	3	–	25	18	–	24	40	27	9	9	20	9	29
240–279	Endocrine, Nutritional and Metabolic Diseases and Immunity Disorders	10	178	16	5	109	119	5	114	209	153	73	14	76	50	173
250	Diabetes mellitus	7	133	13	4	66	85	5	77	143	112	57	8	49	38	126
240–246, 251–279	Other endocrine, nutritional and metabolic diseases and immunity disorders	3	45	3	1	43	34	–	37	66	41	16	6	27	12	47
280–289	Diseases of the Blood and Blood-Forming Organs	–	38	7	1	16	23	–	29	49	28	10	3	12	7	24
280–285	Anemias	–	18	4	–	9	8	–	16	19	14	4	2	3	6	7
286–289	Other diseases of blood and blood-forming organs	–	20	3	1	7	15	–	13	30	14	6	1	9	1	17
290–319	Mental Disorders	2	69	3	2	48	42	3	41	106	87	39	9	28	9	65
320–389	Diseases of the Nervous System and Sense Organs	7	121	8	2	66	68	3	85	177	81	38	11	67	37	110
320–322	Meningitis	2	9	–	–	8	2	1	7	12	6	4	–	6	1	3
323, 324, 326	Other inflammatory diseases of the central nervous system	–	2	–	1	4	3	–	4	7	3	1	–	1	2	2
325, 330–337, 340–389	Other diseases of the nervous system and sense organs	5	110	8	1	54	63	2	74	158	72	33	11	60	34	105

Table 7–11 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1980

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Nevada	Orange	Placer	Plumas	Riverside	Sacramento	San Benito	San Bernardino	San Diego	San Francisco	San Joaquin	San Luis Obispo	San Mateo	Santa Barbara	Santa Clara
390–459	Diseases of the Circulatory System	252	5,797	416	82	3,275	2,734	75	3,389	6,231	3,661	1,432	667	2,131	1,125	3,453
390–398, 402, 404–429	Diseases of the heart	197	4,459	306	72	2,411	2,025	55	2,556	4,465	2,657	1,068	497	1,496	804	2,532
390–398	Rheumatic fever and rheumatic heart disease	1	72	4	–	31	25	–	45	83	28	8	8	26	11	33
402, 404	Hypertensive heart disease with or without renal disease	15	76	4	4	54	60	–	74	122	105	24	12	65	25	89
410–411	Acute ischaemic heart disease	69	2,000	108	18	830	764	23	960	1,616	891	323	175	543	262	859
412	Old myocardial infarction	–	9	2	–	4	3	–	1	6	5	2	2	2	3	1
413	Angina pectoris	–	1	–	–	2	3	–	2	3	2	2	–	1	–	1
414	Other forms of chronic ischaemic heart disease	76	1,516	138	35	1,131	825	27	1,086	1,925	1,092	528	222	626	282	834
424	Other diseases of endocardium	3	56	4	–	25	43	–	36	84	45	21	13	27	20	34
415–423, 425–429	All other forms of heart disease	33	729	46	15	334	302	5	352	626	489	160	65	206	201	681
401, 403	Hypertension with or without renal disease	2	38	2	–	18	27	–	25	56	40	12	4	14	6	30
430–438	Cerebrovascular disease	40	938	72	4	610	537	17	628	1,228	724	250	116	490	259	722
440	Atherosclerosis	3	182	21	4	122	69	1	90	258	111	49	21	46	28	74
441–448	Other diseases of arteries, arterioles and capillaries	10	153	13	1	85	65	2	73	180	109	40	27	66	26	82
451–459	Diseases of veins and lymphatics, and other diseases of circulatory system	–	27	2	1	29	11	–	17	44	20	13	2	19	2	13
460–519	Diseases of the Respiratory System	28	760	80	6	623	452	13	578	1,007	625	231	102	306	177	598
466	Acute bronchitis and bronchiolitis	1	5	–	–	4	1	–	9	6	2	2	1	8	2	3
487	Influenza	1	7	2	–	11	6	2	8	9	10	3	4	2	4	12
480, 483	Viral pneumonia	–	6	–	–	1	3	1	2	10	–	1	1	4	6	5
481, 482	Bacterial pneumonia	1	28	1	–	20	19	1	24	30	32	9	4	8	9	9
484–486	Other and unspecified pneumonia	12	268	32	2	273	127	7	197	307	254	76	22	98	48	233
490	Bronchitis, unspecified	–	3	1	–	1	1	–	–	2	–	3	–	4	1	4
491	Chronic bronchitis	2	24	3	–	4	14	–	12	42	8	8	5	9	6	18
492	Emphysema	2	113	17	2	74	68	1	52	154	66	21	13	47	33	59
493	Asthma	–	15	2	–	17	10	–	11	41	24	2	–	16	2	21
494–496	Other chronic obstructive pulmonary disease and allied conditions	3	227	18	1	163	144	1	202	301	157	71	43	76	45	181
515	Postinflammatory pulmonary fibrosis	3	18	1	–	15	10	–	15	32	19	11	1	10	1	14
Remainder of 460–519	Other diseases of the respiratory system	3	46	3	1	40	49	–	46	73	53	24	8	24	20	39
520–579	Diseases of the Digestive System	21	519	38	11	294	255	9	360	593	519	154	70	238	100	357
531–533	Ulcer of stomach and duodenum	2	54	3	1	28	18	–	27	50	38	18	6	21	3	22
550–553, 560	Hernia of abdominal cavity and intestinal obstruction without mention of hernia	1	39	1	–	23	12	3	28	39	21	6	5	16	8	18
571	Chronic liver disease and cirrhosis	7	259	19	2	122	134	3	184	259	299	85	25	131	57	198
574–575	Cholelithiasis and other disorders of gallbladder	2	25	2	1	12	10	1	16	19	13	9	5	7	2	10
Remainder of 520–579	Other diseases of the digestive system	9	142	13	7	109	81	2	105	226	148	36	29	63	30	109
580–629	Diseases of the Genitourinary System	4	139	15	1	70	86	5	79	174	113	52	10	58	33	80
580	Acute glomerulonephritis	–	–	–	–	1	1	–	–	1	–	–	–	1	1	–
581	Nephrotic syndrome	–	–	–	–	1	–	–	–	1	1	–	–	–	1	1
582–583, 587	Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	1	11	1	–	5	5	–	1	21	7	5	1	4	5	11
584–586, 588–589	Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	1	50	8	1	28	47	2	30	72	52	20	3	21	14	36
590	Infections of kidney	–	18	2	–	11	13	2	16	19	9	3	4	7	3	4
591, 593	Hydronephrosis and other disorders of kidney and ureter	–	7	–	–	5	3	1	5	5	12	6	–	1	–	10
600	Hyperplasia of prostate	–	6	–	–	3	2	–	1	6	7	2	–	1	–	1
Remainder of 580–629	Other diseases of the genitourinary system	2	47	4	–	16	15	–	26	49	25	16	2	23	9	17

Table 7–11 (Continued)

DEATHS FROM SELECTED CAUSES CALIFORNIA COUNTIES, 1980

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Nevada	Orange	Placer	Plumas	Riverside	Sacramento	San Benito	San Bernardino	San Diego	San Francisco	San Joaquin	San Luis Obispo	San Mateo	Santa Barbara	Santa Clara
630–676	Complications of Pregnancy, Childbirth and the Puerperium	–	4	–	–	3	–	–	–	2	–	1	–	–	–	1
740–759	Congenital Anomalies	1	103	7	2	41	52	3	63	107	42	24	6	34	17	60
760–779	Certain Conditions Originating in the Perinatal Period	3	149	4	2	95	37	2	99	165	25	22	5	32	19	104
680–709, 710–739	Diseases of the Skin, Subcutaneous Tissue, Musculoskeletal System and Connective Tissue	–	50	3	–	36	28	2	32	56	41	15	4	15	9	24
780–799	Symptoms, Signs and Ill-Defined Conditions	5	46	5	1	46	86	–	57	94	45	30	3	19	5	52
800–949	Accidents and Adverse Effects	32	709	56	12	383	327	15	515	849	327	211	78	210	103	413
810–819	Motor vehicle traffic accidents	20	373	26	4	219	178	9	334	409	95	108	45	98	52	244
820–825	Motor vehicle nontraffic accidents	–	18	1	1	4	5	–	11	32	2	4	5	6	–	8
800–807, 826–838, 840–848	Other transport accidents	2	40	3	1	12	16	–	18	25	8	12	6	10	10	23
850–858	Accidental poisoning by drugs, medicaments and biologicals	1	61	4	–	14	15	–	10	74	33	5	3	10	8	7
930–949	Drugs, medicaments and biological substances causing adverse effects in therapeutic use	–	3	–	–	–	1	–	2	2	2	–	–	–	–	–
860–869	Accidental poisoning by other solid and liquid substances, gases and vapors	1	15	1	1	1	5	–	3	20	8	3	2	2	–	1
870–876	Misadventures to patients during surgical and medical care	–	3	–	–	1	–	–	2	6	1	2	–	1	–	5
878–879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure	–	1	1	–	4	8	–	3	14	14	3	1	1	1	4
Remainder of 800–949	All other accidents and adverse effects	8	195	20	5	128	99	6	132	267	164	74	16	82	32	121
950–959	Suicide	8	225	28	2	119	138	–	109	288	166	44	29	81	45	180
960–969	Homicide	3	134	6	2	102	80	2	117	184	115	41	11	42	18	101
970–978	Legal Intervention	–	3	–	–	3	–	–	1	7	1	1	–	–	–	3
980–989	Injury Undetermined Whether Accidentally or Purposely Inflicted	–	5	2	–	2	23	–	36	23	29	23	–	9	–	16
990–999	Injury Resulting from Operations of War	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–11 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1980

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Santa Cruz	Shasta	Sierra	Siskiyou	Solano	Sonoma	Stanislaus	Sutter	Tehama	Trinity	Tulare	Tuolumne	Ventura	Yolo	Yuba
001–999	Total, All Causes	1,596	978	25	415	1,440	2,715	2,183	442	424	101	2,057	337	3,234	907	335
001–139	Infectious and Parasitic Diseases	6	7	1	4	13	16	13	2	2	1	18	4	26	12	3
007–009	Certain other intestinal infections	–	–	–	–	1	1	–	–	–	–	1	1	–	–	–
010–018	Tuberculosis	2	2	–	–	4	2	1	–	–	–	4	1	3	4	2
036	Meningococcal infection	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
045, 046, 047, 048, 049, 053.0, 053.1, 054.3, 054.7, 055.0, 056.0, 062, 063, 064, 072.1, 072.2, 138, 139.0	Central nervous system viral diseases	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–
070	Viral hepatitis	1	–	–	–	1	1	–	–	–	–	2	–	3	2	–
090–097	Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 001–139	Other infectious and parasitic diseases	2	5	1	4	7	12	11	2	2	–	10	2	19	6	1
140–208	Neoplasms, Malignant	321	244	9	73	316	657	459	102	96	19	394	80	755	194	79
140–149	Lip, oral cavity, and pharynx	5	4	–	3	4	20	13	–	–	–	9	–	15	5	1
151	Stomach	9	8	–	2	6	18	14	2	3	–	11	2	26	10	1
150, 152–159	Other digestive organs and peritoneum	70	37	–	17	84	138	88	19	18	4	79	13	148	37	17
162	Trachea, bronchus and lung	79	81	1	17	81	161	128	31	32	5	109	24	203	57	29
160, 161, 163–165	Other respiratory and intrathoracic organs	2	2	–	–	3	5	6	5	1	–	5	1	3	4	2
174–175	Breast	28	21	1	8	26	61	47	3	9	4	37	9	78	24	3
180	Cervix uteri	2	3	–	–	3	4	5	2	1	1	7	1	6	4	3
179, 181, 182	Other parts of uterus	11	3	1	2	2	8	11	3	2	–	5	1	14	1	–
183–184	Other female genital organs	7	6	–	–	10	18	12	3	3	–	15	4	28	6	1
185–187	Male genital organs	18	14	2	7	21	50	27	7	5	–	27	5	38	6	5
188–189	Bladder and other urinary organs	19	12	1	3	9	27	21	5	4	1	17	4	31	7	7
170–173, 190–199	Other and unspecified sites	40	28	2	5	30	86	44	14	10	1	40	12	97	22	4
201	Hodgkin's disease	2	1	–	–	3	2	–	–	–	–	3	–	4	–	1
204–208	Leukemia	9	13	1	4	24	29	24	5	3	1	12	2	37	7	1
200, 202, 203	Other malignant neoplasm of lymphatic and haematopoietic tissues	20	11	–	5	10	30	19	3	5	2	18	2	27	4	4
210–239	Benign Neoplasms, Carcinoma in Situ, and Neoplasms of Uncertain Behavior and of Unspecified Nature	5	2	–	1	9	11	5	2	1	–	6	3	20	3	1
240–279	Endocrine, Nutritional and Metabolic Diseases and Immunity Disorders	36	18	1	12	39	44	49	9	4	1	42	3	70	17	9
250	Diabetes mellitus	26	12	1	10	26	29	37	9	1	1	30	1	53	11	6
240–246, 251–279	Other endocrine, nutritional and metabolic diseases and immunity disorders	10	6	–	2	13	15	12	–	3	–	12	2	17	6	3
280–289	Diseases of the Blood and Blood-Forming Organs	4	2	–	1	2	6	8	–	1	1	9	2	5	5	1
280–285	Anemias	1	–	–	1	–	4	4	–	–	1	4	1	4	2	1
286–289	Other diseases of blood and blood-forming organs	3	2	–	–	2	2	4	–	1	–	5	1	1	3	–
290–319	Mental Disorders	18	14	–	3	17	19	9	3	1	–	13	2	25	10	–
320–389	Diseases of the Nervous System and Sense Organs	23	9	–	4	21	34	32	6	7	–	24	5	38	15	1
320–322	Meningitis	2	–	–	–	1	–	1	–	–	–	1	–	5	2	–
323, 324, 326	Other inflammatory diseases of the central nervous system	–	–	–	–	1	3	2	–	1	–	1	–	2	–	–
325, 330–337, 340–389	Other diseases of the nervous system and sense organs	21	9	–	4	19	31	29	6	6	–	22	5	31	13	1

Table 7–11 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1980

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Santa Cruz	Shasta	Sierra	Siskiyou	Solano	Sonoma	Stanislaus	Sutter	Tehama	Trinity	Tulare	Tuolumne	Ventura	Yolo	Yuba
390–459	Diseases of the Circulatory System	777	401	9	206	625	1,259	1,024	199	209	51	950	152	1,447	419	146
390–398, 402, 404–429	Diseases of the heart	531	283	7	146	446	915	742	139	160	37	691	113	1,087	315	120
390–398	Rheumatic fever and rheumatic heart disease	5	4	–	1	6	16	9	–	2	–	5	3	20	3	–
402, 404	Hypertensive heart disease with or without renal disease	16	12	–	5	13	20	17	2	2	–	12	2	38	10	2
410–411	Acute ischaemic heart disease	181	105	4	62	186	353	303	69	41	21	295	56	299	115	60
412	Old myocardial infarction	1	2	–	1	1	2	1	–	–	–	1	–	1	–	–
413	Angina pectoris	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–
414	Other forms of chronic ischaemic heart disease	186	93	2	46	163	332	227	49	71	13	274	18	338	120	40
424	Other diseases of endocardium	16	8	–	3	10	26	21	1	3	–	9	3	15	3	1
415–423, 425–429	All other forms of heart disease	125	59	1	28	67	165	164	18	41	3	95	31	375	64	17
401, 403	Hypertension with or without renal disease	11	3	–	–	5	8	6	–	–	–	17	–	10	1	–
430–438	Cerebrovascular disease	183	61	1	45	140	243	217	47	27	5	194	23	263	81	14
440	Atherosclerosis	24	41	–	9	15	51	24	7	16	3	25	7	45	12	4
441–448	Other diseases of arteries, arterioles and capillaries	23	12	1	3	18	38	25	6	5	6	20	7	35	7	6
451–459	Diseases of veins and lymphatics, and other diseases of circulatory system	5	1	–	3	1	4	10	–	1	–	3	2	7	3	2
460–519	Diseases of the Respiratory System	131	78	3	31	99	188	175	36	33	7	162	25	244	68	26
466	Acute bronchitis and bronchiolitis	3	–	–	1	1	1	2	–	–	–	–	–	4	–	–
487	Influenza	3	1	–	2	4	1	2	–	–	2	2	–	5	4	–
480, 483	Viral pneumonia	–	2	–	–	–	3	–	–	–	–	1	1	5	–	–
481, 482	Bacterial pneumonia	7	4	–	1	6	5	5	1	5	–	1	1	6	2	–
484–486	Other and unspecified pneumonia	52	29	–	12	29	72	63	11	12	2	83	9	70	30	11
490	Bronchitis, unspecified	–	1	–	–	1	1	1	2	–	–	–	–	–	2	–
491	Chronic bronchitis	6	3	–	2	2	8	7	1	–	1	1	–	11	1	–
492	Emphysema	14	12	–	2	8	37	16	5	4	–	15	2	42	8	5
493	Asthma	5	1	–	1	1	4	2	–	–	–	6	2	6	1	1
494–496	Other chronic obstructive pulmonary disease and allied conditions	27	18	2	7	29	33	65	12	9	1	58	9	62	14	7
515	Postinflammatory pulmonary fibrosis	2	2	–	2	2	6	5	2	–	–	3	–	8	1	1
Remainder of 460–519	Other diseases of the respiratory system.	12	5	1	1	16	17	7	2	3	1	12	1	25	5	1
520–579	Diseases of the Digestive System	74	49	2	16	69	118	95	25	14	4	93	22	123	51	11
531–533	Ulcer of stomach and duodenum	6	3	–	–	7	9	11	1	1	–	9	4	4	6	–
550–553, 560	Hernia of abdominal cavity and intestinal obstruction without mention of hernia	6	2	–	1	6	15	4	–	1	–	7	2	4	4	–
571	Chronic liver disease and cirrhosis	34	25	1	12	33	54	44	14	8	3	39	8	59	25	8
574–575	Cholelithiasis and other disorders of gallbladder	3	3	–	–	1	3	3	2	–	1	4	–	6	–	–
Remainder of 520–579	Other diseases of the digestive system	25	16	1	3	22	37	33	8	4	–	34	8	50	16	3
580–629	Diseases of the Genitourinary System	22	18	–	6	23	37	27	3	–	1	20	7	40	5	5
580	Acute glomerulonephritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
581	Nephrotic syndrome	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
582–583, 587	Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	3	4	–	–	3	3	–	–	–	–	2	–	3	2	–
584–586, 588–589	Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	8	5	–	4	11	13	9	1	–	–	12	5	17	2	3
590	Infections of kidney	6	2	–	–	4	3	8	–	–	1	–	–	7	–	1
591, 593	Hydronephrosis and other disorders of kidney and ureter	–	1	–	–	–	4	2	–	–	–	1	–	5	–	–
600	Hyperplasia of prostate	–	1	–	1	–	4	2	–	–	–	–	–	2	–	–
Remainder of 580–629	Other diseases of the genitourinary system	5	3	–	1	5	10	6	2	–	–	5	2	6	1	–

Table 7–11 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1980

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Santa Cruz	Shasta	Sierra	Siskiyou	Solano	Sonoma	Stanislaus	Sutter	Tehama	Trinity	Tulare	Tuolumne	Ventura	Yolo	Yuba
630–676	Complications of Pregnancy, Childbirth and the Puerperium	–	–	–	1	–	–	–	–	1	–	–	–	2	–	–
740–759	Congenital Anomalies	11	7	–	2	22	17	12	4	2	–	25	3	41	4	4
760–779	Certain Conditions Originating in the Perinatal Period	14	4	–	4	13	18	19	3	3	2	19	2	41	10	9
680–709, 710–739	Diseases of the Skin, Subcutaneous Tissue, Musculoskeletal System and Connective Tissue	10	4	–	–	5	9	7	–	3	–	12	–	6	1	–
780–799	Symptoms, Signs and Ill-Defined Conditions	11	18	–	4	17	20	5	6	4	1	19	1	21	8	4
800–949	Accidents and Adverse Effects	82	77	–	38	96	187	178	28	31	9	180	21	223	57	19
810–819	Motor vehicle traffic accidents	38	46	–	24	53	115	100	17	17	6	103	11	151	30	12
820–825	Motor vehicle nontraffic accidents	1	1	–	–	1	2	4	1	1	–	5	–	3	–	–
800–807, 826–838, 840–848	Other transport accidents	9	1	–	1	5	19	4	3	1	1	7	–	10	–	–
850–858	Accidental poisoning by drugs, medicaments and biologicals	4	1	–	1	1	2	3	–	–	–	4	–	4	4	1
930–949	Drugs, medicaments and biological substances causing adverse effects in therapeutic use	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–
860–869	Accidental poisoning by other solid and liquid substances, gases and vapors	3	2	–	–	–	1	2	–	–	–	–	–	1	–	–
870–876	Misadventures to patients during surgical and medical care	–	–	–	–	2	1	1	–	1	–	1	–	2	–	–
878–879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure	–	–	–	2	4	4	2	1	1	1	2	–	3	–	–
Remainder of 800–949	All other accidents and adverse effects	27	26	–	10	30	41	62	6	10	1	58	10	48	23	6
950–959	Suicide	30	15	–	5	34	55	35	9	6	3	33	3	53	16	7
960–969	Homicide	16	8	–	3	19	17	28	5	5	1	36	2	49	9	8
970–978	Legal Intervention	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
980–989	Injury Undetermined Whether Accidentally or Purposely Inflicted	5	2	–	1	1	3	2	–	1	–	2	–	5	3	1
990–999	Injury Resulting from Operations of War	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

a Less than 0.050.
b Twenty-three male deaths were assigned Ninth Revision International List Number 174.
c Sex-specific rates (per 100,000 base). Estimates for male and female population of California, July 1, 1980 are 11,809,683 and 11,963,317 respectively. These estimates were based on population figures developed by the Population Unit of the State Department of Finance.
d Per 10,000 live births (1980 live births–402,720).
e Per 1,000 live births.

Note: Rates are per 100,000 estimated mid-year population. The July 1, 1980 estimated population for California was 23,773,000.

Source: State of California, Department of Health Services, Death Records.

State of California, Department of Finance, Population Research Unit, Interim State and County Estimates, Adjusted to 1980 Census, March 1981.

Table 7–12

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1979

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	California		Alameda	Alpine	Amador	Butte	Calaveras	Colusa	Contra Costa	Del Norte	El Dorado	Fresno	Glenn	Humboldt	Imperial
		Number	Rate													
001–999	Total, All Causes	177,214	760.7	8,723	3	188	1,407	200	130	4,346	179	550	3,623	197	885	630
001–139	Infectious and Parasitic Diseases	1,144	4.9	74	–	–	8	1	–	29	4	–	25	1	5	13
007–009	Certain other intestinal infections	29	0.1	1	–	–	1	–	–	–	–	–	1	–	–	–
010–018	Tuberculosis	183	0.8	13	–	–	1	–	–	5	2	–	9	–	–	3
036	Meningococcal infection	33	0.1	–	–	–	1	–	–	2	–	–	–	–	1	1
045, 046, 047, 048, 049, 053.0, 053.1, 054.3, 054.7, 055.0, 056.0, 062, 063, 064, 072.1, 072.2, 138, 139.0	Central nervous system viral diseases	68	0.3	5	–	–	–	–	–	1	1	–	2	–	1	1
070	Viral hepatitis	92	0.4	4	–	–	–	–	–	1	–	–	–	1	–	1
090–097	Syphilis	20	0.1	1	–	–	–	–	–	1	–	–	2	–	–	–
Remainder of 001–139	Other infectious and parasitic diseases	719	3.1	50	–	–	5	1	–	19	1	–	11	–	3	7
140–208	Neoplasms, Malignant	38,754	166.4	2,048	1	37	314	48	20	1,004	34	144	702	33	186	122
140–149	Lip, oral cavity, and pharynx	919	3.9	43	–	–	7	–	–	27	–	3	18	–	4	2
151	Stomach	1,454	6.2	81	–	3	10	2	–	42	1	5	37	1	5	4
150, 152–159	Other digestive organs and peritoneum	8,951	38.4	489	1	4	83	12	5	244	5	25	151	7	34	27
162	Trachea, bronchus and lung	9,415	40.4	517	–	13	75	8	7	233	12	34	174	9	47	30
160, 161, 163–165	Other respiratory and intrathoracic organs	428	1.8	19	–	–	4	–	–	9	–	–	13	–	4	–
174–175	Breast	3,558	30.1[a,b]	187	–	3	26	7	–	76	4	19	62	5	15	9
180	Cervix uteri	450	3.8[b]	25	–	–	3	1	–	10	2	1	5	–	2	4
179, 181, 182	Other parts of uterus	581	4.9[b]	37	–	–	3	1	1	13	–	–	10	–	8	1
183–184	Other female genital organs	1,175	9.9[b]	59	–	4	6	–	–	39	–	7	13	–	3	4
185–187	Male genital organs	2,123	18.5[b]	120	–	2	19	2	1	64	1	14	45	3	14	10
188–189	Bladder and other urinary organs	1,630	7.0	60	–	1	10	4	–	39	1	6	22	1	7	5
170–173, 190–199	Other and unspecified sites	4,508	19.4	230	–	3	45	6	4	109	7	18	81	5	31	18
201	Hodgkin's disease	192	0.8	12	–	1	2	1	–	9	1	2	6	–	1	1
204–208	Leukemia	1,586	6.8	72	–	1	5	3	–	43	–	4	26	1	5	5
200, 202, 203	Other malignant neoplasm of lymphatic and haematopoietic tissues	1,784	7.7	97	–	2	16	1	2	47	–	6	39	1	6	2
210–239	Benign Neoplasms, Carcinoma in Situ, and Neoplasms of Uncertain Behavior and of Unspecified Nature	623	2.7	34	–	–	3	1	1	16	–	1	7	1	3	2
240–279	Endocrine, Nutritional and Metabolic Diseases and Immunity Disorders	3,150	13.5	140	–	1	29	5	3	80	9	8	67	4	17	13
250	Diabetes mellitus	2,329	10.0	98	–	1	20	3	1	59	9	5	43	4	12	8
240–246, 251–279	Other endocrine, nutritional and metabolic diseases and immunity disorders	821	3.5	42	–	–	9	2	2	21	–	3	24	–	5	5
280–289	Diseases of the Blood and Blood-Forming Organs	520	2.2	28	–	–	4	–	1	14	1	1	10	–	5	–
280–285	Anemias	250	1.1	18	–	–	3	–	1	5	1	–	4	–	3	–
286–289	Other diseases of blood and blood-forming organs	270	1.2	10	–	–	1	–	–	9	–	1	6	–	2	–
290–319	Mental Disorders	1,286	5.5	107	–	1	6	1	2	38	1	1	14	–	7	2
320–389	Diseases of the Nervous System and Sense Organs	2,086	9.0	102	–	2	20	–	1	55	3	6	31	2	12	5
320–322	Meningitis	142	0.6	6	–	–	1	–	–	3	1	1	4	–	1	1
323, 324, 326	Other inflammatory diseases of the central nervous system	73	0.3	2	–	–	1	–	–	1	–	–	–	–	–	–
325, 330–337, 340–389	Other diseases of the nervous system and sense organs	1,871	8.0	94	–	2	18	–	1	51	2	5	27	2	11	4

Table 7–12 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1979

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	California		Alameda	Alpine	Amador	Butte	Calaveras	Colusa	Contra Costa	Del Norte	El Dorado	Fresno	Glenn	Humboldt	Imperial
		Number	Rate													
390–459	Diseases of the Circulatory System	85,226	365.9	4,154	2	106	694	96	66	2,036	76	245	1,721	100	423	256
390–398, 402, 404–429	Diseases of the heart	63,132	271.0	3,097	1	78	517	76	45	1,426	61	179	1,218	69	326	186
390–398	Rheumatic fever and rheumatic heart disease	891	3.8	36	–	–	4	1	2	17	–	2	17	–	3	2
402, 404	Hypertensive heart disease with or without renal disease	2,527	10.8	175	–	1	15	1	–	68	–	4	47	1	24	8
410–411	Acute ischaemic heart disease	21,707	93.2	832	–	41	206	31	23	455	19	56	411	28	98	75
412	Old myocardial infarction	132	0.6	1	–	–	1	–	–	7	–	–	3	–	1	2
413	Angina pectoris	30	0.1	3	–	–	–	–	–	1	–	–	–	–	–	–
414	Other forms of chronic ischaemic heart disease	23,851	102.4	1,567	–	23	193	37	13	576	11	93	576	31	104	49
424	Other diseases of endocardium	813	3.5	48	–	1	3	1	2	23	2	–	25	1	8	1
415–423, 425–429	All other forms of heart disease	13,181	56.6	435	1	12	95	5	5	279	29	24	139	8	88	49
401, 403	Hypertension with or without renal disease	617	2.6	34	–	3	–	–	2	15	–	–	14	–	1	–
430–438	Cerebrovascular disease	16,192	69.5	769	1	14	128	14	12	441	7	39	335	24	74	50
440	Atherosclerosis	2,753	11.8	154	–	7	22	3	2	83	4	15	91	4	13	7
441–448	Other diseases of arteries, arterioles and capillaries	2,146	9.2	88	–	4	26	2	4	59	3	10	59	3	8	12
451–459	Diseases of veins and lymphatics, and other diseases of circulatory system	386	1.7	12	–	–	1	1	1	12	1	2	4	–	1	1
460–519	Diseases of the Respiratory System	11,000	47.2	511	–	8	111	8	8	291	15	37	243	11	60	45
466	Acute bronchitis and bronchiolitis	76	0.3	3	–	–	–	–	–	–	–	–	1	–	–	–
487	Influenza	69	0.3	1	–	–	–	–	–	2	1	–	–	–	–	–
480, 483	Viral pneumonia	85	0.4	6	–	–	2	–	–	2	–	1	1	–	–	–
481, 482	Bacterial pneumonia	418	1.8	28	–	–	8	–	–	7	–	3	13	–	1	3
484–486	Other and unspecified pneumonia	3,783	16.2	180	–	3	23	4	4	100	6	11	65	3	11	15
490	Bronchitis, unspecified	44	0.2	1	–	–	–	–	–	1	–	–	–	–	–	–
491	Chronic bronchitis	402	1.7	13	–	1	1	–	–	24	–	2	11	–	–	–
492	Emphysema	1,545	6.6	76	–	1	31	–	1	40	2	1	32	2	8	8
493	Asthma	275	1.2	19	–	1	2	1	–	4	–	2	5	–	1	–
494–496	Other chronic obstructive pulmonary disease and allied conditions	3,072	13.2	125	–	2	33	2	2	81	4	15	81	3	29	14
515	Postinflammatory pulmonary fibrosis	310	1.3	12	–	–	3	–	–	9	1	1	6	1	2	2
Remainder of 460–519	Other diseases of the respiratory system	921	4.0	47	–	–	8	1	1	21	1	1	28	2	8	3
520–579	Diseases of the Digestive System	8,201	35.2	380	–	11	53	7	8	207	6	22	162	7	33	40
531–533	Ulcer of stomach and duodenum	735	3.2	33	–	1	4	2	1	16	1	4	29	1	3	3
550–553, 560	Hernia of abdominal cavity and intestinal obstruction without mention of hernia	484	2.1	18	–	1	4	1	–	22	–	1	7	–	–	4
571	Chronic liver disease and cirrhosis	4,270	18.3	193	–	3	24	2	5	92	2	10	60	3	19	19
574–575	Cholelithiasis and other disorders of gallbladder	295	1.3	11	–	1	–	–	–	7	–	1	8	1	1	1
Remainder of 520–579	Other diseases of the digestive system	2,417	10.4	125	–	5	21	2	2	70	3	6	58	2	10	13
580–629	Diseases of the Genitourinary System	2,105	9.0	114	–	2	16	2	2	36	2	3	44	1	11	12
580	Acute glomerulonephritis	14	0.1	–	–	–	1	–	–	1	–	–	–	–	–	1
581	Nephrotic syndrome	13	0.1	–	–	–	–	–	–	–	–	–	–	–	–	–
582–583, 587	Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	194	0.8	3	–	–	3	–	1	5	–	–	7	–	1	–
584–586, 588–589	Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	772	3.3	44	–	1	5	1	–	13	–	2	23	–	6	4
590	Infections of kidney	300	1.3	17	–	1	3	–	–	1	–	–	2	1	1	3
591, 593	Hydronephrosis and other disorders of kidney and ureter	119	0.5	7	–	–	3	–	–	1	1	–	1	–	–	–
600	Hyperplasia of prostate	76	0.3	6	–	–	–	–	–	–	1	–	2	–	–	–
Remainder of 580–629	Other diseases of the genitourinary system	617	2.6	37	–	–	1	1	1	15	–	1	9	–	3	4

Table 7–12 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1979

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	California		Alameda	Alpine	Amador	Butte	Calaveras	Colusa	Contra Costa	Del Norte	El Dorado	Fresno	Glenn	Humboldt	Imperial
		Number	Rate													
630–676	Complications of Pregnancy, Childbirth and the Puerperium	43	1.1[c]	1	–	–	–	–	–	1	–	–	–	–	–	2
740–759	Congenital Anomalies	1,469	6.3	51	–	–	6	–	2	42	2	2	44	4	5	11
760–779	Certain Conditions Originating in the Perinatal Period	1,959	5.2[d]	71	–	1	8	–	–	27	–	3	59	5	2	6
680–709, 710–739	Diseases of the Skin, Subcutaneous Tissue, Musculoskeletal System and Connective Tissue	688	3.0	40	–	–	8	–	1	26	1	3	14	–	3	2
780–799	Symptoms, Signs and Ill-Defined Conditions	1,207	5.2	69	–	–	7	2	–	36	6	3	18	4	7	9
800–949	Accidents and Adverse Effects	10,808	46.4	469	–	18	88	25	9	235	15	54	305	14	82	64
810–819	Motor vehicle traffic accidents	5,799	24.9	217	–	11	43	18	4	122	8	34	186	10	53	29
820–825	Motor vehicle nontraffic accidents	235	1.0	7	–	–	1	2	–	3	–	2	6	1	3	1
800–807, 826–838, 840–848	Other transport accidents	584	2.5	20	–	–	7	1	–	8	1	–	7	–	2	–
850–858	Accidental poisoning by drugs, medicaments and biologicals	626	2.7	12	–	–	2	–	–	15	–	1	12	–	2	3
930–949	Drugs, medicaments and biological substances causing adverse effects in therapeutic use	18	0.1	1	–	–	–	–	–	–	–	–	–	–	–	1
860–869	Accidental poisoning by other solid and liquid substances, gases and vapors	129	0.6	7	–	–	–	–	–	6	–	2	2	–	–	–
870–876	Misadventures to patients during surgical and medical care	41	0.2	1	–	–	1	–	–	2	–	1	2	–	–	1
878–879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure	119	0.5	6	–	–	–	–	1	5	–	–	6	–	2	–
Remainder of 800–949	All other accidents and adverse effects	3,257	14.0	198	–	7	34	4	4	74	6	14	84	3	20	29
950–959	Suicide	3,534	15.2	156	–	–	22	4	4	109	2	13	74	6	15	8
960–969	Homicide	2,966	12.7	120	–	1	10	–	2	58	2	3	79	4	6	18
970–978	Legal Intervention	35	0.2	–	–	–	–	–	–	2	–	–	–	–	–	–
980–989	Injury Undetermined Whether Accidentally or Purposely Inflicted	407	1.7	54	–	–	–	–	–	4	–	1	4	–	3	–
990–999	Injury Resulting from Operations of War	3	0.0[e]	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–12 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1979

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Inyo	Kern	Kings	Lake	Lassen	Los Angeles	Madera	Marin	Mariposa	Mendocino	Merced	Modoc	Mono	Monterey	Napa
001–999	Total, All Causes	208	3,051	476	475	160	58,783	514	1,475	92	598	885	69	44	1,894	936
001–139	Infectious and Parasitic Diseases	–	18	4	2	1	333	4	9	–	4	13	–	–	12	7
007–009	Certain other intestinal infections	–	–	–	–	–	12	–	–	–	–	1	–	–	2	–
010–018	Tuberculosis	–	4	1	–	–	62	2	1	–	1	2	–	–	–	2
036	Meningococcal infection	–	–	–	–	–	10	–	–	–	–	2	–	–	–	–
045, 046, 047, 048, 049, 053.0, 053.1, 054.3, 054.7, 055.0, 056.0, 062, 063, 064, 072.1, 072.2, 138, 139.0	Central nervous system viral diseases	–	1	1	–	–	20	–	3	–	–	–	–	–	1	–
070	Viral hepatitis	–	–	–	–	–	41	–	–	–	–	–	–	–	1	–
090–097	Syphilis	–	–	–	1	–	7	–	–	–	–	–	–	–	–	–
Remainder of 001–139	Other infectious and parasitic diseases	–	13	2	1	1	181	2	5	–	3	8	–	–	8	5
140–208	Neoplasms, Malignant	44	620	90	129	25	12,376	114	387	31	128	218	11	5	405	234
140–149	Lip, oral cavity, and pharynx	3	8	–	1	–	319	2	11	1	2	3	1	–	8	6
151	Stomach	2	11	5	3	1	463	9	9	1	8	9	–	–	19	6
150, 152–159	Other digestive organs and peritoneum	6	133	27	31	5	2,900	27	104	3	33	55	4	–	93	60
162	Trachea, bronchus and lung	9	161	19	33	4	2,913	23	102	7	27	52	3	1	104	44
160, 161, 163–165	Other respiratory and intrathoracic organs	–	4	2	4	1	123	4	2	–	2	–	–	–	4	6
174–175	Breast	2	58	5	9	3	1,199	7	31	3	12	13	1	1	35	15
180	Cervix uteri	–	14	–	–	–	158	1	4	–	6	5	–	–	7	1
179, 181, 182	Other parts of uterus	2	7	5	–	1	203	1	7	–	–	3	–	–	8	2
183–184	Other female genital organs	1	21	2	3	2	389	3	12	1	8	1	1	–	14	8
185–187	Male genital organs	4	29	8	7	1	662	8	14	1	1	17	–	1	17	17
188–189	Bladder and other urinary organs	3	32	6	7	–	544	4	12	1	6	11	–	–	21	14
170–173, 190–199	Other and unspecified sites	7	82	8	15	4	1,363	16	46	11	12	26	1	1	50	27
201	Hodgkin's disease	–	5	–	–	–	51	–	2	–	–	1	–	–	1	1
204–208	Leukemia	2	23	2	4	2	510	5	14	1	8	10	–	1	12	11
200, 202, 203	Other malignant neoplasm of lymphatic and haematopoietic tissues	3	32	1	12	1	579	4	17	1	3	12	–	–	12	16
210–239	Benign Neoplasms, Carcinoma in Situ, and Neoplasms of Uncertain Behavior and of Unspecified Nature	–	12	1	3	–	158	3	11	–	3	5	–	–	10	6
240–279	Endocrine, Nutritional and Metabolic Diseases and Immunity Disorders	1	58	12	8	2	1,075	7	26	4	14	20	2	2	30	13
250	Diabetes mellitus	1	45	11	6	1	850	3	18	2	9	15	1	1	20	10
240–246, 251–279	Other endocrine, nutritional and metabolic diseases and immunity disorders	–	13	1	2	1	225	4	8	2	5	5	1	1	10	3
280–289	Diseases of the Blood and Blood-Forming Organs	–	9	–	2	–	156	–	4	–	1	–	1	–	7	1
280–285	Anemias	–	4	–	1	–	76	–	3	–	–	–	–	–	–	–
286–289	Other diseases of blood and blood-forming organs	–	5	–	1	–	80	–	1	–	1	–	1	–	7	1
290–319	Mental Disorders	3	24	3	2	3	378	5	14	–	3	7	–	–	23	1
320–389	Diseases of the Nervous System and Sense Organs	–	32	2	2	3	613	2	28	–	6	9	–	1	23	11
320–322	Meningitis	–	4	–	–	1	44	1	–	–	–	–	–	–	1	–
323, 324, 326	Other inflammatory diseases of the central nervous system	–	1	–	–	–	21	–	–	–	–	3	–	–	–	–
325, 330–337, 340–389	Other diseases of the nervous system and sense organs	–	27	2	2	2	548	1	28	–	6	6	–	1	22	11

Table 7–12 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1979

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Inyo	Kern	Kings	Lake	Lassen	Los Angeles	Madera	Marin	Mariposa	Mendocino	Merced	Modoc	Mono	Monterey	Napa
390–459	Diseases of the Circulatory System	88	1,405	226	222	86	29,736	242	655	34	272	349	29	16	827	439
390–398, 402, 404–429	Diseases of the heart	60	1,116	152	172	67	22,519	182	455	29	207	257	23	14	555	320
390–398	Rheumatic fever and rheumatic heart disease	–	11	1	3	2	284	1	5	–	1	3	–	–	7	4
402, 404	Hypertensive heart disease with or without renal disease	–	63	5	9	2	1,197	3	5	–	11	6	–	1	12	15
410–411	Acute ischaemic heart disease	29	345	54	63	14	6,746	90	191	13	65	114	8	6	246	102
412	Old myocardial infarction	–	3	1	1	2	56	1	–	–	–	2	–	–	1	–
413	Angina pectoris	–	1	–	–	–	10	–	–	–	1	–	–	–	–	–
414	Other forms of chronic ischaemic heart disease	21	509	71	78	27	7,450	71	178	10	98	100	8	3	196	136
424	Other diseases of endocardium	4	20	1	1	1	202	1	4	–	7	3	–	–	9	–
415–423, 425–429	All other forms of heart disease	6	164	19	17	19	6,574	15	72	6	24	29	7	4	84	63
401, 403	Hypertension with or without renal disease	–	4	–	–	–	246	1	3	–	2	2	–	–	9	4
430–438	Cerebrovascular disease	22	195	53	40	14	5,487	38	141	5	48	67	5	1	189	83
440	Atherosclerosis	2	37	14	1	2	850	10	32	–	8	8	1	–	34	12
441–448	Other diseases of arteries, arterioles and capillaries	3	47	7	9	3	524	10	23	–	6	11	–	1	36	19
451–459	Diseases of veins and lymphatics, and other diseases of circulatory system	1	6	–	–	–	110	1	1	–	1	4	–	–	4	1
460–519	Diseases of the Respiratory System	20	196	28	32	8	3,042	27	81	9	46	65	4	3	146	76
466	Acute bronchitis and bronchiolitis	–	–	–	–	–	13	–	–	–	–	1	–	–	3	2
487	Influenza	–	–	1	1	–	21	1	2	–	1	–	–	–	2	–
480, 483	Viral pneumonia	–	2	–	–	–	30	–	–	–	–	–	1	–	–	–
481, 482	Bacterial pneumonia	1	7	1	1	2	145	1	2	–	2	1	–	–	4	–
484–486	Other and unspecified pneumonia	8	63	10	10	1	1,081	7	25	2	12	12	2	1	62	24
490	Bronchitis, unspecified	–	–	–	–	–	10	–	–	–	–	–	–	–	1	1
491	Chronic bronchitis	–	9	1	2	1	110	–	3	1	1	5	–	–	3	2
492	Emphysema	4	38	1	9	–	420	5	18	–	13	8	1	–	17	9
493	Asthma	–	3	–	1	–	86	–	–	–	2	3	–	–	3	2
494–496	Other chronic obstructive pulmonary disease and allied conditions	4	39	12	5	3	807	8	23	5	11	26	–	1	35	25
515	Postinflammatory pulmonary fibrosis	–	2	1	–	–	92	2	2	1	1	1	–	–	2	4
Remainder of 460–519	Other diseases of the respiratory system	3	33	1	3	1	227	3	6	–	3	8	–	1	14	7
520–579	Diseases of the Digestive System	12	132	18	18	8	2,603	26	86	4	33	47	2	4	91	42
531–533	Ulcer of stomach and duodenum	–	12	1	2	–	250	3	6	–	3	4	–	–	7	8
550–553, 560	Hernia of abdominal cavity and intestinal obstruction without mention of hernia	1	12	2	–	–	126	2	6	1	1	2	–	2	8	6
571	Chronic liver disease and cirrhosis	7	69	9	8	5	1,488	11	46	2	19	25	–	2	49	16
574–575	Cholelithiasis and other disorders of gallbladder	1	5	–	1	2	95	1	2	–	1	1	–	–	2	–
Remainder of 520–579	Other diseases of the digestive system	3	34	6	7	1	644	9	26	1	9	15	2	–	25	12
580–629	Diseases of the Genitourinary System	2	50	4	6	1	697	4	18	1	6	17	–	–	14	11
580	Acute glomerulonephritis	–	–	–	–	–	4	–	–	–	–	–	–	–	1	1
581	Nephrotic syndrome	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–
582–583, 587	Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	–	4	1	–	–	73	1	–	–	–	–	–	–	1	–
584–586, 588–589	Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	2	18	1	6	1	229	1	12	–	1	7	–	–	5	5
590	Infections of kidney	–	8	2	–	–	103	1	1	–	2	1	–	–	4	2
591, 593	Hydronephrosis and other disorders of kidney and ureter	–	5	–	–	–	29	–	1	–	1	–	–	–	–	–
600	Hyperplasia of prostate	–	1	–	–	–	24	–	–	1	–	2	–	–	2	1
Remainder of 580–629	Other diseases of the genitourinary system	–	14	–	–	–	231	1	4	–	2	7	–	–	1	2

Table 7–12 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1979

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Inyo	Kern	Kings	Lake	Lassen	Los Angeles	Madera	Marin	Mariposa	Mendocino	Merced	Modoc	Mono	Monterey	Napa
630–676	Complications of Pregnancy, Childbirth and the Puerperium	–	–	–	–	–	16	–	–	–	–	–	–	–	–	–
740–759	Congenital Anomalies	2	27	2	3	1	499	6	6	–	5	4	–	–	14	5
760–779	Certain Conditions Originating in the Perinatal Period	4	46	13	1	2	762	4	11	2	7	12	2	3	35	5
680–709, 710–739	Diseases of the Skin, Subcutaneous Tissue, Musculoskeletal System and Connective Tissue	1	14	–	–	2	203	5	9	1	1	5	–	–	5	5
780–799	Symptoms, Signs and Ill-Defined Conditions	–	11	1	1	1	412	4	6	1	2	–	4	–	18	4
800–949	Accidents and Adverse Effects	18	264	53	26	14	3,066	48	68	5	49	88	11	7	158	51
810–819	Motor vehicle traffic accidents	9	150	37	13	8	1,540	32	36	3	31	57	5	4	82	32
820–825	Motor vehicle nontraffic accidents	–	7	6	1	–	65	2	1	–	1	5	–	–	6	–
800–807, 826–838, 840–848	Other transport accidents	3	11	1	–	–	175	1	4	–	–	7	1	1	4	2
850–858	Accidental poisoning by drugs, medicaments and biologicals	–	10	2	1	–	265	1	2	–	3	1	–	–	11	–
930–949	Drugs, medicaments and biological substances causing adverse effects in therapeutic use	–	1	–	–	–	4	–	1	–	–	–	–	–	–	–
860–869	Accidental poisoning by other solid and liquid substances, gases and vapors	–	3	–	–	–	33	–	1	–	1	1	–	–	1	1
870–876	Misadventures to patients during surgical and medical care	–	1	–	–	–	10	–	–	–	–	–	–	–	1	–
878–879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure	–	8	–	–	1	24	1	2	–	1	1	–	–	3	1
Remainder of 800–949	All other accidents and adverse effects	6	73	7	11	5	950	11	21	2	12	16	5	2	50	15
950–959	Suicide	10	63	8	13	–	1,090	1	36	–	11	21	2	3	41	15
960–969	Homicide	1	67	9	4	2	1,481	11	11	–	7	5	1	–	34	4
970–978	Legal Intervention	–	–	–	–	–	4	1	–	–	–	–	–	–	–	–
980–989	Injury Undetermined Whether Accidentally or Purposely Inflicted	2	3	2	1	1	83	–	9	–	–	–	–	–	1	6
990–999	Injury Resulting from Operations of War	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–12 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1979

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Nevada	Orange	Placer	Plumas	Riverside	Sacramento	San Benito	San Bernardino	San Diego	San Francisco	San Joaquin	San Luis Obispo	San Mateo	Santa Barbara	Santa Clara
001–999	Total, All Causes	425	11,734	857	127	6,173	5,749	189	6,636	12,694	7,601	3,047	1,235	4,195	2,235	7,207
001–139	Infectious and Parasitic Diseases	5	65	4	–	44	51	1	33	85	77	26	1	21	10	49
007–009	Certain other intestinal infections	–	1	–	–	1	1	–	1	1	1	–	–	–	–	1
010–018	Tuberculosis	–	10	–	–	12	5	–	3	10	11	5	–	–	1	9
036	Meningococcal infection	–	5	–	–	–	3	–	–	2	1	–	–	–	2	2
045, 046, 047, 048, 049, 053.0, 053.1, 054.3, 054.7, 055.0, 056.0, 062, 063, 064, 072.1, 072.2, 138, 139.0	Central nervous system viral diseases	–	6	–	–	4	–	–	4	5	1	2	–	2	2	2
070	Viral hepatitis	–	7	–	–	2	–	–	1	10	10	1	–	1	–	4
090–097	Syphilis	1	–	–	–	–	–	–	1	1	1	–	–	–	–	2
Remainder of 001–139	Other infectious and parasitic diseases	4	36	4	–	25	42	1	23	56	52	18	1	18	5	29
140–208	Neoplasms, Malignant	98	2,776	210	22	1,286	1,255	43	1,282	2,866	1,723	625	275	1,058	485	1,702
140–149	Lip, oral cavity, and pharynx	1	61	8	1	27	34	–	26	61	51	18	5	27	11	37
151	Stomach	3	96	9	1	36	59	2	41	88	76	26	8	47	20	63
150, 152–159	Other digestive organs and peritoneum	18	629	49	4	250	279	11	315	636	467	138	63	246	108	380
162	Trachea, bronchus and lung	27	639	58	5	348	318	8	304	753	384	171	65	251	109	423
160, 161, 163–165	Other respiratory and intrathoracic organs	1	38	1	1	19	12	–	16	35	23	5	3	11	3	18
174–175	Breast	4	267	14	1	114	111	5	127	285	153	48	22	97	42	157
180	Cervix uteri	–	23	3	–	17	20	–	15	22	12	12	4	8	3	19
179, 181, 182	Other parts of uterus	–	48	2	3	23	15	2	13	43	16	8	8	14	8	22
183–184	Other female genital organs	2	92	5	–	45	28	1	45	83	56	14	7	34	16	42
185–187	Male genital organs	9	154	9	–	82	67	3	67	136	91	30	15	51	28	90
188–189	Bladder and other urinary organs	4	128	11	1	55	60	2	54	115	69	23	13	37	27	61
170–173, 190–199	Other and unspecified sites	17	321	25	3	150	156	3	153	345	178	74	34	139	51	200
201	Hodgkin's disease	–	13	–	–	11	8	–	3	18	5	3	1	9	3	8
204–208	Leukemia	5	136	7	–	50	48	5	56	122	67	21	16	41	32	74
200, 202, 203	Other malignant neoplasm of lymphatic and haematopoietic tissues	7	131	9	2	59	40	1	47	124	75	34	11	46	24	108
210–239	Benign Neoplasms, Carcinoma in Situ, and Neoplasms of Uncertain Behavior and of Unspecified Nature	2	40	5	1	23	29	2	19	49	30	17	5	21	11	27
240–279	Endocrine, Nutritional and Metabolic Diseases and Immunity Disorders	6	156	11	2	103	103	7	119	212	132	66	17	58	47	157
250	Diabetes mellitus	5	110	10	2	71	79	5	87	142	93	46	9	42	36	108
240–246, 251–279	Other endocrine, nutritional and metabolic diseases and immunity disorders	1	46	1	–	32	24	2	32	70	39	20	8	16	11	49
280–289	Diseases of the Blood and Blood-Forming Organs	1	43	3	2	19	22	–	17	38	27	11	2	17	4	20
280–285	Anemias	–	18	1	1	9	9	–	6	19	18	7	1	4	3	11
286–289	Other diseases of blood and blood-forming organs	1	25	2	1	10	13	–	11	19	9	4	1	13	1	9
290–319	Mental Disorders	7	69	4	1	35	37	–	37	94	63	19	10	27	29	66
320–389	Diseases of the Nervous System and Sense Organs	3	145	9	1	66	83	3	71	168	71	32	22	59	41	103
320–322	Meningitis	–	9	–	–	7	3	–	5	9	7	1	3	3	1	5
323, 324, 326	Other inflammatory diseases of the central nervous system	–	6	1	–	3	2	–	6	4	1	3	1	3	2	3
325, 330–337, 340–389	Other diseases of the nervous system and sense organs	3	130	8	1	56	78	3	60	155	63	28	18	53	38	95

Table 7–12 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1979

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Nevada	Orange	Placer	Plumas	Riverside	Sacramento	San Benito	San Bernardino	San Diego	San Francisco	San Joaquin	San Luis Obispo	San Mateo	Santa Barbara	Santa Clara
390–459	Diseases of the Circulatory System	180	5,634	400	60	3,007	2,637	68	3,152	5,958	3,535	1,408	595	1,971	1,089	3,274
390–398, 402, 404–429	Diseases of the heart	128	4,230	294	43	2,161	1,950	51	2,363	4,283	2,623	1,037	444	1,391	782	2,389
390–398	Rheumatic fever and rheumatic heart disease	5	87	3	–	46	22	–	45	72	34	10	11	32	16	31
402, 404	Hypertensive heart disease with or without renal disease	8	89	6	3	46	47	–	93	133	97	29	13	40	20	98
410–411	Acute ischaemic heart disease	46	1,911	111	6	807	771	27	967	1,514	938	317	156	563	276	771
412	Old myocardial infarction	–	9	–	–	2	2	–	6	8	3	1	–	6	2	2
413	Angina pectoris	–	4	–	–	1	–	–	1	4	–	1	–	–	–	–
414	Other forms of chronic ischaemic heart disease	49	1,389	130	22	984	779	15	958	1,929	1,064	522	182	585	286	809
424	Other diseases of endocardium	3	46	5	2	22	30	2	27	70	33	17	12	19	23	33
415–423, 425–429	All other forms of heart disease	17	695	39	10	253	299	7	266	553	454	140	70	146	159	645
401, 403	Hypertension with or without renal disease	–	31	3	1	21	19	1	23	40	18	9	3	8	10	24
430–438	Cerebrovascular disease	32	1,041	77	9	576	523	13	598	1,187	660	247	94	442	244	681
440	Atherosclerosis	8	145	12	4	113	77	3	85	236	109	73	22	54	28	75
441–448	Other diseases of arteries, arterioles and capillaries	12	155	12	3	106	59	–	73	181	111	36	29	61	22	88
451–459	Diseases of veins and lymphatics, and other diseases of circulatory system	–	32	2	–	30	9	–	10	31	14	6	3	15	3	17
460–519	Diseases of the Respiratory System	37	689	63	8	499	394	19	523	829	548	189	107	272	146	429
466	Acute bronchitis and bronchiolitis	–	4	–	–	5	2	–	16	4	4	2	1	9	1	–
487	Influenza	–	4	2	1	2	4	–	1	6	3	2	–	2	2	3
480, 483	Viral pneumonia	1	4	–	–	1	5	–	–	7	2	–	1	2	3	8
481, 482	Bacterial pneumonia	1	25	4	–	7	12	–	17	31	21	9	1	6	8	17
484–486	Other and unspecified pneumonia	22	226	26	–	203	124	8	159	246	240	54	31	92	53	155
490	Bronchitis, unspecified	–	1	1	–	1	4	–	5	3	3	2	–	1	1	2
491	Chronic bronchitis	–	19	–	–	12	15	–	11	51	15	9	2	20	5	17
492	Emphysema	–	98	10	4	69	48	4	55	140	47	23	18	37	24	49
493	Asthma	1	19	–	–	15	11	1	9	22	10	10	2	10	2	6
494–496	Other chronic obstructive pulmonary disease and allied conditions	9	226	17	1	138	119	5	200	220	119	54	44	70	27	130
515	Postinflammatory pulmonary fibrosis	–	12	–	–	15	9	1	13	27	16	6	2	6	7	14
Remainder of 460–519	Other diseases of the respiratory system	3	51	3	2	31	41	–	39	72	68	18	5	17	13	28
520–579	Diseases of the Digestive System	19	521	35	8	261	288	8	321	596	468	136	52	212	92	338
531–533	Ulcer of stomach and duodenum	2	49	2	–	32	24	–	27	41	34	10	7	13	7	21
550–553, 560	Hernia of abdominal cavity and intestinal obstruction without mention of hernia	–	41	–	2	10	11	–	18	33	32	10	4	16	8	17
571	Chronic liver disease and cirrhosis	6	250	16	3	125	150	5	179	311	253	61	22	109	44	182
574–575	Cholelithiasis and other disorders of gallbladder	4	17	3	–	9	10	1	13	24	16	2	5	7	1	10
Remainder of 520–579	Other diseases of the digestive system	7	164	14	3	85	93	2	84	187	133	53	14	67	32	108
580–629	Diseases of the Genitourinary System	5	128	9	–	75	78	1	120	133	91	47	18	34	23	65
580	Acute glomerulonephritis	–	–	–	–	–	–	–	1	1	1	–	–	2	–	–
581	Nephrotic syndrome	–	3	–	–	–	1	–	2	–	–	–	1	–	–	–
582–583, 587	Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	–	13	2	–	11	4	–	10	11	6	4	2	1	5	5
584–586, 588–589	Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	2	42	4	–	28	42	1	41	38	47	18	2	15	6	24
590	Infections of kidney	–	15	–	–	16	9	–	21	17	8	7	4	5	2	8
591, 593	Hydronephrosis and other disorders of kidney and ureter	–	10	–	–	1	4	–	11	9	8	7	1	2	1	5
600	Hyperplasia of prostate	–	4	1	–	1	5	–	2	5	2	2	3	1	1	2
Remainder of 580–629	Other diseases of the genitourinary system	3	41	2	–	18	13	–	32	52	19	9	5	8	8	21

Table 7–12 (Continued)

DEATHS FROM SELECTED CAUSES CALIFORNIA COUNTIES, 1979

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Nevada	Orange	Placer	Plumas	Riverside	Sacramento	San Benito	San Bernardino	San Diego	San Francisco	San Joaquin	San Luis Obispo	San Mateo	Santa Barbara	Santa Clara
630–676	Complications of Pregnancy, Childbirth and the Puerperium	–	4	–	–	–	2	–	3	5	3	–	–	2	–	2
740–759	Congenital Anomalies	4	123	8	3	43	34	2	51	113	36	36	11	38	18	68
760–779	Certain Conditions Originating in the Perinatal Period	3	162	6	3	58	57	2	78	126	33	27	8	32	20	105
680–709, 710–739	Diseases of the Skin, Subcutaneous Tissue, Musculoskeletal System and Connective Tissue	1	46	4	–	24	19	–	34	51	24	12	1	17	5	31
780–799	Symptoms, Signs and Ill-Defined Conditions	3	47	8	1	36	53	3	57	108	69	32	2	12	4	43
800–949	Accidents and Adverse Effects	29	719	55	9	411	375	20	463	803	319	222	74	212	140	462
810–819	Motor vehicle traffic accidents	16	351	35	5	235	217	10	288	428	100	150	40	106	81	269
820–825	Motor vehicle nontraffic accidents	–	20	1	1	6	7	–	11	23	6	3	1	2	3	8
800–807, 826–838, 840–848	Other transport accidents	–	67	2	–	21	28	1	23	53	9	7	6	12	7	33
850–858	Accidental poisoning by drugs, medicaments and biologicals	1	58	3	–	16	12	2	14	57	53	8	5	13	3	6
930–949	Drugs, medicaments and biological substances causing adverse effects in therapeutic use	–	1	–	–	3	–	–	–	2	2	–	–	1	–	–
860–869	Accidental poisoning by other solid and liquid substances, gases and vapors	2	6	1	–	5	1	–	5	18	14	2	–	3	1	6
870–876	Misadventures to patients during surgical and medical care	–	4	–	–	1	–	–	1	1	3	–	–	1	–	3
878–879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure	–	4	1	–	5	3	–	9	11	7	1	1	1	1	5
Remainder of 800–949	All other accidents and adverse effects	10	208	12	3	119	107	7	112	210	125	51	21	73	44	132
950–959	Suicide	18	257	15	6	99	116	4	108	270	206	63	21	82	48	171
960–969	Homicide	3	99	6	–	79	86	6	110	146	110	44	13	39	23	74
970–978	Legal Intervention	–	2	–	–	3	–	–	3	7	3	–	–	2	–	4
980–989	Injury Undetermined Whether Accidentally or Purposely Inflicted	1	8	2	–	2	30	–	35	37	33	35	1	9	–	17
990–999	Injury Resulting from Operations of War	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–12 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1979

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Santa Cruz	Shasta	Sierra	Siskiyou	Solano	Sonoma	Stanislaus	Sutter	Tehama	Trinity	Tulare	Tuolumne	Ventura	Yolo	Yuba
001–999	Total, All Causes	1,569	924	27	388	1,476	2,638	2,085	390	366	92	1,911	280	3,065	760	418
001–139	Infectious and Parasitic Diseases	15	3	–	3	8	10	9	5	2	–	17	2	17	9	5
007–009	Certain other intestinal infections	1	–	–	–	–	1	–	–	1	–	1	–	–	–	–
010–018	Tuberculosis	2	–	–	–	2	–	3	–	–	–	1	–	–	1	–
036	Meningococcal infection	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
045, 046, 047, 048, 049, 053.0, 053.1, 054.3, 054.7, 055.0, 056.0, 062, 063, 064, 072.1, 072.2, 138, 139.0	Central nervous system viral diseases	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
070	Viral hepatitis	–	1	–	–	1	1	–	1	1	–	–	1	1	–	–
090–097	Syphilis	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Remainder of 001–139	Other infectious and parasitic diseases	11	2	–	1	4	8	6	4	–	–	14	1	15	8	5
140–208	Neoplasms, Malignant	352	197	2	85	316	623	436	80	75	18	372	70	700	143	69
140–149	Lip, oral cavity, and pharynx	7	2	–	3	7	22	8	–	4	1	11	3	11	3	–
151	Stomach	24	7	–	–	7	29	15	2	2	1	17	4	27	6	1
150, 152–159	Other digestive organs and peritoneum	75	37	1	17	66	137	99	20	15	3	91	18	171	28	12
162	Trachea, bronchus and lung	70	52	–	17	92	153	110	22	19	6	90	16	179	49	16
160, 161, 163–165	Other respiratory and intrathoracic organs	2	2	–	2	5	7	6	1	–	1	2	–	11	2	–
174–175	Breast	28	14	–	6	31	52	35	4	6	1	29	8	74	10	6
180	Cervix uteri	3	1	1	–	8	5	10	1	–	–	8	–	6	–	–
179, 181, 182	Other parts of uterus	8	4	–	–	3	8	7	2	–	1	3	–	6	–	1
183–184	Other female genital organs	11	8	–	3	7	23	10	1	3	–	9	2	19	5	3
185–187	Male genital organs	25	15	–	7	15	33	26	3	4	1	24	7	32	9	8
188–189	Bladder and other urinary organs	23	14	–	6	17	18	21	4	2	1	11	4	25	2	5
170–173, 190–199	Other and unspecified sites	47	30	–	16	35	82	47	9	13	1	42	7	74	17	13
201	Hodgkin's disease	2	–	–	1	1	1	3	–	–	–	3	–	2	–	–
204–208	Leukemia	15	6	–	3	9	23	18	6	1	–	15	1	32	6	1
200, 202, 203	Other malignant neoplasm of lymphatic and haematopoietic tissues	12	5	–	4	13	30	21	5	6	1	17	–	31	6	3
210–239	Benign Neoplasms, Carcinoma in Situ, and Neoplasms of Uncertain Behavior and of Unspecified Nature	8	2	–	2	5	9	9	2	2	1	5	1	13	2	–
240–279	Endocrine, Nutritional and Metabolic Diseases and Immunity Disorders	23	14	1	7	33	50	36	9	4	–	32	2	58	17	18
250	Diabetes mellitus	13	12	–	5	23	34	29	8	2	–	24	2	47	12	17
240–246, 251–279	Other endocrine, nutritional and metabolic diseases and immunity disorders	10	2	1	2	10	16	7	1	2	–	8	–	11	5	1
280–289	Diseases of the Blood and Blood-Forming Organs	2	2	–	–	5	11	4	2	2	–	3	–	14	3	1
280–285	Anemias	–	1	–	–	3	5	2	1	2	–	2	–	7	–	1
286–289	Other diseases of blood and blood-forming organs	2	1	–	–	2	6	2	1	–	–	1	–	7	3	–
290–319	Mental Disorders	13	15	–	4	10	26	15	1	1	–	16	1	29	8	3
320–389	Diseases of the Nervous System and Sense Organs	19	9	–	3	25	37	34	2	3	–	28	5	52	11	10
320–322	Meningitis	3	–	–	–	–	2	2	–	–	–	5	–	5	2	1
323, 324, 326	Other inflammatory diseases of the central nervous system	–	–	–	–	–	1	4	–	–	–	1	–	2	–	1
325, 330–337, 340–389	Other diseases of the nervous system and sense organs	16	9	–	3	25	34	28	2	3	–	22	5	45	9	8

Table 7–12 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1979

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Santa Cruz	Shasta	Sierra	Siskiyou	Solano	Sonoma	Stanislaus	Sutter	Tehama	Trinity	Tulare	Tuolumne	Ventura	Yolo	Yuba
390–439	Diseases of the Circulatory System	784	403	18	190	658	1,222	990	184	180	47	926	119	1,387	351	198
390–398, 402, 404–429	Diseases of the heart	557	278	13	131	485	879	701	120	135	36	654	94	1,069	261	143
390–398	Rheumatic fever and rheumatic heart disease	6	5	–	1	6	13	8	2	1	–	7	2	16	4	–
402, 404	Hypertensive heart disease with or without renal disease	21	3	1	2	12	23	16	–	–	1	20	1	27	3	2
410–411	Acute ischaemic heart disease	203	130	5	66	223	361	273	57	47	17	265	45	316	82	75
412	Old myocardial infarction	2	–	–	–	1	4	–	–	–	–	–	–	1	–	1
413	Angina pectoris	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
414	Other forms of chronic ischaemic heart disease	220	82	5	34	155	322	236	40	56	12	269	20	302	130	36
424	Other diseases of endocardium	13	2	–	1	9	25	18	2	5	–	9	3	9	3	2
415–423, 425–429	All other forms of heart disease	91	55	2	27	79	131	150	19	25	6	84	23	398	39	27
401, 403	Hypertension with or without renal disease	7	2	1	2	3	14	9	–	1	–	11	1	13	2	–
430–438	Cerebrovascular disease	165	82	2	41	126	215	214	44	25	8	194	20	225	65	46
440	Atherosclerosis	19	30	–	7	16	62	36	13	11	1	41	1	42	9	5
441–448	Other diseases of arteries, arterioles and capillaries	24	9	1	7	22	44	26	7	7	1	22	3	32	13	3
451–459	Diseases of veins and lymphatics, and other diseases of circulatory system	12	2	1	2	6	8	4	–	1	1	4	–	6	1	1
460–519	Diseases of the Respiratory System	89	64	1	23	84	202	134	25	29	6	144	21	206	61	28
466	Acute bronchitis and bronchiolitis	–	–	–	–	–	–	2	–	–	–	–	–	3	–	–
487	Influenza	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–
480, 483	Viral pneumonia	–	–	–	–	–	3	–	2	1	–	–	–	–	–	–
481, 482	Bacterial pneumonia	4	1	–	2	2	7	4	1	1	–	4	–	2	1	–
484–486	Other and unspecified pneumonia	38	15	1	8	22	75	47	9	9	3	61	7	72	24	8
490	Bronchitis, unspecified	–	1	–	–	–	–	1	–	–	–	1	1	1	–	1
491	Chronic bronchitis	2	6	–	–	2	4	7	1	3	–	3	–	4	3	1
492	Emphysema	9	12	–	5	6	35	13	3	5	2	25	4	46	8	3
493	Asthma	1	1	–	–	4	2	4	–	–	–	4	1	2	2	1
494–496	Other chronic obstructive pulmonary disease and allied conditions	45	18	–	5	36	47	41	8	5	1	30	5	50	16	11
515	Postinflammatory pulmonary fibrosis	3	2	–	–	2	8	6	–	1	–	6	2	5	1	1
Remainder of 460–519	Other diseases of the respiratory system	7	7	–	2	10	19	9	1	4	–	10	1	21	6	2
520–579	Diseases of the Digestive System	67	47	2	16	88	131	100	21	19	5	68	13	146	40	21
531–533	Ulcer of stomach and duodenum	9	4	–	2	6	8	12	3	3	–	3	4	14	4	–
550–553, 560	Hernia of abdominal cavity and intestinal obstruction without mention of hernia	4	3	–	1	5	10	8	1	4	1	4	2	11	–	1
571	Chronic liver disease and cirrhosis	29	23	1	3	38	61	45	9	7	1	34	3	78	21	11
574–575	Cholelithiasis and other disorders of gallbladder	3	4	–	3	1	7	3	2	1	–	1	1	4	–	1
Remainder of 520–579	Other diseases of the digestive system	22	13	1	5	38	45	32	6	4	3	26	3	39	15	8
580–629	Diseases of the Genitourinary System	22	9	1	7	22	30	29	2	5	1	19	4	38	8	5
580	Acute glomerulonephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	Nephrotic syndrome	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
582–583, 587	Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	1	1	–	3	1	2	2	1	3	–	1	–	4	–	1
584–586, 588–589	Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	5	3	1	2	8	16	5	–	1	–	9	3	16	4	2
590	Infections of kidney	7	2	–	1	1	4	4	–	1	–	6	–	8	1	–
591, 593	Hydronephrosis and other disorders of kidney and ureter	2	2	–	–	–	1	4	–	–	–	1	–	–	1	–
600	Hyperplasia of prostate	2	–	–	1	1	–	2	–	–	–	–	–	–	1	–
Remainder of 580–629	Other diseases of the genitourinary system	5	1	–	–	11	7	11	1	–	1	2	1	9	1	2

Table 7–12 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1979

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Santa Cruz	Shasta	Sierra	Siskiyou	Solano	Sonoma	Stanislaus	Sutter	Tehama	Trinity	Tulare	Tuolumne	Ventura	Yolo	Yuba
630–676	Complications of Pregnancy, Childbirth and the Puerperium	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
740–759	Congenital Anomalies	13	10	–	2	16	17	18	4	2	–	14	2	36	2	2
760–779	Certain Conditions Originating in the Perinatal Period	10	5	1	4	22	17	21	–	1	–	25	4	27	7	4
680–709, 710–739	Diseases of the Skin, Subcutaneous Tissue, Musculoskeletal System and Connective Tissue	8	4	–	1	7	13	10	1	2	–	9	–	14	1	–
780–799	Symptoms, Signs and Ill-Defined Conditions	10	20	–	5	11	15	3	5	2	1	10	2	13	2	4
800–949	Accidents and Adverse Effects	90	92	1	26	103	155	168	37	29	7	176	26	184	63	34
810–819	Motor vehicle traffic accidents	46	55	–	7	32	105	93	24	16	5	112	17	115	30	17
820–825	Motor vehicle nontraffic accidents	1	1	–	–	2	2	1	–	–	–	4	2	7	–	3
800–807, 826–838, 840–848	Other transport accidents	6	4	–	7	3	6	4	1	1	–	7	3	12	3	2
850–858	Accidental poisoning by drugs, medicaments and biologicals	5	2	–	–	6	4	1	1	1	1	3	–	4	2	–
930–949	Drugs, medicaments and biological substances causing adverse effects in therapeutic use	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
860–869	Accidental poisoning by other solid and liquid substances, gases and vapors	–	1	–	–	1	1	1	–	–	–	2	–	–	1	–
870–876	Misadventures to patients during surgical and medical care	1	–	–	–	2	–	3	–	–	–	–	–	1	–	–
878–879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure	–	2	–	–	1	1	–	1	–	–	1	1	1	–	–
Remainder of 800–949	All other accidents and adverse effects	31	27	1	12	36	36	63	10	11	1	45	3	43	27	12
950–959	Suicide	30	22	–	7	37	45	35	4	8	4	19	7	71	23	11
960–969	Homicide	11	4	–	3	23	17	30	6	–	2	27	1	53	6	5
970–978	Legal Intervention	–	–	–	–	1	1	1	–	–	–	–	–	–	1	–
980–989	Injury Undetermined Whether Accidentally or Purposely Inflicted	2	2	–	–	2	7	3	–	–	–	–	–	6	1	–
990–999	Injury Resulting from Operations of War	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–

[a] Twenty-two male deaths were assigned Ninth Revision International List Number 174.

[b] Sex-specific rates. Estimates for male and female population of California, July 1, 1979 were 11,484,435 and 11,510,565, respectively.

[c] Per 10,000 live births. The number of live births in California for 1979 was 379,187.

[d] Per 1,000 live births.

[e] Less than 0.05.

Note: Rates are per 100,000 estimated midyear population. The July 1, 1979 estimated population for California was 23,206,000.

Source: State of California, Department of Health Services, Death Records.
State of California, Department of Finance, Population Research Unit, Interim State and County Estimates, Adjusted to 1980 Census, March 1981.

Table 7–13

DEATHS FROM SELECTED EXTERNAL CAUSES OF INJURY AND POISONING CALIFORNIA COUNTIES, 1980

(By place of occurrence)

COUNTY	ACCIDENTAL DEATHS (800—869, 880—929)	TRANSPORT ACCIDENTS			NONTRANSPORT ACCIDENTS						
						Poisoning by					
		Total (800—848)	Motor Vehicle (810—825)	Other (800—807, 826—848)	Total (850—869, 880—928)	Solids and Liquids (850—866)	Gases and Vapors (867—869)	Falls (880—888)	Fire and Flames (890—899)	Drowning (910)	Other (900—909, 911—928)
California	10,538	6,338	5,893	445	4,076	710	60	1,203	339	698	1,066
Alameda	369	172	160	12	193	15	—	86	18	17	57
Alpine	1	1	—	1	—	—	—	—	—	—	—
Amador	21	16	15	1	5	—	—	—	—	4	1
Butte	94	68	65	3	26	1	1	9	3	5	7
Calaveras	22	12	8	4	10	2	—	1	—	4	3
Colusa	14	7	7	—	7	—	—	3	—	—	4
Contra Costa	194	115	104	11	78	14	4	25	9	4	22
Del Norte	22	13	8	5	9	1	—	2	—	2	4
El Dorado	58	41	26	15	17	4	—	2	2	3	6
Fresno	364	241	234	7	119	23	7	28	15	20	26
Glenn	10	6	6	—	4	1	—	1	1	—	1
Humboldt	89	66	55	11	23	4	—	5	3	3	8
Imperial	127	73	67	6	53	6	—	2	—	23	22
Inyo	29	22	14	8	7	1	1	1	—	1	3
Kern	341	245	211	34	90	6	1	19	7	21	36
Kings	48	27	27	—	21	2	—	2	—	4	13
Lake	36	25	23	2	11	2	—	—	—	6	3
Lassen	19	11	10	1	8	2	—	—	2	—	4
Los Angeles	2,672	1,449	1,404	45	1,173	286	17	317	108	181	264
Madera	36	23	21	2	13	1	—	3	—	6	3
Marin	65	40	37	3	23	2	—	8	1	5	7
Mariposa	27	8	7	1	19	—	—	7	—	6	6
Mendocino	77	56	46	10	21	2	—	6	—	10	3
Merced	77	54	52	2	23	3	—	2	—	10	8
Modoc	10	8	8	—	2	—	—	—	1	—	1
Mono	17	16	15	1	1	—	—	1	—	—	—
Monterey	162	104	96	8	58	12	2	20	3	6	15
Napa	66	47	37	10	19	3	—	6	3	1	6
Nevada	52	42	38	4	10	1	1	3	1	1	3
Orange	612	339	325	14	262	70	5	91	8	48	40
Placer	67	40	33	7	27	6	2	5	2	6	6
Plumas	30	19	18	1	11	1	—	—	1	4	5
Riverside	426	290	268	22	136	12	—	34	6	25	59
Sacramento	325	203	192	11	113	15	2	33	14	20	29
San Benito	8	5	5	—	3	—	—	—	—	—	3
San Bernardino	602	450	418	32	151	14	3	49	21	22	42
San Diego	853	479	450	29	360	89	6	93	29	59	84
San Francisco	330	102	96	6	220	39	3	85	24	14	55
San Joaquin	221	141	126	15	80	4	2	18	13	16	27
San Luis Obispo	91	64	54	10	27	6	1	3	3	8	6
San Mateo	161	84	75	9	77	12	—	44	3	3	15
Santa Barbara	122	84	67	17	38	8	—	13	1	6	10
Santa Clara	369	246	239	7	119	9	—	50	9	25	26
Santa Cruz	90	47	45	2	43	3	2	13	—	13	12
Shasta	88	59	53	6	28	2	—	6	1	7	12
Sierra	4	4	3	1	—	—	—	—	—	—	—
Siskiyou	39	28	23	5	11	1	—	1	2	2	5
Solano	81	52	45	7	27	1	—	6	7	6	7
Sonoma	192	145	133	12	47	4	—	19	4	9	11
Stanislaus	181	106	102	4	73	5	—	29	2	14	23
Sutter	17	12	10	2	5	1	—	—	—	3	1
Tehama	31	24	23	1	7	—	—	1	3	—	3
Trinity	19	13	12	1	6	—	—	1	1	4	—
Tulare	156	95	92	3	59	4	—	16	4	15	20
Tuolumne	39	24	21	3	15	—	—	5	1	6	3
Ventura	182	128	121	7	54	4	—	19	1	12	18
Yolo	61	33	29	4	28	6	—	10	—	4	8
Yuba	20	14	14	—	6	—	—	—	2	4	—

Table 7—13 (Continued)

DEATHS FROM SELECTED EXTERNAL CAUSES OF INJURY AND POISONING CALIFORNIA COUNTIES, 1980

(By place of occurrence)

COUNTY	LATE EFFECTS OF ACCIDENTAL INJURY (929)	MEDICAL				SUICIDE (950—959)	HOMICIDE (960—969)	LEGAL INTERVENTION (970—978)	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (980—989)	INJURY RESULTING FROM OPERATIONS OF WAR (990—999)
		Total (870—879, 930—949)	Misadventures: Surgical and Medical (870—876)	Adverse Patient Reaction						
				Surgical and Medical (878—879)	Drugs, Medicaments, and Biological Substances (930—949)					
California	124	235	64	146	25	3,447	3,473	26	363	6
Alameda	4	25	6	16	3	179	126	—	61	—
Alpine	—	—	—	—	—	1	1	—	—	—
Amador	—	1	1	—	—	1	1	—	—	—
Butte	—	1	—	1	—	14	7	—	—	—
Calaveras	—	—	—	—	—	7	—	—	—	—
Colusa	—	—	—	—	—	3	1	—	—	—
Contra Costa	1	11	3	8	—	65	49	—	3	—
Del Norte	—	1	—	1	—	1	2	—	—	—
El Dorado	—	1	—	1	—	15	8	—	1	—
Fresno	4	5	2	3	—	48	110	—	6	—
Glenn	—	—	—	—	—	2	2	—	—	—
Humboldt	—	—	—	—	—	15	11	1	3	—
Imperial	1	3	2	—	1	10	20	—	—	—
Inyo	—	—	—	—	—	6	2	1	—	—
Kern	6	5	—	5	—	62	90	—	3	—
Kings	—	—	—	—	—	11	6	—	—	—
Lake	—	—	—	—		8	3	—	2	—
Lassen	—	—	—	—	—	6	1	—	—	—
Los Angeles	50	60	19	37	4	1,060	1,785	2	43	5
Madera	—	—	—	—	—	13	11	—	—	—
Marin	2	2	1	1	—	49	19	—	4	—
Mariposa	—	—	—	—	—	2	2	—	—	—
Mendocino	—	—	—	—	—	13	8	—	1	—
Merced	—	1	1	—	—	14	13	—	1	—
Modoc	—	—	—	—	—	1	1	—	—	—
Mono	—	—	—	—	—	1	4	—	—	—
Monterey	—	1	—	1	—	32	25	2	—	—
Napa	—	4	—	2	2	7	9	—	2	—
Nevada	—	—	—	—	—	7	2	—	1	—
Orange	11	6	2	1	3	217	117	3	4	—
Placer	—	1	—	1	—	25	9	—	1	—
Plumas	—	—	—	—	—	2	2	—	—	—
Riverside	2	2	—	2	—	116	100	3	—	—
Sacramento	9	10	1	9	—	133	86	—	28	—
San Benito	—	—	—	—	—	—	2	—	—	—
San Bernardino	1	10	2	6	2	119	140	1	44	—
San Diego	14	26	9	15	2	298	181	5	25	—
San Francisco	8	28	5	20	3	191	123	—	32	—
San Joaquin	—	5	2	2	1	43	43	—	26	—
San Luis Obispo	—	—	—	—	—	34	13	—	1	—
San Mateo	—	2	1	—	1	72	28	—	10	—
Santa Barbara	—	—	—	—	—	48	20	—	—	—
Santa Clara	4	7	4	2	1	167	104	4	15	—
Santa Cruz	—	—	—	—	—	34	15	1	5	—
Shasta	1	1	—	1	—	20	6	1	2	—
Sierra	—	—	—	—	—	2	—	—	—	—
Siskiyou	—	2	—	2	—	3	3	—	1	—
Solano	2	1	1	—	—	39	16	—	2	—
Sonoma	—	6	—	5	1	55	17	—	3	—
Stanislaus	2	2	1	1	—	31	26	1	3	1
Sutter	—	—	—	—	—	6	3	—	—	—
Tehama	—	—	—	—	—	6	5	—	1	—
Trinity	—	—	—	—	—	2	1	—	—	—
Tulare	2	—	—	—	—	30	36	—	2	—
Tuolumne	—	—	—	—	—	5	2	—	—	—
Ventura	—	4	1	2	1	52	39	—	7	—
Yolo	—	1	—	1	—	15	7	—	—	—
Yuba	—	—	—	—	—	9	10	1	—	—

Note: Numbers in parentheses appearing in column headings are Ninth Revision International Classification of Diseases Numbers.

Source: State of California, Department of Health Services, Death Records.

Table 7—14

DEATHS FROM SELECTED EXTERNAL CAUSES OF INJURY AND POISONING CALIFORNIA COUNTIES, 1979

(By place of occurrence)

COUNTY	ACCIDENTAL DEATHS (800—869, 880—929)	TRANSPORT ACCIDENTS			NONTRANSPORT ACCIDENTS						
						Poisoning by					
		Total (800—848)	Motor Vehicle (810—825)	Other (800—807, 826—848)	Total (850—869, 880—928)	Solids and Liquids (850—866)	Gases and Vapors (867—869)	Falls (880—888)	Fire and Flames (890—899)	Drowning (910)	Other (900—909, 911—928)
California	10,444	6,396	5,962	434	3,923	703	66	1,049	380	664	1,061
Alameda	401	195	185	10	200	18	5	93	19	19	46
Alpine	1	1	1	—	—	—	—	—	—	—	—
Amador	27	20	17	3	7	—	—	3	—	1	3
Butte	97	63	57	6	33	2	—	16	2	5	8
Calaveras	26	21	19	2	5	—	—	—	—	4	1
Colusa	8	3	3	—	5	—	—	—	—	2	3
Contra Costa	167	88	86	2	78	13	2	20	5	10	28
Del Norte	16	9	8	1	7	—	—	—	2	—	5
El Dorado	65	45	44	1	19	1	2	2	1	8	5
Fresno	340	233	229	4	105	12	2	23	20	20	28
Glenn	10	7	5	2	3	—	—	—	—	1	2
Humboldt	82	59	54	5	21	2	—	4	—	6	9
Imperial	116	67	57	10	47	3	—	3	—	26	15
Inyo	42	30	26	4	12	—	—	5	—	2	5
Kern	313	226	198	28	84	9	2	23	5	24	21
Kings	39	32	31	1	6	2	—	—	2	—	2
Lake	24	14	13	1	10	2	—	1	—	5	2
Lassen	18	14	13	1	4	—	—	—	2	—	2
Los Angeles	2,723	1,507	1,456	51	1,164	280	23	276	134	181	270
Madera	44	32	32	—	12	1	—	2	—	3	6
Marin	59	35	35	—	24	2	1	10	3	4	4
Mariposa	27	15	13	2	12	—	—	8	—	4	—
Mendocino	56	41	32	9	15	2	1	5	—	4	3
Merced	73	56	49	7	17	2	—	1	1	5	8
Modoc	13	10	7	3	3	—	—	—	1	—	2
Mono	20	16	11	5	4	—	—	—	1	2	1
Monterey	180	110	106	4	68	12	—	20	2	12	22
Napa	57	42	37	5	15	—	1	3	1	3	7
Nevada	49	32	29	3	17	1	2	2	2	5	5
Orange	591	332	321	11	251	58	1	70	25	34	63
Placer	53	39	35	4	14	3	—	2	—	3	6
Plumas	11	10	9	1	1	—	—	—	—	1	—
Riverside	400	264	235	29	133	18	3	31	9	26	46
Sacramento	369	250	232	18	114	14	—	32	15	23	30
San Benito	23	16	15	1	7	1	—	—	—	2	4
San Bernardino	554	402	358	44	152	22	5	42	18	20	45
San Diego	795	488	447	41	297	77	4	77	26	38	75
San Francisco	320	103	92	11	216	72	4	63	19	7	51
San Joaquin	224	151	145	6	73	9	1	14	11	20	18
San Luis Obispo	92	57	46	11	32	5	—	9	7	5	6
San Mateo	180	103	97	6	75	16	—	34	1	3	21
Santa Barbara	127	82	79	3	43	6	—	18	3	4	12
Santa Clara	406	272	258	14	126	7	4	41	17	22	35
Santa Cruz	81	48	45	3	30	4	—	6	2	8	10
Shasta	104	73	57	16	31	2	—	7	1	11	10
Sierra	4	2	2	—	2	—	—	—	—	—	2
Siskiyou	31	18	14	4	13	—	—	2	—	2	9
Solano	105	64	57	7	40	6	—	13	2	9	10
Sonoma	164	115	108	7	46	4	1	11	7	8	15
Stanislaus	176	113	108	5	62	2	—	23	3	14	20
Sutter	23	17	17	—	6	—	—	1	1	2	2
Tehama	32	21	21	—	10	—	—	2	2	2	4
Trinity	22	19	14	5	3	2	—	1	—	—	—
Tulare	163	103	99	4	60	5	1	12	2	17	23
Tuolumne	36	29	25	4	7	—	—	—	—	2	5
Ventura	169	123	117	6	46	4	—	12	1	12	17
Yolo	58	35	33	2	22	1	1	5	2	7	6
Yuba	38	24	23	1	14	1	—	1	3	6	3

Table 7—14 (Continued)

DEATHS FROM SELECTED EXTERNAL CAUSES OF INJURY AND POISONING CALIFORNIA COUNTIES, 1979

(By place of occurrence)

COUNTY	LATE EFFECTS OF ACCIDENTAL INJURY (929)	MEDICAL				SUICIDE (950—959)	HOMICIDE (960—969)	LEGAL INTERVENTION (970—978)	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (980—989)	INJURY RESULTING FROM OPERATIONS OF WAR (990—999)
				Adverse Patient Reaction						
		Total (870—879, 930—949)	Misadventures: Surgical and Medical (870—876)	Surgical and Medical (878—879)	Drugs, Medicaments, and Biological Substances (930—949)					
California	125	183	43	123	17	3,554	3,005	35	403	3
Alameda	6	9	1	7	1	144	112	—	59	—
Alpine	—	—	—	—	—	—	—	—	—	—
Amador	—	—	—	—	—	—	1	—	—	—
Butte	1	1	1	—	—	25	11	—	—	—
Calaveras	—	—	—	—	—	5	3	—	—	—
Colusa	—	1	—	1	—	4	2	—	—	—
Contra Costa	1	2	—	2	—	104	56	1	—	—
Del Norte	—	—	—	—	—	1	—	—	1	—
El Dorado	1	—	—	—	—	12	4	—	—	—
Fresno	2	7	2	5	—	76	87	—	4	—
Glenn	—	—	—	—	—	6	4	—	—	—
Humboldt	2	2	—	2	—	19	7	—	2	—
Imperial	2	2	1	—	1	7	17	—	1	—
Inyo	—	—	—	—	—	10	—	—	2	—
Kern	3	11	1	9	1	56	68	—	2	—
Kings	1	—	—	—	—	9	8	—	1	—
Lake	—	—	—	—	—	11	4	—	1	—
Lassen	—	1	—	1	—	—	3	—	1	—
Los Angeles	52	44	11	29	4	1,075	1,489	1	75	—
Madera	—	1	—	1	—	1	8	1	—	—
Marin	—	2	—	2	—	40	11	—	10	—
Mariposa	—	—	—	—	—	—	—	—	—	—
Mendocino	—	1	—	1	—	10	5	—	—	—
Merced	—	—	—	—	—	22	5	—	—	—
Modoc	—	—	—	—	—	2	1	—	—	—
Mono	—	—	—	—	—	3	—	—	—	—
Monterey	2	3	1	2	—	45	38	—	—	—
Napa	—	2	—	2	—	14	3	—	5	—
Nevada	—	—	—	—	—	19	4	—	3	—
Orange	8	6	4	1	1	251	94	2	8	1
Placer	—	1	—	1	—	20	5	—	—	—
Plumas	—	—	—	—	—	7	—	—	—	—
Riverside	3	5	—	4	1	105	84	2	1	—
Sacramento	5	4	1	3	—	116	82	1	31	—
San Benito	—	—	—	—	—	2	8	—	—	—
San Bernardino	—	9	2	7	—	113	122	4	41	—
San Diego	10	16	1	13	2	273	154	9	38	—
San Francisco	1	19	5	11	3	230	115	3	33	—
San Joaquin	—	2	1	1	—	61	34	—	36	—
San Luis Obispo	3	1	—	1	—	25	16	—	—	—
San Mateo	2	2	—	1	1	77	40	1	13	—
Santa Barbara	2	2	—	2	—	49	25	1	—	—
Santa Clara	8	8	4	4	—	175	78	5	11	—
Santa Cruz	3	1	1	—	—	32	14	—	3	1
Shasta	—	2	—	2	—	25	3	—	4	—
Sierra	—	—	—	—	—	—	1	—	—	—
Siskiyou	—	—	—	—	—	6	4	—	—	—
Solano	1	6	2	4	—	43	19	1	2	—
Sonoma	3	—	—	—	—	51	19	1	6	—
Stanislaus	1	4	2	1	—	33	33	1	2	—
Sutter	—	—	—	—	—	4	5	—	—	—
Tehama	1	—	—	—	—	5	1	—	—	—
Trinity	—	—	—	—	—	5	—	—	—	—
Tulare	—	1	—	1	—	18	24	1	—	—
Tuolumne	—	1	—	1	—	4	4	—	—	—
Ventura	—	4	1	1	2	71	58	—	6	—
Yolo	1	—	—	—	—	23	7	—	1	1
Yuba	—	—	—	—	—	10	5	—	—	—

Note: Numbers in parentheses appearing in column headings are Ninth Revision International Classification of Diseases Numbers.

Source: State of California, Department of Health Services, Death Records.

Table 7—15

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
1-999	ALL CAUSES		186,428	4,451	819	475	540	2,255	3,190	3,082	2,889	2,769	3,379	4,887	7,770	11,953	15,220	19,481	22,127	23,368	23,013	19,466	11,065	3,455	627	147
		M	99,695	2,503	512	280	330	1,675	2,486	2,289	2,055	1,806	2,097	3,096	4,795	7,414	9,315	11,720	12,583	12,315	10,259	7,394	3,543	970	155	103
		F	86,733	1,948	307	195	210	580	704	793	834	963	1,282	1,791	2,975	4,539	5,905	7,761	9,544	11,053	12,754	12,072	7,522	2,485	472	44
1-139	TOTAL, INFECTIOUS AND PARASITIC DISEASES		1,326	86	22	13	10	20	23	25	23	41	29	40	72	100	104	112	147	156	129	99	55	17	2	1
		M	684	47	17	8	4	9	15	10	9	23	17	22	43	51	53	67	84	73	62	38	21	10	-	1
		F	642	39	5	5	6	11	8	15	14	18	12	18	29	49	51	45	63	83	67	61	34	7	2	-
1-0	INTESTINAL INFECTIOUS DISEASES		74	24	1	2	-	1	1	1	-	-	-	2	2	3	8	4	6	5	5	5	2	2	-	-
		M	33	12	1	-	-	-	1	-	-	-	-	1	2	-	3	3	3	3	2	-	1	1	-	-
		F	41	12	-	2	-	1	-	1	-	-	-	1	-	3	5	1	3	2	3	5	1	1	-	-
3	OTHER SALMONELLA INFECTIONS																									
3.0	SALMONELLA GASTROENTERITIS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
3.1	SALMONELLA SEPTICAEMIA		6	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-
		M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4	SHIGELLOSIS																									
4.1	SHIGELLA FLEXNERI		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4.3	SHIGELLA SONNEI		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4.9	UNSPECIFIED		2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	OTHER FOOD POISONING (BACTERIAL)																									
5.1	BOTULISM		2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
6	AMOEBIASIS																									
6.3	AMOEBIC LIVER ABSCESS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
6.8	AMOEBIC INFECTION OF OTHER SITES		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
6.9	AMOEBIASIS, UNSPECIFIED		4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
		F	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
7	OTHER PROTOZOAL INTESTINAL DISEASES																									
7.1	GIARDIASIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
8	INTESTINAL INFECTIONS DUE TO OTHER ORGANISMS																									
8.0	ESCHERICHIA COLI		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
8.4	OTHER SPECIFIED BACTERIA		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
8.8	OTHER ORGANISM, NOT ELSEWHERE CLASSIFIED		22	4	1	-	-	-	1	1	-	-	-	-	-	-	2	2	3	1	2	3	1	1	-	-
		M	9	3	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-
		F	13	1	-	-	-	-	-	1	-	-	-	-	-	-	2	1	2	1	1	3	1	-	-	-
9	ILL-DEFINED INTESTINAL INFECTIONS																									
9.0	INFECTIOUS COLITIS, ENTERITIS AND GASTROENTERITIS		24	16	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	-	2	-	-	-	-
		M	10	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-
		F	14	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-
9.2	INFECTIOUS DIARRHOEA		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-18	TUBERCULOSIS		169	-	-	-	-	-	-	1	2	3	6	4	14	16	13	26	20	24	19	9	10	1	-	1
		M	105	-	-	-	-	-	-	-	-	1	6	3	9	12	8	21	12	11	8	6	6	1	-	1
		F	64	-	-	-	-	-	-	1	2	2	-	1	5	4	5	5	8	13	11	3	4	-	-	-
11	PULMONARY TUBERCULOSIS																									
11.2	TUBERCULOSIS OF LUNG WITH CAVITATION		4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
11.3	TUBERCULOSIS OF BRONCHUS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
11.4	TUBERCULOUS FIBROSIS OF LUNG		7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	2	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-
11.5	TUBERCULOUS BRONCHIECTASIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
11.6	TUBERCULOUS PNEUMONIA (ANY FORM)		21	-	-	-	-	-	-	-	-	1	1	1	1	2	-	2	3	3	2	1	4	-	-	-
		M	15	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	1	2	2	1	2	-	-	-
		F	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	2	-	-	-
11.9	UNSPECIFIED		94	-	-	-	-	-	-	-	1	1	4	1	10	10	6	16	9	15	11	5	3	1	-	1
		M	61	-	-	-	-	-	-	-	-	1	4	1	7	7	4	13	4	8	4	3	3	1	-	1
		F	33	-	-	-	-	-	-	-	1	-	-	-	3	3	2	3	5	7	7	2	-	-	-	-
12	OTHER RESPIRATORY TUBERCULOSIS																									
12.0	TUBERCULOUS PLEURISY		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
13	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM																									
13.0	TUBERCULOUS MENINGITIS		2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
14	TUBERCULOSIS OF INTESTINES, PERITONEUM AND MESENTERIC GLANDS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
15	TUBERCULOSIS OF BONES AND JOINTS																									
15.0	VERTEBRAL COLUMN		6	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-
16	TUBERCULOSIS OF GENITOURINARY SYSTEM																									
16.0	KIDNEY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
17	TUBERCULOSIS OF OTHER ORGANS																									
17.0	SKIN AND SUBCUTANEOUS CELLULAR TISSUE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
17.6	ADRENAL GLANDS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17.7	SPLEEN		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
17.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
18	MILIARY TUBERCULOSIS																									
18.9	UNSPECIFIED		23	-	-	-	-	-	-	-	1	1	1	1	2	-	1	5	3	-	5	2	1	-	-	-
		M	15	-	-	-	-	-	-	-	-	-	1	1	1	-	1	4	2	-	2	2	1	-	-	-
		F	8	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	-	3	-	-	-	-	-
20-27	ZOONOTIC BACTERIAL DISEASES		21	1	-	-	-	-	-	-	-	-	-	1	1	3	4	4	3	4	-	-	-	-	-	-
		M	12	1	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	2	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	2	-	-	-	-	-	-
20	PLAGUE																									
20.5	PNEUMONIC, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
21	TULARAEMIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
27	OTHER ZOONOTIC BACTERIAL DISEASES																									
27.0	LISTERIOSIS		18	1	-	-	-	-	-	-	-	-	-	-	1	2	4	4	2	4	-	-	-	-	-	-
		M	11	1	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	2	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	-	-	-	-	-
27.2	PASTEURELLOSIS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
30-41	OTHER BACTERIAL DISEASES		575	29	11	4	5	6	8	5	4	11	8	10	28	37	39	43	63	81	76	60	33	13	1	-
		M	289	18	7	2	2	3	5	2	2	6	3	5	16	19	23	25	36	39	38	22	9	7	-	-
		F	286	11	4	2	3	3	3	3	2	5	5	5	12	18	16	18	27	42	38	38	24	6	1	-
31	DISEASES DUE TO OTHER MYCOBACTERIA																									
31.0	PULMONARY		6	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	-	-	-	-	-
		M	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
31.9	UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	[illegible]	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	[illegible]	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
32	DIPHTHERIA																									
32.3	LARYNGEAL DIPHTHERIA		2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	WHOOPING COUGH																									
33.9	WHOOPING COUGH, UNSPECIFIED ORGANISM		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	STREPTOCOCCAL SORE THROAT AND SCARLATINA																									
34.0	STREPTOCOCCAL SORE THROAT		2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36.0	MENINGOCOCCAL MENINGITIS		12	2	-	1	-	1	1	2	-	-	-	1	2	-	-	-	-	-	2	-	-	-	-	-
		M	6	2	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	1	-	-	-	1	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
36.2	MENINGOCOCCAEMIA		13	3	1	2	-	-	-	-	1	-	-	-	-	1	2	1	-	-	1	1	-	-	-	-
		M	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		F	7	-	1	1	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-
36.3	WATERHOUSE-FRIDERICHSEN SYNDROME, MENINGOCOCCAL		2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
37	TETANUS		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
38	SEPTICAEMIA																									
38.0	STREPTOCOCCAL SEPTICAEMIA		11	2	-	-	-	-	1	-	-	1	-	-	1	1	-	3	-	1	-	-	-	1	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	9	1	-	-	-	-	1	-	-	1	-	-	-	1	-	3	-	1	-	-	-	1	-	-
38.1	STAPHYLOCOCCAL SEPTICAEMIA		41	4	-	-	1	1	-	-	-	2	-	2	2	7	3	1	3	4	7	3	1	-	-	-
		M	25	3	-	-	1	1	-	-	-	1	-	-	2	5	2	1	1	3	2	2	1	-	-	-
		F	16	1	-	-	-	-	-	-	-	1	-	2	-	2	1	-	2	1	5	1	-	-	-	-
38.2	PNEUMOCOCCAL SEPTICAEMIA		6	1	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
		M	4	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
38.4	SEPTICAEMIA DUE TO OTHER GRAM-NEGATIVE ORGANISMS		81	4	-	-	1	-	2	-	-	1	-	1	5	5	6	5	12	15	14	8	2	-	-	-
		M	39	1	-	-	-	-	1	-	-	1	-	-	2	2	4	5	7	6	7	2	1	-	-	-
		F	42	3	-	-	1	-	1	-	-	-	-	1	3	3	2	-	5	9	7	6	1	-	-	-
38.8	OTHER SPECIFIED SEPTICAEMIAS		15	-	1	-	-	-	1	1	1	-	-	-	1	2	1	1	2	2	1	1	-	-	-	-
		M	6	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-
		F	9	-	1	-	-	-	-	1	-	-	-	-	1	2	1	1	-	1	-	1	-	-	-	-
38.9	UNSPECIFIED SEPTICAEMIA		350	12	3	1	2	2	3	2	2	6	6	6	14	18	24	28	41	50	44	46	29	10	1	-
		M	182	7	3	1	-	1	2	1	1	3	3	4	9	11	16	17	23	26	23	18	7	6	-	-
		F	168	5	-	-	2	1	1	1	1	3	3	2	5	7	8	11	18	24	21	28	22	4	1	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
39	ACTINOMYCOTIC INFECTIONS																									
39.1	PULMONARY		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
39.9	OF UNSPECIFIED SITE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
40	OTHER BACTERIAL DISEASES																									
40.0	GAS GANGRENE		5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	1	-	-
40.8	OTHER BACTERIAL DISEASES		3	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
41	BACTERIAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE																									
41.1	STAPHYLOCOCCUS		4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
41.5	HAEMOPHILUS INFLUENZAE (H. INFLUENZAE)		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
41.6	PROTEUS (MIRABILIS) (MORGANII)		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
41.7	PSEUDOMONAS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
41.8	OTHER		3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
41.9	BACTERIAL INFECTION, UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
45-49	POLIOMYELITIS AND OTHER NON-ARTHROPOD-BORNE VIRAL DISEASES OF CENTRAL NERVOUS SYSTEM		37	1	2	2	-	1	-	3	1	2	-	2	2	4	4	4	4	2	2	1	-	-	-	-
		M	22	1	1	2	-	-	-	1	1	1	-	1	2	1	4	2	2	2	1	-	-	-	-	-
		F	15	-	1	-	-	1	-	2	-	1	-	1	-	3	-	2	2	-	1	1	-	-	-	-
46	SLOW VIRUS INFECTION OF CENTRAL NERVOUS SYSTEM																									
46.1	JAKOB-CREUTZFELDT DIEASE		12	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	3	1	1	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	-	-	-	-	-
46.3	PROGRESSIVE MULTIFOCAL LEUCOENCEPHALOPATHY		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
47	MENINGITIS DUE TO ENTEROVIRUS																									
47.9	UNSPECIFIED		3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
48	OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM		3	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
49	OTHER NON-ARTHROPOD-BORNE VIRAL DISEASES OF CENTRAL NERVOUS SYSTEM																									
49.0	LYMPHOCYTIC CHORIOMENINGITIS		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49.8	OTHER		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49.9	UNSPECIFIED		16	-	2	-	-	1	-	3	-	2	-	1	-	1	1	2	-	1	1	1	-	-	-	-
		M	8	-	1	-	-	-	-	1	-	1	-	1	-	-	1	1	-	1	1	-	-	-	-	-
		F	8	-	1	-	-	1	-	2	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-
50-57	VIRAL DISEASES ACCOMPANIED BY EXANTHEM		43	3	2	1	2	3	1	2	1	-	-	2	3	4	4	4	2	5	4	-	-	-	-	-
		M	16	1	2	-	1	1	-	1	-	-	-	1	1	1	1	3	1	2	-	-	-	-	-	-
		F	27	2	-	1	1	2	1	1	1	-	-	1	2	3	3	1	1	3	4	-	-	-	-	-
52	CHICKENPOX		3	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	HERPES ZOSTER																									
53.1	WITH OTHER NERVOUS SYSTEM COMPLICATIONS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
53.9	HERPES ZOSTER WITHOUT MENTION OF COMPLICATION		17	-	-	-	-	1	-	-	-	-	-	2	1	-	4	-	2	3	4	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-
		F	12	-	-	-	-	1	-	-	-	-	-	1	-	-	3	-	1	2	4	-	-	-	-	-
54	HERPES SIMPLEX																									
54.3	HERPETIC MENINGOENCEPHALITIS		13	1	-	1	1	2	1	-	-	-	-	-	1	2	-	3	-	1	-	-	-	-	-	-
		M	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
		F	9	1	-	1	1	1	1	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-
54.5	HERPETIC SEPTICAEMIA		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54.9	HERPES SIMPLEX WITHOUT MENTION OF COMPLICATION		4	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
55	MEASLES																									
55.0	POSTMEASLES ENCEPHALITIS		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55.1	POSTMEASLES PNEUMONIA		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	RUBELLA																									
56.0	WITH NEUROLOGICAL COMPLICATIONS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-79	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE		183	14	5	3	1	5	7	2	8	12	6	12	7	15	17	5	16	16	11	12	8	1	-	-
		M	92	6	5	3	1	4	5	2	3	8	2	8	4	8	6	1	6	6	5	4	4	1	-	-
		F	91	8	-	-	-	1	2	-	5	4	4	4	3	7	11	4	10	10	6	8	4	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
70	VIRAL HEPATITIS																									
70.1	VIRAL HEPATITIS A WITHOUT MENTION OF		17	-	1	-	-	1	-	-	1	1	2	-	1	-	2	1	3	1	1	2	-	-	-	-
	HEPATIC COMA	M	9	-	1	-	-	1	-	-	1	1	1	-	-	-	1	-	1	1	-	1	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	-	1	1	-	-	-	-
70.2	VIRAL HEPATITIS B WITH HEPATIC COMA		3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
70.3	VIRAL HEPATITIS B WITHOUT MENTION OF		47	1	-	2	-	-	4	1	1	6	1	6	2	6	4	1	5	2	1	3	1	-	-	-
	HEPATIC COMA	M	27	-	-	2	-	-	2	1	-	4	-	4	1	4	2	1	2	1	1	1	1	-	-	-
		F	20	1	-	-	-	-	2	-	1	2	1	2	1	2	2	-	3	1	-	2	-	-	-	-
70.5	OTHER SPECIFIED VIRAL HEPATITIS WITHOUT		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MENTION OF HEPATIC COMA	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70.6	UNSPECIFIED VIRAL HEPATITIS WITH HEPATIC COMA		6	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
70.9	UNSPECIFIED VIRAL HEPATITIS WITHOUT MENTION		56	5	-	1	1	2	2	1	3	5	2	6	3	3	9	2	1	5	3	2	-	-	-	-
	OF HEPATIC COMA	M	27	2	-	1	1	1	2	1	1	3	1	4	2	1	3	-	-	1	3	-	-	-	-	-
		F	29	3	-	-	-	1	-	-	2	2	1	2	1	2	6	2	1	4	-	2	-	-	-	-
74	SPECIFIC DISEASES DUE TO COXSACKIE VIRUS																									
74.2	COXSACKIE CARDITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
75	INFECTIOUS MONONUCLEOSIS		2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE																									
78.5	CYTOMEGALIC INCLUSION DISEASE		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78.8	OTHER		6	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
79	VIRAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE																									
79.3	RHINOVIRUS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
79.8	OTHER		3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
79.9	UNSPECIFIED		38	1	3	-	-	1	-	-	2	-	-	-	-	3	-	1	5	6	4	5	6	1	-	-
		M	18	1	3	-	-	1	-	-	-	-	-	-	-	1	-	-	2	3	1	2	3	1	-	-
		F	20	-	-	-	-	-	-	-	2	-	-	-	-	2	-	1	3	3	3	3	3	-	-	-
80-88	RICKETTSIOSES AND OTHER ARTHROPOD-BORNE DISEASES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
87	RELAPSING FEVER																									
87.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
90-99	SYPHILIS AND OTHER VENEREAL DISEASES		12	-	-	-	-	-	-	-	-	1	-	1	-	-	1	3	1	1	3	1	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	3	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
90	CONGENITAL SYPHILIS																									
90.5	OTHER LATE CONGENITAL SYPHILIS, SYMPTOMATIC		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
93	CARDIOVASCULAR SYPHILIS																									
93.1	SYPHILITIC AORTITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
93.2	SYPHILITIC ENDOCARDITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
93.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
94	NEUROSYPHILIS																									
94.0	TABES DORSALIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
94.2	SYPHILITIC MENINGITIS		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
94.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
99	OTHER VENEREAL DISEASES																									
99.3	REITER'S DISEASE		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-118	MYCOSES		92	5	1	1	-	2	3	4	4	5	4	3	9	9	6	11	11	8	3	2	-	-	1	-
		M	56	1	1	1	-	-	1	3	2	3	3	2	5	6	3	6	10	4	3	2	-	-	-	-
		F	36	4	-	-	-	2	2	1	2	2	1	1	4	3	3	5	1	4	-	-	-	-	1	-
112	CANDIDIASIS																									
112.4	OF LUNG		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
112.5	OF DISSEMINATED		3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112.8	OF OTHER SITES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
112.9	OF UNSPECIFIED SITE		21	3	1	-	-	-	-	-	2	-	-	-	1	1	2	1	4	3	1	1	-	-	1	-
		M	12	-	1	-	-	-	-	-	1	-	-	-	-	-	1	1	4	2	1	1	-	-	-	-
		F	9	3	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	1	-	-	-	-	1	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
114	COCCIDIOIDOMYCOSIS		24	-	-	-	-	1	-	3	-	4	3	-	3	1	2	2	1	3	1	-	-	-	-	-
		M	13	-	-	-	-	-	-	3	-	2	2	-	1	1	1	1	-	1	1	-	-	-	-	-
		F	11	-	-	-	-	1	-	-	-	2	1	-	2	-	1	1	1	2	-	-	-	-	-	-
115	HISTOPLASMOSIS																									
115.0	INFECTION BY HISTOPLASMA CAPSULATUM		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	OTHER MYCOSES																									
117.3	ASPERGILLOSIS		11	-	-	1	-	-	1	-	-	-	-	1	3	2	-	2	1	-	-	-	-	-	-	-
		M	9	-	-	1	-	-	1	-	-	-	-	1	3	-	-	2	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
117.5	CRYPTOCOCCOSIS		19	-	-	-	-	-	2	1	2	-	-	1	1	2	1	1	4	2	1	1	-	-	-	-
		M	11	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	4	1	1	1	-	-	-	-
		F	8	-	-	-	-	-	2	1	1	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-
117.7	ZYGOMYCOSIS		6	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
117.9	OTHER AND UNSPECIFIED		4	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
120-129	HELMINTHIASES		7	-	-	-	-	1	-	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
123	OTHER CESTODE INFECTION																									
123.1	CYSTICERCOSIS		6	-	-	-	-	1	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
127	OTHER INTESTINAL HELMINTHIASES																									
127.2	STRONGYLOIDIASIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
130-136	OTHER INFECTIOUS AND PARASITIC DISEASES		54	9	-	-	2	1	2	1	1	6	2	2	4	2	4	1	10	3	1	3	-	-	-	-
		M	26	7	-	-	-	1	2	-	-	2	2	1	2	-	1	-	4	1	1	2	-	-	-	-
		F	28	2	-	-	2	-	-	1	1	4	-	1	2	2	3	1	6	2	-	1	-	-	-	-
130	TOXOPLASMOSIS		3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
135	SARCOIDOSIS		19	-	-	-	-	-	1	1	1	6	1	1	1	2	1	1	2	-	-	1	-	-	-	-
		M	5	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	14	-	-	-	-	-	-	1	1	4	-	1	1	2	1	1	2	-	-	-	-	-	-	-
136	OTHER AND UNSPECIFIED INFECTIOUS AND PARASITIC DISEASES																									
136.1	BEHCET'S SYNDROME		2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
136.2	SPECIFIC INFECTIONS BY FREE-LIVING AMOEBAE		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136.3	PNEUMOCYSTOSIS		16	7	-	-	-	1	-	-	-	-	-	-	2	-	2	-	1	3	-	-	-	-	-	-
		M	11	5	-	-	-	1	-	-	-	-	-	-	2	-	1	-	1	1	-	-	-	-	-	-
		F	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
136.9	UNSPECIFIED		13	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	7	-	1	2	-	-	-	-
		M	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-
		F	7	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	1	-	-	-	-
137-139	LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES		58	-	-	-	-	-	1	3	1	-	3	1	2	7	4	7	11	6	4	6	2	-	-	-
		M	20	-	-	-	-	-	1	-	-	-	1	-	1	3	1	2	7	1	1	1	1	-	-	-
		F	38	-	-	-	-	-	-	3	1	-	2	1	1	4	3	5	4	5	3	5	1	-	-	-
137	LATE EFFECTS OF TUBERCULOSIS																									
137.0	LATE EFFECTS OF RESPIRATORY OR UNSPECIFIED TUBERCULOSIS		36	-	-	-	-	-	-	-	-	-	2	-	1	5	3	5	7	4	3	5	1	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	3	1	1	1	-	-	-	-
		F	24	-	-	-	-	-	-	-	-	-	1	-	1	3	2	3	4	3	2	4	1	-	-	-
137.4	LATE EFFECTS OF TUBERCULOSIS OF OTHER SPECIFIED ORGANS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
138	LATE EFFECTS OF POLIOMYELITIS		13	-	-	-	-	-	-	2	1	-	1	1	1	1	1	2	2	-	-	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	2	1	-	1	1	-	-	1	2	-	-	-	1	-	-	-	-
139	LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES																									
139.8	LATE EFFECTS OF OTHER AND UNSPECIFIED INFECTIOUS AND PARASITIC DISEASES		8	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	2	2	1	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-
140-239	NEOPLASMS		40,812	20	54	105	94	120	153	231	348	494	828	1,477	2,563	4,108	5,202	6,171	6,076	5,262	3,875	2,460	912	221	22	8
		M	21,371	10	37	65	56	74	93	125	177	197	347	685	1,274	2,123	2,790	3,462	3,393	2,915	1,970	1,137	362	66	8	5
		F	19,441	10	17	40	38	54	60	106	171	297	481	792	1,289	1,985	2,412	2,709	2,683	2,347	1,905	1,323	550	155	14	3
140-149	MALIGNANT NEOPLASM OF LIP, ORAL CAVITY AND PHARYNX		901	-	1	-	-	-	-	3	3	6	19	43	77	128	142	160	124	89	56	37	12	1	-	-
		M	568	-	1	-	-	-	-	1	2	4	14	24	50	85	90	113	75	56	32	16	5	-	-	-
		F	333	-	-	-	-	-	-	2	1	2	5	19	27	43	52	47	49	33	24	21	7	1	-	-
140	MALIGNANT NEOPLASM OF LIP																									
140.9	LIP, UNSPECIFIED, VERMILION BORDER		10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	-	-	3	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	-	-	2	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
141	MALIGNANT NEOPLASM OF TONGUE																									
141.0	BASE OF TONGUE		24	-	-	-	-	-	-	-	-	1	-	3	3	2	3	4	3	2	2	1	-	-	-	-
		M	18	-	-	-	-	-	-	-	-	1	-	3	3	2	3	2	1	2	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	-	-	-	-
141.9	TONGUE, UNSPECIFIED		217	-	-	-	-	-	-	1	2	2	5	10	13	29	36	46	35	17	13	4	3	1	-	-
		M	129	-	-	-	-	-	-	1	1	1	3	5	7	20	23	25	20	14	6	1	2	-	-	-
		F	88	-	-	-	-	-	-	-	1	1	2	5	6	9	13	21	15	3	7	3	1	1	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
142	MALIGNANT NEOPLASM OF MAJOR SALIVARY GLANDS																									
142.0	PAROTID GLAND		43	-	-	-	-	-	-	-	-	1	-	3	2	7	6	4	6	2	9	1	2	-	-	-
		M	28	-	-	-	-	-	-	-	-	1	-	2	1	7	3	3	3	2	5	-	1	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	3	-	4	1	1	-	-	-
142.1	SUBMANDIBULAR GLAND		6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
142.9	SITE UNSPECIFIED		10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	-	2	-	1	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	-	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-
143	MALIGNANT NEOPLASM OF GUM																									
143.0	UPPER GUM		8	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	-	1	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
143.1	LOWER GUM		11	-	1	-	-	-	-	-	-	-	-	-	1	-	-	3	3	2	-	1	-	-	-	-
		M	7	-	1	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-
143.9	GUM, UNSPECIFIED		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-
144	MALIGNANT NEOPLASM OF FLOOR OF MOUTH																									
144.9	PART UNSPECIFIED		41	-	-	-	-	-	-	-	-	-	2	3	2	6	11	10	2	2	1	1	1	-	-	-
		M	26	-	-	-	-	-	-	-	-	-	2	1	1	3	8	9	1	-	1	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	2	1	3	3	1	1	2	-	1	1	-	-	-
145	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED PARTS OF MOUTH																									
145.0	CHEEK MUCOSA		6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-
145.2	HARD PALATE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
145.3	SOFT PALATE		8	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	2	1	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
145.5	PALATE, UNSPECIFIED		18	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	4	3	1	1	1	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	3	1	-	1	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	-	1	-	-	-
145.6	RETROMOLAR AREA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
145.9	MOUTH, UNSPECIFIED		78	-	-	-	-	-	-	-	-	-	-	-	9	11	9	14	11	12	6	6	-	-	-	-
		M	46	-	-	-	-	-	-	-	-	-	-	-	6	7	6	10	7	6	3	1	-	-	-	-
		F	32	-	-	-	-	-	-	-	-	-	-	-	3	4	3	4	4	6	3	5	-	-	-	-
146	MALIGNANT NEOPLASM OF OROPHARYNX																									
146.0	TONSIL		69	-	-	-	-	-	-	-	-	-	5	4	7	8	15	13	6	6	3	1	1	-	-	-
		M	43	-	-	-	-	-	-	-	-	-	3	1	4	3	9	12	5	3	1	1	1	-	-	-
		F	26	-	-	-	-	-	-	-	-	-	2	3	3	5	6	1	1	3	2	-	-	-	-	-
146.1	TONSILLAR FOSSA		9	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	1	-	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-
146.3	VALLECULA		3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
146.9	OROPHARYNX UNSPECIFIED		54	-	-	-	-	-	-	-	-	-	-	2	5	10	9	12	7	5	2	1	1	-	-	-
		M	33	-	-	-	-	-	-	-	-	-	-	2	3	7	3	9	5	1	2	1	-	-	-	-
		F	21	-	-	-	-	-	-	-	-	-	-	-	2	3	6	3	2	4	-	-	1	-	-	-
147	MALIGNANT NEOPLASM OF NASOPHARYNX																									
147.9	NASOPHARYNX, UNSPECIFIED		78	-	-	-	-	-	-	2	1	2	5	9	13	15	9	2	6	7	4	3	-	-	-	-
		M	51	-	-	-	-	-	-	-	1	1	4	5	11	7	7	1	4	5	2	3	-	-	-	-
		F	27	-	-	-	-	-	-	2	-	1	1	4	2	8	2	1	2	2	2	-	-	-	-	-
148	MALIGNANT NEOPLASM OF HYPOPHARYNX																									
148.1	PYRIFORM SINUS		29	-	-	-	-	-	-	-	-	-	-	1	1	3	6	7	6	5	-	-	-	-	-	-
		M	25	-	-	-	-	-	-	-	-	-	-	1	1	3	5	6	5	4	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
148.9	HYPOPHARYNX, UNSPECIFIED		35	-	-	-	-	-	-	-	-	-	-	3	2	8	1	6	6	4	3	2	-	-	-	-
		M	26	-	-	-	-	-	-	-	-	-	-	1	2	5	1	5	4	4	2	2	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	2	-	3	-	1	2	-	1	-	-	-	-	-
149	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY AND PHARYNX																									
149.0	PHARYNX, UNSPECIFIED		133	-	-	-	-	-	-	-	-	-	2	3	13	20	24	25	16	17	6	7	-	-	-	-
		M	84	-	-	-	-	-	-	-	-	-	2	1	7	13	14	20	8	10	6	3	-	-	-	-
		F	49	-	-	-	-	-	-	-	-	-	-	2	6	7	10	5	8	7	-	4	-	-	-	-
150-159	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM		10,520	1	3	-	1	5	11	22	44	63	145	273	528	885	1,301	1,563	1,662	1,579	1,199	818	329	84	3	1
		M	5,543	1	3	-	1	2	6	13	26	34	79	171	314	507	769	910	927	788	529	328	117	17	-	1
		F	4,977	-	-	-	-	3	5	9	18	29	66	102	214	378	532	653	735	791	670	490	212	67	3	-
150	MALIGNANT NEOPLASM OF OESOPHAGUS																									
150.0	CERVICAL PART		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
150.3	UPPER THIRD		4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
150.4	MIDDLE THIRD		3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
150.5	LOWER THIRD		12	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	4	-	1	2	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	3	-	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
150.9	OESOPHAGUS, UNSPECIFIED		699	-	-	-	-	-	-	-	2	6	4	27	49	91	135	131	103	76	39	29	6	1	-	-
		M	486	-	-	-	-	-	-	-	2	5	1	23	35	61	97	84	79	55	23	18	2	1	-	-
		F	213	-	-	-	-	-	-	-	-	1	3	4	14	30	38	47	24	21	16	11	4	-	-	-
151	MALIGNANT NEOPLASM OF STOMACH																									
151.0	CARDIA		24	-	-	-	-	-	-	-	-	-	-	1	3	1	3	4	3	5	3	1	-	-	-	-
		M	21	-	-	-	-	-	-	-	-	-	-	1	3	1	3	4	3	5	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
151.1	PYLORUS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
151.2	PYLORIC ANTRUM		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
151.3	FUNDUS OF STOMACH		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
151.9	STOMACH, UNSPECIFIED		1,504	-	-	-	-	1	2	5	13	20	38	44	83	118	182	200	217	231	172	130	34	14	-	-
		M	920	-	-	-	-	-	2	3	4	11	22	30	61	80	124	141	149	132	84	64	11	2	-	-
		F	584	-	-	-	-	1	-	2	9	9	16	14	22	38	58	59	68	99	88	66	23	12	-	-
152	MALIGNANT NEOPLASM OF SMALL INTESTINE, INCLUDING DUODENUM																									
152.0	DUODENUM		35	-	-	-	-	-	-	-	-	-	1	1	2	2	3	5	5	6	4	4	1	-	1	-
		M	20	-	-	-	-	-	-	-	-	-	1	1	1	1	2	3	3	3	2	2	1	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	3	2	2	-	-	1	-
152.1	JEJUNUM		11	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	-	2	1	-	-	1	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	1	-	-	1	-	-
152.2	ILEUM		7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-
152.9	SMALL INTESTINE, UNSPECIFIED		34	-	-	-	-	-	1	-	1	-	2	2	1	6	3	4	7	3	3	-	1	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	3	2	-	-	1	-	-	-
		F	22	-	-	-	-	-	1	-	1	-	1	2	1	4	1	3	4	1	3	-	-	-	-	-
153	MALIGNANT NEOPLASM OF COLON																									
153.0	HEPATIC FLEXURE		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
153.1	TRANSVERSE COLON		74	-	-	-	-	-	-	1	-	-	1	-	6	4	6	11	12	14	10	7	2	-	-	-
		M	36	-	-	-	-	-	-	1	-	-	-	-	3	1	4	6	6	7	4	2	2	-	-	-
		F	38	-	-	-	-	-	-	-	-	-	1	-	3	3	2	5	6	7	6	5	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
153.2	DESCENDING COLON		92	-	-	-	-	-	-	-	1	-	2	-	5	9	9	14	19	15	10	5	2	1	-	-
		M	46	-	-	-	-	-	-	-	-	-	2	-	3	5	4	11	11	9	-	1	-	-	-	-
		F	46	-	-	-	-	-	-	-	1	-	-	-	2	4	5	3	8	6	10	4	2	1	-	-
153.3	SIGMOID COLON		399	-	-	-	-	-	-	-	1	1	7	11	18	36	41	66	52	54	68	34	9	1	-	-
		M	199	-	-	-	-	-	-	-	1	-	5	6	8	22	22	47	23	25	27	10	3	-	-	-
		F	200	-	-	-	-	-	-	-	-	1	2	5	10	14	19	19	29	29	41	24	6	1	-	-
153.4	CAECUM		219	-	-	-	-	-	2	-	1	1	1	1	5	12	22	23	33	42	29	26	19	2	-	-
		M	95	-	-	-	-	-	2	-	1	1	-	1	2	5	9	11	14	17	16	10	6	-	-	-
		F	124	-	-	-	-	-	-	-	-	-	1	-	3	7	13	12	19	25	13	16	13	2	-	-
153.5	APPENDIX		7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	1	-	-	-
153.6	ASCENDING COLON		284	-	-	-	-	-	-	-	1	-	3	5	7	19	27	38	46	42	46	38	8	4	-	-
		M	123	-	-	-	-	-	-	-	1	-	-	3	5	11	12	23	19	17	13	13	5	1	-	-
		F	161	-	-	-	-	-	-	-	-	-	3	2	2	8	15	15	27	25	33	25	3	3	-	-
153.7	SPLENIC FLEXURE		6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-
153.9	COLON, UNSPECIFIED		2,914	-	-	-	-	3	3	8	5	17	34	71	125	216	322	437	457	460	380	237	115	23	-	1
		M	1,458	-	-	-	-	2	1	6	2	8	19	32	65	111	175	243	252	219	173	103	41	5	-	1
		F	1,456	-	-	-	-	1	2	2	3	9	15	39	60	105	147	194	205	241	207	134	74	18	-	-
154	MALIGNANT NEOPLASM OF RECTUM, RECTOSIGMOID JUNCTION AND ANUS																									
154.0	RECTOSIGMOID JUNCTION		151	-	-	-	-	-	-	2	1	1	-	4	9	14	15	18	22	18	22	17	6	2	-	-
		M	72	-	-	-	-	-	-	1	1	-	-	1	6	9	10	9	11	6	10	7	1	-	-	-
		F	79	-	-	-	-	-	-	1	-	1	-	3	3	5	5	9	11	12	12	10	5	2	-	-
154.1	RECTUM		685	-	-	-	-	-	-	-	1	3	7	18	26	54	80	93	105	106	75	71	37	9	-	-
		M	375	-	-	-	-	-	-	-	1	1	4	12	16	26	51	57	57	68	34	32	13	3	-	-
		F	310	-	-	-	-	-	-	-	-	2	3	6	10	28	29	36	48	38	41	39	24	6	-	-
154.3	ANUS, UNSPECIFIED		29	-	-	-	-	-	-	-	1	-	1	1	-	4	5	4	3	3	4	1	2	-	-	-
		M	6	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	2	-	-	-	-	-
		F	23	-	-	-	-	-	-	-	-	-	1	-	-	4	5	3	3	2	2	1	2	-	-	-
154.8	OTHER		12	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	3	1	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	3	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-
155	MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCTS																									
155.0	LIVER, PRIMARY		264	1	3	-	-	-	2	2	5	4	6	9	26	30	34	41	46	30	14	7	2	2	-	-
		M	165	1	3	-	-	-	1	1	3	3	3	6	19	20	20	29	28	19	6	3	-	-	-	-
		F	99	-	-	-	-	-	1	1	2	1	3	3	7	10	14	12	18	11	8	4	2	2	-	-
155.1	INTRAHEPATIC BILE DUCTS		68	-	-	-	-	-	-	-	-	-	2	2	5	4	14	13	14	6	3	5	-	-	-	-
		M	32	-	-	-	-	-	-	-	-	-	1	1	4	3	7	4	6	2	2	2	-	-	-	-
		F	36	-	-	-	-	-	-	-	-	-	1	1	1	1	7	9	8	4	1	3	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
155.2	LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY		249	-	-	-	-	1	-	-	2	-	3	4	6	15	35	41	38	46	22	25	9	2	-	-
		M	140	-	-	-	-	-	-	-	2	-	2	3	3	11	21	23	21	28	14	8	4	-	-	-
		F	109	-	-	-	-	1	-	-	-	-	1	1	3	4	14	18	17	18	8	17	5	2	-	-
156	MALIGNANT NEOPLASM OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS																									
156.0	GALLBLADDER		212	-	-	-	-	-	1	-	-	-	-	8	10	16	18	30	37	29	32	21	9	1	-	-
		M	52	-	-	-	-	-	-	-	-	-	-	5	3	4	3	8	8	10	3	7	1	-	-	-
		F	160	-	-	-	-	-	1	-	-	-	-	3	7	12	15	22	29	19	29	14	8	1	-	-
156.1	EXTRAHEPATIC BILE DUCTS		138	-	-	-	-	-	-	1	1	-	1	3	4	11	23	15	20	28	17	10	3	-	1	-
		M	67	-	-	-	-	-	-	-	1	-	1	2	1	7	9	9	9	13	10	3	2	-	-	-
		F	71	-	-	-	-	-	-	1	-	-	-	1	3	4	14	6	11	15	7	7	1	-	1	-
156.2	AMPULLA OF VATER		31	-	-	-	-	-	-	-	-	-	1	-	1	2	3	7	5	5	3	3	1	-	-	-
		M	21	-	-	-	-	-	-	-	-	-	1	-	-	2	2	4	4	4	1	2	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	1	2	1	-	-	-	-
156.9	BILIARY TRACT, PART UNSPECIFIED		47	-	-	-	-	-	-	-	-	-	1	2	6	5	7	5	9	4	3	2	2	1	-	-
		M	29	-	-	-	-	-	-	-	-	-	1	2	3	2	5	4	6	1	3	1	1	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	3	3	2	1	3	3	-	1	1	1	-	-
157	MALIGNANT NEOPLASM OF PANCREAS																									
157.0	HEAD OF PANCREAS		114	-	-	-	-	-	-	-	-	-	-	2	5	6	12	12	14	21	21	12	7	2	-	-
		M	53	-	-	-	-	-	-	-	-	-	-	2	2	4	8	7	7	8	9	3	2	1	-	-
		F	61	-	-	-	-	-	-	-	-	-	-	-	3	2	4	5	7	13	12	9	5	1	-	-
157.1	BODY OF PANCREAS		13	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	3	-	-	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-	-	-
157.2	TAIL OF PANCREAS		10	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	2	1	2	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	2	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
157.3	PANCREATIC DUCT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
157.4	ISLETS OF LANGERHANS		10	-	-	-	1	-	-	-	-	1	-	-	1	-	-	5	-	2	-	-	-	-	-	-
		M	7	-	-	-	1	-	-	-	-	-	-	-	1	-	-	4	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
157.9	PART UNSPECIFIED		1,938	-	-	-	-	-	-	2	4	5	26	51	107	185	263	307	347	292	190	104	45	10	-	-
		M	957	-	-	-	-	-	-	1	3	2	13	36	61	105	152	163	181	119	80	22	17	2	-	-
		F	981	-	-	-	-	-	-	1	1	3	13	15	46	80	111	144	166	173	110	82	28	8	-	-
158	MALIGNANT NEOPLASM OF RETROPERITONEUM AND PERITONEUM																									
158.0	RETROPERITONEUM		41	-	-	-	-	-	-	1	-	1	1	-	6	2	8	3	9	5	2	3	-	-	-	-
		M	25	-	-	-	-	-	-	-	-	1	1	-	3	1	7	2	5	2	1	2	-	-	-	-
		F	16	-	-	-	-	-	-	1	-	-	-	-	3	1	1	1	4	3	1	1	-	-	-	-
158.8	SPECIFIED PARTS OF PERITONEUM		7	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	-	1	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	1	-	-	-	-	-

Table 7—15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
158.9	PERITONEUM, UNSPECIFIED		10	-	-	-	-	-	-	-	1	1	-	-	-	1	3	2	1	1	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-
159	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM																									
159.0	INTESTINAL TRACT, PART UNSPECIFIED		110	-	-	-	-	-	-	-	2	1	2	2	4	9	10	11	13	22	16	9	3	6	-	-
		M	45	-	-	-	-	-	-	-	1	1	1	1	1	4	7	2	4	9	8	5	-	1	-	-
		F	65	-	-	-	-	-	-	-	1	-	1	1	3	5	3	9	9	13	8	4	3	5	-	-
159.9	ILL-DEFINED		43	-	-	-	-	-	-	-	-	-	1	-	-	2	4	5	5	3	5	12	3	2	1	-
		M	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	2	5	2	1	-	-
		F	25	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	3	2	3	7	1	1	1	-
160-165	MALIGNANT NEOPLASM OF RESPIRATORY AND INTRATHORACIC ORGANS		10,453	1	1	1	-	2	5	5	28	59	194	432	793	1,328	1,584	1,951	1,710	1,228	707	313	84	21	2	4
		M	7,062	-	1	-	-	2	4	4	15	40	104	259	515	868	1,070	1,344	1,185	890	500	202	42	12	2	3
		F	3,391	1	-	1	-	-	1	1	13	19	90	173	278	460	514	607	525	338	207	111	42	9	-	1
160	MALIGNANT NEOPLASM OF NASAL CAVITIES, MIDDLE EAR AND ACCESSORY SINUSES																									
160.0	NASAL CAVITIES		2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
160.2	MAXILLARY SINUS		32	-	-	-	-	-	-	1	-	-	1	2	4	2	5	4	4	2	4	2	1	-	-	-
		M	15	-	-	-	-	-	-	1	-	-	1	2	3	1	2	1	2	-	2	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	2	2	2	2	1	-	-	-
160.3	ETHMOIDAL SINUS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
160.4	FRONTAL SINUS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
160.5	SPHENOIDAL SINUS		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
160.9	ACCESSORY SINUS, UNSPECIFIED		3	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
161	MALIGNANT NEOPLASM OF LARYNX																									
161.0	GLOTTIS		6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	1	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	1	-	-	-	-	-
161.1	SUPRAGLOTTIS		23	-	-	-	-	-	-	-	-	-	-	-	3	4	5	2	3	5	-	1	-	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	2	-	4	1	3	5	-	1	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	-	-	-	-	-	-	-	-
161.9	LARYNX, UNSPECIFIED		262	-	-	-	-	-	-	-	1	1	2	10	14	29	61	49	36	27	28	2	2	-	-	-
		M	204	-	-	-	-	-	-	-	-	1	1	8	13	21	47	40	25	20	25	1	2	-	-	-
		F	58	-	-	-	-	-	-	-	1	-	1	2	1	8	14	9	11	7	3	1	-	-	-	-
162	MALIGNANT NEOPLASM OF TRACHEA, BRONCHUS, AND LUNG																									

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
162.0	TRACHEA		15	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	2	2	1	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	2	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	-	-	-	-	-	-
162.2	MAIN BRONCHUS		21	-	-	-	-	-	-	-	-	-	-	2	1	2	5	3	5	1	1	-	1	-	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	1	1	1	5	2	4	-	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	1	-	-	-
162.3	UPPER LOBE, BRONCHUS OR LUNG		280	-	-	-	-	-	-	-	1	3	3	12	19	40	52	47	44	31	19	6	2	-	1	-
		M	201	-	-	-	-	-	-	-	-	2	3	8	14	29	36	35	32	24	14	2	1	-	1	-
		F	79	-	-	-	-	-	-	-	1	1	-	4	5	11	16	12	12	7	5	4	1	-	-	-
162.4	MIDDLE LOBE, BRONCHUS OR LUNG		21	-	-	-	-	-	-	-	-	-	1	1	2	-	4	4	5	2	2	-	-	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	1	1	1	-	3	2	5	1	2	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-
162.5	LOWER LOBE, BRONCHUS OR LUNG		105	-	-	-	-	-	-	-	-	-	-	3	8	14	13	22	18	18	6	2	1	-	-	-
		M	76	-	-	-	-	-	-	-	-	-	-	2	3	12	8	15	13	15	5	2	1	-	-	-
		F	29	-	-	-	-	-	-	-	-	-	-	1	5	2	5	7	5	3	1	-	-	-	-	-
162.9	BRONCHUS AND LUNG, UNSPECIFIED		9,609	1	-	-	-	-	1	3	23	55	184	398	733	1,223	1,428	1,807	1,584	1,131	640	296	76	21	1	4
		M	6,453	-	-	-	-	-	1	2	14	37	98	234	472	794	954	1,242	1,095	819	446	192	37	12	1	3
		F	3,156	1	-	-	-	-	-	1	9	18	86	164	261	429	474	565	489	312	194	104	39	9	-	1
163	MALIGNANT NEOPLASM OF PLEURA																									
163.9	PLEURA, UNSPECIFIED		28	-	-	-	-	-	-	-	-	-	-	2	1	6	1	5	3	4	2	3	1	-	-	-
		M	22	-	-	-	-	-	-	-	-	-	-	2	1	4	1	3	3	3	1	3	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	1	-	-	-	-	-
164	MALIGNANT NEOPLASM OF THYMUS, HEART AND MEDIASTINUM																									
164.0	THYMUS		14	-	-	1	-	-	1	-	1	-	2	-	1	-	3	-	-	3	1	1	-	-	-	-
		M	7	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-	-	1	1	1	-	-	-	-
		F	7	-	-	1	-	-	-	-	1	-	2	-	1	-	-	-	-	2	-	-	-	-	-	-
164.1	HEART		6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
164.3	POSTERIOR MEDIASTINUM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
164.9	MEDIASTINUM, PART UNSPECIFIED		20	-	1	-	-	2	3	-	1	-	-	1	3	3	3	-	-	2	1	-	-	-	-	-
		M	15	-	1	-	-	2	2	-	1	-	-	1	2	3	3	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-
165	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS																									
165.9	ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
170-175	MALIGNANT NEOPLASM OF BONE, CONNECTIVE TISSUE, SKIN AND BREAST		4,650	1	3	8	9	29	35	51	84	155	190	298	435	594	578	621	496	417	315	202	94	31	2	2
		M	636	1	1	5	5	19	21	26	24	23	19	36	56	72	72	82	51	54	35	24	8	2	-	-
		F	4,014	-	2	3	4	10	14	25	60	132	171	262	379	522	506	539	445	363	280	178	86	29	2	2

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
170	MALIGNANT NEOPLASM OF BONE AND ARTICULAR CARTILAGE																									
170.0	BONES OF SKULL AND FACE		7	-	-	-	-	-	1	-	1	-	-	1	-	1	1	-	-	-	1	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-
		F	4	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
170.1	LOWER JAW BONE		2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170.2	VERTEBRAL COLUMN, EXCLUDING SACRUM AND COCCYX		4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
170.3	RIBS, STERNUM AND CLAVICLE		3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
170.4	LONG BONES OF UPPER LIMB AND SCAPULA		5	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
		F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
170.6	PELVIC BONES, SACRUM AND COCCYX		6	-	-	1	-	-	-	1	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
		M	3	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
170.7	LOWER LIMB, LONG BONES		19	-	-	1	-	5	2	4	1	-	-	-	-	1	3	-	-	2	-	-	-	-	-	-
		M	13	-	-	1	-	2	2	3	1	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
170.8	LOWER LIMB, SHORT BONES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
170.9	SITE UNSPECIFIED		54	-	-	3	3	11	8	4	2	1	1	2	3	3	2	3	1	5	2	-	-	-	-	-
		M	35	-	-	2	1	8	7	3	2	-	-	2	3	1	1	2	-	2	1	-	-	-	-	-
		F	19	-	-	1	2	3	1	1	-	1	1	-	-	2	1	1	1	3	1	-	-	-	-	-
171	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE																									
171.0	HEAD, FACE AND NECK		7	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
171.2	UPPER LIMB, INCLUDING SHOULDER		5	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-
		M	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
171.3	LOWER LIMB, INCLUDING HIP		46	1	-	-	1	3	2	1	-	-	2	4	1	4	4	4	3	4	4	5	3	-	-	-
		M	31	1	-	-	1	3	2	-	-	-	-	2	1	3	3	3	2	4	2	2	2	-	-	-
		F	15	-	-	-	-	-	-	1	-	-	2	2	-	1	1	1	1	-	2	3	1	-	-	-
171.4	THORAX		9	-	-	-	-	-	1	-	-	-	-	-	-	2	-	2	1	-	2	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	2	1	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
171.5	ABDOMEN		10	-	-	-	-	-	1	-	-	-	-	1	1	-	2	1	3	-	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-
		F	6	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-
171.6	PELVIS		11	-	-	-	-	-	1	-	-	-	1	1	1	1	2	-	2	-	2	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	2	-	2	-	-	-	-	-
171.7	TRUNK, UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
171.9	SITE UNSPECIFIED		171	-	3	2	3	6	9	11	2	6	5	6	16	17	17	22	14	17	12	3	-	-	-	-
		M	76	-	1	-	2	4	5	6	1	-	3	4	5	8	6	11	3	9	7	1	-	-	-	-
		F	95	-	2	2	1	2	4	5	1	6	2	2	11	9	11	11	11	8	5	2	-	-	-	-
172	MALIGNANT MELANOMA OF SKIN																									
172.2	EAR AND EXTERNAL AURICULAR CANAL		6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-
172.3	OTHER AND UNSPECIFIED PARTS OF FACE		6	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-
172.4	SCALP AND NECK		22	-	-	-	-	-	1	3	1	1	2	3	1	2	3	-	1	1	1	2	-	-	-	-
		M	16	-	-	-	-	-	1	3	-	1	2	1	1	-	2	-	1	1	1	2	-	-	-	-
		F	6	-	-	-	-	-	-	-	1	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-
172.5	TRUNK, EXCEPT SCROTUM		41	-	-	-	-	-	-	1	1	4	2	3	1	9	6	9	2	3	-	-	-	-	-	-
		M	34	-	-	-	-	-	-	1	1	4	1	2	1	9	5	7	1	2	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	1	-	-	-	-	-	-
172.6	UPPER LIMB INCLUDING SHOULDER		20	-	-	-	-	-	-	-	-	-	1	1	4	3	-	5	1	1	3	1	-	-	-	-
		M	14	-	-	-	-	-	-	-	-	-	1	-	2	3	-	4	-	1	2	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	1	-	-	-	-	-
172.7	LOWER LIMB INCLUDING HIP		25	-	-	-	-	-	-	2	1	-	1	-	4	2	5	5	2	-	-	2	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	1	-	-	-	-
		F	18	-	-	-	-	-	-	2	1	-	1	-	3	1	3	3	2	-	-	1	1	-	-	-
172.9	SITE UNSPECIFIED		381	-	-	-	-	3	4	12	25	24	20	22	52	41	40	38	40	34	14	10	2	-	-	-
		M	244	-	-	-	-	1	2	10	17	16	8	12	31	31	25	28	27	19	8	8	1	-	-	-
		F	137	-	-	-	-	2	2	2	8	8	12	10	21	10	15	10	13	15	6	2	1	-	-	-
173	OTHER MALIGNANT NEOPLASM OF SKIN																									
173.0	SKIN OF LIP		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
173.1	EYELID, INCLUDING CANTHUS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
173.2	EAR AND EXTERNAL AURICULAR CANAL		15	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	2	2	2	1	1	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	2	1	2	1	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
173.3	SKIN OF OTHER AND UNSPECIFIED PARTS OF FACE		16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	6	1	1	1	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	5	-	-	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-
173.4	SCALP AND SKIN OF NECK		53	-	-	-	-	-	-	-	1	1	1	7	8	6	10	7	5	2	-	4	1	-	-	-
		M	43	-	-	-	-	-	-	-	1	1	1	5	7	5	7	6	4	2	-	4	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	2	1	1	3	1	1	-	-	-	1	-	-	-
173.5	SKIN OF TRUNK, EXCEPT SCROTUM		7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	1	1	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-
173.6	SKIN OF UPPER LIMB, INCLUDING SHOULDER		8	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	2	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	2	-	-	-	-	-
173.7	SKIN OF LOWER LIMB, INCLUDING HIP		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
173.9	SITE UNSPECIFIED		29	-	-	1	-	-	-	-	-	-	1	-	3	3	2	4	3	4	3	3	1	1	-	-
		M	14	-	-	1	-	-	-	-	-	-	1	-	1	2	1	3	1	1	1	2	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	3	2	1	1	1	-	-
174	MALIGNANT NEOPLASM OF FEMALE BREAST																									
174.9	BREAST, UNSPECIFIED		3,625	-	-	-	-	-	3	10	48	117	152	241	336	490	463	504	405	327	254	165	79	27	2	2
		F	3,625	-	-	-	-	-	3	10	48	117	152	241	336	490	463	504	405	327	254	165	79	27	2	2
175	MALIGNANT NEOPLASM OF MALE BREAST		23	-	-	-	-	-	-	-	-	-	-	2	1	2	3	4	3	7	-	1	-	-	-	-
		M	23	-	-	-	-	-	-	-	-	-	-	2	1	2	3	4	3	7	-	1	-	-	-	-
179-189	MALIGNANT NEOPLASM OF GENITOURINARY ORGANS		6,057	3	2	4	2	10	19	35	40	44	88	150	259	417	681	822	928	910	822	563	202	48	8	-
		M	3,326	-	2	2	1	6	14	19	20	7	17	34	78	171	308	443	553	578	551	368	124	25	5	-
		F	2,731	3	-	2	1	4	5	16	20	37	71	116	181	246	373	379	375	332	271	195	78	23	3	-
179	MALIGNANT NEOPLASM OF UTERUS, PART UNSPECIFIED		305	-	-	-	-	-	-	-	2	1	6	9	18	25	38	38	54	42	36	23	9	4	-	-
		F	305	-	-	-	-	-	-	-	2	1	6	9	18	25	38	38	54	42	36	23	9	4	-	-
180	MALIGNANT NEOPLASM OF CERVIX UTERI																									
180.0	ENDOCERVIX		5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
180.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
180.9	CERVIX UTERI, UNSPECIFIED		442	1	-	-	-	-	-	10	9	19	29	37	45	41	56	40	48	37	37	23	10	-	-	-
		F	442	1	-	-	-	-	-	10	9	19	29	37	45	41	56	40	48	37	37	23	10	-	-	-
181	MALIGNANT NEOPLASM OF PLACENTA		2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
182	MALIGNANT NEOPLASM OF BODY OF UTERUS																									
182.0	CORPUS UTERI, EXCEPT ISTHMUS		319	-	-	-	-	-	-	-	-	1	1	6	11	23	46	72	48	56	30	17	8	-	-	-
		F	319	-	-	-	-	-	-	-	-	1	1	6	11	23	46	72	48	56	30	17	8	-	-	-
183	MALIGNANT NEOPLASM OF OVARY AND OTHER UTERINE ADNEXA																									

Table 7- 15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
183.0	OVARY		995	-	-	-	-	1	4	5	7	15	27	48	71	119	158	151	120	106	82	56	19	6	-	-
		F	995	-	-	-	-	1	4	5	7	15	27	48	71	119	158	151	120	106	82	56	19	6	-	-
183.2	FALLOPIAN TUBE		22	-	-	-	-	-	-	-	-	-	1	1	2	3	3	3	3	5	1	-	-	-	-	-
		F	22	-	-	-	-	-	-	-	-	-	1	1	2	3	3	3	3	5	1	-	-	-	-	-
184	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS																									
184.0	VAGINA		32	-	-	-	-	1	-	-	-	-	1	1	1	1	4	3	4	6	3	3	2	2	-	-
		F	32	-	-	-	-	1	-	-	-	-	1	1	1	1	4	3	4	6	3	3	2	2	-	-
184.3	CLITORIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
184.4	VULVA, UNSPECIFIED		48	-	-	-	-	-	-	-	-	-	-	2	3	4	4	8	4	3	12	3	3	2	-	-
		F	48	-	-	-	-	-	-	-	-	-	-	2	3	4	4	8	4	3	12	3	3	2	-	-
184.9	SITE UNSPECIFIED		11	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	-	3	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	-	3	-	-	-	-
185	MALIGNANT NEOPLASM OF PROSTATE		2,135	-	-	-	-	-	-	-	-	-	1	5	25	67	176	285	351	421	400	283	95	23	3	-
		M	2,135	-	-	-	-	-	-	-	-	-	1	5	25	67	176	285	351	421	400	283	95	23	3	-
186	MALIGNANT NEOPLASM OF TESTIS																									
186.9	OTHER AND UNSPECIFIED		74	-	-	1	-	6	12	15	19	5	3	3	-	1	3	2	-	3	1	-	-	-	-	-
		M	74	-	-	1	-	6	12	15	19	5	3	3	-	1	3	2	-	3	1	-	-	-	-	-
187	MALIGNANT NEOPLASM OF PENIS AND OTHER MALE GENITAL ORGANS																									
187.4	PENIS, PART UNSPECIFIED		11	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	3	1	-	1	-	-	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	3	1	-	1	-	-	-	-
187.7	SCROTUM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
187.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
188	MALIGNANT NEOPLASM OF BLADDER																									
188.5	BLADDER NECK		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
188.9	PART UNSPECIFIED		930	1	-	-	-	-	-	-	-	1	4	12	18	48	88	108	187	131	156	115	46	10	5	-
		M	650	-	-	-	-	-	-	-	-	1	2	7	16	39	60	86	135	97	114	67	22	2	2	-
		F	280	1	-	-	-	-	-	-	-	-	2	5	2	9	28	22	52	34	42	48	24	8	3	-
189	MALIGNANT NEOPLASM OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS																									
189.0	KIDNEY, EXCEPT PELVIS		654	1	2	3	2	1	3	5	1	2	12	23	58	78	93	102	93	81	56	28	9	1	-	-
		M	420	-	2	1	1	-	2	4	1	1	9	17	34	61	62	65	58	50	32	14	6	-	-	-
		F	234	1	-	2	1	1	1	1	-	1	3	6	24	17	31	37	35	31	24	14	3	1	-	-
189.1	RENAL PELVIS		11	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	3	2	-	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	1	-	1	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
189.2	URETER		31	-	-	-	-	-	-	-	-	-	1	-	1	1	6	2	2	8	6	4	-	-	-	-
		M	18	-	-	-	-	-	-	-	-	-	1	-	1	1	5	2	-	3	4	1	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	2	3	-	-	-	-
189.3	URETHRA		23	-	-	-	-	-	-	-	-	-	2	-	2	2	3	6	4	1	1	1	1	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	-	-	1	1	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	1	-	2	1	2	4	1	1	1	-	-	-	-	-
189.9	SITE UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
190-199	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES		3,813	4	19	32	26	20	23	43	66	75	99	137	247	389	470	539	531	477	324	196	80	15	1	-
		M	1,948	3	15	15	12	11	15	16	37	48	57	84	137	219	253	287	274	242	132	69	20	2	-	-
		F	1,665	1	4	17	14	9	8	27	29	27	42	53	110	170	217	252	257	235	192	127	60	13	1	-
190	MALIGNANT NEOPLASM OF EYE																									
190.1	ORBIT		8	-	-	-	-	-	1	1	-	-	-	-	1	-	1	2	-	1	-	-	1	-	-	-
		M	5	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-
190.3	CONJUNCTIVA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
190.5	RETINA		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190.6	CHOROID		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
190.9	PART UNSPECIFIED		17	-	-	-	-	-	-	-	1	1	-	1	1	1	1	4	4	2	-	1	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	1	1	-	1	1	-	-	2	1	1	-	1	-	-	-	-
191	MALIGNANT NEOPLASM OF BRAIN																									
191.0	CEREBRUM, EXCEPT LOBES AND VENTRICLES		57	-	1	2	-	-	3	1	2	1	1	4	5	7	7	8	5	3	6	1	-	-	-	-
		M	34	-	1	-	-	-	2	-	1	-	-	2	4	7	6	4	2	1	4	-	-	-	-	-
		F	23	-	-	2	-	-	1	1	1	1	1	2	1	-	1	4	3	2	2	1	-	-	-	-
191.1	FRONTAL LOBE		50	-	-	2	-	1	-	2	1	2	2	3	6	6	5	10	7	2	1	-	-	-	-	-
		M	23	-	-	2	-	-	-	1	1	1	1	2	1	1	2	7	3	1	-	-	-	-	-	-
		F	27	-	-	-	-	1	-	1	-	1	1	1	5	5	3	3	4	1	1	-	-	-	-	-
191.2	TEMPORAL LOBE		42	-	-	-	1	-	1	1	1	-	4	2	1	7	5	7	6	4	1	1	-	-	-	-
		M	23	-	-	-	-	-	1	1	1	-	3	-	1	2	4	6	1	2	-	1	-	-	-	-
		F	19	-	-	-	1	-	-	-	-	-	1	2	-	5	1	1	5	2	1	-	-	-	-	-
191.3	PARIETAL LOBE		35	-	-	-	-	1	-	-	1	1	1	4	-	5	4	7	8	1	2	-	-	-	-	-
		M	21	-	-	-	-	1	-	-	-	1	-	4	-	4	4	4	3	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	1	-	1	-	-	1	-	3	5	1	2	-	-	-	-	-
191.4	OCCIPITAL LOBE		4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
191.5	VENTRICLE		7	-	1	1	-	1	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-
		M	5	-	1	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
191.6	CEREBELLUM		40	-	3	6	4	4	4	3	4	2	2	1	2	1	1	1	-	2	-	-	-	-	-	-
		M	25	-	3	2	3	3	3	-	2	2	2	-	2	1	1	1	-	-	-	-	-	-	-	-
		F	15	-	-	4	1	1	1	3	2	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-
191.7	BRAIN STEM		20	-	-	8	3	2	-	1	1	-	1	-	-	1	-	2	1	-	-	-	-	-	-	-
		M	12	-	-	3	1	2	-	-	1	-	1	-	-	1	-	2	1	-	-	-	-	-	-	-
		F	8	-	-	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
191.9	BRAIN, UNSPECIFIED		700	-	2	2	13	9	7	18	23	23	28	35	68	100	106	97	85	46	27	8	2	1	-	-
		M	383	-	1	-	5	4	3	6	13	18	23	22	44	52	61	49	42	24	13	2	1	-	-	-
		F	317	-	1	2	8	5	4	12	10	5	5	13	24	48	45	48	43	22	14	6	1	1	-	-
192	MALIGNANT NEOPLASM OF OTHER PARTS OF NERVOUS SYSTEM																									
192.0	CRANIAL NERVES		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
192.1	CEREBRAL MENINGES		8	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	1	3	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	5	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-
192.2	SPINAL CORD		10	-	1	-	-	-	-	1	1	1	-	-	1	-	1	-	1	3	-	-	-	-	-	-
		M	6	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
192.9	PART UNSPECIFIED		5	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
193	MALIGNANT NEOPLASM OF THYROID GLAND		98	-	-	-	-	-	-	-	1	1	-	2	9	5	9	16	16	17	11	6	3	2	-	-
		M	30	-	-	-	-	-	-	-	1	-	-	1	1	3	7	7	4	3	2	1	-	-	-	-
		F	68	-	-	-	-	-	-	-	-	1	-	1	8	2	2	9	12	14	9	5	3	2	-	-
194	MALIGNANT NEOPLASM OF OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES																									
194.0	SUPRARENAL GLAND		67	3	9	8	3	-	2	5	2	2	2	4	3	2	4	5	7	4	1	1	-	-	-	-
		M	35	2	7	6	1	-	2	1	-	1	1	3	1	-	-	1	5	3	-	1	-	-	-	-
		F	32	1	2	2	2	-	-	4	2	1	1	1	2	2	4	4	2	1	1	-	-	-	-	-
194.1	PARATHYROID GLAND		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194.3	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT		4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
194.4	PINEAL GLAND		2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194.6	AORTIC BODY AND OTHER PARAGANGLIA		3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Table 7—15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
196.9	SITE UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
195	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES																									
195.0	HEAD, FACE AND NECK		54	-	-	-	-	-	-	-	-	-	2	1	5	5	9	12	8	4	5	-	2	1	-	-
		M	29	-	-	-	-	-	-	-	-	-	-	1	1	5	5	7	3	3	3	-	1	-	-	-
		F	25	-	-	-	-	-	-	-	-	-	2	-	4	-	4	5	5	1	2	-	1	1	-	-
195.1	THORAX		19	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	3	3	3	-	1	-	-	-
		M	14	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	3	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-
195.2	ABDOMEN		100	-	-	-	-	-	-	-	2	1	1	2	4	10	7	9	11	18	12	14	7	2	-	-
		M	35	-	-	-	-	-	-	-	-	-	-	2	1	5	4	3	6	6	6	2	-	-	-	-
		F	65	-	-	-	-	-	-	-	2	1	1	-	3	5	3	6	5	12	6	12	7	2	-	-
195.3	PELVIS		25	-	-	-	-	-	-	-	-	-	-	1	2	3	2	1	3	5	3	2	3	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	23	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	2	5	3	2	3	-	-	-
195.4	UPPER LIMB		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
195.5	LOWER LIMB		4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-
195.8	OTHER SPECIFIED SITES		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
199	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE																									
199.0	DISSEMINATED		278	-	-	-	-	-	-	-	4	1	5	4	10	18	32	35	45	60	32	22	10	-	-	-
		M	130	-	-	-	-	-	-	-	2	1	3	2	3	10	14	18	24	30	11	9	3	-	-	-
		F	148	-	-	-	-	-	-	-	2	-	2	2	7	8	18	17	21	30	21	13	7	-	-	-
199.1	OTHER		2,146	1	1	1	-	2	4	9	21	39	47	71	120	214	271	316	314	298	218	139	50	9	1	-
		M	1,109	1	-	1	-	1	2	5	13	23	20	44	71	124	139	170	171	162	92	53	15	2	-	-
		F	1,037	-	1	-	-	1	2	4	8	16	27	27	49	90	132	146	143	136	126	86	35	7	1	-
200-208	MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUE		3,784	3	19	55	51	55	54	64	72	81	82	123	204	317	379	448	542	466	380	273	91	19	5	1
		M	2,017	2	11	41	34	30	30	42	48	35	53	72	116	179	200	239	292	263	171	107	42	8	1	1
		F	1,767	1	8	14	17	25	24	22	24	46	29	51	88	138	179	209	250	203	209	166	49	11	4	-
200	LYMPHOSARCOMA AND RETICULOSARCOMA																									
200.0	RETICULOSARCOMA		272	-	-	1	-	1	4	4	4	4	5	9	24	34	29	27	43	33	22	17	9	1	1	-
		M	140	-	-	1	-	-	2	3	2	1	2	2	18	20	17	13	22	16	13	2	5	1	-	-
		F	132	-	-	-	-	1	2	1	2	3	3	7	6	14	12	14	21	17	9	15	4	-	1	-
200.1	LYMPHOSARCOMA		197	-	-	1	-	1	3	2	5	6	1	9	12	14	30	20	39	23	14	16	1	-	-	-
		M	91	-	-	-	-	1	2	2	5	3	1	5	5	7	10	14	21	8	3	4	-	-	-	-
		F	106	-	-	1	-	-	1	-	-	3	-	4	7	7	20	6	18	15	11	12	1	-	-	-
200.2	BURKITT'S TUMOUR		13	-	-	3	1	1	1	2	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	9	-	-	2	1	1	-	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	4	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
200.8	OTHER NAMED VARIANTS		39	-	-	-	-	-	1	-	-	2	2	4	3	4	4	4	5	5	3	2	-	-	-	-
		M	22	-	-	-	-	-	-	-	-	1	1	3	2	3	2	2	4	2	2	-	-	-	-	-
		F	17	-	-	-	-	-	1	-	-	1	1	1	1	1	2	2	1	3	1	2	-	-	-	-
201	HODGKIN'S DISEASE																									
201.2	HODGKIN'S SARCOMA		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
201.4	LYMPHOCYTIC-HISTIOCYTIC PREDOMINANCE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
201.5	NODULAR SCLEROSIS		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
201.6	MIXED CELLULARITY		3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
201.7	LYMPHOCYTIC DEPLETION		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
201.9	UNSPECIFIED		179	-	-	-	2	3	12	9	14	10	13	16	9	15	17	16	14	12	8	8	1	-	-	-
		M	91	-	-	-	1	1	7	4	10	7	9	11	4	8	9	6	7	5	1	-	1	-	-	-
		F	88	-	-	-	1	2	5	5	4	3	4	5	5	7	8	10	7	7	7	8	-	-	-	-
202	OTHER MALIGNANT NEOPLASM OF LYMPHOID AND HISTIOCYTIC TISSUE																									
202.0	NODULAR LYMPHOMA		34	-	-	-	-	-	-	-	-	-	-	1	3	5	7	3	2	7	3	3	-	-	-	-
		M	18	-	-	-	-	-	-	-	-	-	-	1	2	3	5	3	-	3	-	1	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	2	4	3	2	-	-	-	-
202.1	MYCOSIS FUNGOIDES		15	-	-	-	-	-	-	1	-	-	2	2	-	3	2	2	1	1	-	1	-	-	-	-
		M	7	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	1	1	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	-	-	-	1	-	-	-	-
202.2	SEZARY'S DISEASE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
202.3	MALIGNANT HISTIOCYTOSIS		7	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	3	-	-	-	-	-	-
		M	4	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-
202.4	LEUKAEMIC RETICULOENDOTHELIOSIS		16	-	-	-	-	-	-	-	-	2	1	2	2	4	3	-	1	1	-	-	-	-	-	-
		M	13	-	-	-	-	-	-	-	-	2	1	2	1	4	2	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
202.8	OTHER LYMPHOMAS		715	-	2	6	4	6	4	6	13	11	14	14	37	59	74	104	111	106	77	50	13	3	1	-
		M	348	-	1	6	4	5	1	4	7	4	8	9	22	35	36	44	55	57	25	19	5	1	-	-
		F	367	-	1	-	-	1	3	2	6	7	6	5	15	24	38	60	56	49	52	31	8	2	1	-
202.9	OTHER AND UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
203	MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS																									
203.0	MULTIPLE MYELOMA		612	-	-	-	-	-	-	-	1	4	8	9	28	63	73	95	96	95	77	45	13	3	1	1
		M	306	-	-	-	-	-	-	-	1	2	5	4	12	32	36	51	46	58	30	18	9	2	1	1
		F	304	-	-	-	-	-	-	-	-	2	3	5	16	31	37	44	50	37	47	27	4	1	-	-
203.1	PLASMA CELL LEUKAEMIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
203.8	OTHER IMMUNOPROLIFERATIVE NEOPLASMS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
204	LYMPHOID LEUKAEMIA																									
204.0	ACUTE		162	-	7	26	29	24	13	5	6	2	3	4	3	5	5	6	9	9	4	-	1	1	-	-
		M	92	-	5	18	19	12	8	1	5	-	1	2	-	4	1	3	6	5	2	-	-	-	-	-
		F	70	-	2	8	10	12	5	4	1	2	2	2	3	1	4	3	3	4	2	-	1	1	-	-
204.1	CHRONIC		259	-	-	-	-	-	-	-	1	1	1	2	10	13	22	28	45	41	40	35	14	5	1	-
		M	147	-	-	-	-	-	-	-	-	1	1	1	9	10	16	20	26	23	20	12	6	2	-	-
		F	112	-	-	-	-	-	-	-	1	-	-	1	1	3	6	8	19	18	20	23	8	3	1	-
204.2	SUBACUTE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
204.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
204.9	UNSPECIFIED		31	-	-	-	-	-	-	1	-	-	-	-	1	3	1	1	3	5	3	7	4	1	1	-
		M	12	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	2	3	2	-	-	-
		F	19	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	4	1	4	2	1	1	-
205	MYELOID LEUKAEMIA																									
205.0	ACUTE		538	3	1	7	5	9	10	14	11	18	9	24	35	42	47	61	91	50	58	30	13	-	-	-
		M	305	2	1	6	4	5	6	8	6	5	5	12	16	27	27	35	52	35	32	15	6	-	-	-
		F	233	1	-	1	1	4	4	6	5	13	4	12	19	15	20	26	39	15	26	15	7	-	-	-
205.1	CHRONIC		230	-	1	-	2	1	4	11	8	8	15	8	19	17	30	29	23	20	17	11	5	1	-	-
		M	145	-	-	-	1	1	2	9	6	4	10	7	11	9	19	16	16	13	11	9	1	-	-	-
		F	85	-	1	-	1	-	2	2	2	4	5	1	8	8	11	13	7	7	6	2	4	1	-	-
205.2	SUBACUTE		7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	1	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
205.9	UNSPECIFIED		49	-	-	[illegible]	-	1	-	1	1	-	-	-	-	4	4	5	8	9	7	8	-	-	-	-
		M	26	-	[illegible]	[illegible]	[illegible]	1	-	1	1	-	-	-	-	4	3	2	3	6	3	2	-	-	-	-
		F	23	-	[illegible]	[illegible]	-	-	-	-	-	-	-	-	-	-	1	3	5	3	4	6	-	-	-	-
206	MONOCYTIC LEUKAEMIA																									
206.0	ACUTE		32	-	-	1	-	1	-	1	1	-	-	1	2	4	2	4	6	4	2	2	1	-	-	-
		M	17	-	-	1	-	-	-	-	1	-	-	-	1	2	1	1	2	4	1	2	1	-	-	-
		F	15	-	-	-	-	1	-	1	-	-	-	1	1	2	1	3	4	-	1	-	-	-	-	-
206.1	CHRONIC		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
206.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
206.9	UNSPECIFIED		8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	2	1	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
207	OTHER SPECIFIED LEUKAEMIA																									
207.0	ACUTE ERYTHRAEMIA AND ERYTHROLEUKAEMIA		20	-	1	-	-	-	-	-	-	1	-	2	-	-	2	2	4	-	6	1	1	-	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	2	-	3	1	-	-	-	-
		F	9	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	3	-	1	-	-	-
207.2	MEGAKARYOCYTIC LEUKAEMIA		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
207.8	OTHER		9	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	5	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
208	LEUKAEMIA OF UNSPECIFIED CELL TYPE																									
208.0	ACUTE		184	-	3	2	7	4	-	6	3	6	5	8	8	14	10	23	25	22	18	11	7	2	-	-
		M	102	-	1	-	4	1	-	6	2	2	5	4	5	4	3	15	18	12	10	6	2	2	-	-
		F	82	-	2	2	3	3	-	-	1	4	-	4	3	10	7	8	7	10	8	5	5	-	-	-
208.1	CHRONIC		10	-	-	-	-	2	-	-	-	-	-	-	-	-	1	2	1	1	-	2	-	1	-	-
		M	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
		F	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-	-
208.2	SUBACUTE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
208.8	OTHER		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-
208.9	UNSPECIFIED		117	-	4	7	1	-	2	1	2	4	2	6	7	7	11	6	4	14	14	19	5	1	-	-
		M	67	-	3	7	-	-	2	-	1	2	2	5	6	2	5	3	2	9	7	8	3	-	-	-
		F	50	-	1	-	1	-	-	1	1	2	-	1	1	5	6	3	2	5	7	11	2	1	-	-
210-229	BENIGN NEOPLASMS		166	4	-	1	2	2	-	1	2	2	1	7	4	15	19	17	30	23	21	10	4	-	1	-
		M	61	3	-	1	1	1	-	1	-	1	-	1	2	8	3	7	13	11	5	2	1	-	-	-
		F	105	1	-	-	1	1	-	-	2	1	1	6	2	7	16	10	17	12	16	8	3	-	1	-
211	BENIGN NEOPLASM OF OTHER PARTS OF DIGESTIVE SYSTEM																									
211.1	STOMACH		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
211.3	COLON		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
211.5	LIVER AND BILIARY PASSAGES		4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
211.8	RETROPERITONEUM AND PERITONEUM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
212	BENIGN NEOPLASM OF RESPIRATORY AND INTRATHORACIC ORGANS																									
212.2	TRACHEA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
212.3	BRONCHUS AND LUNG		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
212.6	THYMUS		3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
212.7	HEART		6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	-	-	-	-	-
214	LIPOMA		3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
215	OTHER BENIGN NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE																									
215.0	HEAD, FACE AND NECK		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
216	BENIGN NEOPLASM OF SKIN																									
216.9	SITE UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
218	UTERINE LEIOMYOMA		3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
		F	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
220	BENIGN NEOPLASM OF OVARY		3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
225	BENIGN NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM																									
225.0	BRAIN		18	-	-	-	2	-	-	1	-	-	-	-	2	1	2	2	3	2	2	-	1	-	-	-
		M	10	-	-	-	1	-	-	1	-	-	-	-	1	1	-	1	2	2	-	-	1	-	-	-
		F	8	-	-	-	1	-	-	-	-	-	-	-	1	-	2	1	1	-	2	-	-	-	-	-
225.1	CRANIAL NERVES		10	-	-	1	-	-	-	-	-	-	-	1	-	1	2	1	-	3	-	-	1	-	-	-
		M	7	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	-	2	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
225.2	CEREBRAL MENINGES		72	-	-	-	-	1	-	-	1	1	-	4	-	6	10	8	12	11	13	4	1	-	-	-
		M	19	-	-	-	-	1	-	-	-	1	-	-	-	3	-	1	3	5	4	1	-	-	-	-
		F	53	-	-	-	-	-	-	-	1	-	-	4	-	3	10	7	9	6	9	3	1	-	-	-
225.3	SPINAL CORD		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
225.4	SPINAL MENINGES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
227	BENIGN NEOPLASM OF OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES																									
227.0	SUPRARENAL GLAND		6	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	1	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-
227.1	PARATHYROID GLAND		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
227.3	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT		10	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	-	2	2	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	2	-	-	-	-
228	HAEMANGIOMA AND LYMPHANGIOMA, ANY SITE																									
228.0	HAEMANGIOMA, ANY SITE		6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
228.1	LYMPHANGIOMA, ANY SITE		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
229	BENIGN NEOPLASM OF OTHER AND UNSPECIFIED SITES																									
229.8	OTHER SPECIFIED SITES		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
229.9	SITE UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
230-234	CARCINOMA IN SITU		2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
230	CARCINOMA IN SITU OF DIGESTIVE ORGANS																									
230.2	STOMACH		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
233	CARCINOMA IN SITU OF BREAST AND GENITOURINARY SYSTEM																									
233.1	CERVIX UTERI		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
235	NEOPLASM OF UNCERTAIN BEHAVIOUR OF DIGESTIVE AND RESPIRATORY SYSTEMS																									
235.2	STOMACH, INTESTINES AND RECTUM		7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-
235.7	TRACHEA, BRONCHUS AND LUNG		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
236	NEOPLASM OF UNCERTAIN BEHAVIOUR OF GENITOURINARY ORGANS																									
236.9	OTHER AND UNSPECIFIED URINARY ORGANS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
237	NEOPLASM OF UNCERTAIN BEHAVIOUR OF ENDOCRINE GLANDS AND NERVOUS SYSTEM																									
237.0	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT		7	-	-	-	-	-	1	2	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
237.5	BRAIN AND SPINAL CORD		4	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
237.7	NEUROFIBROMATOSIS		4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
238	NEOPLASM OF UNCERTAIN BEHAVIOUR OF OTHER AND UNSPECIFIED SITES AND TISSUES																									
238.0	BONE AND ARTICULAR CARTILAGE		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
238.1	CONNECTIVE AND OTHER SOFT TISSUE		5	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-
		F	5	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-
238.2	SKIN		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
238.4	POLYCYTHAEMIA VERA		39	-	-	-	-	-	1	-	-	-	-	1	1	2	4	5	4	9	4	6	2	-	-	-
		M	15	-	-	-	-	-	1	-	-	-	-	-	-	2	2	4	1	2	2	1	-	-	-	-
		F	24	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	3	7	2	5	2	-	-	-
238.7	OTHER LYMPHATIC AND HAEMATOPOIETIC TISSUES		52	-	-	-	-	1	-	-	1	-	-	-	-	3	4	3	11	11	8	8	2	-	-	-
		M	22	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	6	6	1	3	-	-	-	-
		F	30	-	-	-	-	1	-	-	1	-	-	-	-	2	2	-	5	5	7	5	2	-	-	-
238.8	OTHER SPECIFIED SITES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
238.9	SITE UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
239	NEOPLASM OF UNSPECIFIED NATURE																									
239.0	DIGESTIVE SYSTEM		33	-	-	-	-	1	-	-	1	-	-	-	-	1	2	3	4	5	8	5	2	1	-	-
		M	12	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	3	2	2	1	-	-	-
		F	21	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	3	2	6	3	1	1	-	-
239.1	RESPIRATORY SYSTEM		24	-	2	-	-	-	-	-	-	1	-	2	2	1	-	2	4	3	2	2	3	-	-	-
		M	14	-	1	-	-	-	-	-	-	1	-	2	-	-	-	2	2	3	1	1	1	-	-	-
		F	10	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	2	-	1	1	2	-	-	-
239.4	BLADDER		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
239.5	OTHER GENITOURINARY ORGANS		7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	3	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	-	-	-
239.6	BRAIN		234	-	3	3	2	2	2	5	6	7	8	8	11	21	29	27	23	36	21	16	4	-	-	-
		M	116	-	1	1	2	1	2	2	4	4	4	1	5	10	18	20	8	15	7	11	-	-	-	-
		F	118	-	2	2	-	1	-	3	2	3	4	7	6	11	11	7	15	21	14	5	4	-	-	-
239.7	ENDOCRINE GLANDS, AND OTHER PARTS OF NERVOUS SYSTEM		15	-	-	1	-	-	-	-	-	-	-	2	1	3	1	3	1	-	3	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	1	-	-	-	-	-
		F	8	-	-	1	-	-	-	-	-	-	-	1	-	3	-	1	-	-	2	-	-	-	-	-
239.8	OTHER SPECIFIED SITES		18	2	-	-	-	-	1	-	1	-	-	-	-	2	1	-	2	3	3	2	-	1	-	-
		M	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-
		F	13	2	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	1	3	2	-	1	-	-
239.9	SITE UNSPECIFIED		8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	1	-	-	-
		M	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
240-279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS		3,551	44	14	19	12	19	21	43	43	62	56	78	159	256	325	406	548	473	424	306	170	64	9	-
		M	1,486	16	9	7	7	6	11	24	27	34	22	38	73	107	135	181	248	203	160	92	62	20	4	-
		F	2,065	28	5	12	5	13	10	19	16	28	34	40	86	149	190	225	300	270	264	214	108	44	5	-
240-246	DISORDERS OF THYROID GLAND		78	1	-	-	-	1	-	-	2	-	2	3	4	5	2	4	14	11	12	12	4	1	-	-
		M	19	1	-	-	-	-	-	-	1	-	-	2	1	-	1	1	2	3	2	3	1	1	-	-
		F	59	-	-	-	-	1	-	-	1	-	2	1	3	5	1	3	12	8	10	9	3	-	-	-
240	SIMPLE AND UNSPECIFIED GOITRE																									
240.9	GOITRE, UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
241	NONTOXIC NODULAR GOITRE																									
241.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
242	THYROTOXICOSIS WITH OR WITHOUT GOITRE																									
242.0	TOXIC DIFFUSE GOITRE		4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
242.9	THYROTOXICOSIS WITHOUT MENTION OF GOITRE OR OTHER CAUSE		15	-	-	-	-	1	-	-	1	-	2	1	1	1	1	1	2	1	1	1	1	-	-	-
		M	4	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
		F	11	-	-	-	-	1	-	-	-	-	2	-	1	1	-	1	2	-	1	1	1	-	-	-
243	CONGENITAL HYPOTHYROIDISM		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
244	ACQUIRED HYPOTHYROIDISM																									
244.9	UNSPECIFIED HYPOTHYROIDISM		51	-	-	-	-	-	-	-	-	-	-	1	3	2	1	2	11	9	10	9	2	1	-	-
		M	13	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	2	2	3	-	1	-	-
		F	38	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	9	7	8	6	2	-	-	-
245	THYROIDITIS																									

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
245.2	CHRONIC LYMPHOCYTIC THYROIDITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
246	OTHER DISORDERS OF THYROID																									
246.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
250-2	DISEASES OF OTHER ENDOCRINE GLANDS		2,682	8	2	3	4	3	13	28	26	48	37	54	116	213	278	330	449	386	318	229	101	34	2	-
		M	1,107	3	1	1	2	-	6	16	16	27	14	29	52	89	115	146	205	164	112	68	33	6	2	-
		F	1,575	5	1	2	2	3	7	12	10	21	23	25	64	124	163	184	244	222	206	161	68	28	-	-
250	DIABETES MELLITUS																									
250.0	DIABETES MELLITUS WITHOUT MENTION OF COMPLICATION		1,851	-	-	-	2	-	5	11	13	20	23	28	68	151	192	232	334	265	236	167	76	27	1	-
		M	771	-	-	-	1	-	1	5	7	13	11	18	31	64	84	100	154	121	88	45	22	5	1	-
		F	1,080	-	-	-	1	-	4	6	6	7	12	10	37	87	108	132	180	144	148	122	54	22	-	-
250.1	DIABETES WITH KETOACIDOSIS		187	-	-	1	-	1	7	10	5	11	6	7	20	16	14	15	20	23	13	14	2	2	-	-
		M	84	-	-	-	-	-	4	7	4	5	1	2	11	9	5	10	7	9	4	5	1	-	-	-
		F	103	-	-	1	-	1	3	3	1	6	5	5	9	7	9	5	13	14	9	9	1	2	-	-
250.2	DIABETES WITH COMA		121	-	1	-	-	1	-	2	3	4	1	6	5	5	9	11	9	25	15	17	5	2	-	-
		M	46	-	1	-	-	-	-	1	1	2	-	3	3	3	6	5	5	9	3	3	1	-	-	-
		F	75	-	-	-	-	1	-	1	2	2	1	3	2	2	3	6	4	16	12	14	4	2	-	-
250.3	DIABETES WITH RENAL MANIFESTATIONS		205	-	-	-	-	-	1	4	4	7	4	6	12	18	36	29	28	25	20	5	5	-	1	-
		M	72	-	-	-	-	-	1	2	3	4	2	2	5	4	8	10	11	7	7	3	2	-	1	-
		F	133	-	-	-	-	-	-	2	1	3	2	4	7	14	28	19	17	18	13	2	3	-	-	-
250.4	DIABETES WITH OPHTHALMIC MANIFESTATIONS		10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	-	1	1	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	-	-	-	-
250.5	DIABETES WITH NEUROLOGICAL MANIFESTATIONS		24	-	-	-	-	-	-	-	1	1	-	-	-	3	2	4	8	5	-	-	-	-	-	-
		M	11	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	4	3	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	4	2	-	-	-	-	-	-
250.6	DIABETES WITH PERIPHERAL CIRCULARY DISORDERS		170	-	-	-	-	-	-	-	-	1	2	1	7	12	18	19	29	30	24	14	10	3	-	-
		M	78	-	-	-	-	-	-	-	-	-	-	1	1	3	11	13	19	12	6	6	5	1	-	-
		F	92	-	-	-	-	-	-	-	-	1	2	-	6	9	7	6	10	18	18	8	5	2	-	-
250.7	DIABETES WITH OTHER SPECIFIED MANIFESTATIONS		47	-	-	-	-	-	-	-	-	-	-	1	1	1	2	7	13	8	5	8	1	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	2	5	1	-	-	-
		F	31	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	10	6	3	3	-	-	-	-
250.9	DIABETES WITH UNSPECIFIED COMPLICATIONS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
251	OTHER DISORDERS OF PANCREATIC INTERNAL SECRETION																									
251.0	HYPOGLYCAEMIC COMA		4	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
251.2	HYPOGLYCAEMIA, UNSPECIFIED		12	1	1	1	-	1	-	-	-	-	-	2	1	-	-	2	1	1	1	-	-	-	-	-
		M	4	-	-	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
		F	8	1	1	-	-	1	-	-	-	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
251.5	ABNORMALITY OF SECRETION OF GASTRIN		3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
252	DISORDERS OF PARATHYROID GLAND																									
252.0	HYPERPARATHYROIDISM		5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
252.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
253	DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL																									
253.0	ACROMEGALY AND GIGANTISM		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
253.2	PANHYPOPITUITARISM		4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
253.5	DIABETES INSIPIDUS		2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
253.6	OTHER DISORDERS OF NEUROHYPOPHYSIS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
253.8	OTHER DISORDERS OF THE PITUITARY AND OTHER SYNDROMES OF DIENCEPHALOHYPOPHYSEAL ORIGIN		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
253.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
255	DISORDERS OF ADRENAL GLANDS																									
255.3	OTHER CORTICOADRENAL OVERACTIVITY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
255.4	CORTICOADRENAL INSUFFICIENCY		13	2	-	-	1	-	-	-	-	-	-	-	-	1	1	3	1	2	-	1	1	-	-	-
		M	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
		F	9	1	-	-	1	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	1	-	-	-
255.8	OTHER		3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
255.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
259	OTHER ENDOCRINE DISORDERS																									
259.2	CARCINOID SYNDROME		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
259.4	DWARFISM, NOT ELSEWHERE CLASSIFIED		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
259.8	OTHER		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
259.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260-269	NUTRITIONAL DEFICIENCIES		177	1	-	-	-	-	1	1	-	-	1	1	3	3	4	17	18	25	27	24	35	12	4	-
		M	67	-	-	-	-	-	1	1	-	-	-	-	1	2	1	11	8	9	11	7	10	4	1	-
		F	110	1	-	-	-	-	-	-	-	-	1	1	2	1	3	6	10	16	16	17	25	8	3	-
260	KWASHIORKOR		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
261	NUTRITIONAL MARASMUS		17	-	-	-	-	-	1	-	-	-	-	-	-	-	-	4	2	2	4	2	-	2	-	-
		M	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	1	-	2	1	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	2	-	-
263	OTHER AND UNSPECIFIED PROTEIN-CALORIE MALNUTRITION																									
263.9	UNSPECIFIED		153	1	-	-	-	-	-	1	-	-	1	1	2	2	4	12	15	23	23	20	35	9	4	-
		M	56	-	-	-	-	-	-	1	-	-	-	-	-	2	1	8	6	9	9	6	10	3	1	-
		F	97	1	-	-	-	-	-	-	-	-	1	1	2	-	3	4	9	14	14	14	25	6	3	-
265	THIAMINE AND NIACIN DEFICIENCY STATES																									
265.1	OTHER AND UNSPECIFIED MANIFESTATIONS OF THIAMINE DEFICIENCY		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
265.2	PELLAGRA		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
268	VITAMIN D DEFICIENCY																									
268.2	OSTEOMALACIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
269	OTHER NUTRITIONAL DEFICIENCIES																									
269.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
270-279	OTHER METABOLIC DISORDERS AND IMMUNITY DISORDERS		614	34	12	16	8	15	7	14	15	14	16	20	36	35	41	55	67	51	67	41	30	17	3	-
		M	293	12	8	6	5	6	4	7	10	7	8	7	19	16	18	23	33	27	35	14	18	9	1	-
		F	321	22	4	10	3	9	3	7	5	7	8	13	17	19	23	32	34	24	32	27	12	8	2	-
270	DISORDERS OF AMINO-ACID TRANSPORT AND METABOLISM																									
270.2	OTHER DISTURBANCES OF AROMATIC AMINO-ACID METABOLISM		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
270.6	DISORDERS OF UREA CYCLE METABOLISM		2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
270.7	OTHER DISTURBANCES OF STRAIGHT-CHAIN AMINO-ACID METABOLISM		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
270.8	OTHER		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
272	DISORDERS OF LIPOID METABOLISM																									
272.0	PURE HYPERCHOLESTEROLAEMIA		10	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	2	2	2	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	2	-	-	-	-	-
272.1	PURE HYPERGLYCERIDAEMIA		3	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
272.2	MIXED HYPERLIPIDAEMIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
272.4	OTHER AND UNSPECIFIED HYPERLIPIDAEMIA		23	-	-	-	-	-	1	1	-	-	1	-	-	2	4	4	3	1	5	-	-	1	-	-
		M	8	-	-	-	-	-	1	1	-	-	-	-	-	1	3	-	1	-	1	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	2	1	4	-	-	1	-	-
272.7	LIPIDOSES		3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
273	DISORDERS OF PLASMA PROTEIN METABOLISM																									
273.1	MONOCLONAL PARAPROTEINAEMIA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
273.2	OTHER PARAPROTEINAEMIAS		13	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	3	2	3	-	-	1	-	-
		M	10	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	2	2	2	-	-	1	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
273.3	MACROGLOBULINAEMIA		26	-	-	-	-	-	-	-	-	-	-	1	2	2	2	3	4	1	2	9	-	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	2	6	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	-	3	-	-	-	-
273.8	OTHER		9	1	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	1	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
		F	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-
274	GOUT																									
274.0	GOUTY ARTHROPATHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
274.1	GOUTY NEPHROPATHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
274.9	UNSPECIFIED		7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	2	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	2	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
275	DISORDERS OF MINERAL METABOLISM																									
275.0	DISORDERS OF IRON METABOLISM		13	-	-	-	-	-	-	1	2	-	-	1	2	1	3	1	1	-	-	1	-	-	-	-
		M	9	-	-	-	-	-	-	-	2	-	-	-	1	1	3	1	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
275.1	DISORDERS OF COPPER METABOLISM		3	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
275.3	DISORDERS OF PHOSPHORUS METABOLISM		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
275.4	DISORDERS OF CALCIUM METABOLISM		6	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	1	-	-	1	-	-	-
		M	4	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
276	DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE																									
276.0	HYPEROSMOLALITY AND/OR HYPERNATRAEMIA		5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	1	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
276.1	HYPOSMOLALITY AND/OR HYPONATRAEMIA		7	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	1	-	-	-
276.2	ACIDOSIS		41	7	2	-	-	-	-	-	-	1	-	1	2	3	3	3	10	2	4	2	1	-	-	-
		M	23	3	2	-	-	-	-	-	-	1	-	1	-	3	1	2	7	1	1	-	1	-	-	-
		F	18	4	-	-	-	-	-	-	-	-	-	-	2	-	2	1	3	1	3	2	-	-	-	-
276.5	VOLUME DEPLETION		135	2	2	-	-	-	1	-	-	-	-	-	1	2	2	2	14	19	32	22	20	14	2	-
		M	65	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	8	9	19	5	11	7	1	-
		F	70	2	2	-	-	-	-	-	-	-	-	-	-	1	1	1	6	10	13	17	9	7	1	-
276.6	FLUID OVERLOAD		4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
276.7	HYPERPOTASSAEMIA		18	3	-	-	-	-	-	-	-	-	1	1	1	-	1	3	3	1	1	1	2	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	2	-	-	-
		F	11	3	-	-	-	-	-	-	-	-	1	1	1	-	1	-	3	-	-	1	-	-	-	-
276.8	HYPOPOTASSAEMIA		6	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	-	-	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
276.9	ELECTROLYTE AND FLUID DISORDERS, NOT ELSEWHERE CLASSIFIED		10	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	2	2	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	1	-	-	-	-
277	OTHER AND UNSPECIFIED DISORDERS OF METABOLISM																									
277.0	CYSTIC FIBROSIS		52	4	-	14	8	11	4	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	21	1	-	4	5	3	1	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	31	3	-	10	3	8	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
277.3	AMYLOIDOSIS		48	-	-	-	-	-	-	-	1	-	-	2	6	3	6	10	9	2	4	3	1	1	-	-
		M	27	-	-	-	-	-	-	-	-	-	-	1	4	1	2	5	5	1	3	3	1	1	-	-
		F	21	-	-	-	-	-	-	-	1	-	-	1	2	2	4	5	4	1	1	-	-	-	-	-
277.5	MUCOPOLYSACCHARIDOSIS		4	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
277.6	OTHER DEFICIENCIES OF CIRCULATING ENZYMES		8	-	-	-	-	-	-	-	1	-	1	-	2	2	-	2	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
277.8	OTHER		7	-	1	2	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-
		M	5	-	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
277.9	UNSPECIFIED		18	3	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	5	1	1	1	-	-	-
		M	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-
		F	10	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	1	1	-	-	-
278	OBESITY AND OTHER HYPERALIMENTATION																									
278.0	OBESITY		102	-	-	-	-	-	1	5	8	8	8	9	12	10	12	11	7	5	6	-	-	-	-	-
		M	36	-	-	-	-	-	1	2	5	3	4	2	6	2	3	2	3	2	1	-	-	-	-	-
		F	66	-	-	-	-	-	-	3	3	5	4	7	6	8	9	9	4	3	5	-	-	-	-	-
278.8	OTHER		3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
279	DISORDERS INVOLVING THE IMMUNE MECHANISM																									
279.0	DEFICIENCY OF HUMORAL IMMUNITY		3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		M	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
279.1	DEFICIENCY OF CELL-MEDIATED IMMUNITY		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
279.2	COMBINED IMMUNITY DEFICIENCY		4	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	4	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
279.3	UNSPECIFIED IMMUNITY DEFICIENCY		4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
279.4	AUTOIMMUNE DISEASE, NOT ELSEWHERE CLASSIFIED		2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
279.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
279.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
280-289	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS		538	10	17	8	4	5	11	12	8	10	9	13	20	38	42	50	48	71	72	53	26	11	-	-
		M	266	4	11	4	2	3	7	6	4	4	3	7	12	16	29	23	29	31	36	24	9	2	-	-
		F	272	6	6	4	2	2	4	6	4	6	6	6	8	22	13	27	19	40	36	29	17	9	-	-
280	IRON DEFICIENCY ANAEMIAS		11	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	2	2	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
		F.	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	2	1	-	-	-
281	OTHER DEFICIENCY ANAEMIAS																									
281.0	PERNICIOUS ANAEMIA		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
281.3	OTHER SPECIFIED MEGALOBLASTIC ANAEMIAS, NOT		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	ELSEWHERE CLASSIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
281.9	UNSPECIFIED		4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
		M	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
282	HEREDITARY HAEMOLYTIC ANAEMIAS																									
282.0	HEREDITARY SPHEROCYTOSIS		2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282.2	ANAEMIAS DUE TO DISORDERS OF GLUTATHIONE		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	METABOLISM	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282.4	THALASSAEMIAS		2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282.6	SICKLE-CELL ANAEMIA		25	-	3	2	-	2	4	5	3	4	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	12	-	1	1	-	1	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	-	2	1	-	1	1	2	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-
282.9	UNSPECIFIED		9	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	3	1	-	-	-
		M	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	6	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	1	-	-	-
283	ACQUIRED HAEMOLYTIC ANAEMIAS																									
283.0	AUTOIMMUNE HAEMOLYTIC ANAEMIAS		4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
283.1	NON-AUTOIMMUNE HAEMOLYTIC ANAEMIAS		3	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
283.2	HAEMOGLOBINURIA DUE TO HAEMOLYSIS FROM		4	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	EXTERNAL CAUSES	M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
283.9	UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
284	APLASTIC ANAEMIA																									
284.0	CONSTITUTIONAL APLASTIC ANAEMIA		4	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
284.8	OTHER		15	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	2	3	-	1	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	1	-	1	-	-
284.9	UNSPECIFIED		81	-	3	1	2	2	2	1	-	2	3	3	4	4	3	10	2	9	10	13	5	2	-	-
		M	35	-	3	-	-	2	1	-	-	-	-	1	4	2	3	5	1	2	5	5	1	-	-	-
		F	46	-	-	1	2	-	1	1	-	2	3	2	-	2	-	5	1	7	5	8	4	2	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
285	OTHER AND UNSPECIFIED ANAEMIAS																									
285.0	SIDEROBLASTIC ANAEMIA		14	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	2	1	1	3	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	-	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	-	-	-
285.8	OTHER SPECIFIED ANAEMIAS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
285.9	ANAEMIA, UNSPECIFIED		55	-	-	-	-	-	-	1	1	-	-	1	2	-	1	4	6	12	12	6	5	4	-	-
		M	27	-	-	-	-	-	-	-	1	-	-	1	2	-	1	3	3	5	7	3	1	-	-	-
		F	28	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	3	7	5	3	4	4	-	-
286	COAGULATION DEFECTS																									
286.0	CONGENITAL FACTOR VIII DISORDER		5	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		M	5	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
286.1	CONGENITAL FACTOR IX DISORDER		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
286.3	CONGENITAL DEFICIENCY OF OTHER CLOTTING FACTORS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
286.4	VON WILLEBRAND'S DISEASE		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
286.6	DEFIBRINATION SYNDROME		47	3	5	-	-	-	1	1	-	1	2	1	1	6	5	4	5	6	3	1	1	1	-	-
		M	23	1	4	-	-	-	-	-	-	-	-	1	-	4	2	1	3	2	3	1	1	-	-	-
		F	24	2	1	-	-	-	1	1	-	1	2	-	1	2	3	3	2	4	-	-	-	1	-	-
286.9	OTHER AND UNSPECIFIED COAGULATION DEFECTS		18	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	2	3	2	2	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	3	2	1	-	-	-	-
287	PURPURA AND OTHER HAEMORRHAGIC CONDITIONS																									
287.0	ALLERGIC PURPURA		2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
287.3	PRIMARY THROMBOCYTOPENIA		14	2	1	-	-	-	2	-	-	-	-	2	-	1	2	-	1	-	2	-	-	1	-	-
		M	6	-	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-
		F	8	2	-	-	-	-	1	-	-	-	-	2	-	1	-	-	1	-	1	-	-	-	-	-
287.4	SECONDARY THROMBOCYTOPENIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
287.5	THROMBOCYTOPENIA, UNSPECIFIED		25	1	-	1	-	-	-	-	-	-	-	-	2	1	-	1	4	7	5	3	-	-	-	-
		M	13	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	2	4	3	1	-	-	-	-
		F	12	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	3	2	2	-	-	-	-
287.9	UNSPECIFIED HAEMORRHAGIC CONDITIONS		2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
288.0	AGRANULOCYTOSIS		21	1	-	1	-	-	-	-	1	-	-	-	1	3	5	-	3	-	6	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	2	-	2	-	-	-	-	-
		F	13	1	-	1	-	-	-	-	-	-	-	-	1	3	2	-	1	-	4	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
288.1	FUNCTIONAL DISORDERS OF NEUTROPHIL POLYMORPHONUCLEARS		2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
288.2	GENETIC ANOMALIES OF LEUCOCYTES		2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
288.3	EOSINOPHILIA		2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
288.9	UNSPECIFIED		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS																									
289.1	CHRONIC LYMPHADENITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
289.2	NONSPECIFIC MESENTERIC LYMPHADENITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
289.4	HYPERSPLENISM		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
289.5	OTHER DISEASES OF SPLEEN		15	-	-	-	-	-	-	-	1	-	-	-	2	2	1	3	1	3	-	2	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	1	-	1	-	-	-	-
		F	8	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	2	-	1	-	-	-	-
289.6	FAMILIAL POLYCYTHAEMIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
289.8	OTHER		116	-	-	1	-	-	-	-	-	1	-	1	1	11	13	15	15	18	22	10	6	2	-	-
		M	67	-	-	1	-	-	-	-	-	-	-	1	-	6	10	6	10	13	10	6	3	1	-	-
		F	49	-	-	-	-	-	-	-	-	1	-	-	1	5	3	9	5	5	12	4	3	1	-	-
289.9	UNSPECIFIED		5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
290-319	MENTAL DISORDERS		1,347	-	8	2	1	13	31	43	51	47	59	60	77	84	72	91	97	125	152	165	126	37	6	-
		M	764	-	7	-	1	13	19	35	36	38	41	44	59	61	53	54	58	72	62	59	45	6	1	-
		F	583	-	1	2	-	-	12	8	15	9	18	16	18	23	19	37	39	53	90	106	81	31	5	-
290-299	PSYCHOSES		356	-	-	-	-	-	1	1	-	2	9	7	9	7	18	24	24	54	60	60	58	18	4	-
		M	173	-	-	-	-	-	1	1	-	1	6	5	9	6	13	15	13	30	23	24	20	5	1	-
		F	183	-	-	-	-	-	-	-	-	1	3	2	-	1	5	9	11	24	37	36	38	13	3	-
290-294	ORGANIC PSYCHOTIC CONDITIONS		283	-	-	-	-	-	1	1	-	1	6	6	8	7	16	17	16	41	46	48	50	15	4	-
		M	145	-	-	-	-	-	1	1	-	1	4	5	8	6	13	12	11	23	19	17	19	4	1	-
		F	138	-	-	-	-	-	-	-	-	-	2	1	-	1	3	5	5	18	27	31	31	11	3	-
290	SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS																									

Table 7—15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
290.0	SENILE DEMENTIA, SIMPLE TYPE		204	-	-	-	-	-	-	-	-	-	-	-	-	2	3	7	7	34	43	45	44	15	4	-
		M	81	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	4	16	18	16	15	4	1	-
		F	123	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	18	25	29	29	11	3	-
290.1	PRESENILE DEMENTIA		19	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	6	3	1	1	1	-	-	-
		M	14	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	4	3	1	-	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	-	-	-
290.2	SENILE DEMENTIA, DEPRESSED OR PARANOID TYPE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
290.3	SENILE DEMENTIA WITH ACUTE CONFUSIONAL STATE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
290.4	ARTERIOSCLEROTIC DEMENTIA		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	4	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
291	ALCOHOLIC PSYCHOSIS																									
291.0	DELIRIUM TREMENS		26	-	-	-	-	-	-	1	-	1	3	3	6	3	4	4	-	-	-	1	-	-	-	-
		M	25	-	-	-	-	-	-	1	-	1	3	3	6	2	4	4	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
291.1	KORSAKOV'S PSYCHOSIS, ALCOHOLIC		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
291.2	OTHER ALCOHOLIC DEMENTIA		5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
291.8	OTHER		14	-	-	-	-	-	1	-	-	-	2	3	1	1	4	1	1	-	-	-	-	-	-	-
		M	11	-	-	-	-	-	1	-	-	-	-	2	1	1	4	1	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
292	DRUG PSYCHOSES																									
292.0	DRUG WITHDRAWAL SYNDROME		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
294	OTHER ORGANIC PSYCHOTIC CONDITIONS (CHRONIC)																									
294.0	KORSAKOV'S PSYCHOSIS OR SYNDROME (NONALCOHOLIC)		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
294.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
295-299	OTHER PSYCHOSES		73	-	-	-	-	-	-	-	-	1	3	1	1	-	2	7	8	13	14	12	8	3	-	-
		M	28	-	-	-	-	-	-	-	-	-	2	-	1	-	-	3	2	7	4	7	1	1	-	-
		F	45	-	-	-	-	-	-	-	-	1	1	1	-	-	2	4	6	6	10	5	7	2	-	-
295	SCHIZOPHRENIC PSYCHOSES																									
295.2	CATATONIC TYPE		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
295.3	PARANOID TYPE		3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
295.6	RESIDUAL SCHIZOPHRENIA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
295.9	UNSPECIFIED		6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	-	-	-	-	-	-
296	AFFECTIVE PSYCHOSES																									
296.0	MANIC-DEPRESSIVE PSYCHOSIS, MANIC TYPE		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
296.1	MANIC DEPRESSIVE PSYCHOSIS, DEPRESSED TYPE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
296.6	MANIC-DEPRESSIVE PSYCHOSIS, OTHER AND UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
297	PARANOID STATES																									
297.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
298	OTHER NONORGANIC PSYCHOSES																									
298.0	DEPRESSIVE TYPE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
298.9	UNSPECIFIED PSYCHOSIS		54	-	-	-	-	-	-	-	-	-	-	1	1	-	1	6	5	8	13	8	8	3	-	-
		M	22	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	5	4	5	1	1	-	-
		F	32	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	3	3	9	3	7	2	-	-
300-316	NEUROTIC DISORDERS, PERSONALITY DISORDERS AND OTHER NONPSYCHOTIC MENTAL DISORDERS		953	-	-	1	-	7	24	40	47	44	49	52	66	76	53	65	73	71	91	105	68	19	2	-
		M	570	-	-	-	-	7	16	33	35	37	34	38	49	55	40	39	45	42	39	35	25	1	-	-
		F	383	-	-	1	-	-	8	7	12	7	15	14	17	21	13	26	28	29	52	70	43	18	2	-
300	NEUROTIC DISORDERS																									
300.0	ANXIETY STATES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
300.4	NEUROTIC DEPRESSION		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
303	ALCOHOL DEPENDENCE SYNDROME		388	-	-	-	-	-	3	13	19	27	32	46	52	56	44	44	31	15	4	2	-	-	-	-
		M	286	-	-	-	-	-	3	10	13	20	23	34	39	42	34	30	24	12	2	-	-	-	-	-
		F	102	-	-	-	-	-	-	3	6	7	9	12	13	14	10	14	7	3	2	2	-	-	-	-
304	DRUG DEPENDENCE																									
304.0	MORPHINE TYPE		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
304.9	UNSPECIFIED		58	-	-	-	-	-	11	13	19	6	5	3	1	-	-	-	-	-	-	-	-	-	-	-
		M	45	-	-	-	-	-	7	12	15	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	4	1	4	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
305	NONDEPENDENT ABUSE OF DRUGS																									
305.0	ALCOHOL		81	-	-	-	-	6	7	7	5	8	8	3	9	17	3	4	1	1	1	1	-	-	-	-
		M	65	-	-	-	-	6	6	7	5	8	6	2	7	12	2	1	-	1	1	1	-	-	-	-
		F	16	-	-	-	-	-	1	-	-	-	2	1	2	5	1	3	1	-	-	-	-	-	-	-
305.7	AMPHETAMINE TYPE		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
305.9	OTHER, MIXED OR UNSPECIFIED		10	-	-	-	-	-	2	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
306	PHYSIOLOGICAL MALFUNCTION ARISING FROM MENTAL FACTORS																									
306.2	CARDIOVASCULAR		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
307	SPECIAL SYMPTOMS OF SYNDROMES NOT ELSEWHERE CLASSIFIED																									
307.1	ANOREXIA NERVOSA		16	-	-	-	-	-	1	1	2	1	1	-	1	-	-	2	-	-	4	2	-	-	1	-
		M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-
		F	12	-	-	-	-	-	1	1	2	-	1	-	1	-	-	1	-	-	3	1	-	-	1	-
307.9	OTHER AND UNSPECIFIED		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
310	SPECIFIC NONPSYCHOTIC MENTAL DISORDERS FOLLOWING ORGANIC BRAIN DAMAGE																									
310.9	UNSPECIFIED		359	-	-	-	-	-	-	2	-	1	2	-	2	3	5	12	38	47	72	90	65	19	1	-
		M	143	-	-	-	-	-	-	1	-	1	1	-	2	1	4	5	20	22	31	31	23	1	-	-
		F	216	-	-	-	-	-	-	1	-	-	1	-	-	2	1	7	18	25	41	59	42	18	1	-
311	DEPRESSIVE DISORDER, NOT ELSEWHERE CLASSIFIED		33	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	7	8	9	2	-	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	3	2	1	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	5	7	1	-	-	-
317-319	MENTAL RETARDATION		38	-	8	1	1	6	6	2	4	1	1	1	2	1	1	2	-	-	1	-	-	-	-	-
		M	21	-	7	-	1	6	2	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	17	-	1	1	-	-	4	1	3	1	-	-	1	1	1	2	-	-	1	-	-	-	-	-
318	OTHER SPECIFIED MENTAL RETARDATION																									
318.0	MODERATE MENTAL RETARDATION		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
318.1	SEVERE MENTAL RETARDATION		10	-	5	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	5	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
318.2	PROFOUND MENTAL RETARDATION		7	-	2	-	-	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	6	-	2	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
319	UNSPECIFIED MENTAL RETARDATION		20	-	1	-	1	1	4	1	3	1	1	1	2	1	-	2	-	-	1	-	-	-	-	-
		M	7	-	-	-	1	1	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	13	-	1	-	-	-	3	1	2	1	-	-	1	1	-	2	-	-	1	-	-	-	-	-

Table 7—15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS		2,135	98	63	27	32	35	43	39	39	36	51	48	75	150	163	222	282	276	231	143	65	15	1	1
		M	1,138	60	37	14	16	27	25	23	19	23	25	22	45	85	89	117	158	146	116	63	23	5	-	-
		F	997	38	26	13	16	8	18	16	20	13	26	26	30	65	74	105	124	130	115	80	42	10	1	1
320-326	INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM		201	51	28	4	5	2	5	6	4	5	6	3	9	12	13	8	7	18	7	4	4	-	-	-
		M	117	32	17	3	2	1	3	4	2	3	4	2	6	7	8	5	2	8	4	2	2	-	-	-
		F	84	19	11	1	3	1	2	2	2	2	2	1	3	5	5	3	5	10	3	2	2	-	-	-
320	BACTERIAL MENINGITIS																									
320.0	HAEMOPHILUS MENINGITIS		26	15	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320.1	PNEUMOCOCCAL MENINGITIS		28	5	-	-	2	1	-	2	1	-	1	1	5	2	2	-	1	2	2	1	-	-	-	-
		M	9	2	-	-	-	-	-	1	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-
		F	19	3	-	-	2	1	-	1	1	-	-	-	2	1	2	-	1	2	2	1	-	-	-	-
320.2	STREPTOCOCCAL MENINGITIS		10	7	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	5	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
320.3	STAPHYLOCOCCAL MENINGITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
320.8	MENINGITIS DUE TO OTHER SPECIFIED BACTERIA		5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
		M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
320.9	MENINGITIS DUE TO UNSPECIFIED BACTERIUM		36	12	6	1	-	1	1	1	1	-	1	-	-	1	1	4	1	2	2	1	-	-	-	-
		M	22	9	3	1	-	1	1	1	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-
		F	14	3	3	-	-	-	-	-	1	-	1	-	-	1	-	2	-	1	1	1	-	-	-	-
322	MENINGITIS OF UNSPECIFIED CAUSE																									
322.2	CHRONIC MENINGITIS		2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
322.9	MENINGITIS, UNSPECIFIED		18	5	4	1	-	-	-	-	-	-	1	-	-	-	2	-	2	3	-	-	-	-	-	-
		M	14	5	4	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	-	-	-	-	-	-
		F	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
323	ENCEPHALITIS, MYELITIS, AND ENCEPHALOMYELITIS																									
323.9	UNSPECIFIED CAUSE		24	2	3	-	1	-	1	1	-	1	1	1	-	1	3	1	-	4	-	2	2	-	-	-
		M	14	-	2	-	1	-	1	1	-	-	1	-	-	1	2	1	-	1	-	2	1	-	-	-
		F	10	2	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	3	-	-	1	-	-	-
324	INTRACRANIAL AND INTRASPINAL ABSCESS																									
324.0	INTRACRANIAL ABSCESS		18	-	-	-	1	-	1	-	1	2	-	1	2	5	1	-	1	2	1	-	-	-	-	-
		M	14	-	-	-	1	-	1	-	1	1	-	1	2	3	1	-	-	2	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-
324.1	INTRASPINAL ABSCESS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
324.9	OF UNSPECIFIED SITE		4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
325	PHLEBITIS AND THROMBOPHLEBITIS OF INTRACRANIAL VENOUS SINUSES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
326	LATE EFFECTS OF INTRACRANIAL ABSCESS OR PYOGENIC INFECTION		26	3	6	1	-	-	2	2	1	1	-	-	-	1	2	2	1	3	1	-	-	-	-	-
		M	12	2	1	1	-	-	-	1	1	1	-	-	-	1	1	1	-	1	1	-	-	-	-	-
		F	14	1	5	-	-	-	2	1	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-
330-337	HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM		1,163	24	16	11	15	2	6	2	5	4	11	13	29	66	89	153	204	189	170	107	39	7	-	1
		M	627	14	11	4	7	1	5	2	-	3	4	5	18	41	52	78	121	105	86	50	16	4	-	-
		F	536	10	5	7	8	1	1	-	5	1	7	8	11	25	37	75	83	84	84	57	23	3	-	1
330	CEREBRAL DEGENERATIONS USUALLY MANIFEST IN CHILDHOOD																									
330.0	LEUCODYSTROPHY		11	4	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330.1	CEREBRAL LIPIDOSES		3	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
330.8	OTHER CEREBRAL DEGENERATIONS IN CHILDHOOD		2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
331	OTHER CEREBRAL DEGENERATIONS																									
331.0	ALZHEIMER'S DISEASE		138	-	-	-	-	-	-	-	-	-	-	-	-	6	13	27	32	18	16	18	8	-	-	-
		M	65	-	-	-	-	-	-	-	-	-	-	-	-	2	6	15	16	9	7	10	-	-	-	-
		F	73	-	-	-	-	-	-	-	-	-	-	-	-	4	7	12	16	9	9	8	8	-	-	-
331.1	PICK'S DISEASE		3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
331.2	SENILE DEGENERATION OF BRAIN		15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	2	2	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	1	-	-
331.3	COMMUNICATING HYDROCEPHALUS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
331.4	OBSTRUCTIVE HYDROCEPHALUS		68	3	3	1	4	1	4	1	-	1	1	-	3	2	2	8	14	9	4	5	2	-	-	-
		M	51	3	3	-	3	1	3	1	-	1	1	-	2	1	2	6	9	8	3	3	1	-	-	-
		F	17	-	-	1	1	-	1	-	-	-	-	-	1	1	-	2	5	1	1	2	1	-	-	-
331.8	OTHER CEREBRAL DEGENERATION		24	9	7	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	4	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
331.9	UNSPECIFIED		98	-	-	3	-	1	-	-	1	-	1	1	-	1	5	8	13	21	17	14	7	5	-	-
		M	45	-	-	1	-	-	-	-	-	-	-	1	-	1	5	3	7	13	8	2	1	3	-	-
		F	53	-	-	2	-	1	-	-	1	-	1	-	-	-	-	5	6	8	9	12	6	2	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
332	PARKINSON'S DISEASE																									
332.0	PARALYSIS AGITANS		419	1	-	-	-	-	-	-	-	-	-	1	-	9	15	32	84	100	102	58	17	-	-	-
		M	249	1	-	-	-	-	-	-	-	-	-	1	-	6	10	17	58	59	56	29	12	-	-	-
		F	170	-	-	-	-	-	-	-	-	-	-	-	-	3	5	15	26	41	46	29	5	-	-	-
333	OTHER EXTRAPYRAMIDAL DISEASE AND ABNORMAL MOVEMENT DISORDERS																									
333.0	OTHER DEGENERATIVE DISEASES OF THE BASAL GANGLIA		7	-	-	-	-	-	-	-	-	-	2	1	-	-	2	-	1	-	1	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
333.2	MYOCLONUS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
333.4	HUNTINGTON'S CHOREA		43	-	-	-	-	-	-	1	1	2	2	2	4	7	8	9	4	2	-	1	-	-	-	-
		M	26	-	-	-	-	-	-	1	-	1	-	1	4	4	5	8	1	-	-	1	-	-	-	-
		F	17	-	-	-	-	-	-	-	1	1	2	1	-	3	3	1	3	2	-	-	-	-	-	-
333.5	OTHER CHOREAS		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
333.6	IDIOPATHIC TORSION DYSTONIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
334	SPINOCEREBELLAR DISEASE																									
334.0	FRIEDREICH'S ATAXIA		2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
334.2	PRIMARY CEREBELLAR DEGENERATION		3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-
334.3	OTHER CEREBELLAR ATAXIA		3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
334.8	OTHER		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
334.9	UNSPECIFIED		10	-	-	-	-	-	1	-	-	-	-	1	-	3	-	2	2	-	1	-	-	-	-	-
		M	5	-	-	-	-	-	1	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-	-
335	ANTERIOR HORN CELL DISEASE																									
335.0	WERDNIG-HOFFMANN DISEASE		11	6	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
335.1	SPINAL MUSCULAR ATROPHY		3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		M	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
335.2	MOTOR NEURONE DISEASE		281	-	-	-	-	-	-	-	1	1	3	4	21	36	39	66	47	32	23	5	3	-	-	-
		M	138	-	-	-	-	-	-	-	-	1	2	2	12	23	19	29	22	14	9	3	2	-	-	-
		F	143	-	-	-	-	-	-	-	1	-	1	2	9	13	20	37	25	18	14	2	1	-	-	-
335.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
336	OTHER DISEASES OF SPINAL CORD																									
336.0	SYRINGOMYELIA AND SYRINGOBULBIA		4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
336.1	VASCULAR MYELOPATHIES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
336.8	OTHER MYELOPATHY		3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
336.9	UNSPECIFIED DISEASES OF SPINAL CORD		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
340-349	OTHER DISORDERS OF THE CENTRAL NERVOUS SYSTEM		626	21	16	12	11	17	30	25	28	23	33	26	31	62	51	42	51	57	40	24	18	7	1	-
		M	307	13	9	7	6	11	15	13	16	15	16	11	17	29	26	22	24	26	19	8	3	1	-	-
		F	319	8	7	5	5	6	15	12	12	8	17	15	14	33	25	20	27	31	21	16	15	6	1	-
340	MULTIPLE SCLEROSIS		155	-	-	-	-	1	-	3	6	4	15	16	19	36	22	11	13	8	1	-	-	-	-	-
		M	64	-	-	-	-	1	-	-	2	2	5	5	10	14	11	7	3	3	1	-	-	-	-	-
		F	91	-	-	-	-	-	-	3	4	2	10	11	9	22	11	4	10	5	-	-	-	-	-	-
341	OTHER DEMYELINATING DISEASES OF CENTRAL NERVOUS SYSTEM																									
341.9	UNSPECIFIED		43	1	-	-	-	-	-	1	-	-	2	-	-	-	2	3	3	6	4	11	7	3	-	-
		M	12	1	-	-	-	-	-	1	-	-	1	-	-	-	-	2	-	3	2	2	-	-	-	-
		F	31	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	3	2	9	7	3	-	-
342	HEMIPLEGIA																									
342.9	UNSPECIFIED		26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	7	6	4	3	2	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	3	1	1	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	3	2	2	-	-
343	INFANTILE CEREBRAL PALSY																									
343.0	DIPLEGIC		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
343.2	QUADRIPLEGIC		12	1	2	3	2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	-	3	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
343.9	UNSPECIFIED		56	13	9	5	2	8	5	2	2	5	1	-	2	-	2	-	-	-	-	-	-	-	-	-
		M	34	7	6	2	1	7	3	2	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	22	6	3	3	1	1	2	-	-	2	1	-	2	-	1	-	-	-	-	-	-	-	-	-
344	OTHER PARALYTIC SYNDROMES																									
344.0	QUADRIPLEGIA		14	1	-	-	1	-	-	1	1	1	1	-	1	2	-	1	1	2	-	1	-	-	-	-
		M	10	1	-	-	1	-	-	1	1	-	1	-	1	2	-	-	1	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-
344.1	PARAPLEGIA		9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	4	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
344.6	CAUDA EQUINA SYNDROME		19	-	-	-	-	-	-	-	-	1	-	-	-	1	-	4	5	4	3	1	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	3	1	2	1	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	-	-	-	-	-
344.8	OTHER		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	-	1	1	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	-	-	-
344.9	UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
345	EPILEPSY																									
345.1	GENERALIZED CONVULSIVE EPILEPSY		16	-	-	-	2	2	2	1	2	-	2	-	1	1	-	-	2	1	-	-	-	-	-	-
		M	9	-	-	-	2	1	1	1	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	7	-	-	-	-	1	1	-	1	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-
345.3	GRAND MAL STATUS		25	-	-	1	1	1	3	2	1	1	-	-	2	4	3	3	1	1	1	-	-	-	-	-
		M	14	-	-	1	-	-	1	1	1	1	-	-	1	2	2	1	1	1	1	-	-	-	-	-
		F	11	-	-	-	1	1	2	1	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-
345.5	PARTIAL EPILEPSY, WITHOUT MENTION OF IMPAIRMENT OF CONSCIOUSNESS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
345.9	UNSPECIFIED		67	-	-	1	2	1	17	11	10	5	6	1	2	2	4	-	3	2	-	-	-	-	-	-
		M	34	-	-	-	1	-	9	4	5	4	3	-	2	1	3	-	2	-	-	-	-	-	-	-
		F	33	-	-	1	1	1	8	7	5	1	3	1	-	1	1	-	1	2	-	-	-	-	-	-
347	CATAPLEXY AND NARCOLEPSY		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
348	OTHER CONDITIONS OF BRAIN																									
348.0	CEREBRAL CYSTS		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
348.1	ANOXIC BRAIN DAMAGE		62	2	-	-	1	-	1	1	2	3	5	4	1	6	11	6	6	7	4	1	1	-	-	-
		M	34	1	-	-	1	-	-	-	1	3	3	2	1	3	5	2	5	4	2	1	-	-	-	-
		F	28	1	-	-	-	-	1	1	1	-	2	2	-	3	6	4	1	3	2	-	1	-	-	-
348.2	BENIGN INTRACRANIAL HYPERTENSION		3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
		M	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
348.3	ENCEPHALOPATHY, UNSPECIFIED		25	-	-	1	-	2	-	1	-	-	-	-	1	4	3	1	2	3	5	-	2	-	-	-
		M	8	-	-	1	-	-	-	1	-	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-
		F	17	-	-	-	-	2	-	-	-	-	-	-	1	3	1	-	2	2	4	-	2	-	-	-
348.4	COMPRESSION OF BRAIN		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
348.5	CEREBRAL OEDEMA		20	2	2	-	-	-	1	-	3	-	-	3	1	-	2	1	3	-	2	-	-	-	-	-
		M	11	1	1	-	-	-	1	-	2	-	-	2	1	-	-	-	1	-	2	-	-	-	-	-
		F	9	1	1	-	-	-	-	-	1	-	-	1	-	-	2	1	2	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
348.8	OTHER		11	-	-	-	-	1	-	-	1	-	1	-	-	-	1	2	3	-	-	1	1	-	-	-
		M	6	-	-	-	-	1	-	-	1	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	-	-
348.9	UNSPECIFIED		26	-	-	-	-	-	-	1	-	2	-	1	-	1	-	3	2	6	3	3	2	1	1	-
		M	15	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	2	4	1	1	2	-	-	-
		F	11	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	2	2	2	-	1	1	-
349	OTHER AND UNSPECIFIED DISORDERS OF THE NERVOUS SYSTEM																									
349.8	OTHER		14	1	1	-	-	-	-	1	-	-	-	-	1	1	-	2	1	4	2	-	-	-	-	-
		M	8	1	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	2	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-	-
349.9	UNSPECIFIED		3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
350-359	DISORDERS OF THE PERIPHERAL NERVOUS SYSTEM		129	1	2	-	1	13	1	6	1	4	1	6	6	10	9	17	18	11	10	7	4	1	-	-
		M	80	-	-	-	1	13	1	4	1	2	1	4	4	8	3	11	10	6	6	3	2	-	-	-
		F	49	1	2	-	-	-	-	2	-	2	-	2	2	2	6	6	8	5	4	4	2	1	-	-
351	FACIAL NERVE DISORDERS																									
351.0	BELL'S PALSY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
352	DISORDERS OF OTHER CRANIAL NERVES																									
352.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
355	MONONEURITIS OF LOWER LIMB																									
355.9	MONONEURITIS OF UNSPECIFIED SITE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
356	HEREDITARY AND IDIOPATHIC PERIPHERAL NEUROPATHY																									
356.1	PERONEAL MUSCULAR ATROPHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
356.8	OTHER		12	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	3	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-
356.9	UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
357	INFLAMMATORY AND TOXIC NEUROPATHY																									
357.0	ACUTE INFECTIVE POLYNEURITIS		16	-	-	-	-	-	-	1	-	-	1	1	-	1	1	3	4	2	-	1	-	1	-	-
		M	9	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	3	1	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	1	-	1	-	1	-	-
357.5	ALCOHOLIC POLYNEUROPATHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
358	MYONEURAL DISORDERS																									
358.0	MYASTHENIA GRAVIS		24	-	1	-	-	-	-	-	1	-	-	-	-	1	-	2	6	4	4	2	3	-	-	-
		M	12	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	3	2	2	1	1	-	-	-
		F	12	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	1	2	-	-	-
358.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
358.9	UNSPECIFIED		7	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	1	2	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
359	MUSCULAR DYSTROPHIES AND OTHER MYOPATHIES																									
359.0	CONGENITAL HEREDITARY MUSCULAR DYSTROPHY		3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
359.1	HERIDITARY PROGRESSIVE MUSCULAR DYSTROPHY		43	-	-	-	1	13	1	5	-	1	-	3	3	4	2	3	1	3	1	2	-	-	-	-
		M	34	-	-	-	1	13	1	4	-	1	-	3	2	3	-	2	-	2	1	1	-	-	-	-
		F	9	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	1	1	-	1	-	-	-	-
359.2	MYOTONIC DISORDERS		5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
359.4	TOXIC MYOPATHY		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
359.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
359.9	UNSPECIFIED		5	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-
360-379	DISORDERS OF THE EYE AND ADNEXA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
360	DISORDERS OF THE GLOBE																									
360.0	PURULENT ENDOPHTHALMITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
362	OTHER RETINAL DISORDERS																									
362.5	DEGENERATION OF MACULA AND POSTERIOR POLE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
380-389	DISEASES OF THE EAR AND MASTOID PROCESS		14	1	1	-	-	1	1	-	1	-	-	-	-	-	1	2	2	-	4	-	-	-	-	-
		M	6	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
		F	8	-	1	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-
380	DISORDERS OF EXTERNAL EAR																									
380.2	OTHER OTITIS EXTERNA		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
382	SUPPURATIVE AND UNSPECIFIED OTITIS MEDIA																									
382.9	UNSPECIFIED OTITIS MEDIA		9	1	1	-	-	1	1	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-
		M	4	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	5	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
383	MASTOIDITIS AND RELATED CONDITIONS																									
383.1	CHRONIC MASTOIDITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
383.9	UNSPECIFIED MASTOIDITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
388	OTHER DISORDERS OF MIDDLE EAR AND MASTOID																									
388.3	CHOLESTEATOMA OF MIDDLE EAR AND MASTOID		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
389	DEAFNESS																									
389.8	OTHER SPECIFIED FORMS OF DEAFNESS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
390-459	DISEASES OF THE CIRCULATORY SYSTEM		88,962	86	42	15	24	69	95	156	254	448	837	1,479	2,670	4,564	6,342	8,953	11,134	13,143	14,525	13,109	7,976	2,535	479	27
		M	44,451	50	14	9	9	48	59	106	178	311	605	1,077	1,926	3,263	4,338	5,684	6,356	6,649	6,018	4,628	2,337	664	109	13
		F	44,511	36	28	6	15	21	36	50	76	137	232	402	744	1,301	2,004	3,269	4,778	6,494	8,507	8,481	5,639	1,871	370	14
390-392	ACTIVE RHEUMATIC FEVER		9	-	1	-	-	-	-	-	-	-	-	1	-	2	-	-	2	2	-	-	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	1	-	-	-
		F	4	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
391	RHEUMATIC FEVER WITH HEART INVOLVEMENT																									
391.0	ACTIVE RHEUMATIC PERICARDITIS		5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
391.1	ACTIVE RHEUMATIC ENDOCARDITIS		2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
391.9	ACUTE RHEUMATIC HEART DISEASE, UNSPECIFIED		2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
393-398	CHRONIC RHEUMATIC HEART DISEASE		894	2	-	-	-	4	8	4	6	16	27	22	51	72	90	164	115	118	101	61	30	3	-	-
		M	308	-	-	-	-	3	3	3	4	9	12	7	19	37	39	65	35	31	23	12	6	-	-	-
		F	586	2	-	-	-	1	5	1	2	7	15	15	32	35	51	99	80	87	78	49	24	3	-	-
393	CHRONIC RHEUMATIC PERICARDITIS		2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
394	DISEASES OF MITRAL VALVE																									
394.0	MITRAL STENOSIS		130	-	-	-	-	-	-	-	2	2	3	6	9	14	12	22	18	22	7	10	3	-	-	-
		M	31	-	-	-	-	-	-	-	1	1	1	1	2	6	6	5	1	4	1	1	1	-	-	-
		F	99	-	-	-	-	-	-	-	1	1	2	5	7	8	6	17	17	18	6	9	2	-	-	-
394.1	RHEUMATIC MITRAL INSUFFICIENCY		32	-	-	-	-	-	-	-	-	1	1	1	1	-	3	4	5	7	7	1	1	-	-	-
		M	14	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	4	3	3	1	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	1	1	1	-	2	3	1	4	4	-	1	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
394.2	MITRAL STENOSIS WITH INSUFFICIENCY		26	1	-	-	-	-	-	-	-	-	1	-	1	-	4	5	3	7	2	1	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	1	-	-	-	-	-
		F	19	1	-	-	-	-	-	-	-	-	1	-	-	-	2	4	3	5	1	1	1	-	-	-
394.9	OTHER AND UNSPECIFIED		207	-	-	-	-	3	6	1	1	5	8	8	11	18	26	55	25	13	14	7	4	2	-	-
		M	56	-	-	-	-	2	1	-	-	2	2	2	4	6	8	19	3	3	2	2	-	-	-	-
		F	151	-	-	-	-	1	5	1	1	3	6	6	7	12	18	36	22	10	12	5	4	2	-	-
395	DISEASES OF AORTIC VALVE																									
395.0	RHEUMATIC AORTIC STENOSIS		26	-	-	-	-	-	1	-	-	1	-	1	-	2	2	4	5	2	8	-	-	-	-	-
		M	17	-	-	-	-	-	1	-	-	1	-	1	-	2	2	3	3	1	3	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	-	-	-	-	-
395.1	RHEUMATIC AORTIC INSUFFICIENCY		18	-	-	-	-	-	1	-	-	-	2	-	1	4	-	2	2	2	2	-	2	-	-	-
		M	12	-	-	-	-	-	1	-	-	-	1	-	-	4	-	2	2	-	1	-	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	1	-	1	-	-	-
395.2	RHEUMATIC AORTIC STENOSIS WITH INSUFFICIENCY		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-
395.9	OTHER AND UNSPECIFIED		27	-	-	-	-	-	-	1	-	1	2	-	1	2	3	9	2	-	3	1	2	-	-	-
		M	15	-	-	-	-	-	-	1	-	-	2	-	1	2	1	5	2	-	-	-	1	-	-	-
		F	12	-	-	-	-	-	-	-	-	1	-	-	-	-	2	4	-	-	3	1	1	-	-	-
396	DISEASES OF MITRAL AND AORTIC VALVES		142	-	-	-	-	1	-	-	1	1	6	2	15	8	18	18	17	19	15	13	8	-	-	-
		M	56	-	-	-	-	1	-	-	1	1	4	1	4	5	10	8	8	7	3	-	3	-	-	-
		F	86	-	-	-	-	-	-	-	-	-	2	1	11	3	8	10	9	12	12	13	5	-	-	-
397	DISEASES OF OTHER ENDOCARDIAL STRUCTURES																									
397.0	DISEASES OF TRICUSPID VALVE		7	1	-	-	-	-	-	-	-	1	-	-	1	-	2	-	2	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	5	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-
397.9	RHEUMATIC DISEASES OF ENDOCARDIUM, VALVE UNSPECIFIED		65	-	-	-	-	-	-	1	-	1	2	1	3	7	6	14	10	11	4	4	1	-	-	-
		M	31	-	-	-	-	-	-	1	-	-	1	-	2	6	2	10	3	3	2	1	-	-	-	-
		F	34	-	-	-	-	-	-	-	-	1	1	1	1	1	4	4	7	8	2	3	1	-	-	-
398	OTHER RHEUMATIC HEART DISEASE																									
398.0	RHEUMATIC MYOCARDITIS		2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
398.9	OTHER AND UNSPECIFIED		204	-	-	-	-	-	-	-	2	3	2	2	8	17	14	28	26	34	36	23	8	1	-	-
		M	62	-	-	-	-	-	-	-	2	2	1	1	5	6	7	10	8	7	6	7	-	-	-	-
		F	142	-	-	-	-	-	-	-	-	1	1	1	3	11	7	18	18	27	30	16	8	1	-	-
401-404	HYPERTENSIVE DISEASE		3,406	1	-	-	-	1	2	9	13	27	51	81	130	251	327	382	421	458	523	432	218	65	14	-
		M	1,516	-	-	-	-	1	1	5	7.	19	35	53	83	155	188	213	198	199	169	120	54	15	1	-
		F	1,890	1	-	-	-	-	1	4	6	8	16	28	47	96	139	169	223	259	354	312	164	50	13	-
401	ESSENTIAL HYPERTENSION																									
401.0	SPECIFIED AS MALIGNANT		4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
401.1	SPECIFIED AS BENIGN		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
401.9	NOT SPECIFIED AS MALIGNANT OR BENIGN		211	-	-	-	-	-	-	1	1	2	4	2	6	16	15	18	33	29	28	28	24	3	1	-
		M	73	-	-	-	-	-	-	-	-	2	3	-	1	8	4	9	11	9	10	8	7	1	-	-
		F	138	-	-	-	-	-	-	1	1	-	1	2	5	8	11	9	22	20	18	20	17	2	1	-
402	HYPERTENSIVE HEART DISEASE																									
402.0	SPECIFIED AS MALIGNANT		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
402.1	SPECIFIED AS BENIGN		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
402.9	NOT SPECIFIED AS MALIGNANT OR BENIGN		2,441	1	-	-	-	1	1	5	9	22	44	68	111	203	269	297	304	329	339	269	124	37	8	-
		M	1,115	-	-	-	-	1	1	4	5	15	29	47	72	128	161	176	146	144	96	60	26	4	-	-
		F	1,326	1	-	-	-	-	-	1	4	7	15	21	39	75	108	121	158	185	243	209	98	33	8	-
403	HYPERTENSIVE RENAL DISEASE																									
403.0	SPECIFIED AS MALIGNANT		6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	2	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
403.1	SPECIFIED AS BENIGN		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
403.9	NOT SPECIFIED AS MALIGNANT OR BENIGN		523	-	-	-	-	-	1	1	1	2	3	5	5	20	27	42	54	78	118	101	43	21	1	-
		M	236	-	-	-	-	-	-	-	1	2	3	2	3	13	17	18	26	38	49	41	13	10	-	-
		F	287	-	-	-	-	-	1	1	-	-	-	3	2	7	10	24	28	40	69	60	30	11	1	-
404	HYPERTENSIVE HEART AND RENAL DISEASE																									
404.0	SPECIFIED AS MALIGNANT		4	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
404.9	NOT SPECIFIED AS MALIGNANT OR BENIGN		209	-	-	-	-	-	-	1	2	1	-	3	6	11	12	23	29	18	35	33	27	4	4	-
		M	79	-	-	-	-	-	-	-	1	-	-	1	5	5	5	9	14	7	13	10	8	-	1	-
		F	130	-	-	-	-	-	-	1	1	1	-	2	1	6	7	14	15	11	22	23	19	4	3	-
410-414	ISCHAEMIC HEART DISEASE		47,236	5	-	1	2	1	10	17	80	185	416	798	1,470	2,662	3,638	5,157	6,316	7,100	7,424	6,605	3,935	1,179	222	13
		M	25,623	2	-	-	1	-	8	14	70	156	340	656	1,165	2,033	2,657	3,429	3,855	3,827	3,288	2,512	1,218	323	55	6
		F	21,613	3	-	1	1	1	2	3	10	29	69	142	305	629	981	1,728	2,461	3,273	4,136	4,093	2,717	856	167	7
410	ACUTE MYOCARDIAL INFARCTION		21,866	2	-	1	1	-	4	7	39	106	249	464	869	1,546	2,064	2,910	3,317	3,411	3,065	2,289	1,150	304	64	4
		M	12,774	1	-	-	-	-	4	5	35	91	206	376	694	1,162	1,497	1,952	2,028	1,895	1,423	927	372	85	19	2
		F	9,092	1	-	1	1	-	-	2	4	15	43	88	175	384	567	958	1,289	1,516	1,642	1,362	778	219	45	2
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHAEMIC HEART DISEASE		291	-	-	-	-	-	1	1	-	1	4	4	14	13	22	32	35	42	46	48	21	6	1	-
		M	139	-	-	-	-	-	-	1	-	1	4	3	11	9	18	20	22	14	18	12	4	1	1	-
		F	152	-	-	-	-	-	1	-	-	-	-	1	3	4	4	12	13	28	28	36	17	5	-	-
412	OLD MYOCARDIAL INFARCTION		133	-	-	-	1	-	-	-	1	2	3	4	9	10	14	17	16	14	20	12	6	4	-	-
		M	91	-	-	-	1	-	-	-	1	2	3	3	8	9	9	13	10	9	9	8	2	4	-	-
		F	42	-	-	-	-	-	-	-	-	-	-	1	1	1	5	4	6	5	11	4	4	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
413	ANGINA PECTORIS		33	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	3	9	4	5	2	1	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	5	1	2	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	3	3	2	1	-	-
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE																									
414.0	CORONARY ATHEROSCLEROSIS		21,030	3	-	-	-	-	5	7	35	58	138	262	448	861	1,189	1,725	2,324	3,000	3,712	3,777	2,531	803	143	9
		M	10,312	1	-	-	-	-	4	7	30	51	116	218	345	672	867	1,111	1,400	1,551	1,557	1,373	758	216	31	4
		F	10,718	2	-	-	-	-	1	-	5	7	22	44	103	189	322	614	924	1,449	2,155	2,404	1,773	587	112	5
414.1	ANEURYSM OF HEART		54	-	-	-	-	-	-	-	1	1	-	3	6	5	6	6	10	10	4	2	-	-	-	-
		M	39	-	-	-	-	-	-	-	1	1	-	3	6	5	3	5	6	7	1	1	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	3	3	1	-	-	-	-
414.8	OTHER		591	-	-	-	-	1	-	2	-	5	4	17	28	44	60	76	107	76	79	62	25	5	-	-
		M	371	-	-	-	-	-	-	1	-	3	3	15	22	35	48	49	70	44	43	22	14	2	-	-
		F	220	-	-	-	-	1	-	1	-	2	1	2	6	9	12	27	37	32	36	40	11	3	-	-
414.9	UNSPECIFIED		3,238	-	-	-	-	-	-	-	4	12	18	44	96	180	280	388	504	538	494	410	200	56	14	-
		M	1,881	-	-	-	-	-	-	-	3	7	16	38	79	139	213	277	317	302	236	167	68	15	4	-
		F	1,357	-	-	-	-	-	-	-	1	5	2	6	17	41	67	111	187	236	258	243	132	41	10	-
415-417	DISEASES OF PULMONARY CIRCULATION		863	7	1	2	1	6	5	11	14	12	22	26	40	52	92	112	133	119	89	87	21	8	3	-
		M	406	4	-	-	-	3	3	6	6	1	8	10	18	24	47	73	63	50	45	34	7	3	1	-
		F	457	3	1	2	1	3	2	5	8	11	14	16	22	28	45	39	70	69	44	53	14	5	2	-
415	ACUTE PULMONARY HEART DISEASE																									
415.0	ACUTE COR PULMONALE		4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
415.1	PULMONARY EMBOLISM		641	-	-	1	-	4	2	3	3	6	19	18	30	38	68	90	102	86	69	74	19	7	2	-
		M	293	-	-	-	-	2	1	3	1	-	6	8	16	21	34	57	48	33	30	25	6	2	-	-
		F	348	-	-	1	-	2	1	-	2	6	13	10	14	17	34	33	54	53	39	49	13	5	2	-
416	CHRONIC PULMONARY HEART DISEASE																									
416.0	PRIMARY PULMONARY HYPERTENSION		91	7	1	-	1	2	2	6	11	5	2	7	5	8	5	7	8	9	3	2	-	-	-	-
		M	28	4	-	-	-	1	1	2	5	-	2	1	-	1	1	4	1	3	1	1	-	-	-	-
		F	63	3	1	-	1	1	1	4	6	5	-	6	5	7	4	3	7	6	2	1	-	-	-	-
416.1	KYPHOSCOLIOTIC HEART DISEASE		11	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	2	2	1	2	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	1	2	-	-	-	-
416.9	PULMONARY HEART DISEASE, UNSPECIFIED		113	-	-	-	-	-	1	1	-	-	-	1	4	4	19	15	21	22	16	7	1	-	1	-
		M	76	-	-	-	-	-	1	-	-	-	-	1	1	1	12	12	13	14	14	7	1	-	1	-
		F	35	-	-	-	-	-	-	1	-	-	-	-	3	3	7	3	8	8	2	-	-	-	-	-
417	OTHER DISEASES OF PULMONARY CIRCULATION																									
417.1	ANEURYSM OF PULMONARY ARTERY		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
417.9	UNSPECIFIED		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
420-429	OTHER FORMS OF HEART DISEASE		14,610	44	29	8	18	36	42	76	75	99	175	295	597	871	1,152	1,486	1,707	1,911	2,191	1,972	1,276	461	82	7
		M	7,599	22	11	5	8	30	26	57	48	73	126	220	439	652	799	973	948	971	914	731	393	127	22	4
		F	7,011	22	18	3	10	6	16	19	27	26	49	75	158	219	353	513	759	940	1,277	1,241	883	334	60	3
420	ACUTE PERICARDITIS																									
420.9	OTHER AND UNSPECIFIED ACUTE PERICARDITIS		13	1	-	-	-	-	-	1	-	1	-	2	1	1	2	1	-	-	1	1	1	-	-	-
		M	11	1	-	-	-	-	-	1	-	-	-	2	1	-	2	1	-	-	1	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
421	ACUTE AND SUBACUTE ENDOCARDITIS																									
421.0	ACUTE AND SUBACUTE BACTERIAL ENDOCARDITIS		88	1	-	-	-	-	-	4	2	4	4	4	3	7	9	18	15	3	12	1	1	-	-	-
		M	60	-	-	-	-	-	-	3	1	3	2	4	3	5	8	11	12	2	5	-	1	-	-	-
		F	28	1	-	-	-	-	-	1	1	1	2	-	-	2	1	7	3	1	7	1	-	-	-	-
421.9	ACUTE ENDOCARDITIS, UNSPECIFIED		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
422	ACUTE MYOCARDITIS																									
422.9	OTHER AND UNSPECIFIED ACUTE MYOCARDITIS		43	4	1	3	2	2	2	2	3	3	2	2	5	1	1	5	1	2	-	2	-	-	-	-
		M	18	2	1	2	-	2	2	2	-	1	-	1	1	-	1	2	-	1	-	-	-	-	-	-
		F	25	2	-	1	2	-	-	-	3	2	2	1	4	1	-	3	1	1	-	2	-	-	-	-
423	OTHER DISEASES OF PERICARDIUM																									
423.0	HAEMOPERICARDIUM		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
423.1	ADHESIVE PERICARDITIS		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
423.2	CONSTRICTIVE PERICARDITIS		13	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	5	2	1	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	1	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	-	-	-
423.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
423.9	UNSPECIFIED		25	-	-	-	-	-	1	-	-	1	-	1	-	3	4	4	2	6	2	-	1	-	-	-
		M	17	-	-	-	-	-	1	-	-	1	-	1	-	3	2	3	2	3	1	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	-	1	-	-	-
424	OTHER DISEASES OF ENDOCARDIUM																									
424.0	MITRAL VALVE DISORDERS		184	-	-	-	-	2	3	2	3	2	2	3	5	6	15	18	30	24	25	25	14	5	-	-
		M	66	-	-	-	-	2	2	1	-	-	1	2	1	5	4	10	14	7	8	5	4	-	-	-
		F	118	-	-	-	-	-	1	1	3	2	1	1	4	1	11	8	16	17	17	20	10	5	-	-
424.1	AORTIC VALVE DISORDERS		630	-	-	-	-	1	2	3	4	4	5	5	14	25	53	53	91	125	109	86	36	14	-	-
		M	352	-	-	-	-	1	2	3	3	4	2	3	12	19	41	39	53	68	48	38	12	4	-	-
		F	278	-	-	-	-	-	-	-	1	-	3	2	2	6	12	14	38	57	61	48	24	10	-	-
424.9	ENDOCARDITIS, VALVE UNSPECIFIED		105	-	-	-	1	1	1	2	-	-	2	3	4	3	7	10	13	19	22	9	5	3	-	-
		M	45	-	-	-	-	1	1	1	-	-	-	-	2	2	5	8	6	9	7	2	1	-	-	-
		F	60	-	-	-	1	-	-	1	-	-	2	3	2	1	2	2	7	10	15	7	4	3	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
425	CARDIOMYOPATHY																									
425.1	HYPERTROPHIC OBSTRUCTIVE CARDIOMYOPATHY		39	1	-	-	-	-	-	-	2	1	1	1	1	5	6	4	6	4	2	3	2	-	-	-
		M	19	1	-	-	-	-	-	-	1	1	1	-	-	3	2	2	3	3	1	1	-	-	-	-
		F	20	-	-	-	-	-	-	-	1	-	-	1	1	2	4	2	3	1	1	2	2	-	-	-
425.3	ENDOCARDIAL FIBROELASTOSIS		30	13	4	1	1	3	3	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		M	15	5	-	1	-	2	2	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		F	15	8	4	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
425.4	OTHER PRIMARY CARDIOMYOPATHIES		970	2	5	-	7	14	16	24	26	23	35	50	88	114	108	165	108	89	47	36	11	2	-	-
		M	616	1	1	-	4	13	4	20	17	18	24	33	55	72	80	115	63	53	25	14	4	-	-	-
		F	354	1	4	-	3	1	12	4	9	5	11	17	33	42	28	50	45	36	22	22	7	2	-	-
425.5	ALCOHOLIC CARDIOMYOPATHY		101	-	-	-	-	-	2	3	6	8	10	6	16	18	16	8	6	-	1	1	-	-	-	-
		M	90	-	-	-	-	-	2	3	4	7	9	5	16	17	14	7	5	-	-	1	-	-	-	-
		F	11	-	-	-	-	-	-	-	2	1	1	1	-	1	2	1	1	-	1	-	-	-	-	-
425.9	SECONDARY CARDIOMYOPATHY, UNSPECIFIED		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
426	CONDUCTION DISORDERS																									
426.0	ATRIOVENTRICULAR BLOCK, COMPLETE		4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
426.1	ATRIOVENTRICULAR BLOCK, OTHER AND UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
426.4	RIGHT BUNDLE BRANCH BLOCK		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
426.6	OTHER HEART BLOCK		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
426.7	ANOMALOUS ATRIOVENTRICULAR EXCITATION		7	-	-	-	-	2	-	1	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
		M	3	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
426.8	OTHER		4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
426.9	UNSPECIFIED		30	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	3	5	7	6	4	-	-	-
		M	17	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	3	2	4	2	1	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	3	-	-	-
427	CARDIAC DYSRHYTHMIAS																									
427.0	PAPOXYSMAL SUPRAVENTRICULAR TACHYCARDIA		3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
427.1	PAROXYSMAL VENTRICULAR TACHYCARDIA		18	-	-	-	-	-	-	-	1	-	-	2	-	1	2	6	1	2	2	1	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	2	-	1	2	3	-	-	1	1	-	-	-	-
		F	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	2	1	-	-	-	-	-
427.3	ATRIAL FIBRILLATION AND FLUTTER		124	-	-	-	-	-	-	-	-	-	2	-	-	-	3	9	16	17	23	33	13	7	1	-
		M	45	-	-	-	-	-	-	-	-	-	2	-	-	-	1	3	9	9	5	14	1	1	-	-
		F	79	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	7	8	18	19	12	6	1	-
427.4	VENTRICULAR FIBRILLATION AND FLUTTER		45	-	-	-	-	-	-	1	-	2	2	1	5	7	7	5	3	3	5	3	1	-	-	-
		M	27	-	-	-	-	-	-	1	-	1	1	1	3	5	4	2	2	3	3	-	1	-	-	-
		F	18	-	-	-	-	-	-	-	-	1	1	-	2	2	3	3	1	-	2	3	-	-	-	-
427.5	CARDIAC ARREST		623	12	8	2	2	2	1	7	5	6	12	11	19	39	54	65	91	74	73	65	49	21	5	-
		M	333	8	4	1	-	1	1	2	4	3	6	8	11	29	34	42	58	37	32	25	17	7	3	-
		F	290	4	4	1	2	1	-	5	1	3	6	3	8	10	20	23	33	37	41	40	32	14	2	-
427.6	PREMATURE BEATS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
427.8	OTHER		30	-	-	-	1	-	-	-	-	-	-	-	1	-	3	2	5	4	5	4	3	2	-	-
		M	16	-	-	-	1	-	-	-	-	-	-	-	1	-	2	1	3	1	2	2	2	1	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	2	1	1	-	-
427.9	UNSPECIFIED		121	1	-	-	1	2	3	1	3	2	1	2	3	5	8	15	12	19	22	12	6	3	-	-
		M	69	-	-	-	1	-	2	1	2	1	-	2	2	4	6	10	6	12	14	5	1	-	-	-
		F	52	1	-	-	-	2	1	-	1	1	1	-	1	1	2	5	6	7	8	7	5	3	-	-
428	HEART FAILURE																									
428.0	CONGESTIVE HEART FAILURE		1,259	4	2	-	-	-	-	1	1	1	4	6	12	31	54	98	142	196	248	230	164	55	10	-
		M	546	1	2	-	-	-	-	-	-	1	1	4	8	24	26	53	71	98	93	83	61	18	2	-
		F	713	3	-	-	-	-	-	1	1	-	3	2	4	7	28	45	71	98	155	147	103	37	8	-
428.1	LEFT HEART FAILURE		15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	3	2	1	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	2	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-
428.9	UNSPECIFIED		203	2	1	-	-	-	-	-	-	-	-	1	2	12	11	19	14	35	43	28	21	12	2	-
		M	93	2	-	-	-	-	-	-	-	-	-	-	2	8	7	7	7	18	20	11	6	4	1	-
		F	110	-	1	-	-	-	-	-	-	-	-	1	-	4	4	12	7	17	23	17	15	8	1	-
429	ILL-DEFINED DESCRIPTIONS AND COMPLICATIONS OF HEART DISEASE																									
429.0	MYOCARDITIS, UNSPECIFIED		150	1	4	1	2	4	5	15	8	8	8	6	7	11	6	11	7	10	11	12	6	7	-	-
		M	77	-	2	1	1	3	4	11	6	6	4	3	1	6	3	6	4	5	4	5	1	1	-	-
		F	73	1	2	-	1	1	1	4	2	2	4	3	6	5	3	5	3	5	7	7	5	6	-	-
429.1	MYOCARDIAL DEGENERATION		40	-	1	-	-	-	-	1	1	1	3	-	3	-	2	4	4	2	8	5	3	1	1	-
		M	22	-	-	-	-	-	-	1	1	-	2	-	3	-	2	4	3	1	1	3	1	-	-	-
		F	18	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	7	2	2	1	1	-
429.2	CARDIOVASCULAR DISEASE, UNSPECIFIED		9,510	2	-	-	-	-	1	1	6	27	72	182	390	568	767	937	1,117	1,241	1,497	1,383	924	325	63	7
		M	4,907	1	-	-	-	-	1	-	6	24	62	142	306	438	544	625	615	623	628	507	276	89	16	4
		F	4,603	1	-	-	-	-	-	1	-	3	10	40	84	130	223	312	502	618	869	876	648	236	47	3

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
429.3	CARDIOMEGALY		76	-	2	-	-	3	2	3	2	4	5	3	10	5	4	7	5	6	9	4	1	1	-	-
		M	46	-	1	-	-	3	2	3	2	1	5	3	5	4	2	5	2	2	3	2	-	1	-	-
		F	30	-	1	-	-	-	-	-	-	3	-	-	5	1	2	2	3	4	6	2	1	-	-	-
429.5	RUPTURE OF CHORDAE TENDINAE		2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
429.8	OTHER		8	-	-	-	1	-	-	-	-	-	-	1	1	-	2	-	1	1	-	1	-	-	-	-
		M	4	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-
429.9	UNSPECIFIED		76	-	1	-	-	-	-	1	-	-	4	2	3	2	4	11	9	11	7	12	6	3	-	-
		M	41	-	-	-	-	-	-	1	-	-	4	2	3	1	2	7	4	7	2	5	2	1	-	-
		F	35	-	1	-	-	-	-	-	-	-	-	-	-	1	2	4	5	4	5	7	4	2	-	-
430-438	CEREBROVASCULAR DISEASE		16,694	18	8	3	2	17	22	29	51	90	115	210	314	477	737	1,198	1,815	2,666	3,319	3,031	1,801	584	103	4
		M	6,467	14	2	3	-	8	15	15	34	42	54	102	160	239	390	620	887	1,141	1,173	901	497	136	24	2
		F	10,227	4	6	-	2	9	7	14	17	48	61	108	154	238	347	578	928	1,525	2,146	2,130	1,304	448	79	2
430	SUBARACHNOID HAEMORRHAGE		810	-	3	2	2	10	10	19	28	47	62	76	81	93	100	84	84	50	36	15	7	1	-	-
		M	285	-	-	2	-	5	7	8	21	20	19	29	35	28	36	29	21	14	5	3	3	-	-	-
		F	525	-	3	-	2	5	3	11	7	27	43	47	46	65	64	55	63	36	31	12	4	1	-	-
431	INTRACEREBRAL HAEMORRHAGE		1,865	7	-	-	-	4	4	6	12	31	34	75	88	121	162	207	268	278	257	188	98	22	3	-
		M	801	6	-	-	-	2	2	4	5	17	22	36	38	59	79	106	115	115	100	61	29	4	1	-
		F	1,064	1	-	-	-	2	2	2	7	14	12	39	50	62	83	101	153	163	157	127	69	18	2	-
432	OTHER AND UNSPECIFIED INTRACRANIAL HAEMORRHAGE																									
432.0	NONTRAUMATIC EXTRADURAL HAEMORRHAGE		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
432.1	SUBDURAL HAEMORRHAGE		23	2	-	-	-	-	-	-	-	-	1	1	-	-	1	2	3	3	4	5	1	-	-	-
		M	13	2	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	3	3	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	1	2	1	-	-	-
432.9	UNSPECIFIED INTRACRANIAL HAEMORRHAGE		116	6	-	1	-	-	1	-	1	1	1	5	11	17	12	11	13	11	11	10	3	1	-	-
		M	53	4	-	1	-	-	1	-	1	-	1	3	4	8	5	8	5	5	3	2	1	1	-	-
		F	63	2	-	-	-	-	-	-	-	1	-	2	7	9	7	3	8	6	8	8	2	-	-	-
433	OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES																									
433.0	BASILAR ARTERY		76	-	-	-	-	-	-	-	2	1	1	1	3	4	7	16	10	13	9	4	2	1	1	1
		M	41	-	-	-	-	-	-	-	1	1	1	1	2	4	4	11	4	8	1	1	1	1	-	-
		F	35	-	-	-	-	-	-	-	1	-	-	-	1	-	3	5	6	5	8	3	1	-	1	1
433.1	CAROTID ARTERY		99	-	-	-	-	-	-	-	-	1	2	2	6	4	11	16	11	23	15	3	5	-	-	-
		M	47	-	-	-	-	-	-	-	-	1	1	2	2	2	10	7	6	12	3	-	1	-	-	-
		F	52	-	-	-	-	-	-	-	-	-	1	-	4	2	1	9	5	11	12	3	4	-	-	-
433.2	VERTEBRAL ARTERY		7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	1	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
433.3	MULTIPLE AND BILATERAL		16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	1	1	-	2	1	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	1	-	-	1	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	1	1	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
433.8	OTHER		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
434	OCCLUSION OF CEREBRAL ARTERIES																									
434.0	CEREBRAL THROMBOSIS		2,391	-	-	-	-	-	1	-	-	2	1	5	7	24	49	126	222	371	559	547	348	110	19	-
		M	853	-	-	-	-	-	-	-	-	1	1	2	3	16	30	57	111	172	170	160	89	28	5	-
		F	1,538	-	-	-	-	-	1	-	-	1	-	3	4	8	19	69	111	199	381	387	259	82	14	-
434.1	CEREBRAL EMBOLISM		71	-	-	-	-	-	-	-	-	1	1	2	2	4	3	4	12	11	13	7	9	2	-	-
		M	22	-	-	-	-	-	-	-	-	-	-	2	-	3	3	1	5	2	2	1	3	-	-	-
		F	49	-	-	-	-	-	-	-	-	1	1	-	2	1	-	3	7	9	11	6	6	2	-	-
434.9	UNSPECIFIED		1,201	-	3	-	-	1	1	1	1	2	-	9	33	52	81	104	154	218	214	201	97	27	2	-
		M	527	-	2	-	-	1	1	-	1	-	-	7	25	30	47	58	87	98	88	57	23	9	1	-
		F	674	-	1	-	-	-	-	1	-	2	-	2	8	22	34	46	67	120	134	144	74	18	1	-
435	TRANSIENT CEREBRAL ISCHAEMIA		34	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	4	8	2	9	2	-	-
		M	13	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	2	-	4	-	-	-
		F	21	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	6	2	5	2	-	-
436	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE		7,240	1	2	-	-	1	3	3	1	2	8	26	67	123	252	493	796	1,242	1,578	1,440	886	270	44	2
		M	2,803	1	-	-	-	-	2	3	1	2	6	15	42	70	146	273	401	530	566	427	240	67	10	1
		F	4,437	-	2	-	-	1	1	-	-	-	2	11	25	53	106	220	395	712	1,012	1,013	646	203	34	1
437	OTHER AND ILL-DEFINED CEREBROVASCULAR DISEASE																									
437.0	CEREBRAL ATHEROSCLEROSIS		1,497	-	-	-	-	-	-	-	-	-	1	1	2	2	13	43	111	221	333	369	280	99	21	1
		M	478	-	-	-	-	-	-	-	-	-	-	-	1	1	6	23	56	84	114	105	66	10	3	1
		F	1,019	-	-	-	-	-	-	-	-	-	1	1	1	1	7	20	55	137	219	264	214	81	18	-
437.1	OTHER GENERALIZED ISCHAEMIC CEREBROVASCULAR DISEASE		49	-	-	-	-	-	-	-	2	-	-	-	1	1	1	7	5	2	11	12	4	3	-	-
		M	23	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	5	-	5	5	2	-	-	-
		F	26	-	-	-	-	-	-	-	1	-	-	-	1	-	-	4	-	2	6	7	2	3	-	-
437.2	HYPERTENSIVE ENCEPHALOPATHY		10	-	-	-	-	-	-	-	1	-	1	-	1	4	-	1	-	2	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
437.3	CEREBRAL ANEURYSM, NONRUPTURED		27	-	-	-	-	-	-	-	1	-	-	1	4	4	5	5	1	6	-	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	1	-	-	-	2	-	2	-	1	3	-	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	1	2	4	3	5	-	3	-	-	-	-	-	-
437.8	OTHER		41	-	-	-	-	1	1	-	-	1	-	-	-	2	1	1	1	5	7	10	6	4	1	-
		M	15	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	1	4	6	-	-	-	-
		F	26	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	4	3	4	6	4	1	-
437.9	UNSPECIFIED		370	1	-	-	-	-	-	-	-	1	-	1	2	6	8	20	37	68	78	78	53	19	6	-
		M	140	-	-	-	-	-	-	-	-	-	-	-	2	4	1	14	18	27	29	23	16	4	2	-
		F	230	1	-	-	-	-	-	-	-	1	-	1	-	2	7	6	19	41	49	55	37	15	4	-
438	LATE EFFECTS OF CEREBROVASCULAR DISEASE		739	1	-	-	-	-	1	-	2	-	2	4	5	12	26	48	81	133	185	139	72	21	5	-
		M	324	1	-	-	-	-	1	-	2	-	2	3	3	8	18	29	45	65	77	47	18	3	2	-
		F	415	-	-	-	-	-	-	-	-	-	-	1	2	4	10	19	36	68	108	92	54	18	3	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
440-448	DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES		4,821	2	2	1	1	3	2	6	8	14	21	27	49	143	266	403	570	717	827	878	595	229	54	3
		M	2,320	1	-	1	-	2	1	4	6	9	15	16	33	102	200	275	347	399	384	302	156	60	6	1
		F	2,501	1	2	-	1	1	1	2	2	5	6	11	16	41	66	128	223	318	443	576	439	169	48	2
440	ATHEROSCLEROSIS																									
440.0	OF AORTA		9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	-	2	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
440.1	OF RENAL ARTERY		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
440.2	OF ARTERIES OF THE EXTREMITIES		150	-	-	-	-	-	-	-	-	-	-	-	3	2	2	14	19	14	26	37	22	11	-	-
		M	62	-	-	-	-	-	-	-	-	-	-	-	2	1	1	9	12	6	10	11	9	1	-	-
		F	88	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	7	8	16	26	13	10	-	-
440.8	OF OTHER SPECIFIED ARTERIES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
440.9	GENERALIZED AND UNSPECIFIED		2,574	1	1	-	-	-	-	-	-	2	4	3	8	27	56	104	174	325	510	618	488	202	49	2
		M	924	-	-	-	-	-	-	-	-	1	4	3	3	19	35	70	90	134	200	182	122	55	6	-
		F	1,650	1	1	-	-	-	-	-	-	1	-	-	5	8	21	34	84	191	310	436	366	147	43	2
441	AORTIC ANEURYSM																									
441.0	DISSECTING ANEURYSM (ANY PART)		331	-	-	-	-	1	1	1	4	3	7	10	11	27	48	51	50	49	31	25	9	3	-	-
		M	196	-	-	-	-	1	1	-	4	2	6	6	8	19	31	31	28	31	16	10	2	-	-	-
		F	135	-	-	-	-	-	-	1	-	1	1	4	3	8	17	20	22	18	15	15	7	3	-	-
441.1	THORACIC ANEURYSM, RUPTURED		156	-	-	-	-	-	-	-	1	1	-	3	8	8	10	28	26	31	21	12	5	1	-	1
		M	83	-	-	-	-	-	-	-	1	-	-	2	7	5	8	13	13	19	10	3	1	-	-	1
		F	73	-	-	-	-	-	-	-	-	1	-	1	1	3	2	15	13	12	11	9	4	1	-	-
441.2	THORACIC ANEURYSM WITHOUT MENTION OF RUPTURE		19	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	6	2	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	3	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	2	-	-	-	-	-
441.3	ABDOMINAL ANEURYSM, RUPTURED		675	-	-	-	-	-	-	-	-	-	2	1	4	24	63	84	135	135	110	84	26	7	-	-
		M	517	-	-	-	-	-	-	-	-	-	2	1	4	22	60	70	109	109	76	52	8	4	-	-
		F	158	-	-	-	-	-	-	-	-	-	-	-	-	2	3	14	26	26	34	32	18	3	-	-
441.4	ABDOMINAL ANEURYSM, WITHOUT MENTION OF RUPTURE		102	-	-	-	-	-	-	-	-	-	-	-	-	1	6	15	23	20	24	9	4	-	-	-
		M	72	-	-	-	-	-	-	-	-	-	-	-	-	1	5	13	15	13	20	4	1	-	-	-
		F	30	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	7	4	5	3	-	-	-
441.5	AORTIC ANEURYSM OF UNSPECIFIED SITE, RUPTURED		238	-	-	-	-	-	-	-	-	1	-	-	1	11	26	31	47	49	32	31	8	1	-	-
		M	159	-	-	-	-	-	-	-	-	1	-	-	-	11	22	24	29	37	18	16	1	-	-	-
		F	79	-	-	-	-	-	-	-	-	-	-	-	1	-	4	7	18	12	14	15	7	1	-	-
441.6	AORTIC ANEURYSM OF UNSPECIFIED SITE, WITHOUT MENTION OF RUPTURE		53	-	-	-	-	-	-	-	-	-	-	-	-	6	3	5	9	11	10	6	2	-	1	-
		M	29	-	-	-	-	-	-	-	-	-	-	-	-	6	3	2	6	6	5	1	-	-	-	-
		F	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	5	5	5	2	-	1	-
442	OTHER ANEURYSM																									
442.1	OF RENAL ARTERY		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
442.2	OF ILIAC ARTERY		20	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	4	1	2	4	1	-	-	-
		M	20	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	4	1	2	4	1	-	-	-
442.3	OF ARTERY OF LOWER EXTREMITY		7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
442.8	OF OTHER SPECIFIED ARTERY		12	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	4	2	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	2	1	-	-	-	-	-
442.9	OF UNSPECIFIED SITE		33	-	-	1	-	-	-	2	1	1	1	1	1	1	1	7	4	5	5	-	1	1	-	-
		M	23	-	-	1	-	-	-	2	-	1	1	1	-	1	1	5	4	4	2	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	1	3	-	1	1	-	-
443	OTHER PERIPHERAL VASCULAR DISEASE																									
443.0	RAYNAUD'S SYNDROME		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
443.1	THROMBOANGIITIS OBLITERANS (BUERGER'S DISEASE)		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
443.8	OTHER		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
443.9	UNSPECIFIED		99	-	-	-	-	-	-	-	-	-	1	-	-	7	7	10	15	13	18	14	13	1	-	-
		M	53	-	-	-	-	-	-	-	-	-	-	-	-	3	6	5	8	7	10	8	6	-	-	-
		F	46	-	-	-	-	-	-	-	-	-	1	-	-	4	1	5	7	6	8	6	7	1	-	-
444	ARTERIAL EMBOLISM AND THROMBOSIS																									
444.0	OF ABDOMINAL AORTA		25	-	-	-	-	-	-	-	-	-	-	1	-	4	1	2	6	2	5	3	1	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	-	1	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	2	2	4	3	1	-	-	-
444.1	OF OTHER AORTA		35	-	-	-	-	-	-	-	-	1	-	-	-	-	5	6	4	6	2	6	5	-	-	-
		M	11	-	-	-	-	-	-	-	-	1	-	-	-	-	3	4	-	1	1	-	1	-	-	-
		F	24	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	5	1	6	4	-	-	-
444.2	OF ARTERIES OF THE EXTREMITIES		49	-	-	-	-	-	-	-	-	-	-	1	2	-	2	6	5	7	8	11	5	1	1	-
		M	21	-	-	-	-	-	-	-	-	-	-	1	2	-	1	3	1	4	3	4	2	-	-	-
		F	28	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	5	7	3	1	1	-
444.8	OF OTHER SPECIFIED ARTERY		14	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	3	2	3	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	2	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	1	-	-	-	-
444.9	OF UNSPECIFIED ARTERY		30	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	3	4	5	7	1	-	3	-
		M	15	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	3	4	2	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	5	1	-	3	-
446	POLYARTERITIS NODOSA AND ALLIED CONDITIONS																									
446.0	POLYARTERITIS NODOSA		12	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	4	2	-	1	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	3	1	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-

Table 7—15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
446.1	ACUTE FEBRILE MUCOCUTANEOUS LYMPHNODE SYNDROME (MCLS)		2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
446.2	HYPERSENSITIVITY ANGIITIS		12	-	-	-	-	-	-	2	1	1	1	-	1	1	-	3	2	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	1	-	-	-	-	1	1	-	3	2	-	-	-	-	-	-	-
446.4	WEGENER'S GRANULOMATOSIS		11	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	1	1	1	-	1	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	1	-	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-
446.5	GIANT CELL ARTERITIS		8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	-	-	-	-
446.6	THROMBOTIC MICROANGIOPATHY		13	-	-	-	-	1	1	-	-	2	-	2	1	2	1	-	2	1	-	-	-	-	-	-
		M	4	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	1	-	-	1	-	2	-	1	1	-	2	1	-	-	-	-	-	-
447	OTHER DISORDERS OF ARTERIES AND ARTERIOLES																									
447.0	ARTERIOVENOUS FISTULA, ACQUIRED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
447.1	STRICTURE OF ARTERY		5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
447.2	RUPTURE OF ARTERY		32	-	1	-	-	-	-	-	-	-	-	-	-	2	9	8	6	5	-	1	-	-	-	-
		M	22	-	-	-	-	-	-	-	-	-	-	-	-	1	7	5	6	3	-	-	-	-	-	-
		F	10	-	1	-	-	-	-	-	-	-	-	-	-	1	2	3	-	2	-	1	-	-	-	-
447.4	COELIAC ARTERY COMPRESSION SYNDROME		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
447.6	ARTERITIS, UNSPECIFIED		37	-	-	-	-	1	-	-	1	1	1	2	4	2	4	4	6	7	3	1	-	-	-	-
		M	14	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	3	4	-	-	-	-	-	-
		F	23	-	-	-	-	1	-	-	1	1	1	2	2	1	1	3	3	3	3	1	-	-	-	-
447.9	UNSPECIFIED		45	-	-	-	-	-	-	-	-	-	-	1	-	6	4	12	12	7	1	-	1	1	-	-
		M	22	-	-	-	-	-	-	-	-	-	-	-	-	4	2	9	4	2	-	-	1	-	-	-
		F	23	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	8	5	1	-	-	1	-	-
448	DISEASES OF CAPILLARIES																									
448.0	HEREDITARY HAEMORRHAGIC TELANGIECTASIA		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
451-459	DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM		429	7	1	-	-	1	4	4	7	5	10	19	19	34	40	51	55	52	51	43	19	6	1	-
		M	207	7	1	-	-	1	2	2	3	2	7	13	9	19	18	28	22	30	22	16	5	-	-	-
		F	222	-	-	-	-	-	2	2	4	3	3	6	10	15	22	23	33	22	29	27	14	6	1	-
451	PHLEBITIS AND THROMBOPHLEBITIS																									
451.1	OF DEEP VESSELS OF LOWER EXTREMITIES		71	-	-	-	-	-	-	-	2	-	3	3	4	3	6	10	6	14	11	7	1	1	-	-
		M	36	-	-	-	-	-	-	-	1	-	2	2	2	2	5	6	3	7	5	1	-	-	-	-
		F	35	-	-	-	-	-	-	-	1	-	1	1	2	1	1	4	3	7	6	6	1	1	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
451.2	OF LOWER EXTREMITIES, UNSPECIFIED		111	-	-	-	-	1	1	3	3	2	7	9	3	5	8	11	16	12	10	14	6	-	-	-
		M	51	-	-	-	-	1	1	2	1	1	5	6	1	2	3	6	5	7	2	7	1	-	-	-
		F	60	-	-	-	-	-	-	1	2	1	2	3	2	3	5	5	11	5	8	7	5	-	-	-
451.8	OF OTHER SITES		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
451.9	OF UNSPECIFIED SITE		41	-	-	-	-	-	-	-	-	-	-	-	2	3	5	7	6	3	5	6	4	-	-	-
		M	17	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	2	3	3	1	-	-	-
		F	24	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	3	1	2	3	3	-	-	-
452	PORTAL VEIN THROMBOSIS		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
453	OTHER VENOUS EMBOLISM AND THROMBOSIS																									
453.0	BUDD-CHIARI SYNDROME		7	-	-	-	-	-	2	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
453.1	THROMBOPHLEBITIS MIGRANS		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
453.2	OF VENA CAVA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
453.3	OF RENAL VEIN		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
453.8	OF OTHER SPECIFIED VEINS		54	-	-	-	-	-	-	-	1	1	-	-	3	5	3	4	10	10	9	4	1	2	1	-
		M	24	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	4	7	4	1	-	-	-	-
		F	30	-	-	-	-	-	-	-	1	-	-	-	2	4	1	1	6	3	5	3	1	2	1	-
453.9	OF UNSPECIFIED SITE		4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
454	VARICOSE VEINS OF LOWER EXTREMITIES																									
454.0	WITH ULCER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
454.1	WITH INFLAMMATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
454.9	WITHOUT MENTION OF ULCER OR INFLAMMATION		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
455	HAEMORRHOIDS																									
455.2	INTERNAL HAEMORRHOIDS WITH OTHER COMPLICATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
455.6	UNSPECIFIED HAEMORRHOIDS, WITHOUT MENTION OF COMPLICATION		2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
456	VARICOSE VEINS OF OTHER SITES																									

Table 7—15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
456.0	OESOPHAGEAL VARICES WITH BLEEDING		26	-	-	-	-	-	-	-	-	-	-	3	2	5	3	4	2	2	3	1	-	1	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	3	2	4	1	1	1	1	3	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	-	1	-	1	-	-
456.1	OESOPHAGEAL VARICES WITHOUT MENTION OF BLEEDING		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
456.8	OTHER		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
457	NONINFECTIVE DISORDERS OF LYMPHATIC CHANNELS																									
457.1	OTHER LYMPHOEDEMA		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
457.8	OTHER NONINFECTIVE DISORDERS OF LYMPHATIC CHANNELS		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
458	HYPOTENSION																									
458.0	ORTHOSTATIC HYPOTENSION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
458.9	UNSPECIFIED		49	4	1	-	-	-	-	-	-	1	-	1	2	6	9	6	4	2	4	5	4	-	-	-
		M	27	4	1	-	-	-	-	-	-	-	-	1	2	5	4	2	2	1	2	1	2	-	-	-
		F	22	-	-	-	-	-	-	-	-	1	-	-	-	1	5	4	2	1	2	4	2	-	-	-
459	OTHER DISORDERS OF CIRCULATORY SYSTEM																									
459.0	HAEMORRHAGE, UNSPECIFIED		22	-	-	-	-	-	1	1	-	-	-	2	1	3	2	5	2	2	1	1	1	-	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	1	-	2	-	5	-	1	1	-	1	-	-	-
		F	11	-	-	-	-	-	1	1	-	-	-	1	1	1	2	-	2	1	-	1	-	-	-	-
459.1	POST-PHLEBITIC SYNDROME		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
459.2	COMPRESSION OF VEIN		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
459.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
459.9	UNSPECIFIED		14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	3	4	1	1	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	1	1	-	-
460-519	DISEASES OF THE RESPIRATORY SYSTEM		13,118	123	42	19	16	26	49	57	73	71	92	158	285	601	978	1,533	1,868	2,054	2,010	1,695	982	316	67	3
		M	7,382	68	25	8	12	14	25	27	40	38	54	91	179	361	594	958	1,169	1,271	1,116	802	407	104	19	-
		F	5,736	55	17	11	4	12	24	30	33	33	38	67	106	240	384	575	699	783	894	893	575	212	48	3
460-466	ACUTE RESPIRATORY INFECTIONS		116	17	5	2	-	2	1	6	1	3	3	3	3	8	7	8	6	6	16	10	6	2	1	-
		M	54	10	3	-	-	1	-	4	1	2	3	3	2	3	4	6	3	2	4	2	-	1	-	-
		F	62	7	2	2	-	1	1	2	-	1	-	-	1	5	3	2	3	4	12	8	6	1	1	-
461	ACUTE SINUSITIS																									
461.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
462	ACUTE PHARYNGITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
464	ACUTE LARYNGITIS AND TRACHEITIS																									
464.0	ACUTE LARYNGITIS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
464.1	ACUTE TRACHEITIS		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
464.2	ACUTE LARYNGOTRACHEITIS		2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
464.3	ACUTE EPIGLOTTITIS		11	-	1	-	-	-	-	-	1	-	1	2	-	2	1	-	1	1	-	1	-	-	-	-
		M	8	-	1	-	-	-	-	-	1	-	1	2	-	2	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
465	ACUTE UPPER RESPIRATORY INFECTIONS OF MULTIPLE OR UNSPECIFIED SITE																									
465.8	OTHER MULTIPLE SITES		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
465.9	UNSPECIFIED		6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS																									
466.0	ACUTE BRONCHITIS		77	5	1	2	-	2	1	5	-	1	1	1	2	5	5	8	5	3	14	8	6	1	1	-
		M	29	4	-	-	-	1	-	3	-	1	1	1	1	1	2	6	3	1	3	1	-	-	-	-
		F	48	1	1	2	-	1	1	2	-	-	-	-	1	4	3	2	2	2	11	7	6	1	1	-
466.1	ACUTE BRONCHIOLITIS		14	9	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-
		M	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	7	4	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
470-478	OTHER DISEASES OF UPPER RESPIRATORY TRACT		24	-	3	-	-	1	-	-	2	-	1	-	1	1	2	-	-	4	3	4	1	-	1	-
		M	8	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	1	1	-	-	1	-
		F	16	-	2	-	-	-	-	-	1	-	1	-	1	-	2	-	-	3	2	3	1	-	-	-
473	CHRONIC SINUSITIS																									
473.0	MAXILLARY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
473.9	UNSPECIFIED		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
476	CHRONIC LARYNGITIS AND LARYNGOTRACHEITIS																									
476.0	CHRONIC LARYNGITIS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
477	ALLERGIC RHINITIS																									
477.8	DUE TO OTHER ALLERGEN		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
478	OTHER DISEASES OF UPPER RESPIRATORY TRACT																									

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
478.1	OTHER DISEASES OF NASAL CAVITY AND SINUSES		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
478.2	OTHER DISEASES OF PHARYNX, NOT ELSEWHERE CLASSIFIED		7	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	1	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	6	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-
478.3	PARALYSIS OF VOCAL CORDS OR LARYNX		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
478.6	OEDEMA OF LARYNX		5	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
478.7	OTHER DISEASES OF LARYNX, NOT ELSEWHERE CLASSIFIED		6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	3	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-	-	-	-
480-487	PNEUMONIA AND INFLUENZA		5,570	67	19	9	8	7	27	28	40	38	50	72	99	166	241	355	511	734	1,011	1,049	731	251	55	2
		M	2,720	44	11	4	6	3	14	11	21	25	30	41	72	100	151	212	304	412	488	415	267	77	12	-
		F	2,850	23	8	5	2	4	13	17	19	13	20	31	27	66	90	143	207	322	523	634	464	174	43	2
480	VIRAL PNEUMONIA																									
480.0	PNEUMONIA DUE TO ADENOVIRUS		4	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480.9	VIRAL PNEUMONIA, UNSPECIFIED		121	16	2	-	-	1	1	4	3	3	2	4	-	8	5	8	9	11	17	16	10	1	-	-
		M	51	8	1	-	-	1	-	-	1	1	2	1	-	1	2	5	4	5	10	7	2	-	-	-
		F	70	8	1	-	-	-	1	4	2	2	-	3	-	7	3	3	5	6	7	9	8	1	-	-
481	PNEUMOCOCCAL PNEUMONIA		283	-	1	-	-	-	3	3	2	3	7	9	10	19	33	24	25	32	32	39	31	10	-	-
		M	159	-	1	-	-	-	1	1	-	3	7	8	8	11	19	17	17	18	18	16	11	3	-	-
		F	124	-	-	-	-	-	2	2	2	-	-	1	2	8	14	7	8	14	14	23	20	7	-	-
482	OTHER BACTERIAL PNEUMONIA																									
482.0	PNEUMONIA DUE TO KLEBSIELLA PNEUMONIAE		33	-	-	-	-	-	-	-	-	-	-	1	1	-	4	3	3	2	4	9	3	3	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	2	3	2	-	1	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	1	7	3	2	-	-
482.1	PNEUMONIA DUE TO PSEUDOMONAS		28	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	9	5	3	4	-	-	-	-
		M	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	8	4	2	3	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	1	-	-	-	-
482.2	PNEUMONIA DUE TO HAEMOPHILUS INFLUENZAE (H. INFLUENZAE)		9	1	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	-	1	2	-	-	-	-
		M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
		F	6	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	1	1	-	-	-	-
482.3	PNEUMONIA DUE TO STREPTOCOCCUS		16	3	-	1	-	-	-	-	2	-	-	1	1	1	-	2	-	2	1	-	2	-	-	-
		M	11	3	-	-	-	-	-	-	2	-	-	-	1	-	-	2	-	1	1	-	1	-	-	-
		F	5	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-
482.4	PNEUMONIA DUE TO STAPHYLOCOCCUS		64	1	1	-	1	-	1	-	-	1	1	-	1	3	6	9	6	10	10	9	4	-	-	-
		M	29	1	-	-	1	-	-	-	-	-	1	-	-	2	3	3	3	7	5	2	1	-	-	-
		F	35	-	1	-	-	-	1	-	-	1	-	-	1	1	3	6	3	3	5	7	3	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
482.8	PNEUMONIA DUE TO OTHER SPECIFIED BACTERIA		25	-	-	-	-	-	-	-	-	1	1	-	2	2	4	2	2	3	6	2	-	-	-	-
		M	16	-	-	-	-	-	-	-	-	1	1	-	1	2	2	2	2	1	3	1	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	3	1	-	-	-	-
482.9	BACTERIAL PNEUMONIA, UNSPECIFIED		62	1	-	-	-	-	-	-	-	1	-	1	1	1	3	2	10	6	12	12	9	3	-	-
		M	32	-	-	-	-	-	-	-	-	1	-	1	1	1	2	2	9	3	3	4	4	1	-	-
		F	30	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	9	8	5	2	-	-
483	PNEUMONIA DUE TO OTHER SPECIFIED ORGANISM		4	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
485	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED		1,423	20	9	3	1	2	12	13	21	15	18	25	27	44	50	94	123	188	236	255	179	65	23	-
		M	689	15	5	1	1	-	9	7	10	10	9	12	21	27	36	58	63	108	107	102	65	15	8	-
		F	734	5	4	2	-	2	3	6	11	5	9	13	6	17	14	36	60	80	129	153	114	50	15	-
486	PNEUMONIA, ORGANISM UNSPECIFIED		3,264	21	5	4	5	4	9	6	11	14	17	29	52	81	124	199	307	445	641	657	453	149	29	2
		M	1,608	13	3	3	3	2	4	3	7	9	10	19	38	52	78	113	189	252	317	268	171	50	4	-
		F	1,656	8	2	1	2	2	5	3	4	5	7	10	14	29	46	86	118	193	324	389	282	99	25	2
487	INFLUENZA																									
487.0	WITH PNEUMONIA		123	1	-	-	-	-	1	1	-	-	1	1	2	2	3	4	7	15	29	26	18	10	2	-
		M	44	1	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	5	11	5	8	3	-	-
		F	79	-	-	-	-	-	1	1	-	-	1	1	1	1	-	1	4	10	18	21	10	7	2	-
487.1	WITH OTHER RESPIRATORY MANIFESTATIONS		105	1	-	-	-	-	-	-	-	-	3	-	1	2	5	4	8	13	18	18	21	10	1	-
		M	38	1	-	-	-	-	-	-	-	-	-	-	-	2	3	3	4	5	8	4	4	4	-	-
		F	67	-	-	-	-	-	-	-	-	-	3	-	1	-	2	1	4	8	10	14	17	6	1	-
487.8	WITH OTHER MANIFESTATIONS		6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS		6,125	7	3	4	5	8	11	9	14	19	24	53	138	358	640	1,020	1,174	1,112	807	495	172	45	6	1
		M	3,866	3	1	3	4	4	5	4	7	6	13	29	76	214	389	640	763	749	517	308	107	20	4	-
		F	2,259	4	2	1	1	4	6	5	7	13	11	24	62	144	251	380	411	363	290	187	65	25	2	1
490	BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC		45	3	-	1	1	-	-	-	-	-	-	-	-	1	3	3	4	4	9	8	3	4	1	-
		M	15	1	-	1	1	-	-	-	-	-	-	-	-	1	-	1	3	1	1	2	1	2	-	-
		F	30	2	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	3	8	6	2	2	1	-
491	CHRONIC BRONCHITIS																									
491.1	MUCOPURULENT CHRONIC BRONCHITIS		9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	2	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	1	-	-	-	-
491.2	OBSTRUCTIVE CHRONIC BRONCHITIS		318	-	-	1	-	-	-	-	-	2	1	2	8	16	41	53	65	58	38	23	8	2	-	-
		M	203	-	-	-	-	-	-	-	-	1	-	1	6	6	25	32	47	42	26	12	3	2	-	-
		F	115	-	-	1	-	-	-	-	-	1	1	1	2	10	16	21	18	16	12	11	5	-	-	-
491.8	OTHER CHRONIC BRONCHITIS		5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
		M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
491.9	UNSPECIFIED		78	1	-	-	-	-	-	-	1	1	-	1	4	3	6	7	9	17	8	12	5	3	-	-
		M	45	1	-	-	-	-	-	-	1	-	-	1	3	1	4	4	4	11	4	9	2	-	-	-
		F	33	-	-	-	-	-	-	-	-	1	-	-	1	2	2	3	5	6	4	3	3	3	-	-
492	EMPHYSEMA		1,682	-	-	-	-	2	1	-	2	3	4	15	38	124	176	297	328	305	213	125	36	12	1	-
		M	1,123	-	-	-	-	-	1	-	2	-	3	12	22	72	115	197	222	209	151	86	26	4	1	-
		F	559	-	-	-	-	2	-	-	-	3	1	3	16	52	61	100	106	96	62	39	10	8	-	-
493	ASTHMA																									
493.0	EXTRINSIC ASTHMA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
493.9	ASTHMA, UNSPECIFIED		343	-	3	1	3	6	10	9	7	9	9	12	21	31	33	59	44	37	15	25	8	1	-	-
		M	135	-	1	1	2	4	4	4	1	3	2	3	9	11	15	29	19	13	3	7	4	-	-	-
		F	208	-	2	-	1	2	6	5	6	6	7	9	12	20	18	30	25	24	12	18	4	1	-	-
494	BRONCHIECTASIS		108	-	-	-	-	-	-	-	2	2	1	2	4	6	9	13	11	17	20	13	5	3	-	-
		M	47	-	-	-	-	-	-	-	1	1	1	-	2	4	3	5	6	9	6	5	3	1	-	-
		F	61	-	-	-	-	-	-	-	1	1	-	2	2	2	6	8	5	8	14	8	2	2	-	-
496	CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED		3,535	1	-	1	1	-	-	-	2	2	9	21	62	176	370	585	712	672	502	207	107	20	4	1
		M	2,292	-	-	1	1	-	-	-	2	1	7	12	34	119	225	370	462	464	326	106	68	11	3	-
		F	1,243	1	-	-	-	-	-	-	-	1	2	9	28	57	145	215	250	208	176	101	39	9	1	1
500-508	PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS		287	5	1	1	-	1	3	1	3	1	4	5	5	7	19	26	33	42	47	55	25	3	-	-
		M	178	1	1	-	-	1	2	1	3	-	3	4	4	4	12	22	20	25	28	33	13	1	-	-
		F	109	4	-	1	-	-	1	-	-	1	1	1	1	3	7	4	13	17	19	22	12	2	-	-
500	COALWORKERS' PNEUMOCONIOSIS		7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-	-
501	ASBESTOSIS		12	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	3	2	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	3	2	-	-	-	-
502	PNEUMOCONIOSIS DUE TO OTHER SILICA OR SILICATES	.	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	2	1	-	-	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	2	1	-	-	-	-
504	PNEUMOPATHY DUE TO INHALATION OF OTHER DUST		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
505	PNEUMOCONIOSIS, UNSPECIFIED		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	2	1	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
507	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS																									
507.0	DUE TO INHALATION OF FOOD OR VOMIT		243	5	1	1	-	1	3	1	3	1	4	5	4	6	14	19	24	33	39	51	25	3	-	-
		M	137	1	1	-	-	1	2	1	3	-	3	4	3	3	8	16	11	17	20	29	13	1	-	-
		F	106	4	-	1	-	-	1	-	-	1	1	1	1	3	6	3	13	16	19	22	12	2	-	-
507.1	DUE TO INHALATION OF OILS AND ESSENCES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
508	RESPIRATORY CONDITIONS DUE TO OTHER AND UNSPECIFIED EXTERNAL AGENTS																									

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
508.1	CHRONIC AND OTHER PULMONARY MANIFESTATIONS DUE TO RADIATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
510-519	OTHER DISEASES OF RESPIRATORY SYSTEM		996	27	11	3	3	7	7	13	13	10	10	25	39	61	69	124	144	156	126	82	47	15	4	-
		M	556	10	8	1	2	4	4	7	7	5	5	14	25	39	38	78	79	82	78	43	20	5	2	-
		F	440	17	3	2	1	3	3	6	6	5	5	11	14	22	31	46	65	74	48	39	27	10	2	-
510	EMPYEMA																									
510.0	WITH FISTULA		6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	2	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
510.9	WITHOUT MENTION OF FISTULA		34	1	-	-	-	1	-	1	1	1	-	2	1	4	1	3	5	5	3	4	-	1	-	-
		M	23	-	-	-	-	1	-	-	1	1	-	-	1	3	1	2	3	3	2	4	-	1	-	-
		F	11	1	-	-	-	-	-	1	-	-	-	2	-	1	-	1	2	2	1	-	-	-	-	-
511	PLEURISY																									
511.0	WITHOUT MENTION OF EFFUSION OR CURRENT TUBERCULOSIS		4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
511.8	OTHER SPECIFIED FORMS OF EFFUSION, EXCEPT TUBERCULOUS		6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	2	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
511.9	UNSPECIFIED PLEURAL EFFUSION		26	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	6	3	5	3	4	-	-	-
		M	14	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	3	-	4	-	2	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	3	2	-	-	-
512	PNEUMOTHORAX		15	-	-	-	-	-	-	1	1	-	-	1	1	-	1	-	4	-	2	3	1	-	-	-
		M	13	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	4	-	2	3	1	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
513	ABSCESS OF LUNG AND MEDIASTINUM																									
513.0	ABSCESS OF LUNG		65	-	-	-	-	1	1	1	2	1	1	5	7	7	3	9	7	12	2	3	3	-	-	-
		M	47	-	-	-	-	-	1	1	-	1	1	4	6	5	1	6	5	9	2	3	2	-	-	-
		F	18	-	-	-	-	1	-	-	2	-	-	1	1	2	2	3	2	3	-	-	1	-	-	-
513.1	ABSCESS OF MEDIASTINUM		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
514	PULMONARY CONGESTION AND HYPOSTASIS		36	-	-	-	1	1	1	2	2	1	1	2	1	1	1	2	2	4	4	2	6	2	-	-
		M	17	-	-	-	1	1	-	1	2	-	-	2	1	-	-	1	1	-	3	1	2	1	-	-
		F	19	-	-	-	-	-	1	1	-	1	1	-	-	1	1	1	1	4	1	1	4	1	-	-
515	POSTINFLAMMATORY PULMONARY FIBROSIS		348	1	1	-	1	1	2	-	-	2	2	4	12	25	22	49	55	65	48	35	15	6	2	-
		M	200	-	1	-	1	1	-	-	-	-	1	3	6	15	12	32	31	33	34	19	8	2	1	-
		F	148	1	-	-	-	-	2	-	-	2	1	1	6	10	10	17	24	32	14	16	7	4	1	-
516	OTHER ALVEOLAR AND PARIETOALVEOLAR PNEUMOPATHY																									
516.3	IDIOPATHIC FIBROSING ALVEOLITIS		40	-	-	-	-	-	-	1	-	-	1	-	1	3	2	6	6	10	8	1	1	-	-	-
		M	27	-	-	-	-	-	-	1	-	-	1	-	-	2	1	3	3	9	5	1	1	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	1	3	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
516.8	OTHER		64	17	3	2	-	1	-	-	2	2	2	1	2	4	6	2	7	4	4	3	2	-	-	-
		M	31	8	2	-	-	-	-	-	1	1	2	-	2	3	4	-	3	2	1	1	1	-	-	-
		F	33	9	1	2	-	1	-	-	1	1	-	1	-	1	2	2	4	2	3	2	1	-	-	-
518	OTHER DISEASES OF LUNG																									
518.0	PULMONARY COLLAPSE		12	-	-	-	-	-	-	1	-	-	1	-	1	1	-	1	2	-	2	1	2	-	-	-
		M	5	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	1	1	-	-	-
518.3	PULMONARY EOSINOPHILIA		13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	3	2	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-
		F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-
518.4	ACUTE OEDEMA OF LUNG, UNSPECIFIED		10	1	-	-	-	-	1	-	-	-	1	-	-	2	-	1	-	2	-	1	-	1	-	-
		M	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	7	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	1	-	1	-	-
518.5	PULMONARY INSUFFICIENCY FOLLOWING TRAUMA AND SURGERY		41	-	1	1	-	1	-	3	2	1	-	4	3	2	5	4	4	6	1	1	2	-	-	-
		M	24	-	1	1	-	-	-	1	1	-	-	2	2	1	2	4	2	4	1	1	1	-	-	-
		F	17	-	-	-	-	1	-	2	1	1	-	2	1	1	3	-	2	2	-	-	1	-	-	-
518.8	OTHER DISEASES OF LUNG, NOT ELSEWHERE CLASSIFIED		227	6	5	-	1	-	-	1	2	1	-	4	6	7	24	38	37	35	36	17	4	2	1	-
		M	115	1	3	-	-	-	-	1	1	1	-	1	3	4	13	25	19	15	19	6	1	1	1	-
		F	112	5	2	-	1	-	-	-	1	-	-	3	3	3	11	13	18	20	17	11	3	1	-	-
519	OTHER DISEASES OF RESPIRATORY SYSTEM																									
519.1	OTHER DISEASES OF TRACHEA AND BRONCHUS, NOT ELSEWHERE CLASSIFIED		12	1	-	-	-	-	1	2	-	-	-	-	-	1	-	2	2	-	1	-	2	-	-	-
		M	5	1	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	1	-	2	-	-	-
519.2	MEDIASTINITIS		4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
519.3	OTHER DISEASES OF MEDIASTINUM, NOT ELSEWHERE CLASSIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
519.8	OTHER DISEASES OF RESPIRATORY SYSTEM, NOT ELSEWHERE CLASSIFIED		27	-	1	-	-	1	-	-	1	-	-	1	1	1	1	-	2	1	4	4	5	3	1	-
		M	9	-	1	-	-	1	-	-	-	-	-	1	1	1	1	-	-	1	1	1	-	-	-	-
		F	18	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	3	3	5	3	1	-
519.9	UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
520-579	DISEASES OF THE DIGESTIVE SYSTEM		8,634	52	20	7	14	17	29	92	182	273	390	568	805	979	1,026	950	869	748	682	526	296	88	16	5
		M	4,865	34	11	3	10	7	19	62	130	176	254	400	504	623	634	562	486	374	272	175	90	33	2	4
		F	3,769	18	9	4	4	10	10	30	52	97	136	168	301	356	392	388	383	374	410	351	206	55	14	1
520-529	DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-
520	DISORDERS OF TOOTH DEVELOPMENT AND ERUPTION																									

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
520.6	DISTURBANCES IN TOOTH ERUPTION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
521	DISEASES OF HARD TISSUES OF TEETH																									
521.5	HYPERCEMENTOSIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
527	DISEASES OF THE SALIVARY GLANDS																									
527.2	SIALOADENITIS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
530-537	DISEASES OF OESOPHAGUS, STOMACH, AND DUODENUM		1,002	5	4	-	2	-	6	5	13	17	18	18	49	58	88	103	142	128	139	102	73	28	3	1
		M	578	3	4	-	2	-	3	2	9	12	11	11	32	31	62	72	101	71	62	43	33	13	-	1
		F	424	2	-	-	-	-	3	3	4	5	7	7	17	27	26	31	41	57	77	59	40	15	3	-
530	DISEASES OF OESOPHAGUS																									
530.0	ACHALASIA AND CARDIOSPASM		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
530.1	OESOPHAGITIS		35	2	-	-	1	-	-	-	1	2	-	-	-	3	3	2	6	5	6	1	2	-	-	1
		M	26	1	-	-	1	-	-	-	1	1	-	-	-	3	3	2	6	3	3	-	1	-	-	1
		F	9	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	3	1	1	-	-	-
530.2	ULCER OF OESOPHAGUS		10	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	2	-	2	2	-	-	-	-
		M	6	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-
530.3	STRICTURE AND STENOSIS OF OESOPHAGUS		17	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	3	5	2	1	1	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	3	-	-	1	-	-
		F	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	2	1	-	-	-
530.4	PERFORATION OF OESOPHAGUS		11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	4	-	2	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-
530.5	DYKINESIA OF OESOPHAGUS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
530.6	DIVERTICULUM OF OESOPHAGUS, ACQUIRED		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
530.7	GASTRO-OESOPHAGEAL LACERATION-HAEMORRHAGE SYNDROME		10	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	2	1	1	-	1	-	-	-
		M	8	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
530.8	OTHER DISORDERS OF OESOPHAGUS		9	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	2	1	1	2	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	-	-
530.9	UNSPECIFIED		5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
531	GASTRIC ULCER																									
531.0	ACUTE WITH HAEMORRHAGE		6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
531.1	ACUTE WITH PERFORATION		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
531.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE		149	-	-	-	-	-	1	1	2	-	2	4	4	11	16	18	20	18	17	15	12	6	2	-
		M	72	-	-	-	-	-	-	-	2	-	1	2	2	1	13	14	15	6	6	6	3	1	-	-
		F	77	-	-	-	-	-	1	1	-	-	1	2	2	10	3	4	5	12	11	9	9	5	2	-
531.5	CHRONIC OR UNSPECIFIED WITH PERFORATION		71	-	1	-	-	-	1	1	1	2	2	1	7	4	4	8	8	13	11	4	2	1	-	-
		M	38	-	1	-	-	-	1	-	1	1	1	1	4	3	2	5	4	7	6	1	-	-	-	-
		F	33	-	-	-	-	-	-	1	-	1	1	-	3	1	2	3	4	6	5	3	2	1	-	-
531.6	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE AND PERFORATION		7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
531.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		29	-	-	-	-	-	1	-	-	1	-	-	1	1	4	1	6	3	6	3	-	2	-	-
		M	12	-	-	-	-	-	-	-	-	1	-	-	1	1	3	-	1	1	3	1	-	-	-	-
		F	17	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	5	2	3	2	-	2	-	-
532	DUODENAL ULCER																									
532.0	ACUTE WITH HAEMORRHAGE		3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
532.1	ACUTE WITH PERFORATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
532.3	ACUTE WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
532.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE		118	-	-	-	-	-	-	1	-	1	3	1	6	6	16	11	26	11	10	10	11	4	1	-
		M	81	-	-	-	-	-	-	1	-	1	2	1	4	4	13	8	21	7	5	6	5	3	-	-
		F	37	-	-	-	-	-	-	-	-	-	1	-	2	2	3	3	5	4	5	4	6	1	1	-
532.5	CHRONIC OR UNSPECIFIED WITH PERFORATION		95	-	1	-	-	-	-	-	1	1	-	-	4	3	6	13	13	16	9	18	10	-	-	-
		M	51	-	1	-	-	-	-	-	-	1	-	-	2	2	3	9	9	8	5	7	4	-	-	-
		F	44	-	-	-	-	-	-	-	1	-	-	-	2	1	3	4	4	8	4	11	6	-	-	-
532.6	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE AND PERFORATION		13	-	-	-	-	-	-	-	-	1	1	-	1	4	-	-	3	1	-	1	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	3	1	-	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	1	-	-	-
532.7	CHRONIC WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
532.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		17	-	-	-	-	-	-	1	-	-	-	1	-	1	2	3	4	1	1	1	1	1	-	-
		M	11	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	3	1	-	-	1	1	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-
533	PEPTIC ULCER, SITE UNSPECIFIED																									

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
533.0	ACUTE WITH HAEMORRHAGE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
533.3	ACUTE WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
533.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE		135	-	-	-	-	-	1	-	2	1	2	6	6	8	10	11	17	19	19	15	13	5	-	-
		M	90	-	-	-	-	-	1	-	2	1	2	4	4	6	7	9	13	12	9	9	9	2	-	-
		F	45	-	-	-	-	-	-	-	-	-	-	2	2	2	3	2	4	7	10	6	4	3	-	-
533.5	CHRONIC OR UNSPECIFIED WITH PERFORATION		54	-	-	-	-	-	-	-	-	-	1	-	2	4	4	4	9	7	11	8	2	2	-	-
		M	28	-	-	-	-	-	-	-	-	-	-	-	2	3	2	3	3	3	5	4	1	2	-	-
		F	26	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	6	4	6	4	1	-	-	-
533.6	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE AND PERFORATION		6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	2	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
533.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		18	-	-	-	1	-	-	-	-	1	1	1	1	-	1	3	1	3	4	-	-	1	-	-
		M	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	1	1	1	1	-	1	2	1	-	3	-	-	1	-	-
534	GASTROJEJUNAL ULCER																									
534.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	-	-
534.5	CHRONIC OR UNSPECIFIED WITH PERFORATION		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
535	GASTRITIS AND DUODENITIS																									
535.0	ACUTE GASTRITIS		18	1	-	-	-	-	-	-	2	1	-	-	3	2	2	3	1	-	3	-	-	-	-	-
		M	11	1	-	-	-	-	-	-	1	1	-	-	1	1	2	3	-	-	1	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	1	-	2	-	-	-	-	-
535.1	ATROPHIC GASTRITIS		9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	2	2	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	1	-	-	-
535.3	ALCOHOLIC GASTRITIS		11	-	-	-	-	-	1	-	-	-	4	1	2	1	-	1	1	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	1	-	-	-	3	1	2	1	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
535.4	OTHER GASTRITIS		42	1	-	-	-	-	-	-	1	1	-	2	3	2	3	7	6	7	4	4	-	1	-	-
		M	24	1	-	-	-	-	-	-	-	1	-	-	3	2	2	5	5	4	1	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	1	-	-	2	-	-	1	2	1	3	3	4	-	1	-	-
535.5	UNSPECIFIED GASTRITIS AND GASTRODUODENITIS		20	1	-	-	-	-	-	-	-	1	1	-	1	2	2	4	-	-	2	2	2	2	-	-
		M	7	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	1	1	-	-
		F	13	1	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	2	2	1	1	-	-
535.6	DUODENITIS		2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
536	DISORDERS OF FUNCTION OF STOMACH																									

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
536.1	ACUTE DILATATION OF STOMACH		3	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
536.8	DYSPEPSIA AND OTHER DISORDERS OF FUNCTION OF STOMACH		5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-
		M	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
536.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
537	OTHER DISEASES OF STOMACH AND DUODENUM																									
537.0	ADULT HYPERTROPHIC PYLORIC STENOSIS		11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	1	-	1	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-
537.3	OTHER OBSTRUCTION OF DUODENUM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
537.4	FISTULA OF STOMACH OR DUODENUM		3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
537.8	OTHER		5	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
		M	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
537.9	UNSPSCIFIED		22	-	-	-	-	-	-	1	-	-	-	-	2	-	1	3	2	5	6	1	1	-	-	-
		M	13	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	5	-	-	-	-	-
		F	9	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	3	1	1	1	-	-	-
540-543	APPENDICITIS		66	1	1	1	2	3	2	1	1	3	1	2	4	4	8	4	4	9	3	8	3	1	-	-
		M	33	-	-	-	1	3	2	1	-	2	1	2	2	2	3	3	3	5	1	2	-	-	-	-
		F	33	1	1	1	1	-	-	-	1	1	-	-	2	2	5	1	1	4	2	6	3	1	-	-
540	ACUTE APPENDICITIS																									
540.0	WITH GENERALIZED PERITONITIS		50	1	1	1	2	3	-	-	1	3	1	2	3	3	8	3	4	6	1	5	2	-	-	-
		M	27	-	-	-	1	3	-	-	-	2	1	2	1	2	3	3	3	3	1	2	-	-	-	-
		F	23	1	1	1	1	-	-	-	1	1	-	-	2	1	5	-	1	3	-	3	2	-	-	-
540.9	WITHOUT MENTION OF PERITONITIS		3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
541	APPENDICITIS, UNQUALIFIED		13	-	-	-	-	-	1	1	-	-	-	-	1	1	-	1	-	2	2	2	1	1	-	-
		M	4	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	1	1	-	-
550-553	HERNIA OF ABDOMINAL CAVITY		174	12	-	-	-	1	-	-	-	2	3	5	3	4	15	14	26	19	22	25	16	6	1	-
		M	75	7	-	-	-	-	-	-	-	-	2	3	-	3	8	5	9	9	10	10	7	2	-	-
		F	99	5	-	-	-	1	-	-	-	2	1	2	3	1	7	9	17	10	12	15	9	4	1	-
550	INGUINAL HERNIA																									

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
550.0	INGUINAL HERNIA, WITH GANGRENE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
550.1	INGUINAL HERNIA, WITH OBSTRUCTION, WITHOUT MENTION OF GANGRENE		21	1	-	-	-	-	-	-	-	-	-	1	-	-	4	2	2	3	3	3	1	1	-	-
		M	17	1	-	-	-	-	-	-	-	-	-	1	-	-	3	2	2	3	2	2	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-
550.9	INGUINAL HERNIA, WITHOUT MENTION OF OBSTRUCTION OR GANGRENE		7	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	3	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	3	-	-	-	-	-
551	OTHER HERNIA OF ABDOMINAL CAVITY, WITH GANGRENE																									
551.0	FEMORAL, WITH GANGRENE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
551.2	VENTRAL (INCISIONAL), WITH GANGRENE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
551.3	DIAPHRAGMATIC, WITH GANGRENE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
551.8	OF OTHER SPECIFIED SITES, WITH GANGRENE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
551.9	OF UNSPECIFIED SITE, WITH GANGRENE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
552	OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION, WITHOUT MENTION OF GANGRENE																									
552.0	FEMORAL, WITH OBSTRUCTION		8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	-	1	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-
552.1	UMBILICAL, WITH OBSTRUCTION		9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	1	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	1	-	-	-
552.2	VENTRAL (INCISIONAL), WITH OBSTRUCTION		16	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	5	1	-	1	3	1	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	1	-	1	2	1	-	-
552.3	DIAPHRAGMATIC, WITH OBSTRUCTION		9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	2	2	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-
552.8	OF OTHER SPECIFIED SITES, WITH OBSTRUCTION		7	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	-	1	-	-	-	-
		M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
552.9	OF UNSPECIFIED SITE, WITH OBSTRUCTION		16	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	3	1	1	4	-	1	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	1	-	1	2	-	1	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION OR GANGRENE																									
553.1	UMBILICAL		8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
553.2	VENTRAL (INCISIONAL)		4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
553.3	DIAPHRAGMATIC		48	1	-	-	-	-	-	-	-	-	2	1	-	-	2	5	5	6	8	10	5	3	-	-
		M	13	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	1	2	2	2	1	-	-
		F	35	1	-	-	-	-	-	-	-	-	1	1	-	-	-	3	5	5	6	8	3	2	-	-
553.8	OF OTHER SPECIFIED SITES		4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
553.9	OF UNSPECIFIED SITE		3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
555-558	NONINFECTIVE ENTERITIS AND COLITIS		675	15	10	1	3	1	3	5	4	7	7	9	22	34	52	69	90	107	95	81	51	6	3	-
		M	261	10	4	1	3	-	2	4	2	3	5	3	9	17	27	34	38	44	24	18	9	2	2	-
		F	414	5	6	-	-	1	1	1	2	4	2	6	13	17	25	35	52	63	71	63	42	4	1	-
555	REGIONAL ENTERITIS																									
555.0	SMALL INTESTINE		7	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	-	1	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
555.1	LARGE INTESTINE		7	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	-	-	-	-	-
555.9	UNSPECIFIED SITE		29	-	-	-	-	1	-	2	1	1	1	-	-	2	6	7	3	2	2	-	1	-	-	-
		M	11	-	-	-	-	-	-	1	-	1	1	-	-	2	2	3	-	1	-	-	-	-	-	-
		F	18	-	-	-	-	1	-	1	1	-	-	-	-	-	4	4	3	1	2	-	1	-	-	-
556	IDIOPATHIC PROCTOCOLITIS		42	-	-	-	-	-	-	2	1	2	2	1	2	4	5	4	4	5	6	4	-	-	-	-
		M	21	-	-	-	-	-	-	2	1	1	1	-	-	4	4	1	2	-	2	3	-	-	-	-
		F	21	-	-	-	-	-	-	-	-	1	1	1	2	-	1	3	2	5	4	1	-	-	-	-
557	VASCULAR INSUFFICIENCY OF INTESTINE																									
557.0	ACUTE		394	3	-	-	-	-	3	-	1	3	1	5	14	22	24	45	63	71	56	49	30	3	1	-
		M	139	2	-	-	-	-	2	-	-	-	1	3	7	7	13	25	27	30	10	7	3	1	1	-
		F	255	1	-	-	-	-	1	-	1	3	-	2	7	15	11	20	36	41	46	42	27	2	-	-
557.1	CHRONIC		20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	4	2	4	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	3	2	3	-	-	-
557.9	UNSPECIFIED		65	-	-	-	-	-	-	-	-	-	-	-	-	3	8	4	6	13	11	13	6	1	-	-
		M	27	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	3	5	4	7	1	-	-	-
		F	38	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	3	8	7	6	5	1	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
558	OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS		111	12	10	1	3	-	-	1	1	-	2	2	4	3	5	7	7	10	16	13	10	2	2	-
		M	51	8	4	1	3	-	-	1	1	-	1	-	1	3	2	3	4	5	7	1	4	1	1	-
		F	60	4	6	-	-	-	-	-	-	-	1	2	3	-	3	4	3	5	9	12	6	1	1	-
560-569	OTHER DISEASES OF INTESTINES AND PERITONEUM		971	3	-	1	1	5	5	3	7	5	12	18	30	54	67	83	130	139	165	148	72	18	4	1
		M	347	3	-	1	1	2	4	3	6	4	5	14	17	21	32	33	49	54	48	33	11	6	-	-
		F	624	-	-	-	-	3	1	-	1	1	7	4	13	33	35	50	81	85	117	115	61	12	4	1
560	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA																									
560.0	INTUSSUSCEPTION		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560.1	PARALYTIC ILEUS		17	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	1	6	3	-	1	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	3	1	-	1	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	-	-	-	-
560.2	VOLVULUS		75	-	-	-	-	-	1	1	1	-	1	-	2	4	1	6	14	7	11	20	5	1	-	-
		M	33	-	-	-	-	-	1	1	1	-	-	-	1	3	1	3	7	3	2	7	3	-	-	-
		F	42	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	7	4	9	13	2	1	-	-
560.3	IMPACTION OF INTESTINE		22	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	3	5	6	3	1	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	5	4	2	1	-	-
560.8	OTHER INTESTINAL OBSTRUCTION		65	-	-	-	-	-	2	-	1	-	-	-	4	3	1	4	8	12	14	12	4	-	-	-
		M	16	-	-	-	-	-	1	-	1	-	-	-	3	-	1	2	1	5	-	1	1	-	-	-
		F	49	-	-	-	-	-	1	-	-	-	-	-	1	3	-	2	7	7	14	11	3	-	-	-
560.9	UNSPECIFIED INTESTINAL OBSTRUCTION		161	-	-	-	-	1	-	1	-	2	2	2	4	3	10	16	21	22	30	21	20	4	2	-
		M	43	-	-	-	-	1	-	1	-	1	-	2	1	1	5	5	9	5	7	3	1	1	-	-
		F	118	-	-	-	-	-	-	-	-	1	2	-	3	2	5	11	12	17	23	18	19	3	2	-
562	DIVERTICULA OF INTESTINE																									
562.0	SMALL INTESTINE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
562.1	COLON		326	-	-	-	-	1	-	-	-	-	1	3	2	16	22	29	47	57	58	58	24	7	1	-
		M	96	-	-	-	-	-	-	-	-	-	-	1	1	5	7	12	15	21	16	11	4	3	-	-
		F	230	-	-	-	-	1	-	-	-	-	1	2	1	11	15	17	32	36	42	47	20	4	1	-
564	FUNCTIONAL DIGESTIVE DISORDERS, NOT ELSEWHERE CLASSIFIED																									
564.0	CONSTIPATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
564.7	MEGACOLON, OTHER THAN HIRSCHSPRUNG'S		6	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-	1	1	-	-	-
		M	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
564.8	OTHER FUNCTIONAL DISORDERS OF INTESTINE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 7—15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
565	ANAL FISSURE AND FISTULA																									
565.1	ANAL FISTULA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
566	ABSCESS OF ANAL AND RECTAL REGIONS		12	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	1	1	4	1	-	-	1	-
		M	6	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	2	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	1	-
567	PERITONITIS																									
567.2	OTHER SUPPURATIVE PERITONITIS		44	-	-	-	-	1	1	-	3	-	-	3	1	4	6	2	8	6	5	2	1	-	-	1
		M	21	-	-	-	-	-	1	-	2	-	-	3	-	2	6	1	1	3	2	-	-	-	-	-
		F	23	-	-	-	-	1	-	-	1	-	-	-	1	2	-	1	7	3	3	2	1	-	-	1
567.8	OTHER PERITONITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
567.9	UNSPECIFIED		52	-	-	1	-	1	-	1	-	-	2	4	4	10	4	3	5	4	6	2	3	2	-	-
		M	29	-	-	1	-	-	-	1	-	-	2	4	3	5	3	2	3	3	1	-	-	1	-	-
		F	23	-	-	-	-	1	-	-	-	-	-	-	1	5	1	1	2	1	5	2	3	1	-	-
568	OTHER DISORDERS OF PERITONEUM																									
568.0	PERITONEAL ADHESIONS		12	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	2	3	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	1	3	1	-	-	-
568.8	OTHER		6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
569	OTHER DISORDERS OF INTESTINE																									
569.1	RECTAL PROLAPSE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
569.3	HAEMORRHAGE OF RECTUM AND ANUS		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-
569.4	OTHER DISORDERS OF RECTUM AND ANUS		5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
569.5	ABSCESS OF INTESTINE		4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
569.8	OTHER		93	-	-	-	-	-	1	-	-	2	3	2	8	7	10	14	13	10	10	7	4	2	-	-
		M	39	-	-	-	-	-	1	-	-	2	1	2	5	2	4	5	4	7	5	1	-	-	-	-
		F	54	-	-	-	-	-	-	-	-	-	2	-	3	5	6	9	9	3	5	6	4	2	-	-
569.9	UNSPECIFIED		52	1	-	-	1	-	-	-	1	-	1	1	2	4	9	1	6	9	7	8	1	-	-	-
		M	24	1	-	-	1	-	-	-	1	-	1	-	1	1	2	-	5	2	4	5	-	-	-	-
		F	28	-	-	-	-	-	-	-	-	-	-	1	1	3	7	1	1	7	3	3	1	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
570-579	OTHER DISEASES OF DIGESTIVE SYSTEM		5,741	16	5	4	6	7	13	78	157	239	349	516	697	825	796	676	475	346	258	161	80	29	5	3
		M	3,570	11	3	1	3	2	8	52	113	155	230	367	444	549	502	415	285	191	127	69	30	10	-	3
		F	2,171	5	2	3	3	5	5	26	44	84	119	149	253	276	294	261	190	155	131	92	50	19	5	-
570	ACUTE AND SUBACUTE NECROSIS OF LIVER		45	4	-	1	2	1	1	1	2	2	3	5	4	5	4	-	3	3	1	2	-	1	-	-
		M	23	3	-	1	2	1	-	-	1	1	-	3	1	3	3	-	3	1	-	-	-	-	-	-
		F	22	1	-	-	-	-	1	1	1	1	3	2	3	2	1	-	-	2	1	2	-	1	-	-
571	CHRONIC LIVER DISEASE AND CIRRHOSIS																									
571.0	ALCOHOLIC FATTY LIVER		182	-	-	-	-	-	1	6	19	20	17	19	22	25	22	20	7	4	-	-	-	-	-	-
		M	127	-	-	-	-	-	-	4	16	15	13	18	13	14	14	15	6	2	-	-	-	-	-	-
		F	55	-	-	-	-	-	1	2	3	5	4	4	9	11	8	5	1	2	-	-	-	-	-	-
571.1	ACUTE ALCOHOLIC HEPATITIS		106	-	-	-	-	-	-	3	9	12	12	11	15	19	8	7	5	4	-	1	-	-	-	-
		M	65	-	-	-	-	-	-	2	6	6	8	8	10	11	8	3	3	-	-	-	-	-	-	-
		F	41	-	-	-	-	-	-	1	3	6	4	3	5	8	-	4	2	4	-	1	-	-	-	-
571.2	ALCOHOLIC CIRRHOSIS OF LIVER		1,715	1	-	-	-	-	-	22	38	70	114	208	262	295	268	216	131	64	17	8	-	-	-	1
		M	1,148	-	-	-	-	-	-	15	26	47	80	158	174	191	179	140	75	47	11	4	-	-	-	1
		F	567	1	-	-	-	-	-	7	12	23	34	58	88	104	89	76	56	17	6	4	-	-	-	-
571.3	ALCOHOLIC LIVER DAMAGE, UNSPECIFIED		534	-	-	-	-	-	-	4	17	40	69	59	93	93	82	40	31	5	1	-	-	-	-	-
		M	407	-	-	-	-	-	-	2	15	31	46	42	73	74	63	31	26	3	1	-	-	-	-	-
		F	127	-	-	-	-	-	-	2	2	9	23	17	20	19	19	9	5	2	-	-	-	-	-	-
571.4	CHRONIC HEPATITIS		110	-	-	-	1	1	-	1	5	4	5	1	16	11	15	19	8	10	7	6	-	-	-	-
		M	52	-	-	-	-	-	-	1	3	2	3	1	5	7	7	9	4	5	3	2	-	-	-	-
		F	58	-	-	-	1	1	-	-	2	2	2	-	11	4	8	10	4	5	4	4	-	-	-	-
571.5	CIRRHOSIS OF LIVER WITHOUT MENTION OF ALCOHOL		1,380	2	1	-	-	-	1	11	19	40	64	121	163	215	218	207	137	91	67	13	8	1	-	1
		M	843	2	1	-	-	-	1	7	11	24	42	81	95	142	132	122	73	60	39	7	3	-	-	1
		F	537	-	-	-	-	-	-	4	8	16	22	40	68	73	86	85	64	31	28	6	5	1	-	-
571.6	BILIARY CIRRHOSIS		42	-	-	-	-	-	-	-	-	1	-	2	1	10	6	5	5	5	5	1	1	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-	-	-
		F	36	-	-	-	-	-	-	-	-	1	-	2	1	9	6	4	3	4	4	1	1	-	-	-
571.8	OTHER CHRONIC NONALCOHOLIC LIVER DISEASE		384	1	-	-	-	-	5	21	27	26	37	39	55	58	53	32	16	8	4	1	-	-	-	1
		M	251	1	-	-	-	-	5	14	23	15	23	26	35	40	32	19	11	3	2	1	-	-	-	1
		F	133	-	-	-	-	-	-	7	4	11	14	13	20	18	21	13	5	5	2	-	-	-	-	-
571.9	UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL		24	-	-	-	-	-	-	-	-	-	1	1	-	2	6	7	1	4	2	-	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	1	1	2	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	1	6	4	-	3	-	-	-	-	-	-
572	LIVER ABSCESS AND SEQUELAE OF CHRONIC LIVER DISEASE																									
572.0	ABSCESS OF LIVER		16	-	-	-	-	-	-	1	1	-	-	-	-	-	3	4	3	1	1	2	-	-	-	-
		M	9	-	-	-	-	-	-	1	1	-	-	-	-	-	1	3	2	-	-	1	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-	-	-	-
572.2	HEPATIC COMA		34	-	-	-	-	-	-	-	-	2	1	-	7	5	6	5	5	1	1	-	-	1	-	-
		M	10	-	-	-	-	-	-	-	-	-	1	-	2	5	3	3	3	1	-	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	2	-	-	5	-	3	2	2	-	1	-	-	1	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
572.3	PORTAL HYPERTENSION		15	-	-	1	-	-	-	-	-	-	1	1	1	2	1	1	1	4	1	1	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	3	1	-	-	-	-	-
		F	5	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-
572.4	HEPATORENAL SYNDROME		24	-	-	-	-	-	-	1	2	-	1	2	6	5	3	1	2	-	1	-	-	-	-	-
		M	19	-	-	-	-	-	-	1	2	-	1	2	3	3	3	1	2	-	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-
572.8	OTHER SEQUELAE OF CHRONIC LIVER DISEASE		143	7	2	-	2	-	1	2	5	6	8	13	12	15	21	17	9	11	5	6	1	-	-	-
		M	80	5	1	-	-	-	1	2	3	3	4	9	8	9	12	9	5	5	2	2	-	-	-	-
		F	63	2	1	-	2	-	-	-	2	3	4	4	4	6	9	8	4	6	3	4	1	-	-	-
573	OTHER DISORDERS OF LIVER																									
573.0	CHRONIC PASSIVE CONGESTION OF LIVER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
573.3	HEPATITIS UNSPECIFIED		40	-	-	1	1	2	2	-	1	2	1	2	1	3	6	6	2	4	2	1	2	1	-	-
		M	18	-	-	-	1	1	1	-	1	1	1	2	1	1	1	3	1	2	1	-	-	-	-	-
		F	22	-	-	1	-	1	1	-	-	1	-	-	-	2	5	3	1	2	1	1	2	1	-	-
573.8	OTHER		14	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	4	-	1	-	-	-	1	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	-	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	1	-
573.9	UNSPECIFIED		30	-	-	-	-	1	-	-	1	1	1	3	3	3	-	5	5	2	1	2	2	-	-	-
		M	19	-	-	-	-	-	-	-	-	-	1	1	3	2	-	4	4	2	-	-	2	-	-	-
		F	11	-	-	-	-	1	-	-	1	1	-	2	-	1	-	1	1	-	1	2	-	-	-	-
574	CHOLELITHIASIS																									
574.0	CALCULUS OF GALLBLADDER WITH ACUTE CHOLECYSTITIS		20	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	3	5	3	2	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	3	2	1	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	1	1	-	-	-
574.1	CALCULUS OF GALLBLADDER WITH OTHER CHOLECYSTITIS		24	-	-	-	-	-	-	-	-	-	2	-	-	2	1	1	2	4	6	2	4	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	-	2	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	2	2	6	-	4	-	-	-
574.2	CALCULUS OF GALLBLADDER WITHOUT MENTION OF CHOLECYSTITIS		64	-	-	-	-	-	1	-	-	-	-	-	4	1	2	6	6	13	15	9	4	1	2	-
		M	29	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	6	5	7	3	-	-	-
		F	35	-	-	-	-	-	1	-	-	-	-	-	3	-	2	3	3	7	10	2	1	1	2	-
574.3	CALCULUS OF BILE DUCT WITH ACUTE CHOLECYSTITIS		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
574.4	CALCULUS OF BILE DUCT WITH OTHER CHOLECYSTITIS		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
574.5	CALCULUS OF BILE DUCT WITHOUT MENTION OF CHOLECYSTITIS		39	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	2	8	7	9	6	-	-	-
		M	22	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	6	4	4	3	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	2	3	5	3	-	-	-
575	OTHER DISORDERS OF GALLBLADDER																									

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
575.0	ACUTE CHOLECYSTITIS		54	-	-	-	-	-	-	-	-	-	-	-	2	3	3	6	13	6	7	6	4	4	-	-
		M	29	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	8	-	6	2	1	2	-	-
		F	25	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	6	1	4	3	2	-	-
575.1	OTHER CHOLECYSTITIS		53	-	-	-	-	-	-	-	-	-	-	-	2	3	-	3	8	13	7	7	9	1	-	-
		M	23	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	4	4	3	3	5	-	-	-
		F	30	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	9	4	4	4	1	-	-
575.3	HYDROPS OF GALLBLADDER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
575.4	PERFORATION OF GALLBLADDER		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-
575.5	FISTULA OF GALLBLADDER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
575.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
575.9	UNSPECIFIED		41	-	-	-	-	-	-	-	-	-	-	2	2	1	4	6	4	4	10	5	1	2	-	-
		M	25	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	4	4	5	2	1	1	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	-	-	5	3	-	1	-	-
576	OTHER DISORDERS OF BILIARY TRACT																									
576.1	CHOLANGITIS		36	-	-	-	-	-	-	-	1	-	-	2	1	2	5	3	3	6	3	5	2	3	-	-
		M	18	-	-	-	-	-	-	-	1	-	-	2	-	2	4	-	2	2	-	2	1	2	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	4	3	3	1	1	-	-
576.2	OBSTRUCTION OF BILE DUCT		24	-	-	1	-	-	-	-	-	-	-	-	-	-	1	5	2	6	4	4	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	2	-	-	-	-	-
		F	17	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	1	5	2	4	1	-	-	-
576.4	FISTULA OF BILE DUCT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
576.8	OTHER		9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	1	1	1	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-
		F	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-
576.9	UNSPECIFIED		7	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	1	1	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	1	-	-	-
577	DISEASES OF PANCREAS																									
577.0	ACUTE PANCREATITIS		221	-	2	-	-	-	1	4	8	11	10	17	13	19	26	23	23	26	16	17	5	-	-	-
		M	117	-	1	-	-	-	-	2	3	9	5	12	8	13	16	14	12	11	4	6	1	-	-	-
		F	104	-	1	-	-	-	1	2	5	2	5	5	5	6	10	9	11	15	12	11	4	-	-	-
577.1	CHRONIC PANCREATITIS		34	-	-	-	-	-	-	1	1	1	-	-	3	3	10	2	4	2	3	3	-	1	-	-
		M	25	-	-	-	-	-	-	1	-	-	-	-	3	2	8	2	3	2	2	2	-	-	-	-
		F	9	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	1	-	1	1	-	1	-	-
577.2	CYST AND PSEUDOCYST OF PANCREAS		7	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	2	1	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	2	1	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
577.8	OTHER DISEASES OFF PANCREAS		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
577.9	UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
578	GASTROINTESTINAL HAEMORRHAGE																									
578.0	HAEMATEMESIS		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
578.1	MELAENA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
578.9	HAEMORRHAGE OF GASTROINTESTINAL TRACT, UNSPECIFIED		224	-	-	-	-	2	-	-	1	-	2	3	2	18	11	21	20	24	45	41	21	12	1	-
		M	112	-	-	-	-	-	-	-	1	-	-	2	2	13	9	12	12	13	21	16	6	5	-	-
		F	112	-	-	-	-	2	-	-	-	-	2	1	-	5	2	9	8	11	24	25	15	7	1	-
579	INTESTINAL MALABSORPTION																									
579.1	TROPICAL SPRUE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
579.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
579.9	UNSPECIFIED		12	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	3	1	2	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	1	1	2	-	1	-	-	-
580-629	DISEASES OF THE GENITOURINARY SYSTEM		2,350	26	2	-	2	1	8	19	16	17	24	48	55	82	140	202	286	328	403	410	206	62	12	1
		M	1,159	15	-	-	1	-	2	9	10	10	10	21	28	40	81	115	157	177	193	168	91	26	4	1
		F	1,191	11	2	-	1	1	6	10	6	7	14	27	27	42	59	87	129	151	210	242	115	36	8	-
580-589	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS		1,138	24	2	-	2	1	5	11	9	11	17	23	33	45	77	109	164	163	169	161	82	23	6	1
		M	605	15	-	-	1	-	1	6	7	6	8	12	17	24	45	68	89	92	87	74	39	11	2	1
		F	533	9	2	-	1	1	4	5	2	5	9	11	16	21	32	41	75	71	82	87	43	12	4	-
580	ACUTE GLOMERULONEPHRITIS																									
580.8	WITH OTHER SPECIFIED PATHOLOGICAL LESION IN KIDNEY		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580.9	UNSPECIFIED		8	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	1	1	2	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	2	-	-	-	-
581	NEPHROTIC SYNDROME																									
581.9	UNSPECIFIED		16	-	-	-	-	1	1	-	-	-	1	-	-	-	1	2	-	7	2	1	-	-	-	-
		M	9	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-	3	1	1	-	-	-	-
		F	7	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	4	1	-	-	-	-	-
582	CHRONIC GLOMERULONEPHRITIS																									
582.1	WITH LESION OF MEMBRANOUS GLOMERULONEPHRITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
582.8	WITH OTHER SPECIFIED PATHOLOGICAL LESION IN KIDNEY		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
582.9	UNSPECIFIED		132	-	-	-	1	-	2	1	-	2	3	5	3	6	11	14	19	16	19	22	5	3	-	-
		M	69	-	-	-	1	-	-	1	-	1	2	1	1	3	7	10	10	7	12	10	1	2	-	-
		F	63	-	-	-	-	-	2	-	-	1	1	4	2	3	4	4	9	9	7	12	4	1	-	-
583	NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC																									
583.1	WITH LESION OF MEMBRANOUS GLOMERULONEPHRITIS		5	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
583.4	WITH LESION OF RAPIDLY PROGRESSIVE GLOMERULONEPHRITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
583.6	WITH LESION OF RENAL CORTICAL NECROSIS		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
583.8	WITH OTHER SPECIFIED PATHOLOGICAL LESION IN KIDNEY		12	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	4	1	1	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	1	-	-	-	-
583.9	WITH UNSPECIFIED PATHOLOGICAL LESION IN KIDNEY		28	-	-	-	-	-	1	1	-	-	1	2	3	1	3	-	2	4	1	6	3	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	2	3	1	3	1	-	-	-
		F	12	-	-	-	-	-	1	1	-	-	1	1	1	-	1	-	-	1	-	3	2	-	-	-
584.5	WITH LESION OF TUBULAR NECROSIS		24	1	-	-	-	-	-	-	1	-	2	-	-	-	-	1	3	6	8	2	3	-	-	-
		M	11	1	-	-	-	-	-	-	1	-	1	-	-	-	-	1	2	4	1	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	4	2	3	-	-	-
584.6	WITH LESION OF RENAL CORTICAL NECROSIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
584.7	WITH LESION OF RENAL MEDULLARY (PAPILLARY) NECROSIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
584.9	UNSPECIFIED		125	7	-	-	-	-	-	1	-	1	-	3	-	5	14	10	21	20	17	13	10	1	1	1
		M	63	6	-	-	-	-	-	1	-	1	-	2	-	3	9	4	8	10	8	6	4	-	-	1
		F	62	1	-	-	-	-	-	-	-	-	-	1	-	2	5	6	13	10	9	7	6	1	1	-
585	CHRONIC RENAL FAILURE		285	-	1	-	1	-	-	4	4	4	6	5	10	14	27	34	43	31	44	36	10	3	-	-
		M	164	-	-	-	-	-	-	1	3	3	3	3	5	4	16	20	30	21	24	20	9	2	-	-
		F	121	-	1	-	1	-	-	3	1	1	3	2	5	10	11	14	13	10	20	16	9	1	-	-
586	RENAL FAILURE, UNSPECIFIED		477	16	1	-	-	-	-	3	4	2	3	7	14	16	16	42	73	71	75	73	40	16	5	-
		M	248	8	-	-	-	-	-	2	3	1	1	5	7	11	10	25	35	39	37	33	22	7	2	-
		F	229	8	1	-	-	-	-	1	1	1	2	2	7	5	6	17	38	32	38	40	18	9	3	-
587	RENAL SCLEROSIS, UNSPECIFIED		16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	5	3	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	1	2	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	-	-	-
588	DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION																									

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
588.8	OTHER		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
590-599	OTHER DISEASES OF URINARY SYSTEM		1,074	2	-	-	-	-	3	3	5	6	6	22	19	33	58	80	105	148	203	227	112	36	6	-
		M	449	-	-	-	-	-	1	3	3	4	2	9	10	13	31	36	54	71	80	76	41	13	2	-
		F	625	2	-	-	-	-	2	-	2	2	4	13	9	20	27	44	51	77	123	151	71	23	4	-
590	INFECTIONS OF KIDNEY																									
590.0	CHRONIC PYELONEPHRITIS AND CHRONIC PYONEPHROSIS		109	-	-	-	-	-	-	1	-	-	-	-	-	2	4	10	14	16	20	27	12	2	1	-
		M	42	-	-	-	-	-	-	1	-	-	-	-	-	-	3	3	4	9	7	7	6	1	1	-
		F	67	-	-	-	-	-	-	-	-	-	-	-	-	2	1	7	10	7	13	20	6	1	-	-
590.1	ACUTE PYELONEPHRITIS AND ACUTE PYONEPHROSIS		80	-	-	-	-	-	-	-	1	3	1	3	1	2	8	5	8	9	12	17	8	2	-	-
		M	33	-	-	-	-	-	-	-	-	2	-	2	-	-	4	2	5	2	7	4	3	2	-	-
		F	47	-	-	-	-	-	-	-	1	1	1	1	1	2	4	3	3	7	5	13	5	-	-	-
590.2	RENAL AND PERINEPHRIC ABSCESS		10	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	3	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	-	1	-	-	-	-
590.3	PYELOURETERITIS CYSTICA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
590.8	PYELONEPHRITIS OR PYONEPHROSIS, NOT SPECIFIED AS ACUTE OR CHRONIC		100	-	-	-	-	-	-	-	-	1	-	1	3	6	6	9	5	15	·13	24	11	6	-	-
		M	30	-	-	-	-	-	-	-	-	-	-	-	2	3	3	1	2	5	4	5	3	2	-	-
		F	70	-	-	-	-	-	-	-	-	1	-	1	1	3	3	8	3	10	9	19	8	4	-	-
590.9	INFECTION OF KIDNEY, UNSPECIFIED		10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	1	1	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	1	1	-	-
591	HYDRONEPHROSIS		12	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	-	2	5	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	1	-	-	-	-
592	CALCULUS OF KIDNEY AND URETER																									
592.0	CALCULUS OF KIDNEY		33	-	-	-	-	-	-	-	1	1	-	2	2	-	1	6	6	3	2	8	1	-	-	-
		M	16	-	-	-	-	-	-	-	1	1	-	-	1	-	1	2	4	2	-	4	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	2	1	-	-	4	2	1	2	4	1	-	-	-
592.1	CALCULUS OF URETER		8	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	-	2	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
592.9	URINARY CALCULUS, UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-
593	OTHER DISORDERS OF KIDNEY AND URETER																									
593.4	OTHER URETERIC OBSTRUCTION		7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	2	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
593.8	OTHER		13	-	-	-	-	-	-	-	1	-	1	-	-	-	2	2	3	-	2	2	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	2	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
593.9	UNSPECIFIED		96	1	-	-	-	-	2	1	2	1	2	5	5	8	15	9	8	13	13	7	4	-	-	-
		M	46	-	-	-	-	-	-	1	2	1	1	3	3	3	9	4	4	4	6	3	2	-	-	-
		F	50	1	-	-	-	-	2	-	-	-	1	2	2	5	6	5	4	9	7	4	2	-	-	-
594	CALCULUS OF LOWER URINARY TRACT																									
594.1	OTHER CALCULUS IN BLADDER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
595	CYSTITIS																									
595.0	ACUTE CYSTITIS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-
595.2	OTHER CHRONIC CYSTITIS		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-
595.9	UNSPECIFIED		17	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	1	6	3	1	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	6	2	1	-	-
596	OTHER DISORDERS OF BLADDER																									
596.0	BLADDER-NECK OBSTRUCTION		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
596.1	INTESTINOVESICAL FISTULA		4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
596.2	VESICAL FISTULA, NOT ELSEWHERE CLASSIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
596.4	ATONY OF BLADDER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
596.6	RUPTURE OF BLADDER, NONTRAUMATIC		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
596.8	OTHER		4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
596.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
598	URETHRAL STRICTURE																									
598.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
599	OTHER DISORDERS OF URETHRA AND URINARY TRACT																									
599.0	URINARY TRACT INFECTION, SITE NOT SPECIFIED		522	1	-	-	-	-	-	-	-	-	2	6	3	11	18	32	41	72	126	121	66	19	4	-
		M	210	-	-	-	-	-	-	-	-	-	-	3	-	5	8	19	21	36	47	44	22	4	1	-
		F	312	1	-	-	-	-	-	-	-	-	2	3	3	6	10	13	20	36	79	77	44	15	3	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
599.1	URETHRAL FISTULA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
599.6	URINARY OBSTRUCTION, UNSPECIFIED		20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	1	5	2	2	-	-
		M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	1	4	2	2	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
599.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
599.9	UNSPECIFIED		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600-608	DISEASES OF MALE GENITAL ORGANS		105	-	-	-	-	-	-	-	-	-	-	-	1	3	5	11	14	14	26	18	11	2	-	-
		M	105	-	-	-	-	-	-	-	-	-	-	-	1	3	5	11	14	14	26	18	11	2	-	-
600	HYPERPLASIA OF PROSTATE		74	-	-	-	-	-	-	-	-	-	-	-	1	1	3	7	7	11	22	11	9	2	-	-
		M	74	-	-	-	-	-	-	-	-	-	-	-	1	1	3	7	7	11	22	11	9	2	-	-
601	INFLAMMATORY DISEASES OF PROSTATE																									
601.0	ACUTE PROSTATITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
601.1	CHRONIC PROSTATITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
601.2	ABSCESS OF PROSTATE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
601.9	UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
602	OTHER DISORDERS OF PROSTATE																									
602.1	CONGESTION OF HAEMORRHAGE OF PROSTATE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
602.9	UNSPECIFIED		14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	3	1	1	-	-	-
		M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	3	1	1	-	-	-
604	ORCHITIS AND EPIDIDYMITIS																									
604.9	ORCHITIS, EPIDIDYMITIS AND EPIDIDYMO-ORCHITIS, WITHOUT MENTION OF ABSCESS		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
607	DISORDERS OF PENIS																									
607.2	OTHER INFLAMMATORY DISORDERS OF PENIS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
607.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
608	OTHER DISORDERS OF MALE GENITAL ORGANS																									
608.4	OTHER INFLAMMATORY DISORDERS OF MALE GENITAL ORGANS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
608.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
611	OTHER DISORDERS OF BREAST																									

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
611.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
614-616	INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS		12	-	-	-	-	-	-	1	1	-	-	1	-	-	-	2	1	-	3	2	1	-	-	-
		F	12	-	-	-	-	-	-	1	1	-	-	1	-	-	-	2	1	-	3	2	1	-	-	-
614	INFLAMMATORY DISEASE OF OVARY, FALLOPIAN TUBE, PELVIC CELLULAR TISSUE AND PERITONEUM																									
614.0	ACUTE SALPINGITIS AND OOPHORITIS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
614.2	SALPINGITIS AND OOPHORITIS, NOT SPECIFIED AS ACUTE, SUBACUTE OR CHRONIC		2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
614.4	CHRONIC OR UNSPECIFIED PARAMETRITIS AND PELVIC CELLULITIS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
614.6	PELVIC PERITONEAL ADHESIONS, FEMALE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
614.9	UNSPECIFIED INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS AND TISSUES		3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
615	INFLAMMATORY DISEASES OF UTERUS, EXCEPT CERVIX																									
615.0	ACUTE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
615.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
617-629	OTHER DISORDERS OF FEMALE GENITAL TRACT		20	-	-	-	-	-	-	4	1	-	1	2	2	1	-	-	2	2	2	2	-	1	-	-
		F	20	-	-	-	-	-	-	4	1	-	1	2	2	1	-	-	2	2	2	2	-	1	-	-
617	ENDOMETRIOSIS																									
617.1	OVARY		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
618	GENITAL PROLAPSE																									
618.0	PROLAPSE OF VAGINAL WALLS, WITHOUT MENTION OF UTERINE PROLAPSE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
618.1	UTERINE PROLAPSE WITHOUT MENTION OF VAGINAL WALL PROLAPSE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
619	FISTULAE INVOLVING FEMALE GENITAL TRACT																									
619.1	DIGESTIVE - GENITAL TRACT FISTULAE, FEMALE		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
620	NONINFLAMMATORY DISORDERS OF OVARY, FALLOPIAN TUBE AND BROAD LIGAMENT																									
620.2	OTHER AND UNSPECIFIED OVARIAN CYST		5	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
621	DISORDERS OF UTERUS, NOT ELSEWHERE CLASSIFIED																									
621.9	UNSPECIFIED DISORDERS OF UTERUS		7	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	1	1	1	-	-	-	-	-
		F	7	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	1	1	1	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
623	NONINFLAMMATORY DISORDERS OF VAGINA																									
623.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
625	PAIN AND OTHER SYMPTOMS ASSOCIATED WITH FEMALE GENITAL ORGANS																									
625.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
626	DISORDERS OF MENSTRUATION AND OTHER ABNORMAL BLEEDING FROM FEMALE GENITAL TRACT																									
626.2	EXCESSIVE OR FREQUENT MENSTRUATION		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM		45	-	-	-	-	4	11	13	8	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	45	-	-	-	-	4	11	13	8	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
630-638	PREGNANCY WITH ABORTIVE OUTCOME		13	-	-	-	-	1	3	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	1	3	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
633	ECTOPIC PREGNANCY																									
633.1	TUBAL PREGNANCY		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
633.8	OTHER ECTOPIC PREGNANCY		2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
633.9	UNSPECIFIED		8	-	-	-	-	-	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
634	SPONTANEOUS ABORTION																									
634.0	COMPLICATED BY GENITAL TRACT AND PELVIC INFECTION (ANY CONDITION LISTED IN 639.0)		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
634.8	WITH UNSPECIFIED COMPLICATIONS		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-648	COMPLICATIONS MAINLY RELATED TO PREGNANCY		12	-	-	-	-	-	5	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	5	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
641	ANTEPARTUM HAEMORRHAGE, ABRUPTIO PLACENTAE, AND PLACENTA PRAEVIA		3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642	HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM																									
642.2	OTHER PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642.4	MILD OR UNSPECIFIED PRE-ECLAMPSIA		3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642.6	ECLAMPSIA		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
642.7	PRE-ECLAMPSIA OR ECLAMPSIA SUPERIMPOSED ON PRE-EXISTING HYPERTENSION		2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
646	OTHER COMPLICATIONS OF PREGNANCY, NOT ELSEWHERE CLASSIFIED																									
646.6	INFECTIONS OF GENITOURINARY TRACT IN PREGNANCY		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
648	OTHER CURRENT CONDITIONS IN THE MOTHER CLASSIFIABLE ELSEWHERE BUT COMPLICATING PREGNANCY, CHILDBIRTH AND PUERPERIUM																									
648.6	OTHER CARDIOVASCULAR DISEASES		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-659	NORMAL DELIVERY, AND OTHER INDICATIONS FOR CARE IN PREGNANCY, LABOUR AND DELIVERY		3	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
653	DISPROPORTION		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
658	OTHER PROBLEMS ASSOCIATED WITH AMNIOTIC CAVITY AND MEMBRANES		2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-669	COMPLICATIONS OCCURING MAINLY IN THE COURSE OF LABOUR AND DELIVERY		9	-	-	-	-	1	1	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	1	1	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
666	POSTPARTUM HAEMORRHAGE		4	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
669	OTHER COMPLICATIONS OF LABOUR AND DELIVERY, NOT ELSEWHERE CLASSIFIED		5	-	-	-	-	1	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	1	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
670-676	COMPLICATIONS OF THE PUERPERIUM		8	-	-	-	-	1	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	1	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
671	VENOUS COMPLICATIONS IN PREGNANCY AND THE PUERPERIUM		2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
673	OBSTETRICAL PULMONARY EMBOLISM		6	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
680-700	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE		214	2	-	1	-	2	-	-	2	-	2	1	4	15	11	18	20	29	33	36	25	11	2	-
		M	92	1	-	-	-	1	-	-	2	-	1	-	2	9	3	11	12	13	13	12	8	3	1	-
		F	122	1	-	1	-	1	-	-	-	-	1	1	2	6	8	7	8	16	20	24	17	8	1	-
680-686	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE		55	-	-	-	-	1	-	-	1	-	1	1	1	7	4	8	5	10	7	5	2	2	-	-
		M	32	-	-	-	-	1	-	-	1	-	1	-	1	4	2	6	3	5	3	4	-	1	-	-
		F	23	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	2	5	4	1	2	1	-	-
680	CARBUNCLE AND FURUNCLE																									
680.8	OTHER SPECIFIED SITE		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
682	OTHER CELLULITIS AND ABSCESS																									
682.0	FACE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
682.2	TRUNK		4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
682.3	UPPER ARM AND FOREARM		8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	1	-	1	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
682.4	HAND, EXCEPT FINGERS		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
682.5	BUTTOCK		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
682.6	LEG, EXCEPT FOOT		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-	1	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
682.7	FOOT, EXCEPT TOES		2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
682.9	UNSPECIFIED SITE		14	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	2	3	3	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	2	1	-	-	-	-
686	OTHER LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE																									
686.0	PYODERMA		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
686.1	PYOGENIC GRANULOMA		3	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
686.9	UNSPECIFIED LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE		11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	1	1	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-
690-698	OTHER INFLAMMATORY CONDITIONS OF SKIN AND SUBCUTANEOUS TISSUE		35	2	-	1	-	1	-	-	-	-	1	-	1	5	2	1	6	4	1	5	3	1	1	-
		M	16	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	3	1	1	2	1	1	-
		F	19	1	-	1	-	1	-	-	-	-	1	-	-	3	2	1	3	1	-	4	1	-	-	-
691	ATOPIC DERMATITIS AND RELATED CONDITIONS																									
691.0	DIAPER OR NAPKIN RASH		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
694	BULLOUS DERMATOSES																									
694.4	PEMPHIGUS		11	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	2	1	2	-	-	1	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	-	-	-	1	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-
694.5	PEMPHIGOID		6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
695	ERYTHEMATOUS CONDITIONS																									
695.1	ERYTHEMA MULTIFORME		5	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
		F	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
695.4	LUPUS ERYTHEMATOSUS		6	-	-	-	-	1	-	-	-	-	1	-	-	1	1	1	-	-	-	-	1	-	-	-
		F	6	-	-	-	-	1	-	-	-	-	1	-	-	1	1	1	-	-	-	-	1	-	-	-
695.8	OTHER ERYTHEMATOSUS		4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
695.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
696	PSORIASIS AND SIMILAR DISORDERS																									
696.1	OTHER PSORIASIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
700-709	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE		124	-	-	-	-	-	-	-	1	-	-	-	2	3	5	9	9	15	25	26	20	8	1	-
		M	44	-	-	-	-	-	-	-	1	-	-	-	-	3	1	5	6	5	9	7	6	1	-	-
		F	80	-	-	-	-	-	-	-	-	-	-	-	2	-	4	4	3	10	16	19	14	7	1	-
707	CHRONIC ULCER OF SKIN																									
707.0	DECUBITUS ULCER		110	-	-	-	-	-	-	-	-	-	-	-	2	3	5	6	8	14	22	24	18	7	1	-
		M	40	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	6	5	8	7	6	1	-	-
		F	70	-	-	-	-	-	-	-	-	-	-	-	2	-	4	3	2	9	14	17	12	6	1	-
707.1	ULCER OF LOWER LIMBS, EXCEPT DECUBITUS		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	-	-
707.8	CHRONIC ULCER OF OTHER SPECIFIED SITES		4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
707.9	CHRONIC ULCER OF UNSPECIFIED SITE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
709	OTHER DISORDERS OF SKIN AND SUBCUTANEOUS TISSUE																									
709.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
710-739	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE		575	3	-	2	1	3	13	8	18	13	14	21	32	44	52	69	76	67	52	50	28	8	1	-
		M	147	-	-	1	1	3	2	1	3	2	3	4	6	18	12	21	26	18	13	6	6	1	-	-
		F	428	3	-	1	-	-	11	7	15	11	11	17	26	26	40	48	50	49	39	44	22	7	1	-
710-719	ARTHROPATHIES AND RELATED DISORDERS		424	-	-	1	1	2	12	7	16	11	13	17	27	33	44	58	56	48	32	26	15	4	1	-
		M	89	-	-	1	1	2	1	-	2	1	2	2	4	10	7	15	16	14	5	3	3	-	-	-
		F	335	-	-	-	-	-	11	7	14	10	11	15	23	23	37	43	40	34	27	23	12	4	1	-
710	DIFFUSE DISEASES OF CONNECTIVE TISSUE																									
710.0	SYSTEMIC LUPUS ERYTHEMATOSUS		116	-	-	1	-	-	12	6	10	9	8	9	9	6	11	9	9	9	4	3	1	-	-	-
		M	12	-	-	1	-	-	1	-	-	1	1	-	1	1	1	1	3	1	-	-	-	-	-	-
		F	104	-	-	-	-	-	11	6	10	8	7	9	8	5	10	8	6	8	4	3	1	-	-	-
710.1	SYSTEMIC SCLEROSIS		68	-	-	-	-	1	-	-	6	2	2	6	10	6	12	6	8	4	4	1	-	-	-	-
		M	15	-	-	-	-	1	-	-	2	-	-	2	2	-	3	2	2	-	1	-	-	-	-	-
		F	53	-	-	-	-	-	-	-	4	2	2	4	8	6	9	4	6	4	3	1	-	-	-	-
710.2	SICCA SYNDROME		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
710.3	DERMATOMYOSITIS		8	-	-	-	-	-	-	-	-	-	1	-	-	1	-	4	1	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	1	-	-	1	-	4	-	-	-	1	-	-	-	-
710.4	POLYMYOSITIS		16	-	-	-	-	-	-	-	-	-	-	-	2	3	3	4	1	3	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	2	3	3	3	1	1	-	-	-	-	-	-
710.9	UNSPECIFIED		11	-	-	-	1	1	-	1	-	-	1	-	1	1	-	1	3	-	-	-	-	1	-	-
		M	5	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	1	-	-
711	ARTHROPATHY ASSOCIATED WITH INFECTIONS																									
711.0	PYOGENIC ARTHRITIS		9	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	1	2	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	1	-	-	-	-	-
711.9	UNSPECIFIED INFECTIVE ARTHRITIS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
714	RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES																									
714.0	RHEUMATOID ARTHRISIS		135	-	-	-	-	-	-	-	-	-	-	1	4	12	13	25	24	22	18	11	5	-	-	-
		M	34	-	-	-	-	-	-	-	-	-	-	-	1	7	3	6	5	9	2	1	-	-	-	-
		F	101	-	-	-	-	-	-	-	-	-	-	1	3	5	10	19	19	13	16	10	5	-	-	-
714.1	FELTY'S SYNDROME		5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
714.2	OTHER RHEUMATOID ARTHRITIS WITH VISCERAL OR SYSTEMIC INVOLVEMENT		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
714.8	OTHER		10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	-	-	-	2	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	2	-	-	-
715	OSTEOARTHROSIS AND ALLIED DISORDERS																									
715.9	UNSPECIFIED WHETHER GENERALIZED OR LOCALIZED		17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	6	3	2	1	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	2	2	1	-
716	OTHER AND UNSPECIFIED ARTHROPATHIES																									
716.5	UNSPECIFIED POLYARTHROPATHY OR POLYARTHRITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
716.9	UNSPECIFIED		22	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	6	3	3	2	1	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	1	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	4	2	3	1	1	-	-
720-724	DORSOPATHIES		22	-	-	-	-	-	-	-	-	-	1	-	-	3	5	2	4	3	2	1	1	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	1	-	-	3	4	1	4	2	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	-	-

Table 7—15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
720	ANKYLOSING SPONDYLITIS AND OTHER INFLAMMATORY SPONDYLOPATHIES																									
720.0	ANKYLOSING SPONDYLITIS		7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
720.9	UNSPECIFIED INFLAMMATORY SPONDYLOPATHY		2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
721	SPONDYLOSIS AND ALLIED DISORDERS																									
721.0	CERVICAL SPONDYLOSIS WITHOUT MYELOPATHY		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
721.1	CERVICAL SPONDYLOSIS WITH MYELOPATHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
721.4	THORACIC OR LUMBAR SPONDYLOSIS WITH MYELOPATHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
721.9	SPONDYLOSIS OF UNSPECIFIED SITE		3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
722	INTERVERTEBRAL DISC DISORDERS																									
722.4	DEGENERATION OF CERVICAL INTERVERTEBRAL DISC		3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
722.7	INTERVERTEBRAL DISC DISORDER WITH MYELOPATHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
724	OTHER AND UNSPECIFIED DISORDERS OF BACK																									
724.2	LUMBAGO		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
725-729	RHEUMATISM, EXCLUDING THE BACK		27	3	-	1	-	-	-	-	-	-	-	1	1	2	3	4	7	3	1	1	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	5	-	-	1	-	-	-	-
		F	15	3	-	1	-	-	-	-	-	-	-	-	-	2	2	1	2	3	1	-	-	-	-	-
725	POLYMYALGIA RHEUMATICA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
726	PERIPHERAL ENTHESOPATHIES AND ALLIED SYNDROMES																									
726.9	UNSPECIFIED ENTHESOPATHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
727	OTHER DISORDERS OF SYNOVIUM, TENDON AND BURSA																									
727.0	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
728	DISORDERS OF MUSCLE, LIGAMENT AND FASCIA																									
728.2	MUSCULAR WASTING AND DISEASE ATROPHY, NOT ELSEWHERE CLASSIFIED		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

Table 7—15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
728.3	OTHER SPECIFIC MUSCLE DISORDERS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
728.8	OTHER DISORDERS OF MUSCLE, LIGAMENT AND FASCIA		8	-	-	1	-	-	-	-	-	-	-	-	-	-	1	3	3	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
		F	4	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
728.9	UNSPECIFIED		3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
729	OTHER DISEASES OF SOFT TISSUES																									
729.3	PANNICULITIS, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
729.4	FASCIITIS, UNSPECIFIED		10	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	1	1	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-
730-739	OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES		102	-	-	-	-	1	1	1	2	2	-	3	4	6	-	5	9	13	17	22	12	4	-	-
		M	30	-	-	-	-	1	1	1	1	1	-	1	1	5	-	2	1	2	7	2	3	1	-	-
		F	72	-	-	-	-	-	-	-	1	1	-	2	3	1	-	3	8	11	10	20	9	3	-	-
730	OSTEOMYELITIS, PERIOSTITIS AND OTHER INFECTIONS INVOLVING BONE																									
730.1	CHRONIC OSTEOMYELITIS		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
730.2	UNSPECIFIED OSTEOMYELITIS		18	-	-	-	-	-	-	-	2	-	-	2	-	3	-	2	2	1	1	2	3	-	-	-
		M	12	-	-	-	-	-	-	-	1	-	-	1	-	3	-	2	1	1	1	1	1	-	-	-
		F	6	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	2	-	-	-
731	OSTEITIS DEFORMANS AND OSTEOPATHIES ASSOCIATED WITH OTHER DISORDERS CLASSIFIED ELSEWHERE																									
731.0	OSTEITIS DEFORMANS WITHOUT MENTION OF BONE TUMOUR		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-
732	OSTEOCHONDROPATHIES																									
732.1	JUVENILE OSTEOCHONDROSIS OF HIP AND PELVIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
733	OTHER DISORDERS OF BONE AND CARTILAGE																									
733.0	OSTEOPOROSIS		38	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	5	6	11	7	3	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	-
		F	33	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	5	4	11	6	2	-	-
733.1	PATHOLOGICAL FRACTURE		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	1	-	-	-
733.8	MALUNION AND NONUNION OF FRACTURE		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
737	CURVATURE OF SPINE																									

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
737.1	KYPHOSIS (ACQUIRED)		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-
737.3	KYPHOSCOLIOSIS AND SCOLIOSIS		20	-	-	-	-	1	1	1	-	2	-	1	3	-	-	2	1	2	2	3	1	-	-	-
		M	8	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-	1	1	-	1	-	-	-
		F	12	-	-	-	-	-	-	-	-	1	-	1	2	-	-	2	1	1	1	3	-	-	-	-
738	OTHER ACQUIRED DEFORMITY																									
738.5	OTHER ACQUIRED DEFORMITY OF BACK OR SPINE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
740-759	CONGENITAL ANOMALIES		1,526	1,024	97	23	32	38	36	32	27	29	10	15	15	32	24	27	15	21	14	10	2	1	-	2
		M	832	541	63	16	17	24	21	21	15	17	7	9	12	15	13	12	8	8	10	2	-	-	-	1
		F	694	483	34	7	15	14	15	11	12	12	3	6	3	17	11	15	7	13	4	8	2	1	-	1
740	ANENCEPHALUS AND SIMILAR ANOMALIES																									
740.0	ANENCEPHALUS		114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
741	SPINA BIFIDA																									
741.0	WITH HYDROCEPHALUS		23	18	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	10	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	8	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
741.9	WITHOUT MENTION OF HYDROCEPHALUS		13	7	1	1	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
		M	9	5	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	4	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM																									
742.0	ENCEPHALOCELE		9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.1	MICROCEPHALUS		13	2	3	2	1	1	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	6	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	2	1	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
742.2	REDUCTION DEFORMITIES OF BRAIN		5	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.3	CONGENITAL HYDROCEPHALUS		66	39	15	2	3	3	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	43	25	10	1	2	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	23	14	5	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.4	OTHER SPECIFIED ANOMALIES OF BRAIN		12	3	3	-	1	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	1	2	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	2	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.5	OTHER SPECIFIED ANOMALIES OF SPINAL CORD		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
742.9	UNSPECIFIED ANOMALIES OF BRAIN, SPINAL CORD AND NERVOUS SYSTEM		22	16	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	8	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	8	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE																									
745.0	COMMON TRUNCUS		14	12	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745.1	TRANSPOSITION OF GREAT VESSELS		27	15	7	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	10	5	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	5	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745.2	TETRALOGY OF FALLOT		24	7	6	1	1	2	2	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	4	5	1	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	3	1	-	1	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
745.3	COMMON VENTRICLE		6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745.4	VENTRICULAR SEPTAL DEFECT		36	16	2	1	1	3	3	4	-	-	2	1	2	-	1	-	-	-	-	-	-	-	-	-
		M	20	6	1	1	-	3	2	3	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	16	10	1	-	1	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
745.5	OSTIUM SECUNDUM TYPE ARTRIAL SEPTAL DEFECT		22	4	1	1	-	-	-	-	-	1	-	-	-	1	4	3	3	3	1	-	-	-	-	-
		M	11	2	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	-	-	-	-	-
		F	11	2	1	1	-	-	-	-	-	1	-	-	-	-	3	1	1	1	-	-	-	-	-	-
745.6	ENDOCARDIAL CUSHION DEFECTS		32	16	9	2	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	6	6	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	16	10	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746	OTHER CONGENITAL ANOMALIES OF HEART																									
746.0	ANOMALIES OF PULMONARY VALVE		10	8	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.1	TRICUSPID ATRESIA AND STENOSIS, CONGENITAL		4	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.2	EBSTEIN'S ANOMALY		4	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.3	CONGENITAL STENOSIS OF AORTIC VALVE		16	6	-	-	-	-	-	2	1	2	-	-	-	1	-	1	-	2	-	1	-	-	-	-
		M	11	5	-	-	-	-	-	1	1	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-
		F	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
746.4	CONTENITAL INSUFFICIENTY OF AORTIC VALVE		14	-	1	1	-	-	-	-	-	-	-	1	-	2	1	1	2	2	1	1	1	-	-	-
		M	8	-	1	1	-	-	-	-	-	-	-	-	-	2	1	-	2	-	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	1	1	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
746.5	CONGENITAL MITRAL STENOSIS		2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.6	CONGENITAL MITRAL INSUFFICIENCY		5	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
746.7	HYPOPLASTIC LEFT HEART SYNDROME		49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.8	OTHER SPECIFIED ANOMALIES OF HEART		51	25	1	2	1	3	3	3	3	2	2	-	-	1	-	-	-	1	2	1	1	-	-	-
		M	29	10	1	2	-	2	3	2	2	2	1	-	-	1	-	-	-	1	2	-	-	-	-	-
		F	22	15	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-
746.9	UNSPECIFIED ANOMALIES OF HEART		181	111	14	2	10	8	5	7	5	4	1	1	2	1	2	3	1	1	2	1	-	-	-	-
		M	101	59	9	1	7	5	1	5	2	2	1	1	2	1	2	2	1	-	-	-	-	-	-	-
		F	80	52	5	1	3	3	4	2	3	2	-	-	-	-	-	1	-	1	2	1	-	-	-	-
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM																									
747.0	PATENT DUCTUS ARTERIOSUS		27	25	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	12	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
747.1	COARCTATION OF AORTA		20	18	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	10	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
747.2	OTHER ANOMALIES OF AORTA		6	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
747.3	ANOMALIES OF PULMONARY ARTERY		27	21	2	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	13	9	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
747.4	ANOMALIES OF GREAT VEINS		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
747.6	OTHER ANOMALIES OF PERIPHERAL VASCULAR SYSTEM		39	1	-	2	1	-	3	3	5	3	1	-	4	5	7	2	1	1	-	-	-	-	-	-
		M	20	-	-	1	-	-	2	2	3	2	-	-	4	1	3	2	-	-	-	-	-	-	-	-
		F	19	1	-	1	1	-	1	1	2	1	1	-	-	4	4	-	1	1	-	-	-	-	-	-
747.8	OTHER SPECIFIED ANOMALIES OF CIRCULATORY SYSTEM		30	3	1	-	-	2	-	2	1	5	1	1	1	4	2	4	2	-	1	-	-	-	-	-
		M	14	2	-	-	-	1	-	-	-	2	1	-	1	1	2	2	1	-	1	-	-	-	-	-
		F	16	1	1	-	-	1	-	2	1	3	-	1	-	3	-	2	1	-	-	-	-	-	-	-
747.9	UNSPECIFIED ANOMALIES OF CIRCULATORY SYSTEM		32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM																									

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
748.0	CHOANAL ATRESIA		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748.3	OTHER ANOMALIES OF LARYNX, TRACHEA AND BRONCHUS		11	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748.4	CONGENITAL CYSTIC LUNG		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748.5	AGENESIS, HYPOPLASIA AND DYSPLASIA OF LUNG		47	44	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
		M	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	16	13	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
748.6	OTHER ANOMALIES OF LUNG		8	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748.9	UNSPECIFIED ANOMALIES OF RESPIRATORY SYSTEM		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
749	CLEFT PALATE AND CLEFT LIP																									
749.0	CLEFT PALATE		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
749.2	CLEFT PALATE WITH CLEFT LIP		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT																									
750.3	TRACHEO-OESOPHAGEAL FISTULA, OESOPHAGEAL ATRESIA AND STENOSIS		10	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-
		M	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-
750.4	OTHER SPECIFIED ANOMALIES OF OESOPHAGUS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
750.6	CONGENITAL HIATUS HERNIA		2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750.7	OTHER SPECIFIED ANOMALIES OF STOMACH		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM																									
751.0	MECKEL'S DIVERTICULUM		3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
751.1	ATRESIA AND STENOSIS OF SMALL INTESTINE		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.2	ATRESIA AND STENOSIS OF LARGE INTESTINE, RECTUM AND ANAL CANAL		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
751.3	HIRSCHSPRUNG'S DISEASE AND OTHER CONTENITAL FUNCTIONAL DISORDERS OF COLON		3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
751.4	ANOMALIES OF INTESTINAL FIXATION		3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
751.5	OTHER ANOMALIES OF INTESTINE		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.6	ANOMALIES OF GALLBLADDER, BILE DUCTS AND LIVER		15	8	3	-	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
		M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	5	2	-	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
751.9	UNSPECIFIED ANOMALIES OF DIGESTIVE SYSTEM		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
753	CONGENITAL ANOMALIES OF URINARY SYSTEM																									
753.0	RENAL AGENESIS AND DYSGENESIS		35	34	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	26	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
753.1	CYSTIC KIDNEY DISEASE		45	6	-	-	-	-	-	-	1	3	-	3	1	13	2	5	2	5	3	1	-	-	-	-
		M	25	5	-	-	-	-	-	-	1	2	-	3	-	6	1	1	1	4	1	-	-	-	-	-
		F	20	1	-	-	-	-	-	-	-	1	-	-	1	7	1	4	1	1	2	1	-	-	-	-
753.2	OBSTRUCTIVE DEFECTS OF RENAL PELVIS AND URETER		2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
753.3	OTHER SPECIFIED ANOMALIES OF KIDNEY		2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
753.6	ATRESIA AND STENOSIS OF URETHRA AND BLADDER NECK		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
753.9	UNSPECIFIED ANOMALIES OF URINARY SYSTEM		6	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
754	CERTAIN CONGENITAL MUSCULOSKELETAL DEFORMITIES																									
754.2	OF SPINE		2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
754.7	OTHER DEFORMITIES OF FEET		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES																									
756.0	ANOMALIES OF SKULL AND FACE BONES		7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.1	ANOMALIES OF SPINE		3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
756.3	OTHER ANOMALIES OF RIBS AND STERNUM		3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.4	CHONDRODYSTROPHY		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.5	OSTEODYSTROPHIES		10	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
756.6	ANOMALIES OF DIAPHRAGM		50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.7	ANOMALIES OF ABDOMINAL WALL		12	11	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.8	OTHER SPECIFIED ANOMALIES OF MUSCLE, TENDON, FASCIA AND CONNECTIVE TISSUE		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
757	CONGENITAL ANOMALIES OF THE INTEGUMENT																									
757.3	OTHER SPECIFIED ANOMALIES OF SKIN		2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
758	CHROMOSOMAL ANOMALIES																									
758.0	DOWN'S SYNDROME		29	10	5	-	1	5	2	-	1	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-
		M	16	7	3	-	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	3	2	-	-	3	1	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-
758.1	PATAU'S SYNDROME		28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
758.2	EDWARDS'S SYNDROME		38	36	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	26	24	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
758.3	AUTOSOMAL DELETION SYNDROMES		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
758.5	OTHER CONDITIONS DUE TO AUTOSOMAL ANOMALIES		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
758.9	CONDITIONS DUE TO ANOMALY OF UNSPECIFIED CHROMOSOME		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES																									
759.0	ANOMALIES OF SPLEEN		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
759.2	ANOMALIES OF OTHER ENDOCRINE GLANDS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
759.4	CONJOINED TWINS		8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.5	TUBEROUS SCLEROSIS		6	-	1	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.6	OTHER HAMARTOSES, NOT ELSEWHERE CLASSIFIED		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.7	MULTIPLE CONGENITAL ANOMALIES, SO DESCRIBED		98	96	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	47	46	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	51	50	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
759.8	OTHER SPECIFIED ANOMALIES		31	13	2	-	3	3	-	2	1	1	1	1	2	-	-	-	2	-	-	-	-	-	-	-
		M	17	5	2	-	1	3	-	1	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-
		F	14	8	-	-	2	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
759.9	CONGENITAL ANOMALY, UNSPECIFIED		7	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD		2,071	2,065	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4
		M	1,168	1,164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3
		F	903	901	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
760	FETUS OR NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY																									
760.0	MATERNAL HYPERTENSIVE DISORDERS		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.2	MATERNAL INFECTIONS		8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.5	MATERNAL INJURY		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.7	NOXIOUS INFLUENCES TRANSMITTED VIA PLACENTA OR BREAST MILK		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.8	OTHER		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761	FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY																									
761.0	INCOMPETENT CERVIX		16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7--15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
761.1	PREMATURE RUPTURE OF MEMBRANES		38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.3	POLYHYDRAMNIOS		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.5	MULTIPLE PREGNANCY		80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.6	MATERNAL DEATH		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.7	MALPRESENTATION BEFORE LABOUR		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.8	OTHER		11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762	FETUS OR NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES																									
762.0	PLACENTA PRAEVIA		16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.1	OTHER FORMS OF PLACENTAL SEPARATION AND HAEMORRHAGE		45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.2	OTHER AND UNSPECIFIED MORPHOLOGICAL AND FUNCTIONAL ABNORMALITIES OF PLACENTA		7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.3	PLACENTAL TRANSFUSION SYNDROMES		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.4	PROLAPSED CORD		8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.5	OTHER COMPRESSION OF UMBILICAL CORD		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.6	OTHER AND UNSPECIFIED CONDITIONS OF UMBILICAL CORD		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.7	CHORIOAMNIONITIS		18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763	FETUS OR NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY																									

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
763.0	BREECH DELIVERY AND EXTRACTION		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.1	OTHER MALPRESENTATION, MALPOSITION AND		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DISPROPORTION DURING LABOUR AND DELIVERY	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.6	PRECIPITATE DELIVERY		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.7	ABNORMAL UTERINE CONTRACTIONS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.8	OTHER COMPLICATIONS OF LABOUR AND DELIVERY		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION																									
764.9	FETAL GROWTH RETARDATION, UNSPECIFIED		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT																									
765.0	EXTREME IMMATURITY		157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765.1	OTHER PRETERM INFANTS		148	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3
		M	88	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3
		F	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767	BIRTH TRAUMA																									
767.0	SUBDURAL AND CEREBRAL HAEMORRHAGE		111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767.8	OTHER		8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																									
768.4	FETAL DISTRES, UNSPECIFIED, IN LIVEBORN		18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	INFANT	M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768.5	SEVERE BIRTH ASPHYXIA		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768.9	UNSPECIFIED BIRTH ASPHYXIA AND IN LIVEBORN		113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	INFANT	M	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7—15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
769	RESPIRATORY DISTRES SYNDROME		424	423	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	258	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	166	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN																									
770.0	CONGENITAL PNEUMONIA		10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.1	MASSIVE ASPIRATION SYNDROME		40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.2	INTERSTITIAL EMPHYSEMA AND RELATED CONDITIONS		26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.3	PULMONARY HAEMORRHAGE		21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.4	PRIMARY ATELECTASIS		51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.5	OTHER AND UNSPECIFIED ATELECTASIS		9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.7	CHRONIC RESPIRATORY DISEASE ARISING IN THE PERINATAL PERIOD		37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.8	OTHER RESPIRATORY PROBLEMS AFTER BIRTH		132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771	INFECTIONS SPECIFIEC TO THE PERINATAL PERIOD																									
771.0	CONGENITAL RUBELLA		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.1	CONGENITAL CYTOMEGALOVIRUS INFECTION		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.2	OTHER CONGENITAL INFECTIONS		3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.4	OMPHALITIS OF NEWBORN		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.7	NEONATAL CANDIDA INFECTION		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
771.8	OTHER INFECTION SPECIFIC TO THE PERINATAL PERIOD		57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772	FETAL AND NEONATAL HAEMORRHAGE																									
772.0	FETAL BLOOD LOSS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.1	INTRAVENTRICULAR HAEMORRHAGE		59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.2	SUBARACHNOID HAEMORRHAGE		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.4	GASTROINTESTINAL HAEMORRHAGE		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.5	ADRENAL HAEMORRHAGE		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.6	CUTANEOUS HAEMORRHAGE		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.8	OTHER		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.9	UNSPECIFIED		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773	HAEMOLYTIC DISEASE OF FETUS OR NEWBORN, DUE TO ISOIMMUNIZATION																									
773.0	HAEMOLYTIC DISEASE DUE TO RH ISOIMMUNIZATION		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773.2	HAEMOLYTIC DISEASE DUE TO OTHER AND UNSPECIFIED ISOIMMUNIZATION		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773.3	HYDROPS FETALIS DUE TO ISOIMMUNIZATION		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
774	OTHER PERINATAL JAUNDICE																									
774.4	PERINATAL JAUNDICE DUE TO HEPATOCELLULAR DAMAGE		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
775	ENDOCRINE AND METABOLIC DISTURBANCES SPECIFIC TO THE FETUS AND NEWBORN																									
775.0	SYNDROME OF "INFANT OF A DIABETIC MOTHER"		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
776	HAEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN																									
776.0	HAEMORRHAGIC DISEASE OF NEWBORN		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776.2	DISSEMINATED INTRAVASCULAR COAGULATION IN NEWBORN		9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776.3	OTHER TRANSIENT NEONATAL DISORDERS OF COAGULATION		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
777	PERINATAL DISORDERS OF DIGESTIVE SYSTEM																									
777.5	NECROTIZING ENTEROCOLITIS IN FETUS OR NEWBORN		36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
777.6	PERINATAL INTESTINAL PERFORATION		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
778	CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS AND NEWBORN																									
778.0	HYDROPS FETALIS NOT DUE TO ISOIMMUNIZATION		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
778.3	OTHER HYPOTHERMIA OF NEWBORN		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
778.9	UNSPECIFIED		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779	OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																									
779.4	DRUG REACTIONS AND INTOXICATIONS SPECIFIC TO NEWBORN		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779.6	TERMINATION OF PREGNANCY (FETUS)		9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779.8	OTHER		257	257	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779.9	UNSPECIFIED		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS		108	2	5	-	-	3	10	8	9	6	4	1	5	2	3	3	6	5	7	11	10	8	-	-
		M	52	2	3	-	-	2	8	5	6	1	2	1	3	2	1	2	1	1	3	2	3	4	-	-
		F	56	-	2	-	-	1	2	3	3	5	2	-	2	-	2	1	5	4	4	9	7	4	-	-
780-789	SYMPTOMS		104	1	5	-	-	3	10	8	9	6	4	1	5	2	3	3	6	5	6	11	9	7	-	-
		M	48	1	3	-	-	2	8	5	6	1	2	1	3	2	1	2	1	1	2	2	2	3	-	-
		F	56	-	2	-	-	1	2	3	3	5	2	-	2	-	2	1	5	4	4	9	7	4	-	-

Table 7—15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
780	GENERAL SYMPTOMS AND SPECIAL SENSES																									
780.3	CONVULSIONS		50	-	4	-	-	3	10	8	8	6	3	1	3	1	1	1	1	-	-	-	-	-	-	-
		M	31	-	2	-	-	2	8	5	6	1	2	1	2	1	-	1	-	-	-	-	-	-	-	-
		F	19	-	2	-	-	1	2	3	2	5	1	-	1	-	1	-	1	-	-	-	-	-	-	-
780.6	PYREXIA OF UNKNOWN ORIGIN		2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
781	SYMPTOMS INVOLVING NERVOUS AND MUSCULOSKELETAL SYSTEMS																									
781.3	LACK OF COORDINATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
781.9	OTHER		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
785	SYMPTOMS INVOLVING CARDIOVASCULAR SYSTEM																									
785.4	GANGRENE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
785.5	SHOCK WITHOUT MENTION OF TRAUMA		38	1	-	-	-	-	-	-	-	-	1	-	2	1	1	1	3	4	4	8	6	6	-	-
		M	12	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	2	1	1	3	-	-
		F	26	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	3	3	2	7	5	3	-	-
786	SYMPTOMS INVOLVING RESPIRATORY AND OTHER CHEST SYMPTOMS																									
786.0	DYSPNOEA AND RESPIRATORY ABNORMALITIES		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
786.3	HAEMOPTYSIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
789	OTHER SYMPTOMS INVOLVING ABDOMEN AND PELVIS																									
789.0	ABDOMINAL PAIN		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
789.3	ABDOMINAL OR PELVIC SWELLING, MASS OR LUMP		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
789.9	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
790-796	NONSPECIFIC ABNORMAL FINDINGS		4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
		M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
790	NONSPECIFIC FINDINGS ON EXAMINATION OF BLOOD																									
790.8	VIRAEMIA, UNSPECIFIED		3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
791	NONSPECIFIC FINDINGS ON EXAMINATION OF URINE																									
791.9	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 7—15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
797-799	ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY		1,118	682	24	2	3	12	24	44	37	27	19	21	29	27	27	26	21	26	16	19	9	5	1	17
		M	666	413	16	1	-	5	16	30	24	20	14	12	15	14	20	16	8	14	9	6	3	-	1	9
		F	452	269	8	1	3	7	8	14	13	7	5	9	14	13	7	10	13	12	7	13	6	5	-	8
797	SENILITY WITHOUT MENTION OF PSYCHOSIS		25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	9	4	4	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-
		F	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	6	3	4	-	-
798	SUDDEN DEATH, CAUSE UNKNOWN																									
798.0	SUDDEN INFANT DEATH SYNDROME		669	668	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	403	402	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	266	266	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.1	INSTANTANEOUS DEATH		11	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.9	UNATTENDED DEATH		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
799	OTHER ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY																									
799.1	RESPIRATORY FAILURE		41	1	-	-	-	-	-	-	-	1	2	3	-	2	5	4	1	5	5	7	4	-	1	-
		M	23	1	-	-	-	-	-	-	-	1	2	1	-	2	4	2	1	1	4	2	1	-	1	-
		F	18	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	4	1	5	3	-	-	-
799.3	DEBILITY, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
799.8	OTHER ILL-DEFINED CONDITIONS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
799.9	OTHER UNKNOWN AND UNSPECIFIED CAUSE		369	13	12	2	3	12	24	44	37	26	17	18	29	25	22	21	19	20	5	2	1	-	-	17
		M	227	10	8	1	-	5	16	30	24	19	12	11	15	12	16	14	7	13	3	1	1	-	-	9
		F	142	3	4	1	3	7	8	14	13	7	5	7	14	13	6	7	12	7	2	1	-	-	-	8
800-999	INJURY AND POISONING (EXTERNAL CAUSE)		17,998	128	409	232	295	1,860	2,632	2,260	1,751	1,188	954	858	904	871	709	648	634	584	388	374	176	56	9	78
		M	13,172	78	262	144	194	1,439	2,164	1,805	1,375	912	692	663	614	626	470	435	390	350	206	180	75	26	6	66
		F	4,826	50	147	88	101	421	468	455	376	276	262	195	290	245	239	213	244	234	182	194	101	30	3	12
800-807	RAILWAY ACCIDENTS		48	-	1	-	1	3	5	2	5	1	3	7	4	6	2	-	2	1	-	1	-	1	-	3
		M	45	-	1	-	1	1	5	2	5	1	3	7	4	6	1	-	2	1	-	1	-	1	-	3
		F	3	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
800	RAILWAY ACCIDENT INVOLVING COLLISION WITH ROLLING STOCK																									
800.0	RAILWAY EMPLOYEE		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
801	RAILWAY ACCIDENT INVOLVING COLLISION WITH OTHER OBJECT																									
801.3	PEDAL CYCLIST		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
802	RAILWAY ACCIDENT INVOLVING DERAILMENT WITHOUT ANTECEDENT COLLISION																									
802.0	RAILWAY EMPLOYEE		3	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
804	FALL IN, ON, OR FROM RAILWAY TRAIN																									
804.9	UNSPECIFIED PERSON		3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
		M	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
805	HIT BY ROLLING STOCK																									
805.0	RAILWAY EMPLOYEE		2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
805.2	PEDESTRIAN		34	-	1	-	-	3	4	1	3	1	2	5	4	4	1	-	2	1	-	1	-	1	-	-
		M	31	-	1	-	-	1	4	1	3	1	2	5	4	4	-	-	2	1	-	1	-	1	-	-
		F	3	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
805.8	OTHER SPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
805.9	UNSPECIFIED PERSON		3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
		M	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS		5,679	24	105	127	150	902	1,107	730	502	334	251	237	217	210	186	150	156	150	68	44	18	3	1	7
		M	4,148	15	64	78	91	659	901	567	381	260	184	188	139	145	119	97	87	87	36	29	11	3	1	6
		F	1,531	9	41	49	59	243	206	163	121	74	67	49	78	65	67	53	69	63	32	15	7	-	-	1
810	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN																									
810.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		13	-	-	-	-	2	2	3	1	-	1	1	1	-	1	-	1	-	-	-	-	-	-	-
		M	13	-	-	-	-	2	2	3	1	-	1	1	1	-	1	-	1	-	-	-	-	-	-	-
810.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		7	-	-	-	-	1	3	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	5	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
810.2	MOTORCYCLIST		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
810.9	UNSPECIFIED PERSON		12	-	-	-	-	4	-	-	1	1	-	-	-	-	1	2	2	1	-	-	-	-	-	-
		M	9	-	-	-	-	3	-	-	1	1	-	-	-	-	-	1	2	1	-	-	-	-	-	-
		F	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-						
811	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING RE-ENTRANT COLLISION WITH ANOTHER MOTOR VEHICLE																									
811.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
812	OTHER MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE																									
812.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		891	-	-	-	1	101	159	129	94	69	51	50	54	53	28	27	34	21	11	6	1	2	-	-
		M	661	-	-	-	1	80	126	105	62	50	38	38	35	32	22	17	27	15	6	4	1	2	-	-
		F	230	-	-	-	-	21	33	24	32	19	13	12	19	21	6	10	7	6	5	2	-	-	-	-

Table 7—15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
812.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		535	9	20	17	25	99	100	49	29	21	24	16	22	14	19	11	24	19	7	5	5	-	-	-
		M	245	5	8	6	10	54	57	22	19	10	9	10	5	6	5	2	6	1	5	2	3	-	-	-
		F	290	4	12	11	15	45	43	27	10	11	15	6	17	8	14	9	18	18	2	3	2	-	-	-
812.2	MOTORCYCLIST		373	-	-	1	10	84	119	59	35	24	12	14	4	6	2	-	1	2	-	-	-	-	-	-
		M	366	-	-	1	9	82	117	59	34	24	12	14	3	6	2	-	1	2	-	-	-	-	-	-
		F	7	-	-	-	1	2	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
812.3	PASSENGER ON MOTORCYCLE		49	-	1	1	-	15	18	4	5	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-
		M	27	-	-	1	-	11	11	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	22	-	1	-	-	4	7	2	4	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-
812.7	PEDESTRIAN		11	-	-	-	-	2	2	1	1	-	1	-	-	-	2	1	-	-	-	1	-	-	-	-
		M	7	-	-	-	-	2	1	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	4	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
812.9	UNSPECIFIED PERSON		343	-	2	-	7	39	69	48	38	23	21	16	13	15	13	13	9	11	3	2	1	-	-	-
		M	250	-	1	-	6	29	58	36	31	17	16	10	10	7	7	9	5	5	1	1	1	-	-	-
		F	93	-	1	-	1	10	11	12	7	6	5	6	3	8	6	4	4	6	2	1	-	-	-	-
813	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH OTHER VEHICLE																									
813.6	PEDAL CYCLIST		86	-	1	11	22	13	8	8	4	2	2	-	1	1	4	2	3	2	-	-	2	-	-	-
		M	75	-	1	9	17	12	7	7	3	2	2	-	1	1	4	2	3	2	-	-	2	-	-	-
		F	11	-	-	2	5	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
813.9	UNSPECIFIED PERSON		2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
814	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN																									
814.2	MOTORCYCLIST		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
814.3	PASSENGER ON MOTORCYCLE		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
814.7	PEDESTRIAN		997	3	63	78	49	62	97	72	65	33	37	48	35	53	58	55	51	67	34	25	8	1	-	3
		M	688	2	45	55	29	40	81	52	42	24	28	36	24	39	38	41	28	40	18	18	4	1	-	3
		F	309	1	18	23	20	22	16	20	23	9	9	12	11	14	20	14	23	27	16	7	4	-	-	-
815	OTHER MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION ON THE HIGHWAY																									
815.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		367	-	-	-	1	55	90	56	35	29	19	16	16	7	15	6	7	8	4	3	-	-	-	-
		M	299	-	-	-	1	45	78	47	26	23	14	14	12	7	13	5	5	6	1	2	-	-	-	-
		F	68	-	-	-	-	10	12	9	9	6	5	2	4	-	2	1	2	2	3	1	-	-	-	-
815.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		154	5	1	5	6	50	39	18	7	7	3	1	2	-	4	1	1	1	1	1	-	-	-	1
		M	93	2	-	-	2	31	28	11	6	6	1	-	2	-	2	-	-	-	1	-	-	-	-	1
		F	61	3	1	5	4	19	11	7	1	1	2	1	-	-	2	1	1	1	-	1	-	-	-	-
815.2	MOTORCYCLIST		120	-	-	-	1	25	36	21	15	11	2	6	2	1	-	-	-	-	-	-	-	-	-	-
		M	118	-	-	-	1	24	36	21	15	11	2	5	2	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
815.3	PASSENGER ON MOTORCYCLE		10	-	-	-	-	4	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
815.8	OTHER SPECIFIED PERSON		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
815.9	UNSPECIFIED PERSON		136	-	-	-	-	27	41	17	13	7	1	9	6	4	4	3	1	2	-	-	-	-	1	-
		M	104	-	-	-	-	21	30	11	10	7	1	7	3	4	4	2	1	2	-	-	-	-	1	-
		F	32	-	-	-	-	6	11	6	3	-	-	2	3	-	-	1	-	-	-	-	-	-	-	-
816	MOTOR VEHICLE TRAFFIC ACCIDENT DUE TO LOSS OF CONTROL, WITHOUT COLLISION ON THE HIGHWAY																									
816.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		484	-	-	-	1	86	110	76	55	30	27	27	25	17	10	8	7	3	2	-	-	-	-	-
		M	389	-	-	-	1	64	96	60	46	23	19	25	21	14	6	6	4	3	1	-	-	-	-	-
		F	95	-	-	-	-	22	14	16	9	7	8	2	4	3	4	2	3	-	1	-	-	-	-	-
816.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		258	2	10	8	14	82	45	29	12	16	7	4	7	4	2	5	7	3	-	-	1	-	-	-
		M	162	2	6	2	11	48	38	21	9	12	3	1	5	-	-	1	1	2	-	-	-	-	-	-
		F	96	-	4	6	3	34	7	8	3	4	4	3	2	4	2	4	6	1	-	-	1	-	-	-
816.2	MOTORCYCLIST		92	-	-	-	1	16	24	21	15	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	90	-	-	-	-	15	24	21	15	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
816.3	PASSENGER ON MOTORCYCLE		19	-	-	1	-	5	5	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	-	1	-	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	3	3	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
816.7	PEDESTRIAN		3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
816.8	OTHER SPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
816.9	UNSPECIFIED PERSON		277	-	1	-	-	45	59	42	37	19	18	10	12	16	8	3	3	3	1	-	-	-	-	-
		M	219	-	1	-	-	32	48	33	28	14	17	9	9	14	6	3	2	2	1	-	-	-	-	-
		F	58	-	-	-	-	13	11	9	9	5	1	1	3	2	2	-	1	1	-	-	-	-	-	-
818	OTHER NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT																									
818.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		12	-	-	-	-	1	4	4	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	1	4	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
818.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		41	1	3	1	7	10	7	5	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	24	1	1	-	2	7	6	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	17	-	2	1	5	3	1	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
818.2	MOTORCYCLIST		3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
818.3	PASSENGER ON MOTORCYCLE		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
818.7	PEDESTRIAN		2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
818.8	OTHER SPECIFIED PERSON		4	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
818.9	UNSPECIFIED PERSON		40	-	-	-	1	6	11	5	4	3	2	-	2	2	2	-	-	-	1	-	-	-	-	1
		M	30	-	-	-	1	5	7	5	3	2	2	-	1	2	1	-	-	-	-	-	-	-	-	1
		F	10	-	-	-	-	1	4	-	1	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-
819	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE																									
819.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		59	-	-	-	-	9	12	16	6	4	2	1	3	-	3	1	-	2	-	-	-	-	-	-
		M	50	-	-	-	-	6	10	15	6	4	1	1	2	-	2	1	-	2	-	-	-	-	-	-
		F	9	-	-	-	-	3	2	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
819.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		46	4	2	2	3	10	9	6	3	-	-	1	-	-	1	1	2	-	1	1	-	-	-	-
		M	25	3	1	2	-	8	3	3	2	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
		F	21	1	1	-	3	2	6	3	1	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-
819.2	MOTORCYCLIST		13	-	-	-	-	4	3	2	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
		M	13	-	-	-	-	4	3	2	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
819.3	PASSENGER ON MOTORCYCLE		2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
819.9	UNSPECIFIED PERSON		211	-	1	2	-	36	30	31	21	19	9	11	10	13	8	8	3	5	2	-	-	-	-	2
		M	146	-	-	1	-	21	22	21	16	16	9	11	2	11	5	5	-	4	1	-	-	-	-	1
		F	65	-	1	1	-	15	8	10	5	3	-	-	8	2	3	3	3	1	1	-	-	-	-	1
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS		212	1	32	6	7	37	32	13	20	7	8	10	9	5	6	5	2	3	4	3	2	-	-	-
		M	157	1	17	4	6	30	31	10	18	5	6	9	3	3	3	3	-	3	2	2	1	-	-	-
		F	55	-	15	2	1	7	1	3	2	2	2	1	6	2	3	2	2	-	2	1	1	-	-	-
820	NONTRAFFIC ACCIDENT INVOLVING MOTOR-DRIVEN SNOW VEHICLE																									
820.9	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
821	NONTRAFFIC ACCIDENT INVOLVING OTHER OFF-ROAD MOTOR VEHICLE																									
821.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		5	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
821.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		6	-	-	1	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
821.2	MOTOR CYCLIST		3	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
821.9	UNSPECIFIED		6	-	-	-	2	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-
		M	6	-	-	-	2	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-
822	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH MOVING OBJECT																									
822.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		6	-	-	-	-	2	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
822.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTOR-CYCLE		6	-	-	-	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
822.2	MUTOR CYCLIST		3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
822.3	PASSENGER ON MOTORCYCLE		2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
822.7	PEDESTRIAN		70	1	32	4	1	1	-	3	3	2	2	2	4	4	2	2	1	2	1	2	1	-	-	-
		M	40	1	17	3	1	1	-	2	3	2	2	1	1	2	-	1	-	2	-	1	-	-	-	-
		F	30	-	15	1	-	-	-	1	-	-	-	1	3	2	2	1	1	-	1	1	1	-	-	-
822.9	UNSPECIFIED		3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
823	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH STATIONARY OBJECT																									
823.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		10	-	-	-	-	1	2	1	1	-	-	1	-	-	1	-	1	-	1	-	1	-	-	-
		M	9	-	-	-	-	1	2	1	1	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
823.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTOR-CYCLE		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
823.2	MOTOR CYCLIST		7	-	-	-	1	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	1	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
823.9	UNSPECIFIED		7	-	-	-	-	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
824	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT WHILE BOARDING AND ALIGHTING																									
824.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
825	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT OF OTHER AND UNSPECIFIED NATURE																									
825.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		22	-	-	-	1	5	4	2	3	-	-	1	2	-	2	1	-	1	-	-	-	-	-	-
		M	20	-	-	-	1	5	4	2	3	-	-	1	1	-	2	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
825.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTOR-CYCLE		12	-	-	1	-	5	3	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	4	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	1	-	3	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
825.2	MOTOR CYCLIST		8	-	-	-	-	4	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
825.8	OTHER SPECIFIED PERSON		4	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
825.9	UNSPECIFIED		29	-	-	-	1	8	5	3	2	2	3	3	1	-	-	-	-	-	-	1	-	-	-	-
		M	22	-	-	-	-	5	5	3	2	1	2	3	-	-	-	-	-	-	-	1	-	-	-	-
		F	7	-	-	-	1	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
826-829	OTHER ROAD VEHICLE ACCIDENTS		34	-	2	2	4	5	3	2	2	2	2	1	-	2	2	1	1	-	1	2	-	-	-	-
		M	18	-	1	1	3	2	1	2	-	1	1	-	-	-	2	1	1	-	1	1	-	-	-	-
		F	16	-	1	1	1	3	2	-	2	1	1	1	-	2	-	-	-	-	-	1	-	-	-	-
826	PEDAL CYCLE ACCIDENT																									
826.1	PEDAL CYCLIST		15	-	2	1	3	1	1	1	-	1	1	-	-	2	-	-	-	-	-	2	-	-	-	-
		M	10	-	1	1	3	1	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	5	-	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-
826.9	UNSPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
828	ACCIDENT INVOLVING ANIMAL BEING RIDDEN																									
828.2	RIDER OF ANIMAL		15	-	-	1	1	3	2	-	2	1	-	1	-	-	2	1	1	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
		F	11	-	-	1	1	3	2	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
829	OTHER ROAD VEHICLE ACCIDENTS																									
829.0	PEDESTRIAN		2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
829.8	OTHER SPECIFIED PERSON		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
830-838	WATER TRANSPORT ACCIDENTS		138	-	3	6	3	12	25	10	15	5	12	10	9	6	8	7	6	-	1	-	-	-	-	-
		M	116	-	2	4	1	9	19	9	14	5	11	10	7	5	7	7	5	-	1	-	-	-	-	-
		F	22	-	1	2	2	3	6	1	1	-	1	-	2	1	1	-	1	-	-	-	-	-	-	-
830	ACCIDENT TO WATERCRAFT CAUSING SUBMERSION																									
830.0	OCCUPANT OF SMALL BOAT, UNPOWERED		6	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
830.1	OCCUPANT OF SMALL BOAT, POWERED		6	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
830.9	UNSPECIFIED PERSON		54	-	-	-	1	6	15	1	3	1	5	6	3	2	5	3	3	-	-	-	-	-	-	-
		M	45	-	-	-	-	4	10	1	3	1	5	6	3	2	4	3	3	-	-	-	-	-	-	-
		F	9	-	-	-	1	2	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
831	ACCIDENT TO WATERCRAFT CAUSING OTHER INJURY																									
831.1	OCCUPANT OF SMALL BOAT, POWERED		2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
831.9	UNSPECIFIED PERSON		6	-	-	1	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
832	OTHER ACCIDENTAL SUBMERSION OR DROWNING IN WATER TRANSPORT																									
832.0	OCCUPANT OF SMALL BOAT, UNPOWERED		7	-	1	2	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	6	-	1	2	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
832.1	OCCUPANT OF SMALL BOAT, POWERED		3	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
832.9	UNSPECIFIED PERSON		39	-	2	2	1	2	4	1	7	1	4	2	4	3	2	3	1	-	-	-	-	-	-	-
		M	35	-	1	1	1	2	4	1	7	1	4	2	3	2	2	3	1	-	-	-	-	-	-	-
		F	4	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
834	OTHER FALL FROM ONE LEVEL TO ANOTHER IN WATER TRANSPORT																									
834.0	OTHER SPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
836	MACHINERY ACCIDENT IN WATER TRANSPORT																									
836.0	OTHER SPECIFIED PERSON		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
836.9	UNSPECIFIED PERSON		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
837	EXPLOSION, FIRE, OR BURNING IN WATERCRAFT																									
837.1	OCCUPANT OF SMALL BOAT, POWERED		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
837.2	OCCUPANT OF OTHER WATERCRAFT -- CREW		3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
837.8	OTHER SPECIFIED PERSON		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
838	OTHER AND UNSPECIFIED WATER TRANSPORT ACCIDENT																									
838.1	OCCUPANT OF SMALL BOAT, POWERED		3	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
838.2	OCCUPANT OF OTHER WATERCRAFT -- CREW		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
838.4	WATER SKIER		2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
838.9	UNSPECIFIED PERSON		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
840-845	AIR AND SPACE TRANSPORT ACCIDENTS		234	-	4	3	6	7	24	34	31	23	30	21	21	19	5	4	2	-	-	-	-	-	-	-
		M	191	-	2	1	2	5	19	31	25	22	25	17	16	17	4	4	1	-	-	-	-	-	-	-
		F	43	-	2	2	4	2	5	3	6	1	5	4	5	2	1	-	1	-	-	-	-	-	-	-
840	ACCIDENT TO POWERED AIRCRAFT AT TAKEOFF OR LANDING																									
840.1	OCCUPANT OF MILITARY AIRCRAFT, ANY		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
840.4	OCCUPANT OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO AIR TRANSPORT		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
840.5	OCCUPANT OF OTHER POWERED AIRCRAFT		7	-	-	2	-	-	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		M	4	-	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
841	ACCIDENT TO POWERED AIRCRAFT, OTHER AND UNSPECIFIED																									
841.1	OCCUPANT OF MILITARY AIRCRAFT, ANY		9	-	-	-	-	-	1	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	1	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
841.2	CREW OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO SURFACE TRANSPORT		16	-	-	-	-	-	2	-	3	3	2	3	1	-	2	-	-	-	-	-	-	-	-	-
		M	15	-	-	-	-	-	1	-	3	3	2	3	1	-	2	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
841.3	OTHER OCCUPANT OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO SURFACE TRANSPORT		100	-	3	-	4	3	9	12	12	10	15	10	10	14	3	1	2	-	-	-	-	-	-	-
		M	84	-	2	-	1	1	6	10	9	10	12	10	7	12	2	1	1	-	-	-	-	-	-	-
		F	24	-	1	-	3	2	3	2	3	-	3	-	3	2	1	-	1	-	-	-	-	-	-	-
841.4	OCCUPANT OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO AIR TRANSPORT		2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
841.5	OCCUPANT OF OTHER POWERED AIRCRAFT		73	-	1	1	2	4	2	11	11	7	10	8	9	5	-	2	-	-	-	-	-	-	-	-
		M	58	-	-	-	1	4	2	10	8	6	8	4	8	5	-	2	-	-	-	-	-	-	-	-
		F	15	-	1	1	1	-	-	1	3	1	2	4	1	-	-	-	-	-	-	-	-	-	-	-
841.9	OTHER PERSON		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
842	ACCIDENT TO UNPOWERED AIRCRAFT																									
842.6	OCCUPANT OF UNPOWERED AIRCRAFT, EXCEPT PARACHUTIST		8	-	-	-	-	-	2	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	2	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
843	FALL IN, ON OR FROM AIRCRAFT																									
843.1	OCCUPANT OF MILITARY AIRCRAFT, ANY		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
844	OTHER SPECIFIED AIR TRANSPORT ACCIDENTS																									
844.7	PARACHUTIST (MILITARY) (OTHER)		5	-	-	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
844.9	OTHER PERSON		2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS		621	1	5	2	1	22	95	138	109	60	44	24	35	27	16	16	9	8	3	5	1	-	-	1
		M	395	-	1	2	-	15	63	104	81	41	28	14	15	8	6	7	3	3	2	1	-	-	-	1
		F	226	1	4	-	1	7	32	34	27	19	16	10	20	19	10	9	6	5	1	4	1	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
850	ACCIDENTAL POISONING BY ANALGESICS, ANTIPYRETICS, ANTIRHEUMATICS																									
850.0	OPIATES AND RELATED NARCOTICS		143	-	-	-	-	2	31	34	29	19	13	6	5	1	1	2	-	-	-	-	-	-	-	-
		M	116	-	-	-	-	2	25	29	22	16	13	4	3	-	-	2	-	-	-	-	-	-	-	-
		F	27	-	-	-	-	-	6	5	7	3	-	2	2	1	1	-	-	-	-	-	-	-	-	-
850.1	SALICYLATES		13	-	2	-	-	-	-	-	1	2	-	2	-	-	1	2	2	-	1	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-
		F	8	-	2	-	-	-	-	-	-	2	-	1	-	-	1	-	1	-	1	-	-	-	-	-
850.2	AROMATIC ANALGESICS, NOT ELSEWHERE CLASSIFIED		3	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
850.3	PYRAZOLE DERIVATIVES		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
850.5	OTHER NON-NARCOTIC ANALGESICS		31	-	-	-	-	2	5	5	10	4	3	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	19	-	-	-	-	2	2	5	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	3	-	3	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-
850.8	OTHER		19	-	-	-	-	1	4	3	3	3	2	-	-	2	-	1	-	-	-	-	-	-	-	-
		M	12	-	-	-	-	1	3	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	1	1	-	2	-	-	-	2	-	1	-	-	-	-	-	-	-	-
851	ACCIDENTAL POISONING BY BARBITURATES		54	-	-	-	-	1	9	9	12	3	2	1	3	5	3	1	1	2	-	1	-	-	-	1
		M	31	-	-	-	-	-	5	6	10	1	1	-	1	2	2	1	1	-	-	-	-	-	-	1
		F	23	-	-	-	-	1	4	3	2	2	1	1	2	3	1	-	-	2	-	1	-	-	-	-
852	ACCIDENTAL POISONING BY OTHER SEDATIVES AND HYPNOTICS																									
852.0	CHLORAL HYDRATE GROUP		5	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
852.1	PARALDEHYDE		2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
852.3	METHAQUALONE COMPOUNDS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
852.5	MIXED SEDATIVES, NOT ELSEWHERE CLASSIFIED		5	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
852.8	OTHER		5	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
852.9	UNSPECIFIED		2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
853	ACCIDENTAL POISONING BY TRANQUILLIZERS																									
853.0	PHENOTHIAZINE-BASED TRANQUILLIZERS		6	-	-	-	-	-	-	2	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
853.2	BENZODIAZEPINE BASED		11	-	-	-	-	-	1	2	-	1	3	-	2	1	-	1	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	1	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-
853.8	OTHER		3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
853.9	UNSPECIFIED		2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
854	ACCIDENTAL POISONING BY OTHER PSYCHOTROPIC AGENTS																									
854.0	ANTIDEPRESSANTS		33	1	-	-	-	2	1	8	3	3	3	-	2	2	4	3	-	1	-	-	-	-	-	-
		M	9	-	-	-	-	1	-	3	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	24	1	-	-	-	1	1	5	3	1	2	-	2	1	3	3	-	1	-	-	-	-	-	-
854.1	PSYCHODYSLEPTICS (HALLUCINOGENS)		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
854.2	PSYCHOSTIMULANTS		12	-	-	-	-	-	1	2	3	1	2	1	-	1	-	1	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	1	2	3	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
855	ACCIDENTAL POISONING BY OTHER DRUGS ACTING ON CENTRAL AND AUTONOMIC NERVOUS SYSTEMS																									
855.0	ANTICONVULSANT AND ANTI-PARKINSONISM DRUGS		3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
855.1	OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS		7	-	-	-	-	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
855.2	LOCAL ANAESTHETICS		42	-	1	-	-	4	14	15	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	33	-	-	-	-	3	10	13	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	1	-	-	1	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
855.5	SYMPATHOMIMETICS (ADRENERGICS)		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
856	ACCIDENTAL POISONING BY ANTIBIOTICS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
857	ACCIDENTAL POISONING BY ANTI-INFECTIVES		2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
858	ACCIDENTAL POISONING BY OTHER DRUGS																									
858.0	HORMONES AND SYNTHETIC SUBSTITUTES		4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
858.1	PRIMARILY SYSTEMIC AGENTS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
858.2	AGENTS PRIMARILY AFFECTING BLOOD CONSTITUENTS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
858.3	AGENTS PRIMARILY AFFECTING CARDIOVASCULAR SYSTEM		13	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	3	2	2	1	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	3	2	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	1	-	-	-
858.4	AGENTS PRIMARILY AFFECTING GASTROINTESTINAL SYSTEM		2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
858.5	WATER, MINERAL AND URIC ACID METABOLISM DRUGS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
858.6	AGENTS PRIMARILY ACTING ON THE SMOOTH AND SKELETAL MUSCLES AND RESPIRATORY SYSTEM		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
858.8	OTHER		125	-	-	1	-	3	18	34	20	11	7	10	8	6	2	2	3	-	-	-	-	-	-	-
		M	69	-	-	1	-	2	10	23	12	8	3	6	2	1	-	1	-	-	-	-	-	-	-	-
		F	56	-	-	-	-	1	8	11	8	3	4	4	6	5	2	1	3	-	-	-	-	-	-	-
858.9	UNSPECIFIED		65	-	-	1	-	1	7	18	16	6	3	3	3	4	1	-	1	1	-	-	-	-	-	-
		M	48	-	-	1	-	-	5	15	15	3	2	2	1	2	1	-	1	-	-	-	-	-	-	-
		F	17	-	-	-	-	1	2	3	1	3	1	1	2	2	-	-	-	1	-	-	-	-	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS		134	1	2	1	2	13	14	15	12	8	8	5	12	16	9	3	3	7	1	-	-	-	-	2
		M	105	1	2	-	2	10	11	14	11	6	5	4	9	12	7	2	1	5	1	-	-	-	-	2
		F	29	-	-	1	-	3	3	1	1	2	3	1	3	4	2	1	2	2	-	-	-	-	-	-
860	ACCIDENTAL POISONING BY ALCOHOL, NOT ELSEWHERE CLASSIFIED																									
860.1	OTHER AND UNSPECIFIED ETHYL ALCOHOL AND ITS PRODUCTS		28	-	-	-	-	-	1	1	4	3	2	1	3	9	2	1	-	-	-	-	-	-	-	1
		M	22	-	-	-	-	-	1	1	4	1	1	1	3	7	1	1	-	-	-	-	-	-	-	1
		F	6	-	-	-	-	-	-	-	-	2	1	-	-	2	1	-	-	-	-	-	-	-	-	-
860.2	METHYL ALCOHOL		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
860.3	ISOPROPYL ALCOHOL		3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
860.9	UNSPECIFIED		11	-	-	-	-	1	-	1	1	-	1	-	2	3	2	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	1	1	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
862	ACCIDENTAL POISONING BY PETROLEUM PRODUCTS, OTHER SOLVENTS AND THEIR VAPOURS, NOT ELSEWHERE CLASSIFIED																									
862.1	PETROLEUM FUELS AND CLEANERS		4	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
862.4	OTHER SOLVENTS		9	1	-	-	-	2	1	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	-	-	-	1	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
863	ACCIDENTAL POISONING BY AGRICULTURAL AND HORTICULTURAL CHEMICAL AND PHARMACEUTICAL OTHER THAN PLANT FOOD AND FERTILIZER																									

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
863.4	OTHER AND UNSPECIFIED INSECTICIDES		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
863.8	FUMIGANTS		2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
863.9	OTHER AND UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
864	ACCIDENTAL POISONING BY CORROSIVES AND CAUSTICS, NOT ELSEWHERE CLASSIFIED																									
864.0	CORROSIVE AROMATICS		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
864.2	CAUSTIC ALKALIS		2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
865	ACCIDENTAL POISONING FROM FOODSTUFFS AND POISONOUS PLANTS																									
865.1	SHELLFISH		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
865.4	OTHER PLANTS		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
865.5	MUSHROOMS AND OTHER FUNGI		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
866	ACCIDENTAL POISONING BY OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES																									
866.9	UNSPECIFIED		7	-	-	-	-	-	-	2	1	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	2	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
867	ACCIDENTAL POISONING BY GAS DISTRIBUTED BY PIPELINE		5	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-
868	ACCIDENTAL POISONING BY OTHER UTILITY GAS AND OTHER CARBON MONOXIDE																									
868.0	LIQUEFIED PETROLEUM GAS DISTRIBUTED IN MOBILE CONTAINERS		3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
868.2	MOTOR VEHICLE EXHAUST GAS		9	-	1	-	-	-	3	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1
		M	7	-	1	-	-	-	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
868.3	CARBON MONOXIDE FROM INCOMPLETE COMBUSTION OF OTHER DOMESTIC FUELS		12	-	1	1	-	3	1	-	1	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-
		M	7	-	1	-	-	2	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
		F	5	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
868.8	CARBON MONOXIDE FROM OTHER SOURCES		2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
868.9	UNSPECIFIED CARBON MONOXIDE		17	-	-	-	-	1	1	4	1	-	2	-	2	1	1	1	1	2	-	-	-	-	-	-
		M	13	-	-	-	-	1	-	4	1	-	1	-	1	1	1	1	-	2	-	-	-	-	-	-
		F	4	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
869	ACCIDENTAL POISONING BY OTHER GASES AND VAPOURS																									
869.8	OTHER SPECIFIED GASES AND VAPOURS		12	-	-	-	1	5	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	12	-	-	-	1	5	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE		60	1	2	-	-	2	2	2	3	1	2	2	5	10	6	4	3	6	5	4	-	-	-	-
		M	29	1	1	-	-	1	-	-	1	-	-	2	3	6	5	3	1	2	2	1	-	-	-	-
		F	31	-	1	-	-	1	2	2	2	1	2	-	2	4	1	1	2	4	3	3	-	-	-	-
870	ACCIDENTAL CUT, PUNCTURE, PERFORATION OR HAEMORRHAGE DURING MEDICAL CARE																									
870.0	SURGICAL OPERATION		17	1	-	-	-	2	1	1	1	-	-	1	-	5	1	1	1	1	1	-	-	-	-	-
		M	10	1	-	-	-	1	-	-	-	-	-	1	-	3	1	1	1	1	-	-	-	-	-	-
		F	7	-	-	-	-	1	1	1	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
870.2	KIDNEY DIALYSIS OR OTHER PERFUSION		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
870.4	ENDOSCOPIC EXAMINATION		3	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
870.5	ASPIRATION OF FLUID OR TISSUE, PUNCTURE AND CATHETERIZATION (ANY EXCEPT HEART CATHETERIZATION)		10	-	-	-	-	-	-	-	1	-	1	-	2	2	-	1	-	2	1	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-	-
870.6	HEART CATHETERIZATION		3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
870.7	ADMINISTRATION OF ENEMA		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
870.8	OTHER		8	-	-	-	-	-	1	1	-	1	-	1	-	-	1	1	-	1	1	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
870.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
871	FOREIGN OBJECT LEFT IN BODY DURING PROCEDURE																									
871.0	SURGICAL OPERATION		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
874	MECHANICAL FAILURE OF INSTRUMENT OR APPARATUS DURING PROCEDURE																									
874.0	SURGICAL OPERATION		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
874.1	INFUSION AND TRANSFUSION		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

Table 7—15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
874.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
876	OTHER AND UNSPECIFIED MISADVENTURES DURING MEDICAL CARE																									
876.3	ENDOTRACHEAL TUBE WRONGLY PLACED DURING ANAESTHETIC PROCEDURE		3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
876.4	FAILURE TO INTRODUCE OR TO REMOVE OTHER TUBE OR INSTRUMENT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
876.8	OTHER SPECIFIED MISADVENTURES		4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
878-879	SURGICAL MEDIC PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT TIME		145	4	1	1	1	1	2	-	4	2	5	4	11	11	10	24	22	15	9	8	8	2	-	-
		M	76	4	-	-	1	-	1	-	1	1	2	2	7	9	7	11	10	6	4	4	4	2	-	-
		F	69	-	1	1	-	1	1	-	3	1	3	2	4	2	3	13	12	9	5	4	4	-	-	-
878	SURGICAL PROCEDURE AS CAUSE OF ABNORMAL REACTION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF OPERATION																									
878.1	SURGICAL OPERATION WITH IMPLANT OF ARTIFICIAL INTERNAL DEVICE		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
878.2	SURGICAL OPERATION WITH ANASTOMOSIS, BYPASS OR GRAFT, WITH NATURAL OR ARTIFICIAL TISSUES USED AS IMPLANT		10	1	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	1	-	-	-	-	-	-
		M	8	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
878.3	SURGICAL OPERATION WITH FORMATION OF EXTERNAL STOMA		12	-	-	-	-	1	-	-	-	-	1	-	2	-	-	1	1	2	1	2	-	1	-	-
		M	8	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	1	1	1	-	1	-	-
		F	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
878.4	OTHER RESTORATIVE SURGERY		3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
878.5	AMPUTATION OF LIMB(S)		11	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	-	-	3	2	-	-	-
		M	8	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	-	-	3	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
878.6	REMOVAL OF OTHER ORGAN (PARTIAL) (TOTAL)		5	-	-	1	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	4	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
878.8	OTHER		67	3	-	-	1	-	1	-	2	-	3	2	4	5	7	12	12	4	6	2	3	-	-	-
		M	33	3	-	-	1	-	1	-	-	-	-	1	2	4	6	4	4	1	3	-	3	-	-	-
		F	34	-	-	-	-	-	-	-	2	-	3	1	2	1	1	8	8	3	3	2	-	-	-	-
878.9	UNSPECIFIED		18	-	-	-	-	-	-	-	-	1	-	1	1	2	-	4	2	4	1	-	2	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	2	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	2	1	-	2	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
879	OTHER PROCEDURES, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE, AS CAUSE OF ABNORMAL REACTION OF PATIENT, OR OF LATER																									
879.1	KIDNEY DIALYSIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
879.2	RADIOLOGICAL PROCEDURE AND RADIOTHERAPY		3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
879.6	URINARY CATHETERIZATION		4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
879.8	OTHER		5	-	1	-	-	-	1	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
880-888	ACCIDENTAL FALLS		1,183	4	11	4	4	21	36	37	31	37	29	31	63	70	70	79	90	118	134	176	97	34	5	2
		M	665	2	8	-	3	17	32	33	25	28	19	24	46	53	39	54	52	62	53	70	29	11	4	1
		F	518	2	3	4	1	4	4	4	6	9	10	7	17	17	31	25	38	56	81	106	68	23	1	1
880	FALL ON OR FROM STAIRS OR STEPS																									
880.9	OTHER STAIRS OR STEPS		71	1	-	-	-	-	1	2	1	4	3	3	6	4	9	4	5	9	11	7	-	1	-	-
		M	33	1	-	-	-	-	1	1	-	1	-	2	5	1	3	3	1	4	6	4	-	-	-	-
		F	38	-	-	-	-	-	-	1	1	3	3	1	1	3	6	1	4	5	5	3	-	1	-	-
881	FALL ON OR FROM LADDERS OR SCAFFOLDING																									
881.0	FALL FROM LADDER		42	-	-	-	-	-	1	2	-	1	-	2	1	7	4	5	5	8	4	2	-	-	-	-
		M	39	-	-	-	-	-	1	2	-	1	-	2	1	6	3	4	5	8	4	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
881.1	FALL FROM SCAFFOLDING		7	-	-	-	-	-	-	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
882	FALL FROM OR OUT OF BUILDING OR OTHER STRUCTURE		71	1	5	1	-	4	8	9	4	7	2	4	2	2	4	4	4	9	-	-	-	-	-	1
		M	59	1	4	-	-	4	6	9	4	5	2	2	1	1	3	4	4	8	-	-	-	-	-	1
		F	12	-	1	1	-	-	2	-	-	2	-	2	1	1	1	-	-	1	-	-	-	-	-	-
883	FALL INTO HOLE OR OTHER OPENING IN SURFACE																									
883.0	ACCIDENT FROM DIVING OR JUMPING INTO WATER (SWIMMING POOL)		3	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
883.9	FALL INTO OTHER HOLE OR OTHER OPENING IN SURFACE		5	-	-	-	-	-	-	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
884	OTHER FALL FROM ONE LEVEL TO ANOTHER																									
884.1	FALL FROM CLIFF		33	-	-	1	1	8	12	4	3	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
		M	25	-	-	-	-	6	10	3	3	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
		F	8	-	-	1	1	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
884.2	FALL FROM CHAIR OR BED		49	-	2	-	-	-	1	-	1	1	1	3	3	-	4	5	3	3	5	10	6	1	-	-
		M	22	-	1	-	-	-	1	-	-	1	-	2	2	-	3	4	2	2	1	2	1	-	-	-
		F	27	-	1	-	-	-	-	-	1	-	1	1	1	-	1	1	1	1	4	8	5	1	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
884.9	OTHER FALL FROM ONE LEVEL TO ANOTHER		43	1	2	-	1	1	6	4	3	2	3	1	3	1	4	2	2	1	1	4	-	1	-	-
		M	37	-	2	-	1	1	6	4	2	2	2	1	3	1	4	2	2	1	-	3	-	-	-	-
		F	6	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-
885	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING OR STUMBLING		39	-	-	-	-	1	-	-	-	-	1	-	1	5	2	3	2	4	7	9	3	1	-	-
		M	18	-	-	-	-	-	-	-	-	-	1	-	1	3	-	1	1	1	4	4	2	-	-	-
		F	21	-	-	-	-	1	-	-	-	-	-	-	-	2	2	2	1	3	3	5	1	1	-	-
887	FRACTURE, CAUSE UNSPECIFIED		93	1	-	1	-	1	-	1	-	1	1	1	1	-	-	2	6	6	20	23	22	5	1	-
		M	34	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	3	4	6	8	6	1	1	-
		F	59	1	-	1	-	1	-	-	-	1	-	-	-	-	-	1	3	2	14	15	16	4	-	-
888	OTHER AND UNSPECIFIED FALL		727	-	2	1	2	4	6	12	16	19	18	16	42	50	42	53	63	78	86	121	66	25	4	1
		M	383	-	1	-	2	4	6	10	13	16	13	13	29	40	22	34	34	34	32	47	20	10	3	-
		F	344	-	1	1	-	-	-	2	3	3	5	3	13	10	20	19	29	44	54	74	46	15	1	1
890-899	ACCIDENTS CAUSED BY FIRE AND FLAMES		348	10	26	5	2	5	19	20	18	13	16	15	24	25	26	33	23	28	19	12	5	3	-	1
		M	213	6	17	2	-	3	13	17	11	10	10	15	14	19	13	18	12	15	6	6	3	2	-	1
		F	135	4	9	3	2	2	6	3	7	3	6	-	10	6	13	15	11	13	13	6	2	1	-	-
890	CONFLAGRATION IN PRIVATE DWELLING																									
890.0	EXPLOSION CAUSED BY CONFLAGRATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
890.2	OTHER SMOKE AND FUMES FROM CONFLAGRATION		122	4	10	1	2	3	10	7	8	4	6	2	8	11	6	10	5	9	7	5	2	2	-	-
		M	73	1	5	-	-	1	5	7	6	4	4	2	4	8	3	6	3	6	2	3	1	2	-	-
		F	49	3	5	1	2	2	5	-	2	-	2	-	4	3	3	4	2	3	5	2	1	-	-	-
890.3	BURNING CAUSED BY CONFLAGRATION		125	5	10	2	-	2	3	8	6	5	3	9	8	7	9	19	9	9	6	2	3	-	-	-
		M	75	5	9	1	-	2	2	6	4	4	-	9	4	6	1	10	3	3	2	2	2	-	-	-
		F	50	-	1	1	-	-	1	2	2	1	3	-	4	1	8	9	6	6	4	-	1	-	-	-
890.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
891	CONFLAGRATION IN OTHER AND UNSPECIFIED BUILDING OR STRUCTURE																									
891.0	EXPLOSION CAUSED BY CONFLAGRATION		2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
891.2	OTHER SMOKE AND FUMES FROM CONFLAGRATION		23	-	-	1	-	-	2	1	2	4	1	1	3	1	3	2	1	-	1	-	-	-	-	-
		M	14	-	-	-	-	-	2	1	-	2	1	1	2	1	2	1	1	-	-	-	-	-	-	-
		F	9	-	-	1	-	-	-	-	2	2	-	-	1	-	1	1	-	-	1	-	-	-	-	-
891.3	BURNING CAUSED BY CONFLAGRATION		8	-	1	-	-	-	1	-	-	-	1	-	2	-	1	-	-	1	-	1	-	-	-	-
		M	7	-	1	-	-	-	1	-	-	-	1	-	2	-	1	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
892	CONFLAGRATION NOT IN BUILDING OR STRUCTURE		12	-	-	-	-	-	2	1	1	-	1	1	1	-	1	-	1	2	-	-	-	-	-	1
		M	12	-	-	-	-	-	2	1	1	-	1	1	1	-	1	-	1	2	-	-	-	-	-	1
893 893.0	ACCIDENT CAUSED BY IGNITION OF CLOTHING FROM CONTROLLED FIRE IN PRIVATE DWELLING		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
893.0	FROM OTHER SOURCES		7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	1	-	1	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-
893.9	UNSPECIFIED		6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	2	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-
894	IGNITION OF HIGHLY INFLAMMABLE MATERIAL		13	-	4	-	-	-	-	1	-	-	2	1	1	-	3	-	1	-	-	-	-	-	-	-
		M	10	-	2	-	-	-	-	1	-	-	1	1	1	-	3	-	1	-	-	-	-	-	-	-
		F	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
895	ACCIDENT CAUSED BY CONTROLLED FIRE IN PRIVATE DWELLING		2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
897	ACCIDENT CAUSED BY CONTROLLED FIRE NOT IN BUILDING OR STRUCTURE		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
898	ACCIDENT CAUSED BY OTHER SPECIFIED FIRE AND FLAMES																									
898.0	BURNING BEDCLOTHES		6	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
898.1	OTHER		10	1	-	-	-	-	-	1	-	-	-	-	-	2	2	1	1	-	1	1	-	-	-	-
		M	4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
		F	6	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-
899	ACCIDENT CAUSED BY UNSPECIFIED FIRE		4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
900-909	ACCIDENTS DUE TO NATURAL AND ENVIRONMENTAL FACTORS		101	4	4	1	1	5	8	4	6	3	6	3	6	5	9	5	10	9	7	3	1	-	-	1
		M	79	2	1	1	1	4	8	4	5	2	6	3	5	4	7	4	7	7	6	1	-	-	-	1
		F	22	2	3	-	-	1	-	-	1	1	-	-	1	1	2	1	3	2	1	2	1	-	-	-
900	EXCESSIVE HEAT																									
900.0	DUE TO WEATHER CONDITIONS		32	2	-	-	1	3	2	1	2	-	1	1	-	1	5	-	5	3	4	-	-	-	-	1
		M	25	1	-	-	1	2	2	1	2	-	1	1	-	1	4	-	3	2	3	-	-	-	-	1
		F	7	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-
900.1	OF MANMADE ORIGIN		3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
900.9	OF UNSPECIFIED ORIGIN		12	-	-	-	-	-	-	-	2	-	1	1	-	1	1	1	3	1	1	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	3	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
901	EXCESSIVE COLD																									
901.0	DUE TO WEATHER CONDITIONS		9	-	1	-	-	1	1	1	-	-	2	-	-	-	1	-	-	1	1	-	-	-	-	-
		M	8	-	-	-	-	1	1	1	-	-	2	-	-	-	1	-	-	1	1	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
901.9	OF UNSPECIFIED ORIGIN		8	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	1	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

Table 7—15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
902	HIGH AND LOW AIR PRESSURE AND CHANGES IN AIR PRESSURE																									
902.2	DUE TO DIVING		2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
904	HUNGER, THIRST, EXPOSURE, NEGLECT																									
904.0	ABANDONMENT OR NEGLECT OF INFANTS AND HELPLESS PERSONS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
904.1	LACK OF FOOD		5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
904.3	EXPOSURE (TO WEATHER CONDITIONS) NOT ELSEWHERE CLASSIFIABLE		10	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	1	3	-	1	-	-	-	-
		M	5	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	1	-	-	-	-
905	VENOMOUS ANIMALS AND PLANTS AS THE CAUSE OF POISONING AND TOXIC REACTIONS																									
905.3	HORNETS, WASPS AND BEES		3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
906	OTHER INJURY CAUSED BY ANIMALS																									
906.0	DOG BITE		5	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
906.3	BITE OF OTHER ANIMAL EXCEPT ARTHROPOD		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
906.8	OTHER SPECIFIED INJURY CAUSED BY ANIMAL		3	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
907	LIGHTNING		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
908	CATACLYSMIC STORMS, AND FLOODS RESULTING FROM STORMS		3	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
909	CATACLYSMIC EARTH SURFACE MOVEMENTS AND ERUPTIONS		3	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
910-915	ACCIDENTS CAUSED BY SUBMERSION, SUFFOCATION AND FOREIGN BODIES		1,087	47	152	39	30	89	117	98	55	48	34	35	30	42	34	48	46	35	30	35	13	5	-	25
		M	793	30	108	30	26	78	104	82	45	37	22	19	23	31	18	28	27	20	19	13	6	2	-	25
		F	294	17	44	9	4	11	13	16	10	11	12	16	7	11	16	20	19	15	11	22	7	3	-	-
910	ACCIDENTAL DROWNING AND SUBMERSION																									
910.0	WHILE WATER SKIING		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
910.1	WHILE ENGAGED IN OTHER SPORT OR RECREATIONAL ACTIVITY WITH DIVING EQUIPMENT		15	-	-	-	-	-	3	7	2	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
		M	12	-	-	-	-	-	2	6	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
910.2	WHILE ENGAGED IN OTHER SPORT OR RECREATIONAL ACTIVITY WITHOUT DIVING EQUIPMENT		156	-	4	4	7	41	40	25	9	5	4	3	3	1	1	2	2	2	-	-	-	-	-	3
		M	145	-	4	4	6	37	40	23	9	5	4	1	2	1	1	1	2	2	-	-	-	-	-	3
		F	11	-	-	-	1	4	-	2	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
910.3	WHILE SWIMMING OR DIVING FOR PURPOSES OTHER THAN RECREATION OR SPORT		9	-	-	-	-	1	3	-	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	1	3	-	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
910.4	IN BATHTUB		44	2	6	4	-	2	3	4	4	1	2	-	3	2	2	-	3	2	3	1	-	-	-	-
		M	24	2	-	3	-	2	2	4	1	-	-	-	2	2	1	-	1	-	3	1	-	-	-	-
		F	20	-	6	1	-	-	1	-	3	1	2	-	1	-	1	-	2	2	-	-	-	-	-	-
910.8	OTHER		342	8	73	11	12	27	36	35	25	19	11	12	7	18	5	4	5	3	6	3	1	-	-	21
		M	272	7	57	10	10	22	30	28	19	16	6	9	5	14	4	4	4	-	4	2	-	-	-	21
		F	70	1	16	1	2	5	6	7	6	3	5	3	2	4	1	-	1	3	2	1	1	-	-	-
910.9	UNSPECIFIED		125	2	40	10	3	7	12	7	3	8	6	2	-	2	-	7	4	2	-	1	-	-	-	1
		M	89	-	35	8	2	6	11	5	2	4	5	1	-	1	-	3	4	1	-	-	-	-	-	1
		F	36	2	13	2	1	1	1	2	1	4	1	1	-	1	-	4	-	1	-	1	-	-	-	-
911	INHALATION AND INGESTION OF FOOD CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION		247	16	4	2	-	6	3	11	5	8	7	14	12	11	21	27	23	23	18	23	9	4	-	-
		M	139	11	2	-	-	5	2	8	5	6	5	6	10	7	9	16	11	14	10	7	4	1	-	-
		F	108	5	2	2	-	1	1	3	-	2	2	8	2	4	12	11	12	9	8	16	5	3	-	-
912	INHALATION AND INGESTION OF OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION		38	1	4	1	-	-	1	1	-	1	1	1	2	1	1	5	5	3	2	5	2	1	-	-
		M	27	1	4	1	-	-	-	1	-	1	-	-	2	1	1	3	2	3	1	3	2	1	-	-
		F	11	-	-	-	-	-	1	-	-	-	1	1	-	-	-	2	3	-	1	2	-	-	-	-
913	ACCIDENTAL MECHANICAL SUFFOCATION																									
913.0	IN BED OR CRADLE		20	13	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
		M	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	7	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
913.1	BY PLASTIC BAG		7	4	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	2	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
913.2	DUE TO LACK OF AIR (IN CLOSED PLACE)		4	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
913.3	BY FALLING EARTH OR OTHER SUBSTANCE		13	-	-	1	2	1	4	1	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
		M	12	-	-	1	2	1	4	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
913.8	OTHER SPECIFIED MEANS		39	1	6	4	6	2	7	2	2	3	-	-	-	2	-	-	3	-	1	-	-	-	-	-
		M	32	1	3	2	6	2	7	2	2	3	-	-	-	1	-	-	2	-	1	-	-	-	-	-
		F	7	-	3	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
913.9	UNSPECIFIED		21	-	-	-	-	2	1	2	3	2	-	2	2	3	1	2	1	-	-	-	-	-	-	-
		M	14	-	-	-	-	2	-	1	3	1	-	1	1	2	1	1	1	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	1	1	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-
915	FOREIGN BODY ACCIDENTALLY ENTERING OTHER ORIFICE		6	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
916-928	OTHER ACCIDENTS		563	5	18	14	17	54	68	58	50	32	24	32	39	33	26	10	23	20	16	8	6	1	1	-
		M	484	5	12	13	14	49	66	55	44	29	24	28	36	27	23	15	14	12	9	4	4	-	1	-
		F	79	-	6	1	3	5	2	3	6	3	-	4	3	6	3	3	9	8	7	4	2	1	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
916	STRUCK ACCIDENTALLY BY FALLING OBJECT		59	-	5	3	-	8	9	5	7	2	1	4	4	3	5	1	1	-	1	-	-	-	-	-
		M	55	-	3	2	-	8	9	5	7	2	1	4	4	3	5	1	-	-	1	-	-	-	-	-
		F	4	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
917	STRIKING AGAINST OR STRUCK ACCIDENTALLY BY OBJECTS OR PERSONS																									
917.0	IN SPORTS		6	-	-	-	-	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
917.2	IN RUNNING WATER		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
917.9	OTHER		31	-	1	2	1	2	-	-	3	2	1	3	4	1	1	3	3	1	-	2	1	-	-	-
		M	21	-	1	2	1	2	-	-	3	2	1	3	3	-	1	1	-	1	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	-	-	2	1	-	-	-
918	CAUGHT ACCIDENTALLY IN OR BETWEEN OBJECTS		8	-	3	1	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	1	1	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
919	ACCIDENTS CAUSED BY MACHINERY																									
919.0	AGRICULTURAL MACHINES		38	-	1	-	1	5	5	1	2	4	1	4	3	5	2	1	1	1	1	-	-	-	-	-
		M	36	-	1	-	1	4	5	1	2	4	1	3	3	5	2	1	1	1	1	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
919.1	MINING AND EARTH-DRILLING MACHINERY		4	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
919.2	LIFTING MACHINES AND APPLIANCES		19	-	1	2	-	1	1	2	3	-	1	3	3	1	1	-	-	-	-	-	-	-	-	-
		M	19	-	1	2	-	1	1	2	3	-	1	3	3	1	1	-	-	-	-	-	-	-	-	-
919.3	METALWORKING MACHINES		3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
919.4	WOODWORKING AND FORMING MACHINES		2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
919.6	TRANSMISSION MACHINERY		3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
919.7	EARTH MOVING, SCRAPING AND OTHER EXCAVATING MACHINES		7	-	1	-	-	-	-	-	-	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-
		M	7	-	1	-	-	-	-	-	-	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-
919.8	OTHER		11	-	-	-	1	2	3	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	11	-	-	-	1	2	3	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
920	ACCIDENTS CAUSED BY CUTTING AND PIERCING INSTRUMENTS OR OBJECTS																									
920.8	OTHER		11	-	-	-	-	-	-	2	1	-	1	1	-	2	1	2	-	1	-	-	-	-	-	-
		M	10	-	-	-	-	-	-	2	1	-	1	1	-	2	1	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
921	ACCIDENT CAUSED BY EXPLOSION OF PRESSURE VESSEL																									
921.0	BOILERS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
921.8	OTHER		4	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
922	ACCIDENT CAUSED BY FIREARM MISSILE																									
922.0	HAND GUN		24	-	-	-	3	7	4	5	1	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		M	22	-	-	-	3	6	4	5	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922.1	SHOTGUN (AUTOMATIC)		8	-	-	2	1	1	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	7	-	-	2	1	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922.2	HUNTING RIFLE		8	-	-	1	1	1	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	1	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
922.9	UNSPECIFIED		64	-	-	2	6	11	13	11	6	4	3	2	1	2	2	-	1	-	-	-	-	-	-	-
		M	56	-	-	2	4	10	13	10	4	4	3	2	1	1	1	-	1	-	-	-	-	-	-	-
		F	8	-	-	-	2	1	-	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
923	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL																									
923.0	FIREWORKS		3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
923.2	EXPLOSIVE GASES		6	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-
		M	5	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
923.8	OTHER		13	-	-	1	-	-	3	1	2	-	2	2	-	-	1	-	1	-	-	-	-	-	-	-
		M	12	-	-	1	-	-	3	1	1	-	2	2	-	-	1	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
923.9	UNSPECIFIED		3	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
924	ACCIDENT CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL AND STEAM																									
924.0	HOT LIQUIDS AND VAPOURS, INCLUDING STEAM		16	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	4	1	3	-	-	-
		M	9	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	1	-	2	-	-	-
		F	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-
924.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
925	ACCIDENT CAUSED BY ELECTRIC CURRENT																									
925.0	DOMESTIC WIRING AND APPLIANCES		13	-	1	-	-	-	-	5	3	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-
		M	13	-	1	-	-	-	-	5	3	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-
925.1	ELECTRIC POWER GENERATING PLANTS, DISTRIBUTION STATIONS, TRANSMISSION LINES		29	-	-	-	1	4	10	4	3	2	1	1	2	1	-	-	-	-	-	-	-	-	-	-
		M	29	-	-	-	1	4	10	4	3	2	1	1	2	1	-	-	-	-	-	-	-	-	-	-
925.2	INDUSTRIAL WIRING, APPLIANCES AND ELECTRICAL MACHINERY		5	-	-	-	-	-	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
925.8	OTHER		15	-	-	-	-	2	3	3	2	-	3	1	-	-	1	-	-	-	-	-	-	-	-	-
		M	15	-	-	-	-	2	3	3	2	-	3	1	-	-	1	-	-	-	-	-	-	-	-	-
925.9	UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
927	OVEREXERTION AND STRENUOUS MOVEMENTS		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
928	OTHER AND UNSPECIFIED ENVIRONMENTAL AND ACCIDENTAL CAUSES																									
928.8	OTHER		8	-	1	-	1	1	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	1	-	1	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
928.9	UNSPECIFIED ACCIDENTS		135	4	3	-	1	2	3	10	9	12	5	5	10	15	6	9	12	11	10	5	1	1	1	-
		M	98	4	2	-	-	-	3	8	7	10	5	4	8	11	4	8	7	5	6	4	1	-	1	-
		F	37	-	1	-	1	2	-	2	2	2	-	1	2	4	2	1	5	6	4	1	-	1	-	-
929	LATE EFFECTS OF ACCIDENTAL INJURY																									
929.0	LATE EFFECTS OF MOTOR VEHICLE ACCIDENT		39	-	-	1	1	2	5	4	3	5	4	1	1	4	3	1	-	2	2	-	-	-	-	-
		M	26	-	-	-	1	2	4	2	2	5	1	1	1	3	2	-	-	1	1	-	-	-	-	-
		F	13	-	-	1	-	-	1	2	1	-	3	-	-	1	1	1	-	1	1	-	-	-	-	-
929.1	LATE EFFECTS OF OTHER TRANSPORT ACCIDENT		4	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
929.2	LATE EFFECTS OF ACCIDENTAL POISONING		3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
929.3	LATE EFFECTS OF ACCIDENTAL FALL		36	-	-	-	-	1	4	1	-	2	-	2	4	1	2	1	4	6	2	6	-	-	-	-
		M	24	-	-	-	-	1	4	-	-	2	-	1	4	-	1	-	2	4	1	4	-	-	-	-
		F	12	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	2	2	1	2	-	-	-	-
929.5	LATE EFFECTS OF ACCIDENT DUE TO NATURAL AND ENVIRONMENTAL FACTORS		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
929.8	LATE EFFECTS OF OTHER ACCIDENTS		17	-	2	1	1	2	-	2	-	2	-	1	-	2	-	3	1	-	-	-	-	-	-	-
		M	14	-	2	-	-	2	-	2	-	2	-	1	-	2	-	2	1	-	-	-	-	-	-	-
		F	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
929.9	LATE EFFECTS OF UNSPECIFIED ACCIDENT		21	-	-	-	-	1	-	1	1	2	1	-	-	2	1	2	2	2	3	1	1	1	-	-
		M	15	-	-	-	-	1	-	1	-	2	1	-	-	2	1	-	2	1	1	1	1	1	-	-
		F	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE		24	-	-	-	-	1	3	3	-	4	-	1	1	1	2	3	4	1	-	-	-	-	-	-
		M	15	-	-	-	-	1	3	2	-	1	-	1	1	-	1	3	2	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	1	-	3	-	-	-	1	1	-	2	1	-	-	-	-	-	-
930	ANTIBIOTICS																									
930.0	PENICILLINS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
931	OTHER ANTI-INFECTIVES																									
931.0	SULFONAMIDES		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
932	HORMONES AND SYNTHETIC SUBSTITUTES																									
932.0	ADRENAL CORTICAL STEROIDS		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
933	PRIMARILY SYSTEMIC AGENTS																									
933.1	ANTINEOPLASTIC AND IMMUNOSUPPRESSIVE DRUGS		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
934	AGENTS PRIMARILY AFFECTING BLOOD CONSTITUENTS																									
934.2	ANTICOAGULANTS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
935	ANALGESICS, ANTIPYRETICS AND ANTIRHEUMATICS																									
935.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
936	ANTICONVULSANTS AND ANTI-PARKINSONISM DRUGS																									
936.1	HYDANTOIN DERIVATIVES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
938	OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS																									
938.9	OTHER AND UNSPECIFIED LOCAL ANAESTHETICS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
939	PSYCHOTROPIC AGENTS																									
939.1	PHENOTHIAZINE-BASED TRANQUILLIZERS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
942	AGENTS PRIMARILY AFFECTING THE CARDIOVASCULAR SYSTEM																									
942.0	CARDIAC RHYTHM REGULATORS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
947	OTHER AND UNSPECIFIED DRUGS AND MEDICAMENTS																									
947.8	OTHER DRUGS AND MEDICAMENTS		7	-	-	-	-	1	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-	-
		M	5	-	-	-	-	1	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
947.9	UNSPECIFIED DRUG OR MEDICAMENT		7	-	-	-	-	-	3	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
950-959	SUICIDE AND SELFINFLICTED INJURY		3,429	-	-	-	15	193	352	456	389	282	245	228	261	233	201	162	151	121	59	50	15	5	1	10
		M	2,489	-	-	-	11	154	296	347	290	190	167	161	157	163	134	118	110	89	46	34	10	3	-	9
		F	940	-	-	-	4	39	56	109	99	92	78	67	104	70	67	44	41	32	13	16	5	2	1	1
950	SUICIDE AND SELFINFLICTED POISONING BY SOLID OR LIQUID SUBSTANCES																									
950.0	ANALGESICS, ANTIPYRETICS AND ANTIRHEUMATICS		66	-	-	-	-	2	6	5	6	5	8	9	9	4	4	2	2	2	1	1	-	-	-	-
		M	31	-	-	-	-	-	4	2	3	3	6	4	3	2	1	2	1	-	-	-	-	-	-	-
		F	35	-	-	-	-	2	2	3	3	2	2	5	6	2	3	-	1	2	1	1	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
950.1	BARBITURATES		201	-	-	-	-	3	9	19	17	12	16	13	12	15	14	13	16	22	13	4	2	-	1	-
		M	79	-	-	-	-	1	4	9	7	8	6	7	1	9	3	6	5	7	5	1	-	-	-	-
		F	122	-	-	-	-	2	5	10	10	4	10	6	11	6	11	7	11	15	8	3	2	-	1	-
950.2	OTHER SEDATIVES AND HYPNOTICS		22	-	-	-	-	-	1	3	3	4	2	3	4	-	-	-	-	1	1	-	-	-	-	-
		M	11	-	-	-	-	-	1	3	1	2	-	1	1	-	-	-	-	1	1	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	2	2	2	2	3	-	-	-	-	-	-	-	-	-	-	-
950.3	TRANQUILLIZERS AND OTHER PSYCHOTROPIC AGENTS		162	-	-	-	-	6	10	23	27	25	14	13	15	14	10	5	-	-	-	-	-	-	-	-
		M	76	-	-	-	-	4	6	7	13	10	5	6	9	8	6	2	-	-	-	-	-	-	-	-
		F	86	-	-	-	-	2	4	16	14	15	9	7	6	6	4	3	-	-	-	-	-	-	-	-
950.4	OTHER SPECIFIED DRUGS AND MEDICAMENTS		161	-	-	-	-	5	11	21	22	14	12	13	16	15	14	5	9	3	-	-	-	1	-	-
		M	63	-	-	-	-	1	5	9	9	6	5	7	6	3	6	-	4	2	-	-	-	-	-	-
		F	98	-	-	-	-	4	6	12	13	8	7	6	10	12	8	5	5	1	-	-	-	1	-	-
950.5	UNSPECIFIED DRUG OR MEDICAMENT		65	-	-	-	-	-	4	11	7	4	6	8	7	3	8	2	3	-	1	-	1	-	-	-
		M	33	-	-	-	-	-	4	5	6	-	3	2	3	1	5	2	1	-	-	-	1	-	-	-
		F	32	-	-	-	-	-	-	6	1	4	3	6	4	2	3	-	2	-	1	-	-	-	-	-
950.6	AGRICULTURAL AND HORTICULTURAL CHEMICAL AND PHARMACEUTICAL PREPARATIONS OTHER THAN PLANT FOODS AND FERTILIZERS		10	-	-	-	-	-	-	1	3	3	-	1	-	-	2	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	1	1	3	-	1	-	-	2	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
950.7	CORROSIVE AND CAUSTIC SUBSTANCES		7	-	-	-	-	2	-	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	1	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
950.9	OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES		29	-	-	-	-	-	6	5	2	2	2	2	3	1	1	-	3	-	-	1	-	1	-	-
		M	17	-	-	-	-	-	2	5	1	1	1	1	2	1	1	-	2	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	4	-	1	1	1	1	1	-	-	-	1	-	-	1	-	1	-	-
951	SUICIDE AND SELFINFLICTED POISONING BY GASES IN DOMESTIC USE																									
951.0	GAS DISTRIBUTED BY PIPELINE		10	-	-	-	-	-	-	3	4	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	-	3	4	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
951.1	LIQUEFIED PETROLEUM GAS DISTRIBUTED IN MOBILE CONTAINERS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
952	SUICIDE AND SELFINFLICTED POISONING BY OTHER GASES AND VAPOURS																									
952.0	MOTOR VEHICLE EXHAUST GAS		171	-	-	-	-	4	13	26	23	13	21	12	19	14	10	5	6	3	-	1	-	-	-	1
		M	129	-	-	-	-	4	12	21	17	9	13	11	15	11	6	2	4	2	-	1	-	-	-	1
		F	42	-	-	-	-	-	1	5	6	4	8	1	4	3	4	3	2	1	-	-	-	-	-	-
952.1	OTHER CARBON MONOXIDE		17	-	-	-	-	1	2	1	3	-	3	2	1	2	-	1	1	-	-	-	-	-	-	-
		M	14	-	-	-	-	-	2	1	3	-	3	2	-	1	-	1	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
952.8	OTHER SPECIFIED GASES AND VAPOURS		3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
952.9	UNSPECIFIED GASES AND VAPOURS		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
953	SUICIDE AND SELFINFLICTED INJURY BY HANGING, STRANGULATION AND SUFFOCATION																									
953.0	HANGING		440	-	-	-	7	34	55	65	57	34	26	33	28	27	17	15	8	12	11	5	-	1	-	5
		M	360	-	-	-	6	31	54	57	49	29	19	26	16	20	12	12	4	8	10	1	-	1	-	5
		F	80	-	-	-	1	3	1	8	8	5	7	7	12	7	5	3	4	4	1	4	-	-	-	-
953.1	SUFFOCATION BY PLASTIC BAG		29	-	-	-	-	-	1	2	3	3	1	1	3	-	1	3	4	3	-	2	2	-	-	-
		M	17	-	-	-	-	-	1	1	3	3	1	-	2	-	1	1	2	1	-	1	-	-	-	-
		F	12	-	-	-	-	-	-	1	-	-	-	1	1	-	-	2	2	2	-	1	2	-	-	-
953.8	OTHER SPECIFIED MEANS		2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
953.9	UNSPECIFIED MEANS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
954	SUICIDE AND SELFINFLICTED INJURY BY SUBMERSION (DROWNING)		58	-	-	-	-	1	4	9	2	5	2	2	7	5	5	3	4	4	1	2	1	1	-	-
		M	30	-	-	-	-	1	3	6	1	5	1	-	2	2	2	1	3	1	-	1	-	1	-	-
		F	28	-	-	-	-	-	1	3	1	-	1	2	5	3	3	2	1	3	1	1	1	-	-	-
955	SUICIDE AND SELFINFLICTED INJURY BY FIREARMS AND EXPLOSIVES																									
955.0	HAND GUN		421	-	-	-	3	23	39	45	42	44	18	20	30	34	26	34	22	14	8	14	3	1	-	1
		M	325	-	-	-	2	19	33	40	33	25	12	14	23	20	18	28	18	14	8	13	3	1	-	1
		F	96	-	-	-	1	4	6	5	9	19	6	6	7	14	8	6	4	-	-	1	-	-	-	-
955.1	SHOT GUN		195	-	-	-	1	12	34	24	11	15	15	11	11	12	12	13	14	8	1	1	-	-	-	-
		M	174	-	-	-	-	12	29	23	8	13	15	9	8	10	12	11	14	8	1	1	-	-	-	-
		F	21	-	-	-	1	-	5	1	3	2	-	2	3	2	-	2	-	-	-	-	-	-	-	-
955.2	HUNTING RIFLE		154	-	-	-	1	14	21	25	22	10	8	8	11	10	7	6	5	5	-	1	-	-	-	-
		M	146	-	-	-	1	13	20	24	21	10	8	7	8	10	7	6	5	5	-	1	-	-	-	-
		F	8	-	-	-	-	1	1	1	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
955.3	MILITARY FIREARMS		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
955.4	OTHER AND UNSPECIFIED FIREARM		909	-	-	-	3	72	91	120	97	64	72	63	66	56	53	44	38	35	17	13	3	-	-	2
		M	734	-	-	-	2	56	76	94	80	48	55	51	44	49	41	36	35	34	17	12	3	-	-	1
		F	175	-	-	-	1	16	15	26	17	16	17	12	22	7	12	8	3	1	-	1	-	-	-	1
955.5	EXPLOSIVES		2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
956	SUICIDE AND SELFINFLICTED INJURY BY CUTTING AND PIERCING INSTRUMENTS		66	-	-	-	-	-	12	9	7	4	4	7	3	7	1	2	5	2	2	-	1	-	-	-
		M	58	-	-	-	-	-	10	9	6	3	4	7	3	6	1	1	3	2	2	-	1	-	-	-
		F	8	-	-	-	-	-	2	-	1	1	-	-	-	1	-	1	2	-	-	-	-	-	-	-
957	SUICIDE AND SELFINFLICTED INJURY BY JUMPING FROM HIGH PLACE																									

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
957.0	RESIDENTIAL PREMISES		42	-	-	-	-	1	5	6	3	4	2	1	4	-	3	-	2	4	1	4	2	-	-	-
		M	26	-	-	-	-	-	4	4	1	2	1	1	4	-	2	-	2	2	-	1	2	-	-	-
		F	16	-	-	-	-	1	1	2	2	2	1	-	-	-	1	-	-	2	1	3	-	-	-	-
957.1	OTHER MANMADE STRUCTURES		104	-	-	-	-	6	16	14	16	10	8	3	4	7	6	4	6	-	2	1	-	-	-	1
		M	82	-	-	-	-	4	16	11	11	5	5	3	4	6	5	4	4	-	2	1	-	-	-	1
		F	22	-	-	-	-	2	-	3	5	5	3	-	-	1	1	-	2	-	-	-	-	-	-	-
957.2	NATURAL SITES		3	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
957.9	UNSPECIFIED		4	-	-	-	-	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
958	SUICIDE AND SELFINFLICTED INJURY BY OTHER AND UNSPECIFIED MEANS																									
958.0	JUMPING OR LYING BEFORE MOVING OBJECT		20	-	-	-	-	3	1	5	6	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-
		M	17	-	-	-	-	3	1	5	6	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
958.1	BURNS, FIRE		20	-	-	-	-	1	4	2	3	-	3	-	1	1	2	1	2	-	-	-	-	-	-	-
		M	15	-	-	-	-	1	4	1	3	-	3	-	-	1	1	-	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
958.4	ELECTROCUTION		4	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
958.5	CRASHING OF MOTOR VEHICLE		8	-	-	-	-	-	2	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	1	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
958.8	OTHER SPECIFIED MEANS		11	-	-	-	-	-	2	3	1	-	-	2	1	-	-	-	-	2	-	-	-	-	-	-
		M	7	-	-	-	-	-	2	1	1	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
958.9	UNSPECIFIED MEANS		5	-	-	-	-	-	-	1	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
959	LATE EFFECTS OF SELFINFLICTED INJURY		4	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
960-969	HOMICIDE AND INJURY PURPOSELY INFLICTED BY OTHER PERSONS		3,445	23	37	17	42	453	668	573	453	281	210	161	137	110	70	62	52	43	16	12	5	1	1	18
		M	2,786	10	23	7	26	370	552	475	380	239	166	136	118	90	58	45	36	25	9	6	2	1	-	12
		F	659	13	14	10	16	83	116	98	73	42	44	25	19	20	12	17	16	18	7	6	3	-	1	6
960	FIGHT, BRAWL, RAPE																									
960.0	UNARMED FIGHT OR BRAWL		12	-	-	-	1	-	1	3	3	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-
		M	10	-	-	-	1	-	1	3	1	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
960.1	RAPE		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
962	ASSAULT BY POISONING																									
962.0	DRUGS AND MEDICAMENTS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
962.1	OTHER SOLID AND LIQUID SUBSTANCES		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
962.2	OTHER GASES AND VAPOURS		2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
963	ASSAULT BY HANGING AND STRANGULATION		167	1	2	4	6	28	22	19	16	8	12	7	7	6	6	5	4	8	3	2	1	-	-	-
		M	65	-	-	1	4	12	2	7	4	2	6	3	6	3	5	3	2	2	2	1	-	-	-	-
		F	102	1	2	3	2	16	20	12	12	6	6	4	1	3	1	2	2	6	1	1	1	-	-	-
964	ASSAULT BY SUBMERSION (DROWNING)		10	-	4	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	2	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
965	ASSAULT BY FIREARMS AND EXPLOSIVES																									
965.0	HAND GUN		119	-	-	-	1	9	19	26	23	12	10	5	5	5	1	1	1	-	-	-	-	-	-	1
		M	93	-	-	-	-	6	14	21	21	11	8	4	3	3	-	1	-	-	-	-	-	-	-	1
		F	26	-	-	-	1	3	5	5	2	1	2	1	2	2	1	-	1	-	-	-	-	-	-	-
965.1	SHOTGUN		236	-	1	-	3	37	60	45	29	18	13	11	10	4	-	-	1	3	-	-	1	-	-	-
		M	203	-	1	-	-	32	52	41	26	17	10	9	8	4	-	-	-	2	-	-	1	-	-	-
		F	33	-	-	-	3	5	8	4	3	1	3	2	2	-	-	-	1	1	-	-	-	-	-	-
965.2	HUNTING RIFLE		28	-	-	-	1	4	5	4	4	1	4	-	-	-	1	2	-	1	-	-	-	-	-	1
		M	22	-	-	-	1	4	5	3	3	-	3	-	-	-	1	-	-	1	-	-	-	-	-	1
		F	6	-	-	-	-	-	-	1	1	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-
965.4	OTHER AND UNSPECIFIED FIREARM		1,722	-	5	4	21	269	365	302	233	155	109	76	55	42	29	20	20	6	4	-	-	-	-	7
		M	1,498	-	5	3	17	233	325	263	207	139	88	62	48	37	26	20	17	3	1	-	-	-	-	4
		F	224	-	-	1	4	36	40	39	26	16	21	14	7	5	3	-	3	3	3	-	-	-	-	3
965.8	OTHER SPECIFIED EXPLOSIVE		4	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
966	ASSAULT BY CUTTING AND PIERCING INSTRUMENT		717	1	4	-	4	83	146	132	99	64	42	33	39	26	11	12	10	6	-	1	-	-	-	4
		M	594	1	4	-	2	68	119	109	88	52	33	30	36	19	11	8	6	5	-	1	-	-	-	2
		F	123	-	-	-	2	15	27	23	11	12	9	3	3	7	-	4	4	1	-	-	-	-	-	2
967	CHILD BATTERING AND OTHER MALTREATMENT																									
967.0	BY PARENT		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
967.1	BY OTHER SPECIFIED PERSON		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
967.9	BY UNSPECIFIED PERSON		32	15	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	8	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
968	ASSAULT BY OTHER AND UNSPECIFIED MEANS																									
968.0	FIRE		20	1	2	2	1	-	1	1	2	-	1	-	-	3	3	1	1	-	1	-	-	-	-	-
		M	9	-	1	1	1	-	-	1	-	-	-	-	-	3	1	-	-	-	1	-	-	-	-	-
		F	11	1	1	1	-	-	1	-	2	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-
968.1	PUSHING FROM HIGH PLACE		2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
968.2	STRIKING BY BLUNT OR THROWN OBJECT		46	-	-	-	2	3	6	7	6	3	-	6	-	-	4	3	2	2	-	1	-	-	-	1
		M	34	-	-	-	-	3	5	6	5	2	-	6	-	-	3	1	1	1	-	-	-	-	-	1
		F	12	-	-	-	2	-	1	1	1	1	-	-	-	-	1	2	1	1	-	1	-	-	-	-
968.3	HOT LIQUID		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
968.4	CRIMINAL NEGLECT		2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
968.8	OTHER SPECIFIED MEANS		112	-	-	-	-	9	16	9	11	5	7	7	11	9	5	7	3	3	5	2	1	-	1	1
		M	75	-	-	-	-	6	11	6	8	3	7	6	7	7	2	3	2	2	4	1	-	-	-	1
		F	36	-	-	-	-	3	5	3	3	2	-	1	4	2	3	4	1	1	1	1	1	-	1	-
968.9	UNSPECIFIED MEANS		197	3	4	3	1	11	23	19	23	12	9	14	8	13	8	10	8	14	3	6	1	1	-	3
		M	142	1	4	2	-	6	14	11	15	10	8	14	8	12	7	8	6	9	1	3	-	1	-	2
		F	55	2	-	1	1	5	9	8	8	2	1	-	-	1	1	2	2	5	2	3	1	-	-	1
969	LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON		11	-	-	-	-	-	1	2	2	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	1	1	1	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
970-978	LEGAL INTERVENTION		28	-	-	-	-	2	9	3	3	5	-	2	1	-	1	-	1	-	-	-	-	-	-	1
		M	28	-	-	-	-	2	9	3	3	5	-	2	1	-	1	-	1	-	-	-	-	-	-	1
970	INJURY DUE TO LEGAL INTERVENTION BY FIREARMS		26	-	-	-	-	2	8	3	3	5	-	2	-	-	1	-	1	-	-	-	-	-	-	1
		M	26	-	-	-	-	2	8	3	3	5	-	2	-	-	1	-	1	-	-	-	-	-	-	1
975	INJURY DUE TO LEGAL INTERVENTION BY OTHER SPECIFIED MEANS		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
976	INJURY DUE TO LEGAL INTERVENTION BY UNSPECIFIED MEANS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED		358	3	2	2	7	26	32	53	40	28	19	24	13	28	13	17	21	8	7	4	4	-	-	7
		M	250	1	-	1	5	22	21	42	33	18	10	18	4	18	10	13	13	6	5	2	4	-	-	4
		F	108	2	2	1	2	4	11	11	7	10	9	6	9	10	3	4	8	2	2	2	-	-	-	3
980	POISONING BY SOLID OR LIQUID SUBSTANCES, UNDETERMINED WHETHER ACCIDENTLY OR PURPOSELY INFLICTED																									
980.0	ANALGESICS, ANTIPYRETICS AND ANTIRHEUMATICS		22	-	-	-	-	1	1	2	2	3	2	2	3	3	-	1	2	-	-	-	-	-	-	-
		M	12	-	-	-	-	1	-	2	2	1	1	1	1	1	-	1	1	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	1	-	-	2	1	1	2	2	-	-	1	-	-	-	-	-	-	-
980.1	BARBITURATES		11	-	-	-	-	1	-	1	3	2	1	1	1	-	-	-	-	-	1	-	-	-	-	-
		M	5	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
980.2	OTHER SEDATIVES AND HYPNOTICS		4	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
980.3	TRANQUILLIZERS AND OTHER PSYCHOTROPHIC AGENTS		14	-	-	-	-	-	2	2	-	-	3	1	2	-	-	2	1	-	-	-	-	-	-	1
		M	6	-	-	-	-	-	1	1	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	1	1	-	-	3	-	1	-	-	1	-	-	-	-	-	-	-	1
980.4	OTHER SPECIFIED DRUGS AND MEDICAMENTS		19	-	-	-	-	1	2	-	1	1	1	3	1	-	2	3	2	2	-	-	-	-	-	-
		M	8	-	-	-	-	-	1	-	1	-	-	2	-	-	-	1	2	1	-	-	-	-	-	-
		F	11	-	-	-	-	1	1	-	-	1	1	1	1	-	2	2	-	1	-	-	-	-	-	-
980.5	UNSPECIFIED DRUG OR MEDICAMENT		13	-	-	-	-	-	1	1	5	2	-	1	-	2	1	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	1	1	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
980.7	AGRICULTURAL AND HORTICULTURAL CHEMICAL AND PHARMACEUTICAL PREPARATIONS OTHER THAN PLANT FOODS AND FERTILIZERS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
980.9	OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES		2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
982	POISONING BY OTHER GASES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED																									
982.0	MOTOR VEHICLE EXHAUST GAS		2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
983	HANGING, STRANGULATION OR SUFFOCATION, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED																									
983.0	HANGING		2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
983.8	OTHER SPECIFIED MEANS		3	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
983.9	UNSPECIFIED MEANS		2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
984	SUBMERSION (DROWNING), UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED		34	-	-	1	-	-	3	5	2	1	2	3	1	3	1	-	4	-	3	-	2	-	-	3
		M	22	-	-	1	-	-	2	3	2	1	2	2	-	1	1	-	1	-	2	-	2	-	-	2
		F	12	-	-	-	-	-	1	2	-	-	-	1	1	2	-	-	3	-	1	-	-	-	-	1
985	INJURY BY FIREARMS AND EXPLOSIVES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED																									
985.0	HAND GUN		51	-	-	-	-	7	9	11	13	6	-	1	1	3	-	-	-	-	-	-	-	-	-	-
		M	42	-	-	-	-	7	4	11	12	5	-	-	-	3	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	5	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-

Table 7—15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
985.1	SHOT GUN		14	-	-	-	1	3	1	3	2	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-
		M	12	-	-	-	1	3	1	2	1	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
985.2	HUNTING RIFLE		4	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
985.4	OTHER AND UNSPECIFIED FIREARM		46	-	-	-	2	7	1	11	4	6	2	1	1	2	2	1	2	1	-	1	-	-	-	2
		M	36	-	-	-	2	6	1	7	3	4	2	1	1	2	2	1	1	1	-	1	-	-	-	1
		F	10	-	-	-	-	1	-	4	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1
986	INJURY BY CUTTING AND PIERCING INSTRUMENTS, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED		3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
987	FALLING FROM HIGH PLACE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED																									
987.0	RESIDENTIAL PREMISES		3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
987.1	OTHER MAN-MADE STRUCTURES		8	-	-	-	-	-	2	1	2	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	2	1	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
987.2	NATURAL SITES		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
987.9	UNSPECIFIED		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
988	INJURY BY OTHER AND UNSPECIFIED MEANS, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED																									
988.0	JUMPING OR LYING BEFORE MOVING OBJECT		7	-	-	-	-	1	1	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
988.1	BURNS, FIRE		10	-	-	-	1	1	-	1	1	1	-	2	-	-	-	1	1	-	-	1	-	-	-	-
		M	7	-	-	-	-	1	-	1	1	1	-	2	-	-	-	-	-	-	-	1	-	-	-	-
		F	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
988.5	CRASHING OF MOTOR VEHICLE		2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
988.6	CRASHING OF AIRCRAFT		3	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
988.8	OTHER SPECIFIED MEANS		13	-	-	-	-	-	1	1	1	-	2	-	1	1	1	2	2	1	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	1	1	-	1	-	-	-	-	2	1	1	-	-	-	-	-	-
		F	6	-	-	-	-	-	1	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-
988.9	UNSPECIFIED MEANS		53	3	2	1	-	-	1	4	2	3	2	4	1	8	5	5	5	3	1	1	2	-	-	-
		M	40	1	-	-	-	-	1	3	2	2	1	3	1	6	5	5	5	2	1	-	2	-	-	-
		F	13	2	2	1	-	-	-	1	-	1	1	1	-	2	-	-	-	1	-	1	-	-	-	-

Table 7–15 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
989	LATE EFFECT OF INJURY, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED		10	-	-	-	1	-	-	-	-	-	-	2	-	2	1	2	-	1	-	1	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	2	-	2	1	2	-	1	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
999	LATE EFFECTS OF INJURY DUE TO WAR OPERATIONS		6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	1	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	1	-	-	-	-	-

Table 7–16

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
1-999	ALL CAUSES		177,214	4,278	853	489	514	2,273	3,279	3,010	2,656	2,664	3,254	4,949	7,861	11,665	14,753	18,249	20,656	22,423	21,776	17,976	9,883	3,093	524	136
		M	95,982	2,442	502	292	328	1,707	2,481	2,233	1,814	1,698	2,062	3,121	4,868	7,201	9,088	11,119	12,000	11,895	9,873	6,944	3,232	853	126	103
		F	81,232	1,836	351	197	186	566	798	777	842	966	1,192	1,828	2,993	4,464	5,665	7,130	8,656	10,528	11,903	11,032	6,651	2,240	398	33
1-139	TOTAL, INFECTIOUS AND PARASITIC DISEASES		1,144	67	40	14	10	8	16	19	33	22	25	33	52	83	86	115	122	129	112	104	40	13	1	-
		M	635	36	23	8	6	3	6	11	23	15	16	16	34	48	49	66	71	71	54	55	19	4	1	-
		F	509	31	17	6	4	5	10	8	10	7	9	17	18	35	37	49	51	58	58	49	21	9	-	-
1-8	INTESTINAL INFECTIOUS DISEASES		42	7	5	-	-	-	-	-	-	2	-	2	1	1	2	-	2	3	8	5	2	2	-	-
		M	22	3	4	-	-	-	-	-	-	1	-	1	1	-	2	-	1	-	4	3	2	-	-	-
		F	20	4	1	-	-	-	-	-	-	1	-	1	-	1	-	-	1	3	4	2	-	2	-	-
2	TYPHOID AND PARATYPHOID FEVERS																									
2.2	PARATYPHOID FEVER B		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
3	OTHER SALMONELLA INFECTIONS																									
3.1	SALMONELLA SEPTICAEMIA		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
4	SHIGELLOSIS																									
4.9	UNSPECIFIED		5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
		M	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
6	AMOEBIASIS																									
6.3	AMOEBIC LIVER ABSCESS		4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-
8	INTESTINAL INFECTIONS DUE TO OTHER ORGANISMS																									
8.0	ESCHERICHIA COLI		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8.5	BACTERIAL ENTERITIS, UNSPECIFIED		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
8.6	ENTERITIS DUE TO SPECIFIED VIRUS		2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
8.8	OTHER ORGANISM, NOT ELSEWHERE CLASSIFIED		17	1	2	-	-	-	-	-	-	1	-	1	1	-	-	-	-	2	6	2	-	1	-	-
		M	4	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
		F	13	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	4	2	-	1	-	-
9	ILL-DEFINED INTESTINAL INFECTIONS																									
9.0	INFECTIOUS COLITIS, ENTERITIS AND GASTROENTERITIS		7	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	5	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
10-18	TUBERCULOSIS		183	-	1	1	-	1	1	2	3	1	6	5	15	21	23	19	20	26	18	13	6	1	-	-
		M	131	-	1	-	-	-	-	1	3	1	4	3	12	15	18	13	14	21	10	9	5	1	-	-
		F	52	-	-	1	-	1	1	1	-	-	2	2	3	6	5	6	6	5	8	4	1	-	-	-
11	PULMONARY TUBERCULOSIS																									
11.2	TUBERCULOSIS OF LUNG WITH CAVITATION		12	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	2	5	-	-	-	-	-	-
		M	11	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	5	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
11.3	TUBERCULOSIS OF BRONCHUS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
11.4	TUBERCULOUS FIBROSIS OF LUNG		8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	-	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
11.5	TUBERCULOUS BRONCHIECTASIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
11.6	TUBERCULOUS PNEUMONIA (ANY FORM)		13	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	1	-	2	2	2	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	2	2	2	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
11.9	UNSPECIFIED		110	-	-	-	-	1	1	1	2	1	3	3	9	14	15	12	11	16	9	7	4	1	-	-
		M	84	-	-	-	-	-	-	-	2	1	3	2	8	11	13	9	8	12	6	5	3	1	-	-
		F	26	-	-	-	-	1	1	1	-	-	-	1	1	3	2	3	3	4	3	2	1	-	-	-
12	OTHER RESPIRATORY TUBERCULOSIS																									
12.0	TUBERCULOUS PLEURISY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
13	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM																									
13.0	TUBERCULOUS MENINGITIS		5	-	1	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
14	TUBERCULOSIS OF INTESTINES, PERITONEUM AND MESENTERIC GLANDS		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
15	TUBERCULOSIS OF BONES AND JOINTS																									
15.0	VERTEBRAL COLUMN		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
15.2	KNEE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
15.7	OTHER BONE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
17	TUBERCULOSIS OF OTHER ORGANS																									
17.0	SKIN AND SUBCUTANEOUS CELLULAR TISSUE		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
17.4	EAR		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
17.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
18	MILIARY TUBERCULOSIS																									
18.0	ACUTE		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

Table 7—16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
10.9	UNSPECIFIED		19	-	-	-	-	-	-	-	-	-	3	1	-	3	1	2	1	1	6	1	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	2	1	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	2	-	-	2	1	1	-	-	4	-	-	-	-	-
27	OTHER ZOONOTIC BACTERIAL DISEASES																									
27.0	LISTERIOSIS		8	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	-	-	1	-	-
		M	4	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-
30-41	OTHER BACTERIAL DISEASES		493	29	20	6	3	4	3	2	13	4	8	8	17	24	23	52	63	63	55	65	26	4	1	-
		M	254	17	10	5	1	-	-	-	7	3	5	2	9	13	13	29	35	36	24	33	10	1	1	-
		F	239	12	10	1	2	4	3	2	6	1	3	6	8	11	10	23	28	27	31	32	16	3	-	-
31	DISEASES DUE TO OTHER MYCOBACTERIA																									
31.0	PULMONARY		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
31.9	UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
32	DIPHTHERIA																									
32.3	LARYNGEAL DIPHTHERIA		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32.8	OTHER		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	STREPTOCOCCAL SORE THROAT AND SCARLATINA																									
34.0	STREPTOCOCCAL SORE THROAT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
36.0	MENINGOCOCCAL MENINGITIS		9	1	1	-	-	1	-	-	2	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-
		M	7	1	1	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-
		F	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36.2	MENINGOCOCCAEMIA		19	6	6	-	1	1	1	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		M	8	4	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	2	4	-	1	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
36.3	WATERHOUSE-FRIDERICHSEN SYNDROME, MENINGOCOCCAL		5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	SEPTICAEMIA																									
38.0	STREPTOCOCCAL SEPTICAEMIA		15	4	-	2	-	-	-	-	-	-	2	-	1	-	-	1	-	1	1	2	-	1	-	-
		M	4	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		F	11	3	-	1	-	-	-	-	-	-	2	-	-	-	-	1	-	1	1	1	-	1	-	-
38.1	STAPHYLOCOCCAL SEPTICAEMIA		38	1	3	-	-	-	-	1	-	-	-	-	-	4	-	6	6	6	6	4	1	-	-	-
		M	18	-	2	-	-	-	-	-	-	-	-	-	-	2	-	3	4	2	3	2	-	-	-	-
		F	20	1	1	-	-	-	-	1	-	-	-	-	-	2	-	3	2	4	3	2	1	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
38.2	PNEUMOCOCCAL SEPTICAEMIA		6	-	1	-	-	-	-	-	-	1	1	-	-	-	-	3	-	-	-	-	-	-	-	-
		M	5	-	1	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
38.3	SEPTICAEMIA DUE TO ANAEROBES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
38.4	SEPTICAEMIA DUE TO OTHER GRAM-NEGATIVE ORGANISMS		62	-	2	-	-	1	-	-	1	1	-	-	3	4	1	5	6	9	12	11	4	1	1	-
		M	25	-	-	-	-	-	-	-	1	1	-	-	-	2	1	1	6	3	5	3	1	-	1	-
		F	37	-	2	-	-	1	-	-	-	-	-	-	3	2	-	4	-	6	7	8	3	1	-	-
38.8	OTHER SPECIFIED SEPTICAEMIAS		17	2	2	-	-	-	-	-	-	-	-	1	1	1	2	-	3	-	2	3	-	-	-	-
		M	13	2	2	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	1	3	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
38.9	UNSPECIFIED SEPTICAEMIA		294	13	2	2	2	1	2	1	8	-	5	4	10	14	16	33	45	42	29	43	20	2	-	-
		M	153	8	1	2	1	-	-	-	4	-	4	-	5	8	6	21	22	28	12	22	8	1	-	-
		F	141	5	1	-	1	1	2	1	4	-	1	4	5	6	10	12	23	14	17	21	12	1	-	-
39	ACTINOMYCOTIC INFECTIONS																									
39.1	PULMONARY		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
39.9	OF UNSPECIFIED SITE		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
40	OTHER BACTERIAL DISEASES																									
40.0	GAS GANGRENE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
40.8	OTHER BACTERIAL DISEASES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
41	BACTERIAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE																									
41.0	STREPTOCOCCUS		6	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	2	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
41.1	STAPHYLOCOCCUS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
41.3	FRIEDLANDER'S BACILLUS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
41.5	HAEMOPHILUS INFLUENZAE (H. INFLUENZAE)		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
41.7	PSEUDOMONAS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
45-49	POLIOMYELITIS AND OTHER NON-ARTHROPOD-BORNE VIRAL DISEASES OF CENTRAL NERVOUS SYSTEM		45	2	3	2	-	1	-	4	2	-	1	-	3	3	6	5	4	6	3	-	-	-	-	-
		M	24	1	3	-	-	1	-	2	1	-	-	-	2	2	4	3	2	1	2	-	-	-	-	-
		F	21	1	-	2	-	-	-	2	1	-	1	-	1	1	2	2	2	5	1	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
45	ACUTE POLIOMYELITIS																									
45.1	ACUTE POLIOMYELITIS WITH OTHER PARALYSIS		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45.9	ACUTE POLIOMYELITIS, UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
46	SLOW VIRUS INFECTION OF CENTRAL NERVOUS SYSTEM																									
46.1	JAKOB-CREUTZFELDT DIEASE		14	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	1	3	1	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	1	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	1	-	-	-	-	-
46.2	SUBACUTE SCLEROSING PANENCEPHALITIS		3	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46.3	PROGRESSIVE MULTIFOCAL LEUCOENCEPHALOPATHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
47	MENINGITIS DUE TO ENTEROVIRUS																									
47.9	UNSPECIFIED		5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
48	OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
49	OTHER NON-ARTHROPOD-BORNE VIRAL DISEASES OF CENTRAL NERVOUS SYSTEM																									
49.8	OTHER		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49.9	UNSPECIFIED		15	-	2	-	-	-	-	3	1	-	1	-	1	-	2	2	1	1	1	-	-	-	-	-
		M	8	-	2	-	-	-	-	2	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-
		F	7	-	-	-	-	-	-	1	1	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-
50-57	VIRAL DISEASES ACCOMPANIED BY EXANTHEM		44	10	1	2	4	-	3	1	1	2	-	-	-	2	1	3	2	2	3	2	4	1	-	-
		M	19	3	-	1	4	-	-	1	1	1	-	-	-	1	-	1	1	-	2	1	2	-	-	-
		F	25	7	1	1	-	-	3	-	-	1	-	-	-	1	1	2	1	2	1	1	2	1	-	-
52	CHICKENPOX		11	1	-	2	3	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
		M	7	1	-	1	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
53	HERPES ZOSTER																									
53.1	WITH OTHER NERVOUS SYSTEM COMPLICATIONS		2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
53.9	HERPES ZOSTER WITHOUT MENTION OF COMPLICATION		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	1	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
54	HERPES SIMPLEX																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
54.0	ECZEMA HERPETICUM		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54.3	HERPETIC MENINGOENCEPHALITIS		14	4	-	-	1	-	1	-	-	2	-	-	-	2	-	1	1	1	-	1	-	-	-	-
		M	6	1	-	-	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-
		F	8	3	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-
54.9	HERPES SIMPLEX WITHOUT MENTION OF COMPLICATION		8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
70-79	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE		126	7	7	2	1	1	7	3	7	5	-	9	8	10	11	9	9	11	9	7	2	1	-	-
		M	75	5	4	1	-	1	6	3	7	5	-	6	4	6	5	7	4	4	4	2	-	1	-	-
		F	51	2	3	1	1	-	1	-	-	-	-	3	4	4	6	2	5	7	5	5	2	-	-	-
70	VIRAL HEPATITIS																									
70.1	VIRAL HEPATITIS A WITHOUT MENTION OF HEPATIC COMA		13	-	-	-	-	1	1	-	-	-	-	1	-	3	3	1	-	2	-	1	-	-	-	-
		M	5	-	-	-	-	1	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	2	-	1	-	-	-	-
70.2	VIRAL HEPATITIS B WITH HEPATIC COMA		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
70.3	VIRAL HEPATITIS B WITHOUT MENTION OF HEPATIC COMA		36	-	-	-	-	-	3	3	4	-	-	3	3	3	3	2	4	4	2	2	-	-	-	-
		M	26	-	-	-	-	-	2	3	4	-	-	2	2	3	2	2	3	2	1	-	-	-	-	-
		F	10	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	1	2	1	2	-	-	-	-
70.6	UNSPECIFIED VIRAL HEPATITIS WITH HEPATIC COMA		4	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
70.9	UNSPECIFIED VIRAL HEPATITIS WITHOUT MENTION OF HEPATIC COMA		38	1	1	1	-	-	3	-	2	3	-	2	3	3	4	5	4	2	3	1	-	-	-	-
		M	22	1	1	-	-	-	3	-	2	3	-	1	2	2	1	4	-	-	2	-	-	-	-	-
		F	16	-	-	1	-	-	-	-	-	-	-	1	1	1	3	1	4	2	1	1	-	-	-	-
71	RABIES		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
74	SPECIFIC DISEASES DUE TO COXSACKIE VIRUS																									
74.2	COXSACKIE CARDITIS		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE																									
78.5	CYTOMEGALIC INCLUSION DISEASE		4	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78.8	OTHER		5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-
		M	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
79	VIRAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE																									
79.0	ADENOVIRUS		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7—16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
79.8	OTHER		2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
79.9	UNSPECIFIED		20	2	2	1	1	-	-	-	-	-	-	-	1	1	-	-	1	2	3	3	2	1	-	-
		M	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-
		F	10	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	2	1	2	-	-	-
80-89	SYPHILIS AND OTHER VENEREAL DISEASES		20	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	3	2	6	3	-	1	-	-
		M	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	2	-	1	-	-
		F	8	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	4	1	-	-	-	-
90	CONGENITAL SYPHILIS																									
90.2	EARLY CONGENITAL SYPHILIS, UNSPECIFIED		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90.9	CONGENITAL SYPHILIS, UNSPECIFIED		2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93	CARDIOVASCULAR SYPHILIS																									
93.0	ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
93.1	SYPHILITIC AORTITIS		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
93.2	SYPHILITIC ENDOCARDITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
93.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
94	NEUROSYPHILIS																									
94.1	GENERAL PARESIS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
94.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
97	OTHER AND UNSPECIFIED SYPHILIS																									
97.9	SYPHILIS, UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
110-118	MYCOSES		67	1	-	-	1	1	2	2	3	3	5	5	4	6	6	13	9	2	2	2	-	-	-	-
		M	45	1	-	-	1	1	-	1	1	2	4	4	4	3	3	8	7	2	2	1	-	-	-	-
		F	22	-	-	-	-	-	2	1	2	1	1	1	-	3	3	5	2	-	-	1	-	-	-	-
112	CANDIDIASIS																									
112.4	OF LUNG		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
112.5	OF DISSEMINATED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
112.9	OF UNSPECIFIED SITE		14	1	-	-	-	-	1	-	1	1	-	1	1	-	-	3	2	-	2	1	-	-	-	-
		M	9	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	2	1	-	-	-	-
		F	5	-	-	-	-	-	1	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
114	COCCIDIOIDOMYCOSIS		27	-	-	-	-	1	-	2	1	1	3	3	3	4	1	4	3	-	-	1	-	-	-	-
		M	23	-	-	-	-	1	-	1	1	1	2	3	3	3	1	4	3	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
117	OTHER MYCOSES																									
117.3	ASPERGILLOSIS		5	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
117.5	CRYPTOCOCCOSIS		5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
117.7	ZYGOMYCOSIS		7	-	-	-	1	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-
117.9	OTHER AND UNSPECIFIED		7	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	2	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
120-129	HELMINTHIASES		4	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
120	SCHISTOSOMIASIS (BILHARZIASIS)																									
120.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
122	ECHINOCOCCOSIS																									
122.9	ECHINOCOCCUS, OTHER AND UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
123	OTHER CESTODE INFECTION																									
123.1	CYSTICERCOSIS		2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
130-136	OTHER INFECTIOUS AND PARASITIC DISEASES		57	8	1	1	1	-	-	1	4	2	4	3	3	7	6	4	3	1	2	4	-	2	-	-
		M	22	4	-	1	-	-	-	1	3	-	2	-	2	2	1	2	1	-	1	2	-	-	-	-
		F	35	4	1	-	1	-	-	-	1	2	2	3	1	5	5	2	2	1	1	2	-	2	-	-
135	SARCOIDOSIS		24	-	-	-	-	-	-	1	3	2	3	3	1	3	2	2	1	1	-	2	-	-	-	-
		M	8	-	-	-	-	-	-	1	3	-	1	-	-	-	-	2	-	-	-	1	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	2	2	3	1	3	2	-	1	1	-	1	-	-	-	-
136	OTHER AND UNSPECIFIED INFECTIOUS AND PARASITIC DISEASES																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
136.1	BEHCET'S SYNDROME		2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
136.3	PNEUMOCYSTOSIS		21	7	1	1	-	-	-	-	-	-	1	-	1	3	3	1	1	-	1	1	-	-	-	-
		M	10	4	-	1	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-
		F	11	3	1	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	1	-	-	-	-
136.9	UNSPECIFIED		10	1	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	1	1	-	2	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-
		F	6	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	2	-	-
137-139	LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES		55	-	1	-	-	-	-	2	-	3	-	1	1	6	8	8	7	11	4	3	-	-	-	-
		M	24	-	-	-	-	-	-	1	-	2	-	-	-	3	3	2	3	6	2	2	-	-	-	-
		F	31	-	1	-	-	-	-	1	-	1	-	1	1	3	5	6	4	5	2	1	-	-	-	-
137	LATE EFFECTS OF TUBERCULOSIS																									
137.0	LATE EFFECTS OF RESPIRATORY OR UNSPECIFIED TUBERCULOSIS		41	-	-	-	-	-	-	-	-	1	-	1	-	6	7	5	5	10	3	3	-	-	-	-
		M	19	-	-	-	-	-	-	-	-	1	-	-	-	3	3	1	2	5	2	2	-	-	-	-
		F	22	-	-	-	-	-	-	-	-	-	-	1	-	3	4	4	3	5	1	1	-	-	-	-
138	LATE EFFECTS OF POLIOMYELITIS		7	-	-	-	-	-	-	1	-	1	-	-	-	-	1	2	2	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	1	-	1	-	-	-	-	1	2	1	-	-	-	-	-	-	-
139	LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES																									
139.8	LATE EFFECTS OF OTHER AND UNSPECIFIED INFECTIOUS AND PARASITIC DISEASES		7	-	1	-	-	-	-	1	-	1	-	-	1	-	-	1	-	1	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
140-239	NEOPLASMS		39,377	20	73	91	84	134	167	219	327	486	782	1,435	2,633	4,083	5,118	5,890	5,699	5,117	3,679	2,260	891	176	12	1
		M	20,684	11	48	47	45	85	96	126	138	207	352	664	1,246	2,096	2,790	3,280	3,258	2,846	1,836	1,076	370	65	2	-
		F	18,693	9	25	44	39	49	71	93	189	279	430	771	1,387	1,987	2,328	2,610	2,441	2,271	1,843	1,184	521	111	10	1
140-149	MALIGNANT NEOPLASM OF LIP, ORAL CAVITY AND PHARYNX		919	-	1	1	1	2	-	4	3	10	17	46	84	114	144	163	128	99	66	27	8	1	-	-
		M	588	-	1	1	-	2	-	4	2	7	12	32	62	74	92	93	87	60	41	13	4	1	-	-
		F	331	-	-	-	1	-	-	-	1	3	5	14	22	40	52	70	41	39	25	14	4	-	-	-
140	MALIGNANT NEOPLASM OF LIP																									
140.1	LOWER LIP, VERMILION BORDER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
140.9	LIP, UNSPECIFIED, VERMILION BORDER		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-
141	MALIGNANT NEOPLASM OF TONGUE																									
141.0	BASE OF TONGUE		20	-	-	-	-	-	-	-	-	-	-	2	-	4	4	-	3	3	4	-	-	-	-	-
		M	13	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	1	2	2	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	2	-	-	-	-	-
141.4	ANTERIOR TWO-THIRDS OF TONGUE, PART UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141.9	TONGUE, UNSPECIFIED		197	-	-	-	-	-	-	1	3	-	2	11	11	27	30	42	26	24	12	8	-	-	-	-
		M	114	-	-	-	-	-	-	1	2	-	-	5	8	17	18	23	17	11	9	3	-	-	-	-
		F	83	-	-	-	-	-	-	-	1	-	2	6	3	10	12	19	9	13	3	5	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
142	MALIGNANT NEOPLASM OF MAJOR SALIVARY GLANDS																									
142.0	PAROTID GLAND		53	-	-	-	-	-	-	-	-	1	1	3	3	1	5	8	9	8	8	5	1	-	-	-
		M	29	-	-	-	-	-	-	-	-	-	1	3	2	1	4	4	6	5	2	1	-	-	-	-
		F	24	-	-	-	-	-	-	-	-	1	-	-	1	-	1	4	3	3	6	4	1	-	-	-
142.1	SUBMANDIBULAR GLAND		10	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	1	2	1	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
142.9	SITE UNSPECIFIED		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
143	MALIGNANT NEOPLASM OF GUM																									
143.0	UPPER GUM		9	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	1	2	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	-	-	-	-	-
143.1	LOWER GUM		12	-	-	-	-	-	-	-	-	-	1	-	1	2	2	3	1	-	1	1	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	-	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-
143.9	GUM, UNSPECIFIED		6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
144	MALIGNANT NEOPLASM OF FLOOR OF MOUTH																									
144.9	PART UNSPECIFIED		50	-	-	-	-	-	-	-	-	-	1	2	5	8	14	5	4	8	1	1	1	-	-	-
		M	36	-	-	-	-	-	-	-	-	-	1	2	3	6	11	4	2	5	-	1	1	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	2	3	1	-	-	-	-	-
145	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED PARTS OF MOUTH																									
145.0	CHEEK MUCOSA		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
145.2	HARD PALATE		7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	-	-	1	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-
145.3	SOFT PALATE		7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
145.5	PALATE, UNSPECIFIED		24	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	3	3	5	1	1	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	3	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	2	2	1	1	-	-	-
145.6	RETROMOLAR AREA		3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
145.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
145.9	MOUTH, UNSPECIFIED		74	-	-	-	-	-	-	-	-	1	-	1	2	14	11	16	12	5	7	4	1	-	-	-
		M	45	-	-	-	-	-	-	-	-	1	-	1	2	12	5	8	8	3	3	2	-	-	-	-
		F	29	-	-	-	-	-	-	-	-	-	-	-	-	2	6	8	4	2	4	2	1	-	-	-
146	MALIGNANT NEOPLASM OF OROPHARYNX																									
146.0	TONSIL		78	-	-	-	-	-	-	-	-	1	2	5	15	3	17	13	10	6	5	-	1	-	-	-
		M	58	-	-	-	-	-	-	-	-	-	2	5	12	2	10	10	6	5	5	-	1	-	-	-
		F	20	-	-	-	-	-	-	-	-	1	-	-	3	1	7	3	4	1	-	-	-	-	-	-
146.1	TONSILLAR FOSSA		9	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	1	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
146.2	TONSILLAR PILLARS (ANTERIOR) (POSTERIOR)		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
146.9	OROPHARYNX UNSPECIFIED		45	-	-	-	-	-	-	-	-	1	2	4	7	10	9	6	4	1	1	-	-	-	-	-
		M	29	-	-	-	-	-	-	-	-	1	1	3	7	4	6	4	1	1	1	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	1	1	-	6	3	2	3	-	-	-	-	-	-	-
147	MALIGNANT NEOPLASM OF NASOPHARYNX																									
147.1	POSTERIOR WALL		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
147.3	ANTERIOR WALL		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
147.9	NASOPHARYNX, UNSPECIFIED		79	-	1	1	1	2	-	2	-	4	6	5	11	13	7	10	7	4	5	-	-	-	-	-
		M	59	-	1	1	-	2	-	2	-	3	5	4	8	9	6	7	4	4	3	-	-	-	-	-
		F	20	-	-	-	1	-	-	-	-	1	1	1	3	4	1	3	3	-	2	-	-	-	-	-
148	MALIGNANT NEOPLASM OF HYPOPHARYNX																									
148.1	PYRIFORM SINUS		33	-	-	-	-	-	-	-	-	-	-	2	5	4	4	5	6	7	-	-	-	-	-	-
		M	25	-	-	-	-	-	-	-	-	-	-	2	4	3	3	3	5	5	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	-	-	-	-	-	-
148.3	POSTERIOR HYPOPHARYNGEAL WALL		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
148.9	HYPOPHARYNX, UNSPECIFIED		49	-	-	-	-	-	-	-	-	1	-	1	6	4	9	8	12	4	2	1	1	-	-	-
		M	34	-	-	-	-	-	-	-	-	1	-	-	4	2	6	5	9	4	2	-	1	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	1	2	2	3	3	3	-	-	1	-	-	-	-
149	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY AND PHARYNX																									
149.0	PHARYNX, UNSPECIFIED		132	-	-	-	-	-	-	1	-	-	-	6	11	14	24	30	19	15	10	2	-	-	-	-
		M	81	-	-	-	-	-	-	1	-	-	-	4	6	9	14	15	15	8	7	2	-	-	-	-
		F	51	-	-	-	-	-	-	-	-	-	-	2	5	5	10	15	4	7	3	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
150-159	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM		10,405	-	2	1	2	5	14	16	35	63	142	254	542	941	1,234	1,556	1,638	1,579	1,187	794	329	65	6	-
		M	5,446	-	1	-	1	4	8	9	20	39	83	142	314	543	726	911	923	798	497	302	107	17	1	-
		F	4,959	-	1	1	1	1	6	7	15	24	59	112	228	398	508	645	715	781	690	492	222	48	5	-
150	MALIGNANT NEOPLASM OF OESOPHAGUS																									
150.0	CERVICAL PART		6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
150.1	THORACIC PART		2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
150.3	UPPER THIRD		5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
150.4	MIDDLE THIRD		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
150.5	LOWER THIRD		14	-	-	-	-	-	-	-	-	-	-	1	1	5	2	-	2	1	-	2	-	-	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	-	1	5	2	-	2	-	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
150.9	OESOPHAGUS, UNSPECIFIED		707	-	-	-	-	-	-	-	2	4	11	23	59	86	109	129	114	90	46	25	7	1	1	-
		M	489	-	-	-	-	-	-	-	1	4	9	18	43	54	80	92	86	60	30	8	3	-	1	-
		F	218	-	-	-	-	-	-	-	1	-	2	5	16	32	29	37	28	30	16	17	4	1	-	-
151	MALIGNANT NEOPLASM OF STOMACH																									
151.0	CARDIA		37	-	-	-	-	-	-	-	1	-	1	1	2	7	5	4	4	4	5	2	1	-	-	-
		M	32	-	-	-	-	-	-	-	1	-	1	1	1	7	4	4	4	3	3	2	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	-	-	-	-
151.1	PYLORUS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
151.2	PYLORIC ANTRUM		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
151.3	FUNDUS OF STOMACH		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
151.9	STOMACH, UNSPECIFIED		1,413	-	-	-	-	1	3	3	7	11	26	39	68	121	165	183	218	207	184	110	60	6	1	-
		M	827	-	-	-	-	1	1	-	6	5	16	25	43	83	109	125	138	117	85	50	22	1	-	-
		F	586	-	-	-	-	-	2	3	1	6	10	14	25	38	56	58	80	90	99	60	38	5	1	-
152	MALIGNANT NEOPLASM OF SMALL INTESTINE, INCLUDING DUODENUM																									
152.0	DUODENUM		38	-	-	-	-	-	-	-	-	-	-	-	1	4	10	4	5	7	4	3	-	-	-	-
		M	24	-	-	-	-	-	-	-	-	-	-	-	1	4	6	3	4	3	2	1	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	4	2	2	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
152.1	JEJUNUM		11	-	-	-	-	-	-	-	-	-	1	2	-	2	-	2	1	2	-	-	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	1	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-
152.2	ILEUM		9	-	-	-	-	-	-	-	1	-	-	1	-	1	4	1	-	-	-	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-
152.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
152.9	SMALL INTESTINE, UNSPECIFIED		38	-	-	-	-	-	-	-	-	-	2	-	3	4	5	6	5	4	6	1	2	-	-	-
		M	19	-	-	-	-	-	-	-	-	-	2	-	1	2	3	3	2	3	3	-	-	-	-	-
		F	19	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	3	1	3	1	2	-	-	-
153	MALIGNANT NEOPLASM OF COLOR																									
153.0	HEPATIC FLEXURE		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
153.1	TRANSVERSE COLON		78	-	-	-	-	-	-	1	-	-	1	-	3	3	8	6	13	15	17	7	4	-	-	-
		M	35	-	-	-	-	-	-	-	-	-	-	-	1	2	6	5	5	7	6	3	-	-	-	-
		F	43	-	-	-	-	-	-	1	-	-	1	-	2	1	2	1	8	8	11	4	4	-	-	-
153.2	DESCENDING COLON		102	-	-	-	-	-	-	-	-	-	1	5	5	12	15	9	21	15	12	5	2	-	-	-
		M	56	-	-	-	-	-	-	-	-	-	-	2	3	7	10	3	14	9	3	4	1	-	-	-
		F	46	-	-	-	-	-	-	-	-	-	1	3	2	5	5	6	7	6	9	1	1	-	-	-
153.3	SIGMOID COLON		382	-	-	-	-	-	-	-	-	1	7	11	18	38	34	55	67	52	47	36	14	2	-	-
		M	191	-	-	-	-	-	-	-	-	1	3	6	9	22	20	34	40	18	17	15	6	-	-	-
		F	191	-	-	-	-	-	-	-	-	-	4	5	9	16	14	21	27	34	30	21	8	2	-	-
153.4	CAECUM		231	-	-	-	-	-	-	-	2	3	2	1	9	10	23	31	37	31	31	36	13	2	-	-
		M	97	-	-	-	-	-	-	-	1	2	1	1	4	4	13	17	21	8	13	8	4	-	-	-
		F	134	-	-	-	-	-	-	-	1	1	1	-	5	6	10	14	16	23	18	28	9	2	-	-
153.5	APPENDIX		14	-	-	-	-	-	-	-	1	-	-	1	1	1	2	1	1	3	2	1	-	-	-	-
		M	8	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	1	1	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1	-	-	-	-	-
153.6	ASCENDING COLON		250	-	-	-	-	-	-	-	1	2	-	5	8	6	32	20	35	49	36	27	17	2	-	-
		M	112	-	-	-	-	-	-	-	1	2	-	5	5	4	21	12	15	20	13	12	2	-	-	-
		F	138	-	-	-	-	-	-	-	-	-	-	-	3	2	11	16	20	29	25	15	15	2	-	-
153.7	SPLENIC FLEXURE		9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	2	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-
153.8	OTHER		7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
153.9	COLON, UNSPECIFIED		2,843	-	-	-	-	2	2	6	8	22	37	71	123	237	329	428	449	439	333	231	99	24	3	-
		M	1,341	-	-	-	-	2	2	6	3	14	19	31	64	116	157	224	232	213	143	74	32	9	-	-
		F	1,502	-	-	-	-	-	-	-	5	8	18	40	59	121	172	204	217	226	190	157	67	15	3	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
154	MALIGNANT NEOPLASM OF RECTUM, RECTOSIGMOID JUNCTION AND ANUS																									
154.0	RECTOSIGMOID JUNCTION		175	-	-	-	-	-	-	-	-	1	4	3	11	18	22	21	20	28	21	15	8	3	-	-
		M	85	-	-	-	-	-	-	-	-	1	1	1	4	9	13	8	12	17	10	6	2	1	-	-
		F	90	-	-	-	-	-	-	-	-	-	3	2	7	9	9	13	8	11	11	9	6	2	-	-
154.1	RECTUM		688	-	-	-	-	-	2	-	1	3	6	12	29	74	59	108	117	100	84	63	25	5	-	-
		M	407	-	-	-	-	-	2	-	1	2	4	7	15	54	39	73	68	52	46	29	13	2	-	-
		F	281	-	-	-	-	-	-	-	-	1	2	5	14	20	20	35	49	48	38	34	12	3	-	-
154.3	ANUS, UNSPECIFIED		19	-	-	-	-	-	-	-	-	1	-	-	1	6	1	3	-	2	2	2	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	1	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	1	-	-	-	4	1	2	-	2	2	1	1	-	-	-
154.8	OTHER		9	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	4	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	4	-	1	-	-	-	-	-
155	MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCTS																									
155.0	LIVER, PRIMARY		305	-	1	1	1	1	3	4	3	3	10	10	25	31	37	56	37	40	24	14	2	2	-	-
		M	209	-	-	-	1	-	2	2	1	1	7	4	14	27	31	41	27	27	14	8	1	1	-	-
		F	96	-	1	1	-	1	1	2	2	2	3	6	11	4	6	15	10	13	10	6	1	1	-	-
155.1	INTRAHEPATIC BILE DUCTS		49	-	-	-	-	-	-	-	-	1	3	1	1	4	4	11	10	6	6	1	1	-	-	-
		M	24	-	-	-	-	-	-	-	-	-	2	-	1	-	2	5	7	4	3	-	-	-	-	-
		F	25	-	-	-	-	-	-	-	-	1	1	1	-	4	2	6	3	2	3	1	1	-	-	-
155.2	LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY		262	-	1	-	1	-	1	-	1	1	4	6	12	25	26	44	52	33	24	23	7	1	-	-
		M	143	-	1	-	-	-	-	-	-	-	3	2	8	13	18	27	27	20	10	8	6	-	-	-
		F	119	-	-	-	1	-	1	-	1	1	1	4	4	12	8	17	25	13	14	15	1	1	-	-
156	MALIGNANT NEOPLASM OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS																									
156.0	GALLBLADDER		201	-	-	-	-	-	-	-	-	1	-	3	7	17	19	29	30	43	28	14	8	2	-	-
		M	50	-	-	-	-	-	-	-	-	1	-	-	2	5	6	12	6	6	7	4	1	-	-	-
		F	151	-	-	-	-	-	-	-	-	-	-	3	5	12	13	17	24	37	21	10	7	2	-	-
156.1	EXTRAHEPATIC BILE DUCTS		123	-	-	-	-	-	1	1	-	-	-	2	2	14	15	18	19	23	11	11	6	-	-	-
		M	61	-	-	-	-	-	-	-	-	-	-	2	1	6	7	9	11	15	3	5	2	-	-	-
		F	62	-	-	-	-	-	1	1	-	-	-	-	1	8	8	9	8	8	8	6	4	-	-	-
156.2	AMPULLA OF VATER		33	-	-	-	-	-	-	-	-	-	-	-	4	1	3	3	11	6	1	3	1	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	6	2	-	1	1	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	5	4	1	2	-	-	-	-
156.9	BILIARY TRACT, PART UNSPECIFIED		43	-	-	-	-	-	-	-	1	-	1	-	2	4	3	8	7	10	4	3	-	-	-	-
		M	23	-	-	-	-	-	-	-	1	-	1	-	1	2	2	3	5	5	2	1	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	2	5	2	2	-	-	-	-
157	MALIGNANT NEOPLASM OF PANCREAS																									
157.0	HEAD OF PANCREAS		106	-	-	-	-	-	-	-	1	-	-	2	1	3	11	19	21	11	16	11	8	2	-	-
		M	43	-	-	-	-	-	-	-	-	-	-	1	1	2	7	9	8	7	3	3	2	-	-	-
		F	63	-	-	-	-	-	-	-	1	-	-	1	-	1	4	10	13	4	13	8	6	2	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
157.1	BODY OF PANCREAS		14	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	-	2	3	2	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	2	-	-	-	-
157.2	TAIL OF PANCREAS		8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	3	1	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	2	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
157.3	PANCREATIC DUCT		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
157.4	ISLETS OF LANGERHANS		13	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	3	1	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	2	1	1	-	-	-	-
157.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
157.9	PART UNSPECIFIED		1,937	-	-	-	-	-	1	-	2	9	22	48	129	187	259	310	301	303	205	116	32	12	1	-
		M	979	-	-	-	-	-	-	-	-	6	13	30	76	99	146	171	161	158	68	43	5	3	-	-
		F	958	-	-	-	-	-	1	-	2	3	9	18	53	88	113	139	140	145	137	73	27	9	1	-
158	MALIGNANT NEOPLASM OF RETROPERITONEUM AND PERITONEUM																									
158.0	RETROPERITONEUM		44	-	-	-	-	-	1	1	1	-	-	1	5	7	2	5	7	9	3	1	1	-	-	-
		M	26	-	-	-	-	-	1	1	1	-	-	1	4	5	1	3	5	2	2	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	7	1	1	1	-	-	-
158.8	SPECIFIED PARTS OF PERITONEUM		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
158.9	PERITONEUM, UNSPECIFIED		17	-	-	-	-	-	-	-	-	-	1	-	3	1	4	3	1	4	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	4	-	-	-	-	-	-
159	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM																									
159.0	INTESTINAL TRACT, PART UNSPECIFIED		98	-	-	-	-	-	-	-	1	-	2	2	3	4	9	15	13	17	19	11	2	-	-	-
		M	42	-	-	-	-	-	-	-	1	-	1	-	2	3	4	10	4	6	5	5	1	-	-	-
		F	56	-	-	-	-	-	-	-	-	-	1	2	1	1	5	5	9	11	14	6	1	-	-	-
159.9	ILL-DEFINED		45	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	5	6	6	12	6	1	-	-
		M	28	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	4	3	7	2	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	3	5	4	1	-	-
160-165	MALIGNANT NEOPLASM OF RESPIRATORY AND INTRATHORACIC ORGANS		9,843	1	-	1	-	2	5	9	22	65	187	399	760	1,268	1,663	1,715	1,535	1,162	648	290	98	13	-	-
		M	6,742	1	-	-	-	1	4	5	9	36	116	248	493	838	1,118	1,192	1,075	886	457	188	68	7	-	-
		F	3,101	-	-	1	-	1	1	4	13	29	71	151	267	430	545	523	460	276	191	102	30	6	-	-
160	MALIGNANT NEOPLASM OF NASAL CAVITIES, MIDDLE EAR AND ACCESSORY SINUSES																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
160.0	NASAL CAVITIES		3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
160.1	AUDITORY TUBE, MIDDLE EAR AND MASTOID AIR CELLS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
160.2	MAXILLARY SINUS		27	-	-	-	-	-	1	-	-	-	-	2	2	2	2	2	7	4	3	1	1	-	-	-
		M	18	-	-	-	-	-	1	-	-	-	-	2	1	2	2	1	6	2	1	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	1	1	-	-	-
160.3	ETHMOIDAL SINUS		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
160.5	SPHENOIDAL SINUS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
160.9	ACCESSORY SINUS, UNSPECIFIED		12	-	-	-	-	-	-	-	1	1	1	1	-	2	1	-	2	-	1	2	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-
		F	8	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	1	-	1	1	-	-	-	-
161	MALIGNANT NEOPLASM OF LARYNX																									
161.0	GLOTTIS		9	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	1	1	1	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
161.1	SUPRAGLOTTIS		20	-	-	-	-	-	-	-	-	-	-	-	1	1	4	6	2	4	2	-	-	-	-	-
		M	17	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	2	3	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
161.3	LARYNGEAL CARTILAGES		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
161.9	LARYNX, UNSPECIFIED		262	-	-	-	-	-	-	-	1	2	5	12	16	32	48	44	34	34	23	10	1	-	-	-
		M	210	-	-	-	-	-	-	-	1	2	4	7	12	28	37	30	30	29	19	10	1	-	-	-
		F	52	-	-	-	-	-	-	-	-	-	1	5	4	4	11	14	4	5	4	-	-	-	-	-
162	MALIGNANT NEOPLASM OF TRACHEA, BRONCHUS, AND LUNG																									
162.0	TRACHEA		9	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	1	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
162.2	MAIN BRONCHUS		13	1	-	-	-	-	-	-	-	-	-	-	-	1	6	-	-	4	-	1	-	-	-	-
		M	9	1	-	-	-	-	-	-	-	-	-	-	-	1	5	-	-	2	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-
162.3	UPPER LOBE, BRONCHUS OR LUNG		264	-	-	-	-	-	-	-	-	1	5	13	30	29	42	44	48	34	14	3	1	-	-	-
		M	189	-	-	-	-	-	-	-	-	1	4	7	22	23	27	32	32	27	13	1	-	-	-	-
		F	75	-	-	-	-	-	-	-	-	-	1	6	8	6	15	12	16	7	1	2	1	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
162.4	MIDDLE LOBE, BRONCHUS OR LUNG		11	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	2	1	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-
162.5	LOWER LOBE, BRONCHUS OR LUNG		103	-	-	-	-	-	-	-	-	1	-	2	8	12	21	12	23	15	7	2	-	-	-	-
		M	78	-	-	-	-	-	-	-	-	-	-	1	5	11	15	10	17	10	7	2	-	-	-	-
		F	25	-	-	-	-	-	-	-	-	1	-	1	3	1	6	2	6	5	-	-	-	-	-	-
162.8	OTHER		23	-	-	-	-	-	-	-	-	-	-	-	-	4	2	7	5	4	1	-	-	-	-	-
		M	19	-	-	-	-	-	-	-	-	-	-	-	-	3	2	5	4	4	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-
162.9	BRONCHUS AND LUNG, UNSPECIFIED		8,992	-	-	-	-	1	1	5	18	55	173	364	693	1,169	1,518	1,587	1,394	1,053	588	266	94	13	-	-
		M	6,120	-	-	-	-	-	-	3	8	29	106	229	446	757	1,016	1,099	970	803	411	170	66	7	-	-
		F	2,872	-	-	-	-	1	1	2	10	26	67	135	247	412	502	488	424	250	177	96	28	6	-	-
163	MALIGNANT NEOPLASM OF PLEURA																									
163.9	PLEURA, UNSPECIFIED		33	-	-	-	-	-	1	-	-	1	1	1	4	2	3	4	6	3	4	2	1	-	-	-
		M	29	-	-	-	-	-	1	-	-	1	1	1	4	2	3	3	6	3	2	1	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-
164	MALIGNANT NEOPLASM OF THYMUS, HEART AND MEDIASTINUM																									
164.0	THYMUS		12	-	-	-	-	-	1	-	2	1	-	-	-	1	3	-	2	-	1	1	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	9	-	-	-	-	-	-	-	2	-	-	-	-	1	3	-	2	-	1	-	-	-	-	-
164.1	HEART		11	-	-	-	-	-	-	2	-	2	1	-	-	1	2	1	1	-	1	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	2	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
164.9	MEDIASTINUM, PART UNSPECIFIED		28	-	-	1	-	1	1	1	-	1	1	1	3	4	1	2	5	4	1	1	-	-	-	-
		M	17	-	-	-	-	1	1	1	-	1	1	-	1	3	-	2	4	1	-	1	-	-	-	-
		F	11	-	-	1	-	-	-	-	-	-	-	1	2	1	1	-	1	3	1	-	-	-	-	-
165	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS																									
165.0	UPPER RESPIRATORY TRACT, PART UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
165.9	ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM		3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
170-175	MALIGNANT NEOPLASM OF BONE, CONNECTIVE TISSUE, SKIN AND BREAST		4,542	2	6	10	15	24	26	38	94	151	191	292	471	581	611	588	476	370	305	180	86	24	1	-
		M	594	-	3	4	7	15	14	21	29	29	20	32	49	60	76	71	55	36	40	19	10	4	-	-
		F	3,948	2	3	6	8	9	12	17	65	122	171	260	422	521	535	517	421	334	265	161	76	20	1	-
170	MALIGNANT NEOPLASM OF BONE AND ARTICULAR CARTILAGE																									
170.0	BONES OF SKULL AND FACE		4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
170.1	LOWER JAW BONE		15	-	-	-	-	-	-	1	-	1	-	-	1	1	4	4	-	1	1	1	-	-	-	-
		M	7	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	-	-	1	1	-	-	-	-
170.2	VERTEBRAL COLUMN, EXCLUDING SACRUM AND COCCYX		4	-	-	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170.3	RIBS, STERNUM AND CLAVICLE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
170.4	LONG BONES OF UPPER LIMB AND SCAPULA		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170.6	PELVIC BONES, SACRUM AND COCCYX		9	-	1	-	3	1	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	2	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
170.7	LOWER LIMB, LONG BONES		20	-	-	2	3	5	1	-	1	2	-	-	-	1	2	-	-	2	-	1	-	-	-	-
		M	12	-	-	1	1	4	1	-	1	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-
		F	8	-	-	1	2	1	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-
170.9	SITE UNSPECIFIED		50	-	1	2	6	6	4	3	-	1	-	-	4	3	6	3	4	3	1	2	-	1	-	-
		M	25	-	1	-	2	4	2	3	-	1	-	-	2	3	3	1	1	1	-	1	-	-	-	-
		F	25	-	-	2	4	2	2	-	-	-	-	-	2	-	3	2	3	2	1	1	-	1	-	-
171	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE																									
171.0	HEAD, FACE AND NECK		7	-	-	2	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	-	-	-	-	-
		M	5	-	-	1	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
171.2	UPPER LIMB, INCLUDING SHOULDER		9	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	2	-	2	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	2	1	-	-	-
171.3	LOWER LIMB, INCLUDING HIP		31	-	-	-	-	1	3	3	1	2	1	-	2	2	2	3	4	1	5	1	-	-	-	-
		M	14	-	-	-	-	1	1	2	1	1	1	-	-	2	1	1	-	-	3	-	-	-	-	-
		F	17	-	-	-	-	-	2	1	-	1	-	-	2	-	1	2	4	1	2	1	-	-	-	-
171.4	THORAX		8	-	1	-	-	2	1	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
		M	5	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
		F	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171.5	ABDOMEN		17	-	-	-	1	1	-	-	-	-	-	2	2	2	4	2	1	1	-	-	1	-	-	-
		M	9	-	-	-	-	1	-	-	-	-	-	-	1	2	2	2	-	-	-	-	1	-	-	-
		F	8	-	-	-	1	-	-	-	-	-	-	2	1	-	2	-	1	1	-	-	-	-	-	-
171.6	PELVIS		16	-	-	-	-	1	-	-	-	2	-	1	3	1	3	-	4	1	-	-	-	-	-	-
		M	6	-	-	-	-	1	-	-	-	-	-	1	-	-	3	-	1	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	2	-	-	3	1	-	-	3	1	-	-	-	-	-	-
171.7	TRUNK, UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-

Table 7—16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
171.9	SITE UNSPECIFIED		179	1	3	3	1	3	6	7	5	6	7	11	17	14	28	21	20	11	10	3	2	-	-	-
		M	89	-	1	2	1	2	5	5	3	3	4	4	7	6	13	14	7	5	6	-	1	-	-	-
		F	90	1	2	1	-	1	1	2	2	3	3	7	10	8	15	7	13	6	4	3	1	-	-	-
172	MALIGNANT MELANOMA OF SKIN																									
172.0	LIPS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
172.2	EAR AND EXTERNAL AURICULAR CANAL		6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	1	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	1	-	-	-	-
172.3	OTHER AND UNSPECIFIED PARTS OF FACE		12	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	4	3	1	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	4	2	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
172.4	SCALP AND NECK		19	-	-	-	-	-	1	1	1	3	-	-	-	-	2	2	2	3	3	1	-	-	-	-
		M	15	-	-	-	-	-	1	1	1	3	-	-	-	-	2	1	2	2	2	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
172.5	TRUNK, EXCEPT SCROTUM		71	-	-	-	-	-	1	2	7	6	5	8	5	7	5	12	5	3	3	-	1	1	-	-
		M	50	-	-	-	-	-	1	2	5	4	2	5	3	5	4	11	4	2	1	-	-	1	-	-
		F	21	-	-	-	-	-	-	-	2	2	3	3	2	2	1	1	1	1	2	-	1	-	-	-
172.6	UPPER LIMB INCLUDING SHOULDER		29	-	-	-	-	1	-	-	3	1	3	1	3	1	9	2	2	2	-	-	1	-	-	-
		M	20	-	-	-	-	1	-	-	2	-	2	1	2	1	5	2	2	2	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	1	1	1	-	1	-	4	-	-	-	-	-	1	-	-	-
172.7	LOWER LIMB INCLUDING HIP		30	-	-	-	-	-	1	-	1	2	2	3	2	6	3	1	1	4	1	3	-	-	-	-
		M	14	-	-	-	-	-	-	-	-	2	1	-	1	2	3	-	1	1	1	2	-	-	-	-
		F	16	-	-	-	-	-	1	-	1	-	1	3	1	4	-	1	-	3	-	1	-	-	-	-
172.9	SITE UNSPECIFIED		312	-	-	-	-	3	6	11	21	18	12	19	34	39	28	33	33	28	10	9	6	2	-	-
		M	182	-	-	-	-	-	2	6	14	10	7	13	19	25	18	23	17	12	6	7	3	-	-	-
		F	130	-	-	-	-	3	4	5	7	8	5	6	15	14	10	10	16	16	4	2	3	2	-	-
173	OTHER MALIGNANT NEOPLASM OF SKIN																									
173.0	SKIN OF LIP		3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
173.1	EYELID, INCLUDING CANTHUS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
173.2	EAR AND EXTERNAL AURICULAR CANAL		14	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	5	-	3	2	-	1	-	-
		M	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	1	-	1	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	1	1	-	-	-	-
173.3	SKIN OF OTHER AND UNSPECIFIED PARTS OF FACE		28	-	-	-	-	-	-	-	-	-	-	1	1	-	3	5	6	3	4	-	4	1	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	4	-	2	-	2	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	-	2	1	-	-
173.4	SCALP AND SKIN OF NECK		44	-	-	-	-	-	-	-	-	-	-	3	6	4	7	8	4	1	5	3	3	-	-	-
		M	35	-	-	-	-	-	-	-	-	-	-	3	6	4	4	7	2	1	4	3	1	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	1	-	2	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
173.5	SKIN OF TRUNK, EXCEPT SCROTUM		5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
173.6	SKIN OF UPPER LIMB, INCLUDING SHOULDER		8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	-	-	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
173.7	SKIN OF LOWER LIMB, INCLUDING HIP		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
173.9	SITE UNSPECIFIED		22	-	-	-	-	-	-	-	-	1	-	1	-	1	3	2	2	2	4	4	2	-	-	-
		M	13	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	2	3	1	1	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	3	1	-	-	-
174	MALIGNANT NEOPLASM OF FEMALE BREAST																									
174.9	BREAST, UNSPECIFIED		3,536	1	-	-	-	-	1	8	51	103	157	239	382	489	490	484	368	295	243	144	64	16	1	-
		F	3,536	1	-	-	-	-	1	8	51	103	157	239	382	489	490	484	368	295	243	144	64	16	1	-
175	MALIGNANT NEOPLASM OF MALE BREAST		22	-	-	-	-	-	-	1	-	-	-	1	1	2	3	2	3	1	6	1	1	-	-	-
		M	22	-	-	-	-	-	-	1	-	-	-	1	1	2	3	2	3	1	6	1	1	-	-	-
179-189	MALIGNANT NEOPLASM OF GENITOURINARY ORGANS		5,959	2	5	4	5	5	17	29	43	54	77	162	303	449	587	834	921	941	786	515	177	42	1	-
		M	3,200	2	3	1	2	2	8	13	9	11	16	36	74	166	267	439	570	591	501	344	117	28	-	-
		F	2,759	-	2	3	3	3	9	16	34	43	61	126	229	283	320	395	351	350	285	171	60	14	1	-
179	MALIGNANT NEOPLASM OF UTERUS, PART UNSPECIFIED		295	-	-	-	-	-	-	1	1	4	5	10	15	26	30	51	50	41	30	23	6	2	-	-
		F	295	-	-	-	-	-	-	1	1	4	5	10	15	26	30	51	50	41	30	23	6	2	-	-
180	MALIGNANT NEOPLASM OF CERVIX UTERI																									
180.0	ENDOCERVIX		7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	1	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	1	-	-	-	-	-
180.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
180.9	CERVIX UTERI, UNSPECIFIED		442	-	-	-	-	-	-	7	22	17	22	34	49	59	57	46	44	28	35	16	5	1	-	-
		F	442	-	-	-	-	-	-	7	22	17	22	34	49	59	57	46	44	28	35	16	5	1	-	-
181	MALIGNANT NEOPLASM OF PLACENTA		6	-	-	-	-	1	1	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	1	1	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
182	MALIGNANT NEOPLASM OF BODY OF UTERUS																									
182.0	CORPUS UTERI, EXCEPT ISTHMUS		280	-	-	-	-	-	-	-	-	-	1	2	14	28	34	55	49	49	25	19	3	1	-	-
		F	280	-	-	-	-	-	-	-	-	-	1	2	14	28	34	55	49	49	25	19	3	1	-	-
183	MALIGNANT NEOPLASM OF OVARY AND OTHER UTERINE ADNEXA																									
183.0	OVARY		1,063	-	-	-	-	1	7	4	7	14	26	66	121	133	138	160	114	121	91	43	14	3	-	-
		F	1,063	-	-	-	-	1	7	4	7	14	26	66	121	133	138	160	114	121	91	43	14	3	-	-
183.2	FALLOPIAN TUBE		17	-	-	-	-	-	-	-	-	-	-	-	2	1	2	5	2	4	1	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	2	1	2	5	2	4	1	-	-	-	-	-
183.9	UTERINE ADNEXA, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
184	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS																									
184.0	VAGINA		33	-	-	-	-	1	-	-	-	3	-	-	4	2	3	3	3	3	6	3	2	-	-	-
		F	33	-	-	-	-	1	-	-	-	3	-	-	4	2	3	3	3	3	6	3	2	-	-	-
184.4	VULVA, UNSPECIFIED		53	-	-	-	-	-	-	-	-	1	-	3	1	5	7	2	3	10	10	6	2	2	1	-
		F	53	-	-	-	-	-	-	-	-	1	-	3	1	5	7	2	3	10	10	6	2	2	1	-
184.8	OTHER		4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-
184.9	SITE,UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
185	MALIGNANT NEOPLASM OF PROSTATE		2,054	2	-	-	-	1	-	-	-	-	3	-	16	69	137	260	393	427	368	256	96	26	-	-
		M	2,054	2	-	-	-	1	-	-	-	-	3	-	16	69	137	260	393	427	368	256	96	26	-	-
186	MALIGNANT NEOPLASM OF TESTIS																									
186.0	UNDESCENDED		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186.9	OTHER AND UNSPECIFIED		54	-	-	-	1	1	7	11	5	10	3	1	3	2	3	-	3	1	-	3	-	-	-	-
		M	54	-	-	-	1	1	7	11	5	10	3	1	3	2	3	-	3	1	-	3	-	-	-	-
187	MALIGNANT NEOPLASM OF PENIS AND OTHER MALE GENITAL ORGANS																									
187.4	PENIS, PART UNSPECIFIED		12	-	-	-	-	-	-	-	-	-	1	2	-	1	1	5	1	1	-	-	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	1	2	-	1	1	5	1	1	-	-	-	-	-	-
187.7	SCROTUM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
187.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
188	MALIGNANT NEOPLASM OF BLADDER																									
188.0	TRIGONE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
188.7	URACHUS		5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
188.9	PART UNSPECIFIED		892	-	-	-	-	-	-	1	2	1	5	13	28	35	84	120	133	174	146	107	36	7	-	-
		M	617	-	-	-	-	-	-	1	1	1	3	12	20	28	65	93	94	119	97	64	17	2	-	-
		F	275	-	-	-	-	-	-	-	1	-	2	1	8	7	19	27	39	55	49	43	19	5	-	-
189	MALIGNANT NEOPLASM OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS																									
189.0	KIDNEY, EXCEPT PELVIS		668	-	5	4	4	-	2	4	5	4	9	26	48	82	81	109	108	73	60	35	9	-	-	-
		M	424	-	3	1	1	-	1	1	2	-	6	19	34	63	58	71	71	38	34	18	3	-	-	-
		F	244	-	2	3	3	-	1	3	3	4	3	7	14	19	23	38	37	35	26	17	6	-	-	-
189.1	RENAL PELVIS		15	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	4	1	1	-	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	-	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
189.2	URETER		25	-	-	-	-	-	-	-	-	-	-	2	-	2	1	6	2	5	4	2	1	-	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	-	4	1	2	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	1	3	-	-	-	-	-
189.3	URETHRA		20	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	6	1	4	-	2	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	-	4	-	2	-	-	-
189.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
189.9	SITE UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
190-199	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES		3,524	8	20	26	17	29	30	29	48	50	85	145	237	371	432	525	467	406	308	187	88	12	4	-
		M	1,858	4	12	10	8	15	19	19	30	28	50	91	122	215	253	287	265	193	134	72	28	2	1	-
		F	1,666	4	8	16	9	14	11	10	18	22	35	54	115	156	179	238	202	213	174	115	60	10	3	-
190	MALIGNANT NEOPLASM OF EYE																									
190.1	ORBIT		5	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-
		M	3	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
190.5	RETINA		2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
190.6	CHOROID		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
190.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
190.9	PART UNSPECIFIED		22	-	-	-	-	-	-	-	-	-	1	1	-	1	5	3	3	4	4	-	-	-	-	-
		M	14	-	-	-	-	-	-	-	-	-	1	1	-	-	4	1	2	2	3	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	-	-	-	-	-
191	MALIGNANT NEOPLASM OF BRAIN																									
191.0	CEREBRUM, EXCEPT LOBES AND VENTRICLES		45	-	-	-	2	1	2	1	4	1	-	4	6	5	4	6	3	5	-	1	-	-	-	-
		M	25	-	-	-	-	-	1	-	2	-	-	3	4	4	4	4	-	3	-	-	-	-	-	-
		F	20	-	-	-	2	1	1	1	2	1	-	1	2	1	-	2	3	2	-	1	-	-	-	-
191.1	FRONTAL LOBE		35	-	-	1	-	-	-	1	1	-	3	4	3	5	4	5	4	3	1	-	-	-	-	-
		M	22	-	-	-	-	-	-	-	-	-	2	4	3	2	2	2	3	3	1	-	-	-	-	-
		F	13	-	-	1	-	-	-	1	1	-	1	-	-	3	2	3	1	-	-	-	-	-	-	-
191.2	TEMPORAL LOBE		21	-	-	-	-	-	-	-	-	1	2	1	1	5	5	2	1	2	1	-	-	-	-	-
		M	11	-	-	-	-	-	-	-	-	-	2	1	1	2	2	2	-	-	1	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	1	-	-	-	3	3	-	1	2	-	-	-	-	-	-
191.3	PARIETAL LOBE		27	-	-	-	-	-	-	-	-	-	1	3	-	5	5	1	7	3	1	-	1	-	-	-
		M	17	-	-	-	-	-	-	-	-	-	1	3	-	4	2	1	4	2	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	1	1	-	1	-	-	-
191.4	OCCIPITAL LOBE		4	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	2!-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
191.5	VENTRICLE		10	2	-	-	3	1	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
		M	7	1	-	-	2	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	3	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
191.6	CEREBELLUM		30	1	4	4	3	1	4	-	3	2	-	-	1	1	3	2	-	1	-	-	-	-	-	-
		M	18	-	1	3	1	-	3	-	3	2	-	-	1	1	2	1	-	-	-	-	-	-	-	-
		F	12	1	3	1	2	1	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
191.7	BRAIN STEM		15	-	1	4	2	-	-	1	-	1	-	2	2	1	1	-	-	-	-	-	-	-	-	-
		M	11	-	1	3	-	-	-	1	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-
		F	4	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
191.8	OTHER		25	-	-	-	-	-	-	-	-	1	1	4	2	8	4	4	-	1	-	-	-	-	-	-
		M	20	-	-	-	-	-	-	-	-	1	1	3	2	6	3	3	-	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-
191.9	BRAIN, UNSPECIFIED		697	1	4	9	5	10	9	15	15	18	33	44	66	71	73	128	92	59	36	8	-	1	-	-
		M	367	-	3	3	3	3	5	9	6	10	18	28	29	47	40	64	54	25	18	2	-	-	-	-
		F	330	1	1	6	2	7	4	6	9	8	15	16	37	24	33	64	38	34	18	6	-	1	-	-
192	MALIGNANT NEOPLASM OF OTHER PARTS OF NERVOUS SYSTEM																									
192.0	CRANIAL NERVES		2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
192.1	CEREBRAL MENINGES		11	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	5	1	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	4	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-
192.2	SPINAL CORD		7	-	-	-	-	-	1	-	-	-	1	1	1	-	-	2	-	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
192.9	PART UNSPECIFIED		7	-	-	-	-	1	-	-	-	1	-	-	1	2	1	1	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
193	MALIGNANT NEOPLASM OF THYROID GLAND		93	-	-	-	-	-	-	1	-	1	1	3	5	10	10	11	14	12	14	8	3	-	-	-
		M	35	-	-	-	-	-	-	-	-	1	-	1	1	5	4	6	6	6	4	1	-	-	-	-
		F	58	-	-	-	-	-	-	1	-	-	1	2	4	5	6	5	8	6	10	7	3	-	-	-
194	MALIGNANT NEOPLASM OF OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES																									
194.0	SUPRARENAL GLAND		53	2	6	4	-	4	1	1	5	2	4	1	1	4	8	5	4	-	1	-	-	-	-	-
		M	33	2	5	1	-	3	1	1	2	-	1	1	-	3	6	3	3	-	1	-	-	-	-	-
		F	20	-	1	3	-	1	-	-	3	2	3	-	1	1	2	2	1	-	-	-	-	-	-	-
194.3	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT		3	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
194.4	PINEAL GLAND		5	-	-	-	-	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
194.6	AORTIC BODY AND OTHER PARAGANGLIA		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
195	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES																									
195.0	HEAD, FACE AND NECK		58	-	-	-	-	-	-	-	-	-	3	3	4	6	6	6	8	4	4	6	5	1	2	-
		M	36	-	-	-	-	-	-	-	-	-	2	2	3	4	4	3	6	2	4	4	3	-	1	-
		F	20	-	-	-	-	-	-	-	-	-	1	1	1	2	2	3	2	2	-	2	2	1	1	-
195.1	THORAX		29	-	-	-	1	1	1	-	1	1	1	1	1	4	3	4	4	4	2	-	-	-	-	-
		M	22	-	-	-	1	1	1	-	1	1	1	1	1	-	2	4	4	3	1	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	1	1	-	-	-	-	-
195.2	ABDOMEN		111	1	1	1	-	-	-	-	-	2	2	4	5	7	6	18	9	15	17	17	4	2	-	-
		M	36	-	1	-	-	-	-	-	-	-	2	-	1	4	2	8	5	2	4	6	1	-	-	-
		F	75	1	-	1	-	-	-	-	-	2	-	4	4	3	4	10	4	13	13	11	3	2	-	-
195.3	PELVIS		31	-	-	-	-	-	-	-	-	-	1	2	1	3	2	6	4	5	4	2	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
		F	27	-	-	-	-	-	-	-	-	-	1	2	1	1	2	4	4	5	4	2	1	-	-	-
195.5	LOWER LIMB		3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
195.8	OTHER SPECIFIED SITES		2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
199	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE																									
199.0	DISSEMINATED		266	-	-	-	-	-	1	2	1	1	5	6	13	22	30	51	41	29	33	18	8	3	2	-
		M	119	-	-	-	-	-	1	2	-	-	4	4	7	11	12	27	21	13	12	5	-	-	-	-
		F	147	-	-	-	-	-	-	-	1	1	1	2	6	11	18	24	20	16	21	13	8	3	2	-
199.1	OTHER		1,901	1	3	1	1	8	9	7	15	18	25	57	122	205	254	270	271	251	188	125	65	5	-	-
		M	1,032	1	-	-	1	4	7	6	13	11	14	36	66	116	150	153	157	126	83	54	24	2	-	-
		F	869	-	3	1	-	4	2	1	2	7	11	21	56	89	96	117	114	125	105	71	41	3	-	-
200-208	MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUE		3,562	4	32	46	43	57	71	88	71	74	68	127	203	303	388	434	458	475	310	222	82	14	-	-
		M	1,957	3	23	29	26	40	43	46	36	44	44	76	114	174	231	251	249	239	132	120	32	5	-	-
		F	1,605	1	9	17	17	17	28	34	35	30	24	51	89	129	157	183	209	236	178	102	50	9	-	-
200	LYMPHOSARCOMA AND RETICULOSARCOMA																									
200.0	RETICULOSARCOMA		268	-	-	-	-	2	5	8	4	3	4	7	25	28	34	44	37	31	19	10	6	1	-	-
		M	148	-	-	-	-	2	2	3	-	3	3	4	12	15	18	28	19	21	11	5	1	1	-	-
		F	120	-	-	-	-	-	3	5	4	-	1	3	13	13	16	16	16	10	8	5	5	-	-	-
200.1	LYMPHOSARCOMA		225	-	1	2	2	3	2	6	1	4	4	14	15	25	29	38	30	21	15	11	2	-	-	-
		M	128	-	1	1	2	3	-	4	1	3	3	9	8	15	19	24	17	9	4	5	-	-	-	-
		F	97	-	-	1	-	-	2	2	-	1	1	5	7	10	10	14	13	12	11	6	2	-	-	-
200.2	BURKITT'S TUMOUR		10	-	2	1	-	-	3	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	2	1	-	-	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
200.8	OTHER NAMED VARIANTS		31	-	-	-	-	-	-	-	1	1	-	1	3	2	4	3	5	6	3	2	-	-	-	-
		M	18	-	-	-	-	-	-	-	1	1	-	1	3	1	3	-	2	4	1	1	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	2	2	1	-	-	-	-
201	HODGKIN'S DISEASE																									
201.5	NODULAR SCLEROSIS		7	-	-	-	-	-	2	2	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
201.6	MIXED CELLULARITY		7	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	2	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
201.7	LYMPHOCYTIC DEPLETION		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
201.9	UNSPECIFIED		177	-	-	2	1	8	8	14	16	14	5	9	9	21	19	17	9	12	8	3	1	1	-	-
		M	102	-	-	1	1	7	6	7	6	7	3	9	6	11	12	10	5	7	2	1	1	-	-	-
		F	75	-	-	1	-	1	2	7	10	7	2	-	3	10	7	7	4	5	6	2	-	1	-	-
202	OTHER MALIGNANT NEOPLASM OF LYMPHUID AND HISTIOCYTIC TISSUE																									
202.0	NODULAR LYMPHOMA		30	-	-	-	-	-	-	-	-	3	-	1	4	1	6	4	2	5	2	1	-	1	-	-
		M	15	-	-	-	-	-	-	-	-	3	-	-	2	1	4	1	-	2	1	-	-	1	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	1	2	-	2	3	2	3	1	1	-	-	-	-
202.1	MYCOSIS FUNGOIDES		8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	-	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
202.2	SEZARY'S DISEASE		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
202.3	MALIGNANT HISTIOCYTOSIS		13	-	2	-	-	-	1	3	2	1	-	-	-	-	-	1	-	2	-	1	-	-	-	-
		M	7	-	2	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
		F	6	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
202.4	LEUKAEMIC RETICULOENDOTHELIOSIS		11	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	2	-	1	1	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-
202.5	LETTERER-SIWE DISEASE		2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
202.8	OTHER LYMPHOMAS		599	-	1	3	2	6	4	7	7	5	14	24	37	56	75	81	90	87	43	37	16	4	-	-
		M	326	-	1	3	2	5	3	5	7	5	8	15	21	34	42	51	42	36	22	18	5	1	-	-
		F	273	-	-	-	-	1	1	2	-	-	6	9	16	22	33	30	48	51	21	19	11	3	-	-
202.9	OTHER AND UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
203	MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
203.0	MULTIPLE MYELOMA		574	-	-	-	-	-	-	-	3	3	5	10	30	53	79	94	85	98	62	36	15	1	-	-
		M	293	-	-	-	-	-	-	-	3	1	3	8	17	29	45	48	42	47	22	23	5	-	-	-
		F	281	-	-	-	-	-	-	-	-	2	2	2	13	24	34	46	43	51	40	13	10	1	-	-
203.1	PLASMA CELL LEUKAEMIA		7	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	4	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-
203.8	OTHER IMMUNOPROLIFERATIVE NEOPLASMS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
204	LYMPHOID LEUKAEMIA																									
204.0	ACUTE		152	-	15	22	21	22	18	5	5	4	1	2	4	4	3	-	6	11	4	1	4	-	-	-
		M	99	-	7	12	14	15	13	5	4	2	1	2	2	3	3	-	4	7	2	1	2	-	-	-
		F	53	-	8	10	7	7	5	-	1	2	-	-	2	1	-	-	2	4	2	-	2	-	-	-
204.1	CHRONIC		232	-	-	-	-	-	1	-	1	1	1	5	8	17	14	32	41	42	25	32	9	3	-	-
		M	136	-	-	-	-	-	-	-	1	1	1	2	5	11	11	22	27	18	14	19	4	-	-	-
		F	96	-	-	-	-	-	1	-	-	-	-	3	3	6	3	10	14	24	11	13	5	3	-	-
204.2	SUBACUTE		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
204.9	UNSPECIFIED		41	-	-	-	1	1	-	-	-	1	-	-	-	-	3	3	5	11	8	7	1	-	-	-
		M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	9	2	5	-	-	-	-
		F	17	-	-	-	1	1	-	-	-	1	-	-	-	-	-	2	1	2	6	2	1	-	-	-
205	MYELOID LEUKAEMIA																									
205.0	ACUTE		521	1	3	8	9	11	14	16	15	16	22	25	28	45	55	46	53	70	42	30	11	1	-	-
		M	269	1	2	5	3	4	7	6	5	8	14	11	18	27	31	23	32	38	17	11	5	1	-	-
		F	252	-	1	3	6	7	7	10	10	8	8	14	10	18	24	23	21	32	25	19	6	-	-	-
205.1	CHRONIC		216	-	1	-	2	-	1	11	10	6	6	13	14	17	27	25	22	19	22	14	5	1	-	-
		M	116	-	1	-	-	-	1	7	5	4	5	6	7	8	16	16	13	9	8	7	3	-	-	-
		F	100	-	-	-	2	-	-	4	5	2	1	7	7	9	11	9	9	10	14	7	2	1	-	-
205.2	SUBACUTE		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
205.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
205.9	UNSPECIFIED		44	-	-	-	-	-	-	-	1	2	-	1	2	4	5	5	2	8	4	10	-	-	-	-
		M	25	-	-	-	-	-	-	-	1	-	-	-	1	2	5	2	-	4	2	8	-	-	-	-
		F	19	-	-	-	-	-	-	-	-	2	-	1	1	2	-	3	2	4	2	2	-	-	-	-
206	MONOCYTIC LEUKAEMIA																									
206.0	ACUTE		28	1	-	-	-	1	1	-	-	-	-	-	-	2	-	3	7	7	4	1	1	-	-	-
		M	16	1	-	-	-	1	-	-	-	-	-	-	-	-	-	2	3	5	2	1	1	-	-	-
		F	12	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	4	2	2	-	-	-	-	-
206.1	CHRONIC		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
206.2	SUBACUTE		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
206.9	UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
207	OTHER SPECIFIED LEUKAEMIA																									
207.0	ACUTE ERYTHRAEMIA AND ERYTHROLEUKAEMIA		13	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	3	2	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
207.2	MEGAKARYOCYTIC LEUKAEMIA		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
207.8	OTHER		7	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	1	1	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
208	LEUKAEMIA OF UNSPECIFIED CELL TYPE																									
208.0	ACUTE		186	1	2	4	1	3	10	5	3	4	1	11	14	11	17	23	26	20	15	10	5	-	-	-
		M	101	-	2	4	1	3	6	3	1	2	-	6	5	4	10	13	16	10	6	8	1	-	-	-
		F	85	1	-	-	-	-	4	2	2	2	1	5	9	7	7	10	10	10	9	2	4	-	-	-
208.1	CHRONIC		9	-	-	-	-	-	-	-	1	-	1	-	1	-	-	2	2	2	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
208.2	SUBACUTE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
208.8	OTHER		12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	5	2	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	-	-	-	-
208.9	UNSPECIFIED		109	-	4	4	4	-	1	2	1	2	3	-	2	6	10	7	20	9	20	11	2	1	-	-
		M	64	-	4	2	3	-	1	2	1	1	2	-	2	5	6	3	14	3	8	4	2	1	-	-
		F	45	-	-	2	1	-	-	-	-	1	1	-	-	1	4	4	6	6	12	7	-	-	-	-
210-229	BENIGN NEOPLASMS		166	-	-	-	1	-	2	1	3	9	6	4	11	15	17	29	21	23	12	6	4	2	-	-
		M	77	-	-	-	1	-	-	-	2	6	3	3	6	7	10	13	10	9	5	2	-	-	-	-
		F	89	-	-	-	-	-	2	1	1	3	3	1	5	8	7	16	11	14	7	4	4	2	-	-
210	BENIGN NEOPLASM OF LIP, ORAL CAVITY AND PHARYNX																									
210.2	MAJOR SALIVARY GLANDS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
210.9	PHARYNX, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
211	BENIGN NEOPLASM OF OTHER PARTS OF DIGESTIVE SYSTEM																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
211.1	STOMACH		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
211.3	COLON		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
211.4	RECTUM AND ANAL CANAL		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
211.5	LIVER AND BILIARY PASSAGES		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
211.6	PANCREAS, EXCEPT ISLETS OF LANGERHANS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
211.7	ISLETS OF LANGERHANS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
212	BENIGN NEOPLASM OF RESPIRATORY AND INTRATHORACIC ORGANS																									
212.3	BRONCHUS AND LUNG		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
212.7	HEART		5	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
		F	5	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
213	BENIGN NEOPLASM OF BONE AND ARTICULAR CARTILAGE																									
213.1	LOWER JAW BONE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
214	LIPOMA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
215	OTHER BENIGN NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE																									
215.9	SITE UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
216	BENIGN NEOPLASM OF SKIN																									
216.4	SCALP AND SKIN OF NECK		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
216.9	SITE UNSPECIFIED		7	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-	1	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-
220	BENIGN NEOPLASM OF OVARY		2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
223	BENIGN NEOPLASM OF KIDNEY AND OTHER URINARY ORGANS																									
223.3	BLADDER		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
225	BENIGN NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM																									
225.0	BRAIN		28	-	-	-	-	-	1	-	-	1	2	-	-	1	5	5	1	7	4	-	1	-	-	-
		M	12	-	-	-	-	-	-	-	-	1	-	-	-	1	2	4	1	2	1	-	-	-	-	-
		F	16	-	-	-	-	-	1	-	-	-	2	-	-	-	3	1	-	5	3	-	1	-	-	-
225.1	CRANIAL NERVES		10	-	-	-	-	-	-	-	-	2	1	-	-	4	2	1	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	2	-	-	-	3	-	1	-	-	-	-	-	-	-	-
225.2	CEREBRAL MENINGES		58	-	-	-	-	-	-	-	1	2	-	2	3	5	5	12	11	10	4	3	-	-	-	-
		M	30	-	-	-	-	-	-	-	1	2	-	1	2	2	3	5	7	4	2	1	-	-	-	-
		F	28	-	-	-	-	-	-	-	-	-	-	1	1	3	2	7	4	6	2	2	-	-	-	-
227	BENIGN NEOPLASM OF OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES																									
227.0	SUPRARENAL GLAND		4	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
227.1	PARATHYROID GLAND		2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
227.3	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT		16	-	-	-	-	-	-	-	-	-	2	1	3	3	1	3	1	2	-	-	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	1	1	3	3	1	1	-	2	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-
228	HAEMANGIOMA AND LYMPHANGIOMA, ANY SITE																									
228.0	HAEMANGIOMA, ANY SITE		7	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	2	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	2	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
228.1	LYMPHANGIOMA, ANY SITE		2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
229	BENIGN NEOPLASM OF OTHER AND UNSPECIFIED SITES																									
229.8	OTHER SPECIFIED SITES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
229.9	SITE UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
234	CARCINOMA IN SITU OF OTHER AND UNSPECIFIED SITES																									
234.9	SITE UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
235	NEOPLASM OF UNCERTAIN BEHAVIOUR OF DIGESTIVE AND RESPIRATORY SYSTEMS																									
235.1	LIP, ORAL CAVITY AND PHARYNX		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
235.2	STOMACH, INTESTINES AND RECTUM		7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-
235.3	LIVER AND BILIARY PASSAGES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
235.4	RETROPERITONEUM AND PERITONEUM		2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
235.7	TRACHEA, BRONCHUS AND LUNG		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
237	NEOPLASM OF UNCERTAIN BEHAVIOUR OF ENDOCRINE GLANDS AND NERVOUS SYSTEM																									
237.0	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT		7	-	-	1	-	1	-	2	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
		M	4	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
237.1	PINEAL GLAND		6	-	-	-	-	2	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
237.5	BRAIN AND SPINAL CORD		8	-	-	-	-	-	-	4	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
237.7	NEUROFIBROMATOSIS		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
238	NEOPLASM OF UNCERTAIN BEHAVIOUR OF OTHER AND UNSPECIFIED SITES AND TISSUES																									
238.0	BONE AND ARTICULAR CARTILAGE		2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
238.1	CONNECTIVE AND OTHER SOFT TISSUE		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
238.4	POLYCYTHAEMIA VERA		26	-	-	-	-	-	-	-	-	-	-	-	1	2	1	6	6	7	1	1	1	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	6	-	1	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	5	1	1	-	1	-	-	-
238.6	PLASMA CELLS		7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	3	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
238.7	OTHER LYMPHATIC AND HAEMATOPOIETIC TISSUES		52	-	-	-	-	-	-	-	1	1	-	-	2	4	4	4	8	6	10	9	2	1	-	-
		M	26	-	-	-	-	-	-	-	-	1	-	-	1	4	3	2	4	2	5	3	-	1	-	-
		F	26	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	4	4	5	6	2	-	-	-
238.8	OTHER SPECIFIED SITES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
238.9	SITE UNSPECIFIED		9	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	2	-	2	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
239	NEOPLASM OF UNSPECIFIED NATURE																									
239.0	DIGESTIVE SYSTEM		21	-	-	-	-	-	-	-	-	1	-	-	-	-	-	5	2	3	3	4	1	2	-	-
		M	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	-	3	1	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	4	1	2	-	-
239.1	RESPIRATORY SYSTEM		25	-	-	-	-	-	-	1	-	-	-	1	-	1	-	3	4	5	4	3	3	-	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	4	3	3	2	-	-	-	-
		F	10	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	2	1	1	3	-	-	-
239.4	BLADDER		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
239.5	OTHER GENITOURINARY ORGANS		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	-	-	-
239.6	BRAIN		213	1	5	1	-	5	2	3	6	7	9	4	11	18	26	19	25	28	26	12	4	-	-	1
		M	101	-	4	1	-	2	-	2	1	4	8	2	6	8	8	10	11	13	14	5	2	-	-	-
		F	112	1	1	-	-	3	2	1	5	3	1	2	5	10	18	9	14	15	12	7	2	-	-	1
239.7	ENDOCRINE GLANDS, AND OTHER PARTS OF NERVOUS SYSTEM		21	-	1	-	-	-	-	2	-	-	-	-	1	5	3	1	3	3	2	-	-	-	-	-
		M	12	-	1	-	-	-	-	1	-	-	-	-	1	2	2	-	1	2	2	-	-	-	-	-
		F	9	-	-	-	-	-	-	1	-	-	-	-	-	3	1	1	2	1	-	-	-	-	-	-
239.8	OTHER SPECIFIED SITES		26	-	-	-	-	-	-	-	-	-	-	1	3	5	-	1	2	4	5	2	3	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	2	1	1	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	1	3	3	1	2	-	-	-
239.9	SITE UNSPECIFIED		7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	2	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
240-279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS		3,150	52	16	11	12	17	30	38	36	49	69	95	113	225	282	354	425	446	405	288	142	38	6	1
		M	1,348	37	9	3	7	7	8	22	17	24	37	47	59	123	130	170	191	172	144	91	41	8	1	-
		F	1,802	15	7	8	5	10	22	16	19	25	32	48	54	102	152	184	234	274	261	197	101	30	5	1
240-246	DISORDERS OF THYROID GLAND		77	2	-	-	-	1	1	2	1	2	1	2	2	4	5	9	15	6	8	9	4	1	-	-
		M	20	2	-	-	-	-	1	-	1	1	-	-	-	2	2	1	4	2	3	1	-	-	-	-
		F	57	-	-	-	-	1	-	2	-	1	1	2	2	2	3	8	11	6	5	8	4	1	-	-
240	SIMPLE AND UNSPECIFIED GOITRE																									
240.9	GOITRE, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
241	NONTOXIC NODULAR GOITRE																									
241.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
242	THYROTOXICOSIS WITH OR WITHOUT GOITRE																									
242.0	TOXIC DIFFUSE GOITRE		6	-	-	-	-	-	-	1	1	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
242.3	TOXIC NODULAR GOITRE, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
242.9	THYROTOXICOSIS WITHOUT MENTION OF GOITRE OR OTHER CAUSE		9	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	3	-	1	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	8	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	3	-	-	1	1	-	-	-
243	CONGENITAL HYPOTHYROIDISM		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
244	ACQUIRED HYPOTHYROIDISM																									
244.9	UNSPECIFIED HYPOTHYROIDISM		53	-	-	-	-	-	1	-	-	1	1	-	1	2	5	8	10	8	7	6	2	1	-	-
		M	14	-	-	-	-	-	1	-	-	1	-	-	-	1	2	1	3	2	2	1	-	-	-	-
		F	39	-	-	-	-	-	-	-	-	-	1	-	1	1	3	7	7	6	5	5	2	1	-	-
245	THYROIDITIS																									
245.2	CHRONIC LYMPHOCYTIC THYROIDITIS		2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
246	OTHER DISORDERS OF THYROID																									
246.1	DYSHORMONOGENIC GOITRE		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
246.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
250-259	DISEASES OF OTHER ENDOCRINE GLANDS		2,387	6	3	-	3	4	13	27	25	33	59	62	80	182	226	293	350	370	324	214	85	26	1	1
		M	1,018	4	1	-	2	2	4	16	11	19	35	31	45	100	104	144	160	136	111	62	26	5	-	-
		F	1,369	2	2	-	1	2	9	11	14	14	24	31	35	82	122	149	190	234	213	152	59	21	1	1
250	DIABETES MELLITUS																									
250.0	DIABETES MELLITUS WITHOUT MENTION OF COMPLICATION		1,712	-	-	-	-	1	4	8	6	18	41	41	41	127	163	225	267	277	237	165	69	20	1	1
		M	718	-	-	-	-	-	1	3	2	10	28	21	22	72	75	113	121	104	76	44	21	5	-	-
		F	994	-	-	-	-	1	3	5	4	8	13	20	19	55	88	112	146	173	161	121	48	15	1	1
250.1	DIABETES WITH KETOACIDOSIS		152	-	-	-	3	3	7	8	6	6	3	8	11	9	15	13	13	22	13	9	3	-	-	-
		M	72	-	-	-	2	2	3	5	3	3	2	4	7	2	9	7	2	8	7	3	3	-	-	-
		F	80	-	-	-	1	1	4	3	3	3	1	4	4	7	6	6	11	14	6	6	-	-	-	-
250.2	DIABETES WITH COMA		107	-	2	-	-	-	1	3	3	2	1	3	6	7	5	4	14	19	23	10	3	1	-	-
		M	50	-	1	-	-	-	-	3	3	1	1	1	3	5	4	3	7	8	11	2	-	-	-	-
		F	57	-	1	-	-	-	1	-	-	1	-	2	3	2	1	1	7	14	12	8	3	1	-	-
250.3	DIABETES WITH RENAL MANIFESTATIONS		170	-	-	-	-	-	1	8	6	3	8	6	9	20	16	29	23	17	14	12	1	-	-	-
		M	68	-	-	-	-	-	-	3	1	3	1	3	5	11	2	9	12	5	6	7	-	-	-	-
		F	102	-	-	-	-	-	1	2	5	-	7	3	4	9	14	20	11	12	8	5	1	-	-	-
250.4	DIABETES WITH OPHTHALMIC MANIFESTATIONS		6	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	2	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
250.5	DIABETES WITH NEUROLOGICAL MANIFESTATIONS		11	-	-	-	-	-	-	2	-	-	-	2	1	-	1	2	1	1	-	-	1	-	-	-
		M	4	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	-	1	-	-	1	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
250.6	DIABETES WITH PERIPHERAL CIRCULARY DISORDERS		134	-	-	-	-	-	-	-	-	-	1	-	6	10	21	15	20	17	26	12	4	2	-	-
		M	66	-	-	-	-	-	-	-	-	-	-	-	4	6	11	9	14	8	8	4	2	-	-	-
		F	68	-	-	-	-	-	-	-	-	-	1	-	2	4	10	6	6	9	18	8	2	2	-	-
250.7	DIABETES WITH OTHER SPECIFIED MANIFESTATIONS		33	-	-	-	-	-	-	-	-	1	1	-	-	3	1	2	4	12	4	1	2	2	-	-
		M	13	-	-	-	-	-	-	-	-	1	1	-	-	2	1	1	1	5	1	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	7	3	1	2	2	-	-
250.9	DIABETES WITH UNSPECIFIED COMPLICATIONS		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
251	OTHER DISORDERS OF PANCREATIC INTERNAL SECRETION																									
251.0	HYPOGLYCAEMIC COMA		4	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-
251.1	OTHER HYPERINSULINISM		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
251.2	HYPOGLYCAEMIA, UNSPECIFIED		5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
252	DISORDERS OF PARATHYROID GLAND																									
252.0	HYPERPARATHYROIDISM		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
252.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
253	DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL																									
253.0	ACROMEGALY AND GIGANTISM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
253.2	PANHYPOPITUITARISM		2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
253.5	DIABETES INSIPIDUS		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
253.6	OTHER DISORDERS OF NEUROHYPOPHYSIS		4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-
253.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
255	DISORDERS OF ADRENAL GLANDS																									
255.0	CUSHING'S SYNDROME		4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
255.4	CORTICOADRENAL INSUFFICIENCY		20	-	1	-	-	-	-	1	3	2	1	1	1	4	-	1	2	1	-	-	1	1	-	-
		M	6	-	-	-	-	-	-	1	2	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
		F	14	-	1	-	-	-	-	-	1	2	1	1	1	3	-	-	2	-	-	-	1	1	-	-
259	OTHER ENDOCRINE DISORDERS																									
259.4	DWARFISM, NOT ELSEWHERE CLASSIFIED		6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
259.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
259.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
260-269	NUTRITIONAL DEFICIENCIES		176	3	-	-	-	-	-	-	2	1	2	-	3	3	5	8	14	29	32	31	32	7	4	-
		M	74	3	-	-	-	-	-	-	1	1	1	-	1	1	2	4	6	16	14	12	11	1	-	-
		F	102	-	-	-	-	-	-	-	1	-	1	-	2	2	3	4	8	13	18	19	21	6	4	-
261	NUTRITIONAL MARASMUS		14	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	4	2	5	-	1	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-
		F	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	1	3	-	-	-	-
262	OTHER SEVERE PROTEIN-CALORIE MALNUTRITION		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
263	OTHER AND UNSPECIFIED PROTEIN-CALORIE MALNUTRITION																									
263.1	MALNUTRITION OF MILD DEGREE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
263.9	UNSPECIFIED		149	3	-	-	-	-	-	-	2	-	1	-	2	-	5	7	12	23	28	26	30	6	4	-
		M	63	3	-	-	-	-	-	-	1	-	1	-	-	-	2	3	6	14	13	10	10	-	-	-
		F	86	-	-	-	-	-	-	-	1	-	-	-	2	-	3	4	6	9	15	16	20	6	4	-
265	THIAMINE AND NIACIN DEFICIENCY STATES																									
265.1	OTHER AND UNSPECIFIED MANIFESTATIONS OF THIAMINE DEFICIENCY		4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
266	DEFICIENCY OF B-COMPLEX COMPONENTS																									
266.2	OTHER B-COMPLEX DEFICIENCIES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
269	OTHER NUTRITIONAL DEFICIENCIES																									
269.2	UNSPECIFIED VITAMIN DEFICIENCY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
269.9	UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-
270-279	OTHER METABOLIC DISORDERS AND IMMUNITY DISORDERS		510	41	13	11	9	12	16	9	8	13	7	31	28	36	46	44	46	39	41	34	21	4	1	-
		M	236	28	8	3	5	5	3	6	4	3	1	16	13	20	22	21	21	18	16	16	4	2	1	-
		F	274	13	5	8	4	7	13	3	4	10	6	15	15	16	24	23	25	21	25	18	17	2	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
270	DISORDERS OF AMINO-ACID TRANSPORT AND METABOLISM																									
270.2	OTHER DISTURBANCES OF AROMATIC AMINO-ACID METABOLISM		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
270.6	DISORDERS OF UREA CYCLE METABOLISM		7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
270.7	OTHER DISTURBANCES OF STRAIGHT-CHAIN AMINO-ACID METABOLISM		2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
271	DISORDERS OF CARBOHYDRATE TRANSPORT AND METABOLISM																									
271.1	GALACTOSAEMIA		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
271.4	RENAL GLYCOSURIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
271.8	OTHER		2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
272	DISORDERS OF LIPOID METABOLISM																									
272.0	PURE HYPERCHOLESTEROLAEMIA		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
272.1	PURE HYPERGLYCERIDAEMIA		3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
272.2	MIXED HYPERLIPIDAEMIA		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
272.4	OTHER AND UNSPECIFIED HYPERLIPIDAEMIA		28	-	-	-	-	-	-	-	1	1	1	4	2	3	6	2	5	-	2	-	1	-	-	-
		M	17	-	-	-	-	-	-	-	-	1	1	3	1	3	3	1	3	-	-	-	1	-	-	-
		F	11	-	-	-	-	-	-	-	1	-	-	1	1	-	3	1	2	-	2	-	-	-	-	-
272.7	LIPIDOSES		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
272.8	OTHER DISORDERS OF LIPOID METABOLISM		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
273	DISORDERS OF PLASMA PROTEIN METABOLISM																									
273.1	MONOCLONAL PARAPROTEINAEMIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
273.2	OTHER PARAPROTEINAEMIAS		8	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
273.3	MACROGLOBULINAEMIA		14	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	5	1	4	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	1	2	-	-	-	-	-
273.8	OTHER		5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
274	GOUT																									
274.0	GOUTY ARTHROPATHY		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
274.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
275	DISORDERS OF MINERAL METABOLISM																									
275.0	DISORDERS OF IRON METABOLISM		10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	3	-	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	2	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
275.1	DISORDERS OF COPPER METABOLISM		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
275.3	DISORDERS OF PHOSPHORUS METABOLISM		2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
275.4	DISORDERS OF CALCIUM METABOLISM		5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
276	DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE																									
276.0	HYPEROSMOLALITY AND/OR HYPERNATRAEMIA		2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
276.1	HYPOSMOLALITY AND/OR HYPONATRAEMIA		5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	3	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-
276.2	ACIDOSIS		23	10	2	-	-	-	-	-	-	-	-	1	-	-	-	3	1	1	4	1	-	-	-	-
		M	13	7	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
		F	10	3	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	3	-	-	-	-	-
276.3	ALKALOSIS		3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
276.5	VOLUME DEPLETION		109	2	-	-	-	-	-	1	-	1	1	-	2	4	3	4	15	17	17	20	17	4	1	-
		M	45	1	-	-	-	-	-	1	-	-	-	-	-	4	2	2	6	8	6	10	2	2	1	-
		F	64	1	-	-	-	-	-	-	-	1	1	-	2	-	1	2	9	9	11	10	15	2	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
276.6	FLUID OVERLOAD		2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
276.7	HYPERPOTASSAEMIA		11	4	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-	-	-	-
		M	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
		F	6	2	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
276.8	HYPOPOTASSAEMIA		5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	1	-	-	-
276.9	ELECTROLYTE AND FLUID DISORDERS, NOT ELSEWHERE CLASSIFIED		12	2	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	3	-	3	-	-	-	-
		M	5	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-
		F	7	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	3	-	-	-	-
277	OTHER AND UNSPECIFIED DISORDERS OF METABOLISM																									
277.0	CYSTIC FIBROSIS		48	3	6	6	6	7	12	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	1	4	1	3	1	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	31	2	2	5	3	6	10	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
277.1	DISORDERS OF PORPHYRIN METABOLISM		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
277.3	AMYLOIDOSIS		53	-	-	-	-	-	-	-	-	1	-	5	5	9	12	9	3	2	5	1	1	-	-	-
		M	30	-	-	-	-	-	-	-	-	-	-	4	3	5	5	5	2	1	3	1	1	-	-	-
		F	23	-	-	-	-	-	-	-	-	1	-	1	2	4	7	4	1	1	2	-	-	-	-	-
277.4	DISORDERS OF BILIRUBIN EXCRETION		2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
277.5	MUCOPOLYSACCHARIDOSIS		5	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
277.6	OTHER DEFICIENCIES OF CIRCULATING ENZYMES		10	2	-	-	-	-	-	-	1	2	-	-	3	1	-	1	-	-	-	-	-	-	-	-
		M	7	2	-	-	-	-	-	-	-	2	-	-	2	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
277.8	OTHER		3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
277.9	UNSPECIFIED		20	2	2	-	-	1	-	-	-	-	-	2	-	3	3	2	3	-	2	-	-	-	-	-
		M	11	1	2	-	-	1	-	-	-	-	-	1	-	2	1	-	3	-	-	-	-	-	-	-
		F	9	1	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	2	-	-	-	-	-
278	OBESITY AND OTHER HYPERALIMENTATION																									
278.0	OBESITY		68	-	-	-	-	1	2	1	3	6	4	12	6	6	10	8	3	4	-	1	1	-	-	-
		M	24	-	-	-	-	1	-	-	2	-	-	6	3	2	3	3	1	3	-	-	-	-	-	-
		F	44	-	-	-	-	-	2	1	1	6	4	6	3	4	7	5	2	1	-	1	1	-	-	-
278.8	OTHER		8	1	-	-	-	1	1	-	-	-	-	2	-	-	-	1	1	1	-	-	-	-	-	-
		M	5	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
279	DISORDERS INVOLVING THE IMMUNE MECHANISM																									
279.0	DEFICIENCY OF HUMORAL IMMUNITY		3	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
279.2	COMBINED IMMUNITY DEFICIENCY		3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
279.3	UNSPECIFIED IMMUNITY DEFICIENCY		6	1	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
279.4	AUTOIMMUNE DISEASE, NOT ELSEWHERE CLASSIFIED		2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
279.8	OTHER		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
279.9	UNSPECIFIED		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-289	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS		520	11	4	5	6	4	11	15	12	18	8	21	13	26	27	46	65	74	63	55	22	13	-	1
		M	259	4	2	3	4	2	7	8	7	6	4	12	9	11	17	28	37	37	28	24	6	3	-	-
		F	261	7	2	2	2	2	4	7	5	12	4	9	4	15	10	18	28	37	35	31	16	10	-	1
280	IRON DEFICIENCY ANAEMIAS		7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	2	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-
281	OTHER DEFICIENCY ANAEMIAS																									
281.0	PERNICIOUS ANAEMIA		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-
281.2	FOLATE-DEFICIENCY ANAEMIA		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-
281.8	ANAEMIA ASSOCIATED WITH OTHER SPECIFIED NUTRITIONAL DEFICIENCY		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
281.9	UNSPECIFIED		6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-
282	HEREDITARY HAEMOLYTIC ANAEMIAS																									
282.3	OTHER HAEMOLYTIC ANAEMIAS DUE TO ENZYME DEFICIENCY		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282.4	THALASSAEMIAS		7	4	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
282.6	SICKLE-CELL ANAEMIA		29	-	1	2	3	-	5	9	2	3	1	1	1	-	-	-	-	-	-	-	-	1	-	-
		M	15	-	-	1	2	-	4	5	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	14	-	1	1	1	-	1	4	1	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
282.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
282.9	UNSPECIFIED		14	1	-	-	-	-	-	-	-	1	-	1	-	-	1	1	3	3	2	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	1	-	-	-	-	-
		F	7	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	1	-	-	-	-
283	ACQUIRED HAEMOLYTIC ANAEMIAS																									
283.0	AUTOIMMUNE HAEMOLYTIC ANAEMIAS		8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	1	1	1	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	1	-	-	-
283.9	UNSPECIFIED		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
284	APLASTIC ANAEMIA																									
284.0	CONSTITUTIONAL APLASTIC ANAEMIA		2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
284.8	OTHER		33	-	-	-	-	1	2	1	1	-	2	1	1	-	3	4	6	3	3	3	-	2	-	-
		M	15	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	2	3	1	2	-	1	-	-
		F	18	-	-	-	-	1	2	1	1	-	1	1	-	-	1	2	4	-	2	1	-	1	-	-
284.9	UNSPECIFIED		68	-	1	2	2	3	-	2	2	2	1	-	2	3	3	6	4	9	10	7	9	-	-	-
		M	32	-	-	2	2	2	-	-	1	1	-	-	1	1	2	4	3	5	3	3	2	-	-	-
		F	36	-	1	-	-	1	-	2	1	1	1	-	1	2	1	2	1	4	7	4	7	-	-	-
285	OTHER AND UNSPECIFIED ANAEMIAS																									
285.0	SIDEROBLASTIC ANAEMIA		9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	2	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-
285.8	OTHER SPECIFIED ANAEMIAS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
285.9	ANAEMIA, UNSPECIFIED		42	-	-	-	-	-	-	-	-	-	-	1	-	4	2	4	1	3	12	7	5	3	-	-
		M	17	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	5	4	1	1	-	-
		F	25	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	2	7	3	4	2	-	-
286	COAGULATION DEFECTS																									
286.0	CONGENITAL FACTOR VIII DISORDER		7	-	1	-	-	-	-	1	1	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-
		M	6	-	1	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
286.3	CONGENITAL DEFICIENCY OF OTHER CLOTTING FACTORS		12	-	-	-	-	-	-	-	-	-	-	4	1	1	2	-	2	1	-	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	1	-	-	1	-	-	-	-
286.4	VON WILLEBRAND'S DISEASE		2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
286.6	DEFIBRINATION SYNDROME		36	1	-	-	-	-	1	-	-	3	1	2	-	2	2	4	9	5	3	1	2	-	-	-
		M	19	-	-	-	-	-	-	-	-	1	1	2	-	1	1	2	4	3	2	1	1	-	-	-
		F	17	1	-	-	-	-	1	-	-	2	-	-	-	1	1	2	5	2	1	-	1	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
286.9	OTHER AND UNSPECIFIED COAGULATION DEFECTS		21	-	-	-	-	-	-	1	-	2	1	2	1	3	-	2	5	2	1	-	-	-	-	1
		M	8	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	2	1	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	2	1	2	-	1	-	1	3	1	1	-	-	-	-	1
287	PURPURA AND OTHER HAEMORRHAGIC CONDITIONS																									
287.0	ALLERGIC PURPURA		3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
287.1	QUALITATIVE PLATELET DEFECTS		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
287.2	OTHER NONTHROMBOCYTOPENIC PURPURAS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
287.3	PRIMARY THROMBOCYTOPENIA		23	1	1	-	-	-	-	-	3	1	-	1	3	1	1	1	2	3	2	2	1	-	-	-
		M	12	1	1	-	-	-	-	-	2	-	-	1	2	1	1	-	1	1	1	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	2	1	2	1	-	-	-
287.5	THROMBOCYTOPENIA, UNSPECIFIED		24	-	-	-	-	-	1	-	1	2	-	2	-	1	-	3	1	5	5	2	1	-	-	-
		M	14	-	-	-	-	-	1	-	1	1	-	2	-	-	-	3	1	1	2	1	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	4	3	1	-	-	-	-
287.9	UNSPECIFIED HAEMORRHAGIC CONDITIONS		6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	2	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
288.0	AGRANULOCYTOSIS		28	1	-	-	-	-	-	-	1	1	1	-	1	1	1	3	5	5	4	3	1	-	-	-
		M	16	1	-	-	-	-	-	-	-	-	1	-	1	-	1	1	3	4	2	1	1	-	-	-
		F	12	-	-	-	-	-	-	-	1	1	-	-	-	1	-	2	2	1	2	2	-	-	-	-
288.1	FUNCTIONAL DISORDERS OF NEUTROPHIL POLYMORPHONUCLEARS		5	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS																									
289.2	NONSPECIFIC MESENTERIC LYMPHADENITIS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
289.3	LYMPHADENITIS, UNSPECIFIED, EXCEPT MESENTERIC		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
289.4	HYPERSPLENISM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
289.5	OTHER DISEASES OF SPLEEN		9	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	2	-	1	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-
289.8	OTHER		81	-	-	-	-	-	-	-	1	1	-	2	1	3	7	12	17	16	8	11	-	2	-	-
		M	53	-	-	-	-	-	-	-	1	1	-	1	1	2	5	7	13	9	4	9	-	-	-	-
		F	28	-	-	-	-	-	-	-	-	-	-	1	-	1	2	5	4	7	4	2	-	2	-	-
289.9	UNSPECIFIED		7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-	-	-
		M	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
290-319	MENTAL DISORDERS		1,286	2	5	-	3	13	29	49	36	45	49	65	76	87	109	74	93	118	161	148	93	23	7	1
		M	728	1	2	-	2	10	21	35	28	33	37	50	56	56	77	50	54	59	65	52	28	9	2	1
		F	558	1	3	-	1	3	8	14	8	12	12	15	20	31	32	24	39	59	96	96	65	14	5	-
290-299	PSYCHOSES		311	-	-	-	-	-	-	3	3	1	1	3	2	5	14	8	37	47	80	57	40	8	2	-
		M	142	-	-	-	-	-	-	3	3	1	-	3	1	3	11	4	21	21	32	22	13	3	1	-
		F	169	-	-	-	-	-	-	-	-	-	1	-	1	2	3	4	16	26	48	35	27	5	1	-
290-294	ORGANIC PSYCHOTIC CONDITIONS		245	-	-	-	-	-	-	1	1	1	1	2	2	4	7	5	28	40	63	46	36	8	-	-
		M	104	-	-	-	-	-	-	1	1	1	-	2	1	3	6	1	13	16	24	19	13	3	-	-
		F	141	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	15	24	39	27	23	5	-	-
290	SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS																									
290.0	SENILE DEMENTIA, SIMPLE TYPE		187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	14	32	57	40	32	8	-	-
		M	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	12	23	16	12	3	-	-
		F	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	10	20	34	24	20	5	-	-
290.1	PRESENILE DEMENTIA		15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	9	2	1	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	2	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	-	-	-	-	-
290.2	SENILE DEMENTIA, DEPRESSED OR PARANOID TYPE		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-
290.4	ARTERIOSCLEROTIC DEMENTIA		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-
290.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
291	ALCOHOLIC PSYCHOSIS																									
291.0	DELIRIUM TREMENS		13	-	-	-	-	-	-	1	1	-	-	1	2	2	4	-	1	1	-	-	-	-	-	-
		M	12	-	-	-	-	-	-	1	1	-	-	1	1	2	4	-	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
291.1	KORSAKOV'S PSYCHOSIS, ALCOHOLIC		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
291.2	OTHER ALCOHOLIC DEMENTIA		7	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	3	2	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-
291.8	OTHER		3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
292	DRUG PSYCHOSES																									
292.0	DRUG WITHDRAWAL SYNDROME		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
295-299	OTHER PSYCHOSES		66	-	-	-	-	-	-	2	2	-	-	1	-	1	7	3	9	7	17	11	4	-	2	-
		M	38	-	-	-	-	-	-	2	2	-	-	1	-	-	5	3	8	5	8	3	-	-	1	-
		F	28	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	9	8	4	-	1	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
295	SCHIZOPHRENIC PSYCHOSES																									
295.0	SIMPLE TYPE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
295.2	CATATONIC TYPE		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
295.3	PARANOID TYPE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
295.6	RESIDUAL SCHIZOPHRENIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
295.9	UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
296	AFFECTIVE PSYCHOSES																									
296.1	MANIC DEPRESSIVE PSYCHOSIS, DEPRESSED TYPE		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
296.6	MANIC-DEPRESSIVE PSYCHOSIS, OTHER AND UNSPECIFIED		2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
297	PARANOID STATES																									
297.1	PARANOIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
298	OTHER NONORGANIC PSYCHOSES																									
298.9	UNSPECIFIED PSYCHOSIS		50	-	-	-	-	-	-	2	1	-	-	-	-	1	5	3	7	4	12	9	4	-	2	-
		M	27	-	-	-	-	-	-	2	1	-	-	-	-	-	3	3	6	3	5	3	-	-	1	-
		F	23	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	7	6	4	-	1	-
300-316	NEUROTIC DISORDERS, PERSONALITY DISORDERS AND OTHER NONPSYCHOTIC MENTAL DISORDERS		953	1	1	-	1	10	25	44	32	42	47	62	74	81	95	65	56	71	81	91	53	15	5	1
		M	572	-	-	-	-	8	18	32	24	31	36	47	55	53	66	45	33	38	33	30	15	6	1	1
		F	381	1	1	-	1	2	7	12	8	11	11	15	19	28	29	20	23	33	48	61	38	9	4	-
300	NEUROTIC DISORDERS																									
300.1	HYSTERIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
300.4	NEUROTIC DEPRESSION		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
303	ALCOHOL DEPENDENCE SYNDROME		425	-	-	-	-	2	7	12	12	23	38	52	62	64	75	42	20	9	6	-	-	-	-	1
		M	322	-	-	-	-	2	6	11	10	18	28	40	47	44	60	29	14	7	5	-	-	-	-	1
		F	103	-	-	-	-	-	1	1	2	5	10	12	15	20	15	13	6	2	1	-	-	-	-	-
304	DRUG DEPENDENCE																									
304.0	MORPHINE TYPE		8	-	-	-	-	-	-	2	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
304.2	COCAINE		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
304.7	COMBINATIONS OF MORPHINE TYPE DRUG WITH ANY OTHER		3	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
304.9	UNSPECIFIED		48	-	-	-	-	2	10	18	6	6	1	4	-	1	-	-	-	-	-	-	-	-	-	-
		M	32	-	-	-	-	1	4	13	5	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-
		F	16	-	-	-	-	1	6	5	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
305	NONDEPENDENT ABUSE OF DRUGS																									
305.0	ALCOHOL		83	1	-	-	-	4	7	4	8	8	5	6	9	11	10	6	2	1	1	-	-	-	-	-
		M	57	-	-	-	-	4	7	3	5	7	5	5	6	5	4	4	1	-	1	-	-	-	-	-
		F	26	1	-	-	-	-	-	1	3	1	-	1	3	6	6	2	1	1	-	-	-	-	-	-
305.4	BARBITURATES AND TRANQUILLIZERS		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
305.5	MORPHINE TYPE		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
305.9	OTHER, MIXED OR UNSPECIFIED		7	-	-	-	-	-	-	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
306	PHYSIOLOGICAL MALFUNCTION ARISING FROM MENTAL FACTORS																									
306.2	CARDIOVASCULAR		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
307	SPECIAL SYMPTOMS OF SYNDROMES NOT ELSEWHERE CLASSIFIED																									
307.1	ANOREXIA NERVOSA		20	-	-	-	-	2	-	1	-	1	1	-	-	1	2	3	2	1	4	-	1	-	1	-
		M	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-
		F	15	-	-	-	-	1	-	1	-	1	1	-	-	1	2	2	1	1	2	-	1	-	1	-
310	SPECIFIC NONPSYCHOTIC MENTAL DISORDERS FOLLOWING ORGANIC BRAIN DAMAGE																									
310.9	UNSPECIFIED		330	-	-	-	-	-	-	-	-	3	-	-	2	3	8	13	28	54	65	85	50	15	4	-
		M	132	-	-	-	-	-	-	-	-	1	-	-	2	2	2	10	14	28	23	28	15	6	1	-
		F	198	-	-	-	-	-	-	-	-	2	-	-	-	1	6	3	14	26	42	57	35	9	3	-
311	DEPRESSIVE DISORDER, NOT ELSEWHERE CLASSIFIED		13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	2	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	2	-	-	-
315	SPECIFIC DELAYS IN DEVELOPMENT																									
315.4	SPECIFIC MOTOR RETARDATION		2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
317-319	MENTAL RETARDATION		22	1	4	-	2	3	4	2	1	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	14	1	2	-	2	2	3	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	8	-	2	-	-	1	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
318	OTHER SPECIFIED MENTAL RETARDATION																									
318.1	SEVERE MENTAL RETARDATION		4	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
318.2	PROFOUND MENTAL RETARDATION		4	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
319	UNSPECIFIED MENTAL RETARDATION		14	1	-	-	1	1	4	1	1	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	10	1	-	-	1	1	3	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS		2,086	102	47	32	19	43	48	34	38	41	60	68	104	116	184	234	269	257	209	116	47	17	1	-
		M	1,100	60	29	17	9	34	26	22	21	16	24	39	55	60	94	133	145	142	104	48	19	3	-	-
		F	986	42	18	15	10	9	22	12	17	25	36	29	49	56	90	101	124	115	105	68	28	14	1	-
320-326	INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM		218	55	12	5	2	7	7	7	6	5	5	10	11	14	18	15	14	15	5	2	3	-	-	-
		M	125	31	8	2	1	4	4	4	4	2	2	6	7	11	8	11	8	10	2	-	-	-	-	-
		F	93	24	4	3	1	3	3	3	2	3	3	4	4	3	10	4	6	5	3	2	3	-	-	-
320	BACTERIAL MENINGITIS																									
320.0	HAEMOPHILUS MENINGITIS		23	16	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	3	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
320.1	PNEUMOCOCCAL MENINGITIS		22	2	1	-	1	-	2	-	1	1	-	2	2	-	3	-	5	2	-	-	-	-	-	-
		M	14	2	-	-	1	-	2	-	1	-	-	1	2	-	2	-	3	-	-	-	-	-	-	-
		F	8	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-	2	2	-	-	-	-	-	-
320.2	STREPTOCOCCAL MENINGITIS		19	9	1	-	-	-	-	-	1	-	-	-	-	-	2	3	-	1	1	-	1	-	-	-
		M	10	6	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	9	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	1	-	-	-
320.3	STAPHYLOCOCCAL MENINGITIS		3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
320.8	MENINGITIS DUE TO OTHER SPECIFIED BACTERIA		2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
320.9	MENINGITIS DUE TO UNSPECIFIED BACTERIUM		37	9	2	-	-	1	1	1	2	3	-	2	4	-	1	3	3	2	1	1	1	-	-	-
		M	23	5	2	-	-	1	1	1	1	1	-	2	4	-	-	2	1	1	1	-	-	-	-	-
		F	14	4	-	-	-	-	-	-	1	2	-	-	-	-	1	1	2	1	-	1	1	-	-	-
322	MENINGITIS OF UNSPECIFIED CAUSE																									
322.2	CHRONIC MENINGITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
322.9	MENINGITIS, UNSPECIFIED		35	13	3	-	-	-	-	-	1	1	-	1	2	2	1	2	-	7	1	1	-	-	-	-
		M	17	4	2	-	-	-	-	-	-	1	-	-	-	1	1	2	-	6	-	-	-	-	-	-
		F	18	9	1	-	-	-	-	-	1	-	-	1	2	1	-	-	-	1	1	1	-	-	-	-
323	ENCEPHALITIS, MYELITIS, AND ENCEPHALOMYELITIS																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
323.5	ENCEPHALITIS FOLLOWING IMMUNIZATION PROCEDURES		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
323.9	UNSPECIFIED CAUSE		27	2	-	1	1	2	1	5	1	-	1	1	-	5	2	1	1	1	1	-	1	-	-	-
		M	13	-	-	-	-	1	-	2	1	-	1	-	-	4	-	1	1	1	1	-	-	-	-	-
		F	14	2	-	1	1	1	1	3	-	-	-	1	-	1	2	-	-	-	-	-	1	-	-	-
324	INTRACRANIAL AND INTRASPINAL ABSCESS																									
324.0	INTRACRANIAL ABSCESS		20	-	-	1	-	-	1	-	-	-	1	1	2	4	-	5	3	1	1	-	-	-	-	-
		M	13	-	-	1	-	-	1	-	-	-	-	1	-	4	-	4	1	1	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	2	-	1	-	-	-	-	-
324.9	OF UNSPECIFIED SITE		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
325	PHLEBITIS AND THROMBOPHLEBITIS OF INTRACRANIAL VENOUS SINUSES		3	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
326	LATE EFFECTS OF INTRACRANIAL ABSCESS OR PYOGENIC INFECTION		23	2	-	2	-	3	2	1	-	-	2	2	1	1	5	-	1	1	-	-	-	-	-	-
		M	12	-	-	1	-	1	-	1	-	-	1	1	1	1	3	-	1	1	-	-	-	-	-	-
		F	11	2	-	1	-	2	2	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-
330-337	HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM		1,132	24	13	14	5	3	4	7	6	8	8	23	42	50	103	160	194	183	152	89	33	11	-	-
		M	603	15	5	9	1	2	2	5	3	5	3	17	22	28	53	95	109	98	77	39	13	2	-	-
		F	529	9	8	5	4	1	2	2	3	3	5	6	20	22	50	65	85	85	75	50	20	9	-	-
330	CEREBRAL DEGENERATIONS USUALLY MANIFEST IN CHILDHOOD																									
330.0	LEUCODYSTROPHY		6	1	1	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
		M	5	-	1	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330.1	CEREBRAL LIPIDOSES		3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330.8	OTHER CEREBRAL DEGENERATIONS IN CHILDHOOD		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330.9	UNSPECIFIED		2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
331	OTHER CEREBRAL DEGENERATIONS																									
331.0	ALZHEIMER'S DISEASE		111	-	-	-	-	-	-	-	-	-	1	-	2	4	12	26	33	12	8	9	1	3	-	-
		M	65	-	-	-	-	-	-	-	-	-	1	-	2	2	7	14	22	5	5	5	-	2	-	-
		F	46	-	-	-	-	-	-	-	-	-	-	-	-	2	5	12	11	7	3	4	1	1	-	-
331.1	PICK'S DISEASE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
331.2	SENILE DEGENERATION OF BRAIN		20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	2	7	3	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	3	-	-
331.3	COMMUNICATING HYDROCEPHALUS		3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
331.4	OBSTRUCTIVE HYDROCEPHALUS		45	3	-	3	1	1	-	1	2	-	2	2	1	-	2	3	8	12	4	-	-	-	-	-
		M	25	2	-	2	-	1	-	-	-	-	-	1	-	-	1	2	5	9	2	-	-	-	-	-
		F	20	1	-	1	1	-	-	1	2	-	2	1	1	-	1	1	3	3	2	-	-	-	-	-
331.8	OTHER CEREBRAL DEGENERATION		23	10	3	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	5	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
331.9	UNSPECIFIED		105	1	2	-	1	-	1	2	2	2	-	1	2	1	5	15	17	12	19	13	6	3	-	-
		M	50	1	1	-	1	-	1	2	1	1	-	1	1	1	3	9	6	5	10	5	1	-	-	-
		F	55	-	1	-	-	-	-	-	1	1	-	-	1	-	2	6	11	7	9	8	5	3	-	-
332	PARKINSON'S DISEASE																									
332.0	PARALYSIS AGITANS		390	-	-	-	-	-	-	-	-	-	-	1	-	6	16	39	76	101	78	55	16	2	-	-
		M	220	-	-	-	-	-	-	-	-	-	-	1	-	4	10	27	45	61	43	22	7	-	-	-
		F	170	-	-	-	-	-	-	-	-	-	-	-	-	2	6	12	31	40	35	33	9	2	-	-
333	OTHER EXTRAPYRAMIDAL DISEASE AND ABNORMAL MOVEMENT DISORDERS																									
333.0	OTHER DEGENERATIVE DISEASES OF THE BASAL GANGLIA		12	-	-	-	-	-	-	1	1	-	1	-	1	1	3	3	-	-	1	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	1		-	1	-	1	-	1	2	-	-	-	-	-	-	-	-
333.2	MYOCLONUS		1	-	-	-	-	-	1	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
333.4	HUNTINGTON'S CHOREA		34	-	-	-	-	-	-	-	-	1	1	3	5	10	3	9	1	-	1	-	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	2	1	5	1	3	-	-	-	-	-	-	-	-
		F	22	-	-	-	-	-	-	-	-	1	1	1	4	5	2	6	1	-	1	-	-	-	-	-
333.5	OTHER CHOREAS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
333.7	SYMPTOMATIC TORSION DYSTONIA		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
333.9	OTHER AND UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
334	SPINOCEREBELLAR DISEASE																									
334.0	FRIEDREICH'S ATAXIA		3	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
334.2	PRIMARY CEREBELLAR DEGENERATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
334.3	OTHER CEREBELLAR ATAXIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
334.8	OTHER		2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
334.9	UNSPECIFIED		8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-
335	ANTERIOR HORN CELL DISEASE																									
335.0	WERDNIG-HOFFMANN DISEASE		14	9	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
335.1	SPINAL MUSCULAR ATROPHY		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
335.2	MOTOR NEURONE DISEASE		324	-	-	-	-	1	1	1	1	3	3	11	28	27	56	60	50	38	31	10	3	-	-	-
		M	167	-	-	-	-	-	1	1	1	2	2	7	16	14	27	35	28	15	10	6	2	-	-	-
		F	157	-	-	-	-	1	-	-	-	1	1	4	12	13	29	25	22	23	21	4	1	-	-	-
336	OTHER DISEASES OF SPINAL CORD																									
336.0	SYRINGOMYELIA AND SYRINGOBULBIA		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
336.1	VASCULAR MYELOPATHIES		3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
336.8	OTHER MYELOPATHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
336.9	UNSPECIFIED DISEASES OF SPINAL CORD		5	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
337	DISORDERS OF THE AUTONOMIC NERVOUS SYSTEM																									
337.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
340-349	OTHER DISORDERS OF THE CENTRAL NERVOUS SYSTEM		566	20	20	11	8	17	24	18	21	24	41	26	45	40	47	38	42	44	41	21	11	6	1	-
		M	270	12	14	4	3	12	9	11	11	8	15	11	22	15	23	17	21	25	22	8	6	1	-	-
		F	296	8	6	7	5	5	15	7	10	16	26	15	23	25	24	21	21	19	19	13	5	5	1	-
340	MULTIPLE SCLEROSIS		148	-	-	-	-	-	2	4	8	14	19	15	23	16	20	17	6	3	1	-	-	-	-	-
		M	49	-	-	-	-	-	-	3	2	5	4	5	10	4	6	6	1	3	-	-	-	-	-	-
		F	99	-	-	-	-	-	2	1	6	9	15	10	13	12	14	11	5	-	1	-	-	-	-	-
341	OTHER DEMYELINATING DISEASES OF CENTRAL NERVOUS SYSTEM																									
341.1	SCHILDER'S DISEASE		2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
341.9	UNSPECIFIED		35	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	11	9	5	2	3	1	-
		M	17	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	6	7	2	1	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	2	3	1	3	1	-
342	HEMIPLEGIA																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
342.9	UNSPECIFIED		18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	3	4	1	2	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	3	-	1	-	-	-
343	INFANTILE CEREBRAL PALSY																									
343.2	QUADRIPLEGIC		3	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
343.9	UNSPECIFIED		56	13	15	5	7	5	2	3	-	2	1	-	-	1	-	-	-	-	1	1	-	-	-	-
		M	31	7	11	1	2	3	1	2	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-
		F	25	6	4	4	5	2	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
344	OTHER PARALYTIC SYNDROMES																									
344.0	QUADRIPLEGIA		11	-	-	-	-	1	-	-	-	1	2	-	-	1	3	1	2	-	-	-	-	-	-	-
		M	9	-	-	-	-	1	-	-	-	1	1	-	-	-	3	1	2	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
344.1	PARAPLEGIA		11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	3	1	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
344.6	CAUDA EQUINA SYNDROME		13	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	3	1	1	1	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-	1	-	-
344.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
344.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
345	EPILEPSY																									
345.1	GENERALIZED CONVULSIVE EPILEPSY		18	-	-	-	-	-	2	1	3	1	-	1	-	3	1	-	-	3	2	-	1	-	-	-
		M	11	-	-	-	-	-	-	1	3	-	-	1	-	2	-	-	-	2	1	-	1	-	-	-
		F	7	-	-	-	-	-	2	-	-	1	-	-	-	1	1	-	-	1	1	-	-	-	-	-
345.3	GRAND MAL STATUS		33	-	-	1	-	-	3	4	3	3	2	1	2	2	3	1	5	2	1	-	-	-	-	-
		M	12	-	-	-	-	-	1	-	2	-	1	1	1	1	1	1	2	1	-	-	-	-	-	-
		F	21	-	-	1	-	-	2	4	1	3	1	-	1	1	2	-	3	1	1	-	-	-	-	-
345.5	PARTIAL EPILEPSY, WITHOUT MENTION OF IMPAIRMENT OF CONSCIOUSNESS		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
345.9	UNSPECIFIED		41	2	1	1	1	5	2	4	6	2	3	1	5	1	3	1	1	1	1	-	-	-	-	-
		M	29	1	-	1	1	4	2	4	4	1	2	-	4	-	3	-	1	-	1	-	-	-	-	-
		F	12	1	1	-	-	1	-	-	2	1	1	1	1	1	-	1	-	1	-	-	-	-	-	-
348	OTHER CONDITIONS OF BRAIN																									
348.0	CEREBRAL CYSTS		3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
348.1	ANOXIC BRAIN DAMAGE		74	2	2	-	-	1	6	1	1	1	7	5	6	5	7	4	9	8	4	2	3	-	-	-
		M	37	2	2	-	-	-	3	-	-	-	1	4	3	2	5	2	6	4	1	1	1	-	-	-
		F	37	-	-	-	-	1	3	1	1	1	6	1	3	3	2	2	3	4	3	1	2	-	-	-
348.2	BENIGN INTRACRANIAL HYPERTENSION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
348.3	ENCEPHALOPATHY, UNSPECIFIED		23	1	-	-	-	-	1	-	-	-	2	1	2	3	1	1	5	1	3	2	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	1	1	1	-	-	-	-	-
		F	16	1	-	-	-	-	1	-	-	-	-	1	2	2	1	-	4	-	2	2	-	-	-	-
348.4	COMPRESSION OF BRAIN		3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
348.5	CEREBRAL OEDEMA		9	1	-	-	-	1	2	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-
		M	3	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	2	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-
348.8	OTHER		6	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-
348.9	UNSPECIFIED		35	-	-	2	-	-	1	-	-	-	-	-	1	3	1	3	3	3	7	7	2	2	-	-
		M	17	-	-	1	-	-	-	-	-	-	-	-	1	2	-	2	3	2	2	2	1	1	-	-
		F	18	-	-	1	-	-	1	-	-	-	-	-	-	1	1	1	-	1	5	5	1	1	-	-
349	OTHER AND UNSPECIFIED DISORDERS OF THE NERVOUS SYSTEM																									
349.8	OTHER		10	-	1	-	-	-	-	1	-	-	-	-	1	1	2	-	1	2	-	1	-	-	-	-
		M	8	-	1	-	-	-	-	1	-	-	-	-	1	1	2	-	-	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
349.9	UNSPECIFIED		9	1	1	-	-	1	-	-	-	-	1	1	-	1	1	2	-	-	-	-	-	-	-	-
		M	4	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	5	-	1	-	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
350-359	DISORDERS OF THE PERIPHERAL NERVOUS SYSTEM		159	3	2	2	4	16	12	2	4	3	6	8	5	12	16	17	18	15	11	3	-	-	-	-
		M	96	2	2	2	4	16	11	2	3	1	4	4	3	6	10	7	6	9	3	1	-	-	-	-
		F	63	1	-	-	-	-	1	-	1	2	2	4	2	6	6	10	12	6	8	2	-	-	-	-
350	TRIGEMINAL NERVE DISORDERS																									
350.1	OTHER TRIGEMINAL NEURALGIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
353	NERVE ROOT AND PLEXUS DISORDERS																									
353.2	CERVICAL ROOT LESIONS, NOT ELSEWHERE CLASSIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
354.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
355	MONONEURITIS OF LOWER LIMB																									
355.9	MONONEURITIS OF UNSPECIFIED SITE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
356	HEREDITARY AND IDIOPATHIC PERIPHERAL NEUROPATHY																									
356.1	PERONEAL MUSCULAR ATROPHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
356.8	OTHER		6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
356.9	UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
357	INFLAMMATORY AND TOXIC NEUROPATHY																									
357.0	ACUTE INFECTIVE POLYNEURITIS		19	-	-	-	-	-	-	-	2	-	1	2	-	1	4	4	3	-	1	1	-	-	-	-
		M	8	-	-	-	-	-	-	-	1	-	-	2	-	-	2	1	1	-	-	1	-	-	-	-
		F	11	-	-	-	-	-	-	-	1	-	1	-	-	1	2	3	2	-	1	-	-	-	-	-
357.5	ALCOHOLIC POLYNEUROPATHY		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
358	MYONEURAL DISORDERS																									
358.0	MYASTHENIA GRAVIS		21	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	3	4	7	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	1	4	-	-	-	-	-
358.8	OTHER		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
358.9	UNSPECIFIED		11	2	1	-	-	-	-	1	-	-	-	-	-	-	-	2	4	1	-	-	-	-	-	-
		M	5	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-
359	MUSCULAR DYSTROPHIES AND OTHER MYOPATHIES																									
359.0	CONGENITAL HEREDITARY MUSCULAR DYSTROPHY		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
359.1	HERIDITARY PROGRESSIVE MUSCULAR DYSTROPHY		61	-	-	1	4	15	12	1	2	2	4	1	1	3	4	3	1	4	2	1	-	-	-	-
		M	49	-	-	1	4	15	11	1	2	1	3	1	-	2	3	2	-	3	-	-	-	-	-	-
		F	12	-	-	-	-	-	1	-	-	1	1	-	1	1	1	1	1	1	2	1	-	-	-	-
359.2	MYOTONIC DISORDERS		18	-	1	-	-	-	-	-	-	1	1	4	1	5	2	1	1	-	1	-	-	-	-	-
		M	7	-	1	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	1	-	3	-	3	2	-	1	-	1	-	-	-	-	-
359.4	TOXIC MYOPATHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
359.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
359.9	UNSPECIFIED		7	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	1	-	-	-	-
		M	5	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
360-379	DISORDERS OF THE EYE AND ADNEXA		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
362	OTHER RETINAL DISORDERS																									
362.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
370	KERATITIS																									
370.0	CORNEAL ULCER		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
380-389	DISEASES OF THE EAR AND MASTOID PROCESS		9	-	-	-	-	-	1	-	1	1	-	1	-	-	-	3	1	-	-	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
382	SUPPURATIVE AND UNSPECIFIED OTITIS MEDIA																									
382.4	UNSPECIFIED SUPPURATIVE OTITIS MEDIA		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
382.9	UNSPECIFIED OTITIS MEDIA		5	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
383	MASTOIDITIS AND RELATED CONDITIONS																									
383.1	CHRONIC MASTOIDITIS		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
383.9	UNSPECIFIED MASTOIDITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
385	OTHER DISORDERS OF MIDDLE EAR AND MASTOID																									
385.3	CHOLESTEATOMA OF MIDDLE EAR AND MASTOID		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
390-459	DISEASES OF THE CIRCULATORY SYSTEM		85,226	81	43	18	16	46	108	143	261	431	776	1,535	2,728	4,540	6,217	8,403	10,602	12,789	13,877	12,463	7,307	2,396	424	22
		M	43,347	41	25	7	6	26	64	89	175	282	565	1,128	2,003	3,207	4,253	5,485	6,212	6,562	5,896	4,429	2,160	621	96	15
		F	41,879	40	18	11	10	20	44	54	86	149	211	407	725	1,333	1,964	2,918	4,390	6,227	7,981	8,034	5,147	1,775	328	7
390-392	ACTIVE RHEUMATIC FEVER		8	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	3	1	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
391	RHEUMATIC FEVER WITH HEART INVOLVEMENT																									
391.0	ACTIVE RHEUMATIC PERICARDITIS		5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
391.1	ACTIVE RHEUMATIC ENDOCARDITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
391.8	OTHER ACUTE RHEUMATIC HEART DISEASE		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
391.9	ACUTE RHEUMATIC HEART DISEASE, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
393-398	CHRONIC RHEUMATIC HEART DISEASE		883	-	-	1	-	1	6	8	15	13	27	31	50	76	105	123	145	114	78	59	28	2	1	-
		M	312	-	-	-	-	1	2	2	7	5	14	9	24	38	46	46	53	28	20	11	5	1	-	-
		F	571	-	-	1	-	-	4	6	8	8	13	22	26	38	59	77	92	86	58	48	23	1	1	-
393	CHRONIC RHEUMATIC PERICARDITIS		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
394	DISEASES OF MITRAL VALVE																									
394.0	MITRAL STENOSIS		110	-	-	1	-	-	1	4	-	-	-	1	11	12	18	14	25	7	5	8	2	1	-	-
		M	21	-	-	-	-	-	1	1	-	-	-	-	5	1	3	1	5	1	-	1	1	1	-	-
		F	89	-	-	1	-	-	-	3	-	-	-	1	6	11	15	13	20	6	5	7	1	-	-	-
394.1	RHEUMATIC MITRAL INSUFFICIENCY		50	-	-	-	-	-	1	-	2	-	1	1	1	3	3	7	6	8	7	5	3	1	1	-
		M	18	-	-	-	-	-	-	-	1	-	1	-	1	3	2	2	1	2	3	1	1	-	-	-
		F	32	-	-	-	-	-	1	-	1	-	-	1	-	-	1	5	5	6	4	4	2	1	1	-
394.2	MITRAL STENOSIS WITH INSUFFICIENCY		24	-	-	-	-	-	-	-	-	-	2	-	1	1	1	4	2	4	4	3	2	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	1	-	-	-
		F	19	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	4	3	3	1	-	-	-
394.9	OTHER AND UNSPECIFIED		226	-	-	-	-	-	1	1	5	3	8	12	11	22	38	38	39	22	13	9	4	-	-	-
		M	88	-	-	-	-	-	-	-	2	2	2	3	5	11	15	17	16	9	4	2	-	-	-	-
		F	138	-	-	-	-	-	1	1	3	1	6	9	6	11	23	21	23	13	9	7	4	-	-	-
395	DISEASES OF AORTIC VALVE																									
395.0	RHEUMATIC AORTIC STENOSIS		24	-	-	-	-	-	-	-	-	-	-	2	1	1	4	1	7	3	3	2	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	1	1	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	5	3	2	1	-	-	-	-
395.1	RHEUMATIC AORTIC INSUFFICIENCY		10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	2	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
395.2	RHEUMATIC AORTIC STENOSIS WITH INSUFFICIENCY		8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
395.9	OTHER AND UNSPECIFIED		18	-	-	-	-	1	-	-	-	-	1	-	-	3	1	4	4	1	1	2	-	-	-	-
		M	10	-	-	-	-	1	-	-	-	-	-	-	-	1	1	4	2	-	-	1	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	1	1	1	-	-	-	-
396	DISEASES OF MITRAL AND AORTIC VALVES		155	-	-	-	-	-	1	1	4	4	3	10	13	15	14	21	17	22	16	10	4	-	-	-
		M	67	-	-	-	-	-	-	-	2	1	3	4	7	9	7	10	10	7	4	1	2	-	-	-
		F	88	-	-	-	-	-	1	1	2	3	-	6	6	6	7	11	7	15	12	9	2	-	-	-
397	DISEASES OF OTHER ENDOCARDIAL STRUCTURES																									
397.0	DISEASES OF TRICUSPID VALVE		10	-	-	-	-	-	1	1	-	-	-	-	-	-	2	2	1	2	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-
		F	6	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-
397.9	RHEUMATIC DISEASES OF ENDOCARDIUM, VALVE UNSPECIFIED		44	-	-	-	-	-	-	-	-	-	3	2	3	3	6	6	5	8	5	1	2	-	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	3	1	-	-	-	-	-
		F	33	-	-	-	-	-	-	-	-	-	3	1	2	2	4	5	4	5	4	1	2	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
398	OTHER RHEUMATIC HEART DISEASE																									
398.0	RHEUMATIC MYOCARDITIS		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
398.9	OTHER AND UNSPECIFIED		202	-	-	-	-	-	-	1	4	6	8	3	8	15	17	23	35	35	19	17	11	-	-	-
		M	68	-	-	-	-	-	-	1	2	2	5	1	3	10	11	8	14	5	2	4	-	-	-	-
		F	134	-	-	-	-	-	-	-	2	4	3	2	5	5	6	15	21	30	17	13	11	-	-	-
401-404	HYPERTENSIVE DISEASE		3,144	2	-	-	-	-	3	8	11	25	46	100	137	200	274	360	388	467	438	418	190	67	8	2
		M	1,461	1	-	-	-	-	3	5	5	17	34	66	98	137	168	221	190	197	142	119	39	17	-	2
		F	1,683	1	-	-	-	-	-	3	6	8	12	34	39	63	106	139	198	270	296	299	151	50	8	-
401	ESSENTIAL HYPERTENSION																									
401.0	SPECIFIED AS MALIGNANT		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
401.9	NOT SPECIFIED AS MALIGNANT OR BENIGN		170	2	-	-	-	-	-	-	-	-	2	-	5	14	19	14	18	19	27	26	18	4	2	-
		M	62	1	-	-	-	-	-	-	-	-	2	-	3	9	12	8	9	7	5	3	2	1	-	-
		F	108	1	-	-	-	-	-	-	-	-	-	-	2	5	7	6	9	12	22	23	16	3	2	-
402	HYPERTENSIVE HEART DISEASE																									
402.0	SPECIFIED AS MALIGNANT		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
402.1	SPECIFIED AS BENIGN		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-
402.9	NOT SPECIFIED AS MALIGNANT OR BENIGN		2,325	-	-	-	-	-	-	6	10	23	40	93	120	168	232	282	291	332	300	262	119	40	5	2
		M	1,100	-	-	-	-	-	-	4	5	15	30	60	88	118	145	180	139	140	89	58	18	9	-	2
		F	1,225	-	-	-	-	-	-	2	5	8	10	33	32	50	87	102	152	192	211	204	101	31	5	-
403	HYPERTENSIVE RENAL DISEASE																									
403.0	SPECIFIED AS MALIGNANT		8	-	-	-	-	-	-	-	-	-	2	1	1	2	-	1	1	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-
403.1	SPECIFIED AS BENIGN		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
403.9	NOT SPECIFIED AS MALIGNANT OR BENIGN		435	-	-	-	-	-	1	-	-	1	1	1	9	9	16	41	53	77	77	89	41	18	1	-
		M	207	-	-	-	-	-	1	-	-	1	-	1	5	5	6	23	27	29	36	47	19	7	-	-
		F	228	-	-	-	-	-	-	-	-	-	1	-	4	4	10	18	26	48	41	42	22	11	1	-
404	HYPERTENSIVE HEART AND RENAL DISEASE																									
404.0	SPECIFIED AS MALIGNANT		3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
404.9	NOT SPECIFIED AS MALIGNANT OR BENIGN		193	-	-	-	-	-	2	1	1	1	1	4	2	6	6	21	24	37	32	38	12	5	-	-
		M	83	-	-	-	-	-	2	1	-	1	1	4	2	4	5	9	13	20	10	11	-	-	-	-
		F	110	-	-	-	-	-	-	-	1	-	-	-	-	2	1	12	11	17	22	27	12	5	-	-
410-414	ISCHAEMIC HEART DISEASE		45,720	14	1	1	1	1	13	23	90	186	380	853	1,513	2,602	3,608	4,919	5,909	7,135	7,240	6,193	3,653	1,144	232	9
		M	25,058	7	-	1	1	-	7	19	76	146	316	720	1,222	1,943	2,609	3,389	3,635	3,865	3,250	2,353	1,119	313	59	8
		F	20,662	7	1	-	-	1	6	4	14	40	64	133	291	659	999	1,530	2,274	3,270	3,990	3,840	2,534	831	173	1

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
410	ACUTE MYOCARDIAL INFARCTION		21,381	9	-	-	1	1	9	10	45	107	221	501	904	1,567	2,147	2,754	3,145	3,450	2,988	2,161	1,043	270	47	1
		M	12,651	5	-	-	1	-	3	9	41	81	185	424	733	1,173	1,541	1,937	1,945	1,901	1,338	879	354	89	11	1
		F	8,730	4	-	-	-	1	6	1	4	26	36	77	171	394	606	817	1,200	1,549	1,650	1,282	689	181	36	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHAEMIC HEART DISEASE		326	-	-	-	-	-	1	-	2	5	4	13	13	23	30	36	39	35	44	35	34	9	3	-
		M	176	-	-	-	-	-	1	-	2	4	4	11	11	17	26	26	24	12	16	10	11	1	-	-
		F	150	-	-	-	-	-	-	-	-	1	-	2	2	6	4	10	15	23	28	25	23	8	3	-
412	OLD MYOCARDIAL INFARCTION		132	-	-	-	-	-	-	1	-	1	4	7	7	8	13	21	16	14	18	14	7	1	-	-
		M	87	-	-	-	-	-	-	1	-	1	4	5	7	7	10	17	11	11	7	5	1	-	-	-
		F	45	-	-	-	-	-	-	-	-	-	-	2	-	1	3	4	5	3	11	9	6	1	-	-
413	ANGINA PECTORIS		30	-	-	-	-	-	-	-	-	-	1	1	1	4	3	4	4	5	3	-	3	-	1	-
		M	15	-	-	-	-	-	-	-	-	-	-	1	1	2	-	3	2	3	2	-	1	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	1	-	-	2	3	1	2	2	1	-	2	-	1	-
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE																									
414.0	CORONARY ATHEROSCLEROSIS		20,503	4	1	1	-	-	1	10	37	60	124	254	470	804	1,106	1,686	2,209	3,103	3,666	3,620	2,369	809	163	6
		M	10,173	2	-	1	-	-	1	8	29	51	102	218	377	603	818	1,120	1,329	1,620	1,633	1,321	686	207	42	5
		F	10,330	2	1	-	-	-	-	2	8	9	22	36	93	201	288	566	880	1,483	2,033	2,299	1,683	602	121	1
414.1	ANEURYSM OF HEART		28	-	-	-	-	-	-	-	-	-	-	2	1	1	2	8	6	6	1	1	-	-	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	2	1	1	1	5	2	2	1	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	-	1	-	-	-	-
414.8	OTHER		408	1	-	-	-	-	-	1	1	5	6	10	18	23	40	53	50	62	55	43	25	12	3	-
		M	239	-	-	-	-	-	-	-	1	4	5	8	14	18	30	38	32	36	23	15	9	5	1	-
		F	169	1	-	-	-	-	-	1	-	1	1	2	4	5	10	15	18	26	32	28	16	7	2	-
414.9	UNSPECIFIED		2,912	-	-	-	-	-	2	1	5	8	20	65	99	172	267	357	440	460	465	319	172	43	15	2
		M	1,702	-	-	-	-	-	2	1	3	5	16	51	78	122	183	243	290	230	230	123	57	11	5	2
		F	1,210	-	-	-	-	-	-	-	2	3	4	14	21	50	84	114	150	160	235	196	115	32	10	-
415-417	DISEASES OF PULMONARY CIRCULATION		756	10	5	-	2	6	6	7	14	16	16	16	39	40	66	90	111	111	84	75	32	9	1	-
		M	374	5	1	-	1	1	3	5	9	8	7	7	20	23	36	55	56	54	40	23	13	4	1	-
		F	382	5	4	-	1	5	3	2	5	8	9	9	19	17	30	35	53	57	44	52	19	5	-	-
415	ACUTE PULMONARY HEART DISEASE																									
415.1	PULMONARY EMBOLISM		609	-	-	-	-	2	2	4	9	10	14	13	33	34	55	74	92	90	71	69	28	9	-	-
		M	300	-	-	-	-	-	1	4	8	5	6	6	17	20	32	48	47	39	31	20	12	4	-	-
		F	309	-	-	-	-	2	1	-	1	5	8	7	16	14	23	26	45	51	40	49	16	5	-	-
416	CHRONIC PULMONARY HEART DISEASE																									
416.0	PRIMARY PULMONARY HYPERTENSION		76	8	3	-	2	3	4	3	5	4	1	3	4	4	6	6	7	5	6	1	-	-	1	-
		M	37	5	1	-	1	1	2	1	1	2	-	1	2	2	1	3	5	3	4	1	-	-	1	-
		F	39	3	2	-	1	2	2	2	4	2	1	2	2	2	5	3	2	2	2	-	-	-	-	-
416.1	KYPHOSCOLIOTIC HEART DISEASE		13	-	-	-	-	1	-	-	-	-	1	-	-	1	1	1	3	1	2	2	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	-	1	-	-	-	-
		F	8	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	1	2	1	-	-	-	-
416.9	PULMONARY HEART DISEASE, UNSPECIFIED		56	2	2	-	-	-	-	-	-	1	-	-	2	1	4	9	8	15	5	3	4	-	-	-
		M	31	-	-	-	-	-	-	-	-	1	-	-	1	1	3	4	2	12	5	1	1	-	-	-
		F	25	2	2	-	-	-	-	-	-	-	-	-	1	-	1	5	6	3	-	2	3	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
417	OTHER DISEASES OF PULMONARY CIRCULATION																									
417.1	ANEURYSM OF PULMONARY ARTERY		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
417.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
420-429	OTHER FORMS OF HEART DISEASE		13,238	38	26	7	11	21	48	52	61	93	162	285	573	917	1,117	1,292	1,603	1,753	1,922	1,759	1,055	373	63	7
		M	7,061	19	18	3	3	14	28	32	45	60	116	210	412	683	763	872	968	906	830	624	346	94	12	3
		F	6,177	19	8	4	8	7	20	20	16	33	46	75	161	234	354	420	635	847	1,092	1,135	709	279	51	4
420	ACUTE PERICARDITIS																									
420.9	OTHER AND UNSPECIFIED ACUTE PERICARDITIS		13	-	-	-	-	-	1	-	-	1	-	-	-	-	3	1	1	1	5	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
		F	9	-	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	1	4	-	-	-	-	-
421	ACUTE AND SUBACUTE ENDOCARDITIS																									
421.0	ACUTE AND SUBACUTE BACTERIAL ENDOCARDITIS		77	-	1	1	-	1	-	3	3	6	2	3	3	7	4	9	11	8	7	7	1	-	-	-
		M	54	-	1	1	-	1	-	3	2	3	1	2	3	6	2	7	8	6	3	4	1	-	-	-
		F	23	-	-	-	-	-	-	-	1	3	1	1	-	1	2	2	3	2	4	3	-	-	-	-
421.9	ACUTE ENDOCARDITIS, UNSPECIFIED		2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
422	ACUTE MYOCARDITIS																									
422.9	OTHER AND UNSPECIFIED ACUTE MYOCARDITIS		43	-	2	1	1	3	5	4	2	4	3	2	1	3	4	3	1	1	1	-	1	1	-	-
		M	19	-	1	-	-	2	1	4	-	3	-	1	-	1	2	2	1	-	-	-	1	-	-	-
		F	24	-	1	1	1	1	4	-	2	1	3	1	1	2	2	1	-	1	1	-	-	1	-	-
423	OTHER DISEASES OF PERICARDIUM																									
423.0	HAEMOPERICARDIUM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
423.1	ADHESIVE PERICARDITIS		4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
423.2	CONSTRICTIVE PERICARDITIS		9	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	2	-	1	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	1	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
423.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
423.9	UNSPECIFIED		31	1	1	-	-	-	-	1	-	1	1	-	1	4	5	2	8	2	2	2	-	-	-	-
		M	16	-	-	-	-	-	-	1	-	1	1	-	-	2	2	-	5	1	1	2	-	-	-	-
		F	15	1	1	-	-	-	-	-	-	-	-	-	1	2	3	2	3	1	1	-	-	-	-	-
424	OTHER DISEASES OF ENDOCARDIUM																									
424.0	MITRAL VALVE DISORDERS		132	-	-	-	-	-	3	-	2	2	5	1	4	1	7	10	28	31	17	15	6	-	-	-
		M	55	-	-	-	-	-	2	-	1	-	2	1	1	1	2	4	16	11	6	6	2	-	-	-
		F	77	-	-	-	-	-	1	-	1	2	3	-	3	-	5	6	12	20	11	9	4	-	-	-
424.1	AORTIC VALVE DISORDERS		565	-	-	-	-	-	3	1	3	4	7	12	14	32	43	55	87	102	88	62	39	11	1	1
		M	337	-	-	-	-	-	2	-	3	3	5	11	10	27	34	41	52	58	46	23	15	5	1	1
		F	228	-	-	-	-	-	1	1	-	1	2	1	4	5	9	14	35	44	42	39	24	6	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
424.3	PULMONARY VALVE DISORDERS		2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
424.9	ENDOCARDITIS, VALVE UNSPECIFIED		114	1	-	-	-	-	2	-	-	-	-	3	3	7	9	12	6	19	23	20	7	2	-	-
		M	39	-	-	-	-	-	-	-	-	-	-	1	1	2	6	4	2	9	9	4	1	-	-	-
		F	75	1	-	-	-	-	2	-	-	-	-	2	2	5	3	8	4	10	14	16	6	2	-	-
425	CARDIOMYOPATHY																									
425.1	HYPERTROPHIC OBSTRUCTIVE CARDIOMYOPATHY		21	1	-	-	1	1	1	1	2	2	-	1	-	2	1	1	3	2	1	1	-	-	-	-
		M	10	1	-	-	1	1	1	-	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
		F	11	-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	3	2	-	1	-	-	-	-
425.3	ENDOCARDIAL FIBROELASTOSIS		11	7	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
425.4	OTHER PRIMARY CARDIOMYOPATHIES		825	1	8	1	4	9	14	21	13	22	35	46	85	116	114	102	97	62	39	18	14	4	-	-
		M	537	-	6	-	1	6	8	13	10	13	26	32	59	75	70	68	65	43	28	7	7	-	-	-
		F	288	1	2	1	3	3	6	8	3	9	9	14	26	41	44	34	32	19	11	11	7	4	-	-
425.5	ALCOHOLIC CARDIOMYOPATHY		115	-	-	-	-	-	1	2	10	4	11	16	16	17	11	15	6	4	2	-	-	-	-	-
		M	92	-	-	-	-	-	1	1	8	4	9	15	13	13	7	12	4	3	2	-	-	-	-	-
		F	23	-	-	-	-	-	-	1	2	-	2	1	3	4	4	3	2	1	-	-	-	-	-	-
425.9	SECONDARY CARDIOMYOPATHY, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
426	CONDUCTION DISORDERS																									
426.0	ATRIOVENTRICULAR BLOCK, COMPLETE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
426.1	ATRIOVENTRICULAR BLOCK, OTHER AND UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
426.3	OTHER LEFT BUNDLE BRANCH BLOCK		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
426.4	RIGHT BUNDLE BRANCH BLOCK		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
426.5	BUNDLE BRANCH BLOCK, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
426.7	ANOMALOUS ATRIOVENTRICULAR EXCITATION		2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
426.8	OTHER		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
426.9	UNSPECIFIED		23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	1	4	7	1	1	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	1	2	1	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	5	-	1	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
427	CARDIAC DYSRHYTHMIAS																									
427.1	PAROXYSMAL VENTRICULAR TACHYCARDIA		9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	1	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	1	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
427.3	ATRIAL FIBRILLATION AND FLUTTER		124	-	-	-	-	-	-	-	-	-	-	-	1	-	5	9	16	23	31	16	15	8	-	-
		M	54	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	8	10	14	5	6	2	-	-
		F	70	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	13	17	11	9	6	-	-
427.4	VENTRICULAR FIBRILLATION AND FLUTTER		57	-	-	-	-	-	2	1	-	1	-	-	3	8	6	9	8	11	4	3	1	-	-	-
		M	27	-	-	-	-	-	2	-	-	-	-	-	1	3	4	4	5	5	1	1	1	-	-	-
		F	30	-	-	-	-	-	-	1	-	1	-	-	2	5	2	5	3	6	3	2	-	-	-	-
427.5	CARDIAC ARREST		562	12	8	2	2	2	2	5	4	4	9	14	29	40	46	64	59	64	72	62	37	21	4	-
		M	297	5	8	-	-	1	2	3	2	1	5	7	13	26	26	44	34	3[illegible]	[illegible]	24	21	5	-	-
		F	265	7	-	2	2	1	-	2	2	3	4	7	16	14	20	20	25	28	[illegible]	38	16	16	4	-
427.6	PREMATURE BEATS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-
427.8	OTHER		17	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	1	1	4	4	2	1	-	-
		M	9	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	1	2	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	3	-	1	-	-
427.9	UNSPECIFIED		92	1	-	-	1	-	3	2	2	-	3	6	4	9	9	10	17	5	5	7	5	2	1	-
		M	38	1	-	-	-	-	3	1	1	-	1	-	1	3	6	6	8	2	2	1	2	-	-	-
		F	54	-	-	-	1	-	-	1	1	-	2	6	3	6	3	4	9	3	3	6	3	2	1	-
428	HEART FAILURE																									
428.0	CONGESTIVE HEART FAILURE		952	5	2	-	-	-	-	1	-	4	3	9	12	21	44	68	116	162	183	191	98	27	6	-
		M	460	2	1	-	-	-	-	-	-	3	1	5	7	13	27	39	74	81	77	83	41	5	1	-
		F	492	3	1	-	-	-	-	1	-	1	2	4	5	8	17	29	42	81	106	108	57	22	5	-
428.1	LEFT HEART FAILURE		9	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	1	3	-	-	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-
		F	4	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-
428.9	UNSPECIFIED		168	2	-	-	1	-	-	-	-	1	-	1	4	7	14	8	26	24	33	25	20	2	-	-
		M	84	1	-	-	1	-	-	-	-	-	-	1	3	5	11	4	16	11	20	6	5	-	-	-
		F	84	1	-	-	-	-	-	-	-	1	-	-	1	2	3	4	10	13	13	19	15	2	-	-
429	ILL-DEFINED DESCRIPTIONS AND COMPLICATIONS OF HEART DISEASE																									
429.0	MYOCARDITIS, UNSPECIFIED		163	2	1	1	1	3	8	7	7	9	7	6	13	7	15	14	9	11	8	16	14	3	1	-
		M	87	1	-	1	-	1	4	4	4	6	4	3	9	5	7	8	3	7	4	8	7	1	-	-
		F	76	1	1	-	1	2	4	3	3	3	3	3	4	2	8	6	6	4	4	8	7	2	1	-
429.1	MYOCARDIAL DEGENERATION		42	1	-	-	-	-	-	-	-	-	-	1	1	5	1	1	5	9	7	6	3	2	-	-
		M	18	-	-	-	-	-	-	-	-	-	-	1	1	4	-	1	3	5	3	-	-	-	-	-
		F	24	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	4	6	3	2	-	-
429.2	CARDIOVASCULAR DISEASE, UNSPECIFIED		8,864	1	-	-	-	-	-	1	7	23	69	158	366	620	760	866	1,057	1,177	1,363	1,275	779	286	50	6
		M	4,674	1	-	-	-	-	-	1	7	20	58	126	280	487	542	600	642	600	558	439	226	75	10	2
		F	4,190	-	-	-	-	-	-	-	-	3	11	32	86	133	218	266	415	577	805	836	553	211	40	4

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
429.3	CARDIOMEGALY		84	-	-	-	-	1	-	1	3	3	4	4	5	6	7	11	14	7	10	4	4	-	-	-
		M	57	-	-	-	-	1	-	1	3	1	2	4	4	5	5	11	7	4	7	1	1	-	-	-
		F	27	-	-	-	-	-	-	-	-	2	2	-	1	1	2	-	7	3	3	3	3	-	-	-
429.5	RUPTURE OF CHORDAE TENDINAE		7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	1	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	1	-	-	-	-
429.8	OTHER		11	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	1	1	2	-	1	-	-	-
		M	7	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	-	2	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-
429.9	UNSPECIFIED		66	1	1	-	-	-	1	-	-	1	2	-	3	2	1	10	9	15	5	10	4	1	-	-
		M	37	1	-	-	-	-	1	-	-	-	1	-	1	2	1	5	7	8	4	2	3	1	-	-
		F	29	-	1	-	-	-	-	-	-	1	1	-	2	-	-	5	2	7	1	8	1	-	-	-
430-438	CEREBROVASCULAR DISEASE		16,192	13	7	5	2	9	21	38	55	84	113	209	324	521	745	1,169	1,833	2,447	3,219	3,053	1,689	561	74	1
		M	6,434	5	4	2	1	4	15	22	23	37	61	96	165	259	419	591	913	1,092	1,188	947	446	128	15	1
		F	9,758	8	3	3	1	5	6	16	32	47	52	113	159	262	326	578	920	1,355	2,031	2,106	1,243	433	59	-
430	SUBARACHNOID HAEMORRHAGE		782	-	1	2	1	1	9	20	35	44	51	83	76	104	109	69	72	49	30	20	5	1	-	-
		M	279	-	1	1	1	-	7	12	13	18	19	35	26	38	43	22	23	11	5	3	1	-	-	-
		F	503	-	-	1	-	1	2	8	22	26	32	48	50	66	66	47	49	38	25	17	4	1	-	-
431	INTRACEREBRAL HAEMORRHAGE		1,821	5	1	1	1	4	8	9	13	24	35	69	118	146	153	202	249	227	287	177	73	16	3	-
		M	778	4	1	-	-	2	4	5	6	13	23	31	66	69	85	84	113	98	100	53	20	1	-	-
		F	1,043	1	-	1	1	2	4	4	7	11	12	38	52	77	68	118	136	129	187	124	53	15	3	-
432	OTHER AND UNSPECIFIED INTRACRANIAL HAEMORRHAGE																									
432.1	SUBDURAL HAEMORRHAGE		24	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	7	4	1	4	-	-	-	-
		M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	3	1	3	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	1	-	1	-	-	-	-
432.9	UNSPECIFIED INTRACRANIAL HAEMORRHAGE		116	5	-	1	-	1	1	1	1	2	-	6	8	10	11	8	14	22	12	8	5	-	-	-
		M	57	1	-	1	-	1	1	-	-	-	-	3	1	6	8	5	7	12	4	5	2	-	-	-
		F	59	4	-	-	-	-	-	1	1	2	-	3	7	4	3	3	7	10	8	3	3	-	-	-
433	OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES																									
433.0	BASILAR ARTERY		93	-	-	-	-	-	-	-	1	-	-	2	4	3	5	16	20	16	15	8	3	-	-	-
		M	50	-	-	-	-	-	-	-	1	-	-	1	3	3	4	8	12	7	4	5	2	-	-	-
		F	43	-	-	-	-	-	-	-	-	-	-	1	1	-	1	8	8	9	11	3	1	-	-	-
433.1	CAROTID ARTERY		107	-	-	-	-	1	-	1	-	-	2	-	4	4	11	21	26	15	9	8	3	2	-	-
		M	59	-	-	-	-	-	-	1	-	-	2	-	2	2	9	11	15	6	5	5	1	-	-	-
		F	48	-	-	-	-	1	-	-	-	-	-	-	2	2	2	10	11	9	4	3	2	2	-	-
433.2	VERTEBRAL ARTERY		6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
433.3	MULTIPLE AND BILATERAL		14	-	-	-	-	-	-	-	-	-	-	2	2	-	3	1	1	1	-	2	1	1	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	1	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	2	1	-	-	-
433.8	OTHER		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
434	OCCLUSION OF CEREBRAL ARTERIES																									
434.0	CEREBRAL THROMBOSIS		2,625	-	-	-	-	-	1	1	-	-	3	6	7	22	64	142	239	419	557	650	367	120	19	-
		M	920	-	-	-	-	-	1	-	-	-	3	4	4	15	29	82	105	183	197	188	82	24	3	-
		F	1,705	-	-	-	-	-	-	1	-	-	-	2	3	7	35	60	134	236	360	470	285	96	16	-
434.1	CEREBRAL EMBOLISM		64	-	-	-	-	-	-	-	1	1	1	1	-	3	4	11	8	11	13	5	4	1	-	-
		M	29	-	-	-	-	-	-	-	1	-	-	1	-	-	3	7	4	5	7	-	1	-	-	-
		F	35	-	-	-	-	-	-	-	-	1	1	-	-	3	1	4	4	6	6	5	3	1	-	-
434.9	UNSPECIFIED		1,113	2	4	-	-	-	2	3	1	5	7	13	23	49	69	110	148	155	220	174	89	34	5	-
		M	495	-	1	-	-	-	2	1	1	3	4	9	14	33	38	55	80	78	88	57	21	9	1	-
		F	618	2	3	-	-	-	-	2	-	2	3	4	9	16	31	55	68	77	132	117	68	25	4	-
435	TRANSIENT CEREBRAL ISCHAEMIA		27	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	5	6	5	2	2	-	-
		M	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	4	2	-	2	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	2	3	2	-	-	-
436	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE		6,825	1	-	-	-	1	-	2	2	5	9	22	65	147	267	465	815	1,143	1,513	1,336	744	256	31	1
		M	2,769	-	-	-	-	-	-	2	-	3	7	9	36	75	164	246	423	511	572	429	213	70	8	1
		F	4,056	1	-	-	-	1	-	-	2	2	2	13	29	72	183	219	392	632	941	907	531	186	23	-
437	OTHER AND ILL-DEFINED CEREBROVASCULAR DISEASE																									
437.0	CEREBRAL ATHEROSCLEROSIS		1,328	-	-	-	-	-	-	-	1	-	-	1	4	6	12	45	111	176	283	358	242	77	12	-
		M	469	-	-	-	-	-	-	-	1	-	-	1	4	4	9	28	63	70	97	113	67	10	2	-
		F	859	-	-	-	-	-	-	-	-	-	-	-	-	2	3	17	48	106	186	245	175	67	10	-
437.1	OTHER GENERALIZED ISCHAEMIC CEREBROVASCULAR DISEASE		49	-	-	1	-	-	-	-	-	-	-	-	-	1	1	5	3	4	15	8	9	2	-	-
		M	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	4	1	3	1	-	-
		F	31	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	2	11	7	6	1	-	-
437.2	HYPERTENSIVE ENCEPHALOPATHY		16	-	-	-	-	-	-	-	-	1	-	2	1	3	1	2	1	1	2	2	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	1	-	2	-	2	1	1	-	-	2	2	-	-	-	-
437.3	CEREBRAL ANEURYSM, NONRUPTURED		28	-	-	-	-	-	-	1	-	2	3	-	3	6	3	5	2	1	1	1	-	-	-	-
		M	13	-	-	-	-	-	-	1	-	-	2	-	2	2	3	2	-	-	1	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	2	1	-	1	4	-	3	2	1	-	1	-	-	-	-
437.8	OTHER		27	-	-	-	-	1	-	-	-	-	1	1	-	-	-	3	1	3	8	6	3	-	-	-
		M	11	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	2	3	2	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	5	4	3	-	-	-
437.9	UNSPECIFIED		319	-	1	-	-	-	-	-	-	-	-	-	-	1	6	7	29	45	66	96	50	16	2	-
		M	122	-	1	-	-	-	-	-	-	-	-	-	-	1	3	4	14	25	30	27	14	2	1	-
		F	197	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	15	20	36	69	36	14	1	-
438	LATE EFFECTS OF CEREBROVASCULAR DISEASE		805	-	-	-	-	-	-	-	-	-	1	1	8	12	22	52	82	147	160	176	89	33	2	-
		M	322	-	-	-	-	-	-	-	-	-	1	-	5	7	17	29	43	74	65	54	19	8	-	-
		F	483	-	-	-	-	-	-	-	-	-	-	1	3	5	5	23	39	73	115	122	70	25	2	-
440-448	DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES		4,899	2	2	4	-	7	4	2	12	11	18	29	62	148	260	404	556	714	861	875	642	230	45	3
		M	2,430	2	2	1	-	6	1	1	9	6	8	15	44	96	185	281	366	394	413	341	185	64	9	1
		F	2,469	-	-	3	-	1	3	1	3	5	10	14	18	52	75	123	190	320	448	534	457	174	36	2

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
440	ATHEROSCLEROSIS																									
440.0	OF AORTA		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
440.1	OF RENAL ARTERY		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
440.2	OF ARTERIES OF THE EXTREMITIES		174	-	-	-	-	-	-	-	-	-	-	1	-	3	8	13	19	21	37	34	26	9	3	-
		M	74	-	-	-	-	-	-	-	-	-	-	-	-	3	4	9	11	12	13	15	3	3	1	-
		F	100	-	-	-	-	-	-	-	-	-	-	1	-	-	4	4	8	9	24	19	23	6	2	-
440.8	OF OTHER SPECIFIED ARTERIES		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
440.9	GENERALIZED AND UNSPECIFIED		2,562	1	-	-	-	-	-	-	-	-	2	2	10	15	48	104	169	318	488	629	535	200	40	1
		M	963	1	-	-	-	-	-	-	-	-	1	1	6	9	29	60	97	140	194	211	155	52	7	-
		F	1,599	-	-	-	-	-	-	-	-	-	1	1	4	6	19	44	72	178	294	418	380	148	33	1
441	AORTIC ANEURYSM																									
441.0	DISSECTING ANEURYSM (ANY PART)		355	-	-	-	-	5	2	1	4	3	3	9	13	36	40	44	58	59	40	25	12	1	-	-
		M	196	-	-	-	-	5	-	1	3	3	2	6	10	20	29	27	25	30	18	13	4	-	-	-
		F	159	-	-	-	-	-	2	-	1	-	1	3	3	16	11	17	33	29	22	12	8	1	-	-
441.1	THORACIC ANEURYSM, RUPTURED		156	-	-	-	-	-	1	-	-	-	-	3	5	10	9	20	37	25	24	16	5	1	-	-
		M	81	-	-	-	-	-	-	-	-	-	-	2	5	8	5	8	22	11	12	7	1	-	-	-
		F	75	-	-	-	-	-	1	-	-	-	-	1	-	2	4	12	15	14	12	9	4	1	-	-
441.2	THORACIC ANEURYSM WITHOUT MENTION OF RUPTURE		22	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	3	5	4	1	1	1	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	2	3	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	1	1	1	-	-
441.3	ABDOMINAL ANEURYSM, RUPTURED		660	-	-	-	-	-	-	-	-	-	1	1	8	26	51	89	131	125	122	78	20	8	-	-
		M	517	-	-	-	-	-	-	-	-	-	1	1	8	23	47	75	112	102	89	50	6	3	-	-
		F	143	-	-	-	-	-	-	-	-	-	-	-	-	3	4	14	19	23	33	28	14	5	-	-
441.4	ABDOMINAL ANEURYSM, WITHOUT MENTION OF RUPTURE		95	-	-	-	-	-	-	-	-	-	-	-	-	2	6	11	18	14	27	10	4	3	-	-
		M	72	-	-	-	-	-	-	-	-	-	-	-	-	1	6	9	13	13	18	8	2	2	-	-
		F	23	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	1	9	2	2	1	-	-
441.5	AORTIC ANEURYSM OF UNSPECIFIED SITE, RUPTURED		276	-	-	-	-	-	-	-	1	-	1	1	2	11	22	46	43	61	50	25	9	1	2	1
		M	193	-	-	-	-	-	-	-	1	-	-	1	2	8	20	41	35	38	30	12	3	-	1	1
		F	83	-	-	-	-	-	-	-	-	-	1	-	-	3	2	5	8	23	20	13	6	1	1	-
441.6	AORTIC ANEURYSM OF UNSPECIFIED SITE, WITHOUT MENTION OF RUPTURE		56	-	-	-	-	-	-	-	-	1	-	1	-	2	3	7	15	3	8	9	5	1	-	1
		M	33	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	12	1	5	3	3	-	-	-
		F	23	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	3	2	3	6	2	1	-	1
442	OTHER ANEURYSM																									
442.2	OF ILIAC ARTERY		18	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	4	6	1	-	-	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	3	6	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
442.3	OF ARTERY OF LOWER EXTREMITY		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
442.8	OF OTHER SPECIFIED ARTERY		16	-	-	-	-	1	-	-	-	-	1	-	3	3	3	1	-	2	1	1	-	-	-	-
		M	8	-	-	-	-	1	-	-	-	-	-	-	1	1	2	1	-	1	1	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	1	-	1	-	-	-	-
442.9	OF UNSPECIFIED SITE		44	-	-	-	-	-	-	-	-	2	2	1	4	5	9	6	2	6	4	1	1	1	-	-
		M	23	-	-	-	-	-	-	-	-	2	-	-	2	3	6	3	2	2	2	1	-	-	-	-
		F	21	-	-	-	-	-	-	-	-	-	2	1	2	2	3	3	-	4	2	-	1	1	-	-
443	OTHER PERIPHERAL VASCULAR DISEASE																									
443.0	RAYNAUD'S SYNDROME		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
443.1	THROMBOANGIITIS OBLITERANS (BUERGER'S DISEASE)		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
443.9	UNSPECIFIED		83	-	-	-	-	-	-	-	-	-	1	1	-	4	8	5	13	12	12	15	7	5	-	-
		M	52	-	-	-	-	-	-	-	-	-	-	-	-	2	5	4	10	11	8	7	3	2	-	-
		F	31	-	-	-	-	-	-	-	-	-	1	1	-	2	3	1	3	1	4	8	4	3	-	-
444	ARTERIAL EMBOLISM AND THROMBOSIS																									
444.0	OF ABDOMINAL AORTA		18	-	-	-	-	-	-	-	-	-	-	1	2	-	2	4	2	1	3	2	1	-	-	-
		M	13	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	1	1	2	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	-	-	-
444.1	OF OTHER AORTA		25	-	-	-	-	-	-	-	-	-	1	-	-	2	6	5	3	5	2	-	1	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	1	1	1	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	2	4	1	-	1	-	-	-
444.2	OF ARTERIES OF THE EXTREMITIES		62	-	-	-	-	-	-	-	-	-	-	-	1	4	6	1	5	13	8	11	8	5	-	-
		M	24	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	5	4	4	4	1	1	-	-
		F	38	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	-	9	4	7	7	4	-	-
444.8	OF OTHER SPECIFIED ARTERY		18	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	2	2	5	4	-	-	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	1	3	2	-	-	-	-
		F	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-
444.9	OF UNSPECIFIED ARTERY		28	-	-	1	-	-	-	-	-	-	-	1	-	2	2	4	2	3	6	3	4	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	-	1	2	2	-	-	-
		F	16	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	1	3	5	1	2	-	-	-
446	POLYARTERITIS NODOSA AND ALLIED CONDITIONS																									
446.0	POLYARTERITIS NODOSA		19	1	-	-	-	-	-	-	-	-	2	2	1	3	1	4	3	1	1	-	-	-	-	-
		M	10	1	-	-	-	-	-	-	-	-	1	1	1	1	-	3	1	-	1	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	2	1	-	-	-	-	-	-
446.1	ACUTE FEBRILE MUCOCUTANEOUS LYMPHNODE SYNDROME (MCLS)		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
446.2	HYPERSENSITIVITY ANGIITIS		9	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	2	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
446.4	WEGENER'S GRANULOMATOSIS		7	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	2	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
446.5	GIANT CELL ARTERITIS		9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	3	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	-	-	-	-
446.6	THROMBOTIC MICROANGIOPATHY		20	-	-	-	-	1	1	-	2	4	1	1	3	2	3	1	-	1	-	-	-	-	-	-
		M	4	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	16	-	-	-	-	1	-	-	-	3	1	1	3	2	3	1	-	1	-	-	-	-	-	-
447	OTHER DISORDERS OF ARTERIES AND ARTERIOLES																									
447.0	ARTERIOVENOUS FISTULA, ACQUIRED		3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
447.1	STRICTURE OF ARTERY		20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	2	2	-	2	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	-	-	-	1	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	2	-	1	-	-
447.2	RUPTURE OF ARTERY		24	-	-	-	-	-	-	-	1	-	1	-	1	1	4	5	6	2	2	1	-	-	-	-
		M	20	-	-	-	-	-	-	-	1	-	1	-	-	1	4	5	4	1	2	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-
447.5	NECROSIS OF ARTERY		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
447.6	ARTERITIS, UNSPECIFIED		38	-	1	2	-	-	-	1	1	-	1	2	3	4	7	5	5	5	-	1	-	-	-	-
		M	16	-	1	1	-	-	-	-	-	-	1	-	1	3	2	3	1	3	-	-	-	-	-	-
		F	22	-	-	1	-	-	-	1	1	-	-	2	2	1	5	2	4	2	-	1	-	-	-	-
447.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
447.9	UNSPECIFIED		49	-	1	-	-	-	-	-	-	-	1	-	2	6	10	12	5	7	3	1	1	-	-	-
		M	30	-	1	-	-	-	-	-	-	-	1	-	1	4	6	8	3	3	1	1	1	-	-	-
		F	19	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4	2	4	2	-	-	-	-	-
448	DISEASES OF CAPILLARIES																									
448.0	HEREDITARY HAEMORRHAGIC TELANGIECTASIA		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-
448.9	OTHER AND UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
451-459	DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM		386	2	2	-	-	1	7	4	3	3	14	12	30	36	41	45	54	47	34	31	18	2	-	-
		M	213	2	-	-	-	-	5	3	1	3	9	5	18	28	26	29	29	25	12	11	7	-	-	-
		F	173	-	2	-	-	1	2	1	2	-	5	7	12	8	15	16	25	22	22	20	11	2	-	-
451	PHLEBITIS AND THROMBOPHLEBITIS																									
451.0	OF SUPERFICIAL VESSELS OF LOWER EXTREMITIES		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
451.1	OF DEEP VESSELS OF LOWER EXTREMITIES		46	-	-	-	-	-	-	-	-	-	3	1	4	2	4	5	6	9	5	4	3	-	-	-
		M	25	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	3	6	4	1	1	-	-	-
		F	21	-	-	-	-	-	-	-	-	-	3	1	2	-	1	2	3	3	1	3	2	-	-	-
451.2	OF LOWER EXTREMITIES, UNSPECIFIED		139	-	-	-	-	1	2	2	-	1	6	4	13	10	9	19	20	23	12	9	7	1	-	-
		M	65	-	-	-	-	-	1	1	-	1	4	1	6	8	5	11	8	11	-	4	4	-	-	-
		F	74	-	-	-	-	1	1	1	-	-	2	3	7	2	4	8	12	12	12	5	3	1	-	-
451.8	OF OTHER SITES		3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
451.9	OF UNSPECIFIED SITE		49	-	-	-	-	-	1	-	-	-	1	1	4	6	5	7	8	1	4	8	3	-	-	-
		M	28	-	-	-	-	-	1	-	-	-	1	-	3	3	2	4	6	1	3	2	2	-	-	-
		F	21	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	2	-	1	6	1	-	-	-
452	PORTAL VEIN THROMBOSIS		6	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
453	OTHER VENOUS EMBOLISM AND THROMBOSIS																									
453.0	BUDD-CHIARI SYNDROME		4	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
453.2	OF VENA CAVA		2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
453.8	OF OTHER SPECIFIED VEINS		17	-	-	-	-	-	-	-	-	-	1	2	-	2	3	5	1	-	2	1	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	1	1	-	2	-	4	-	-	-	1	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	-	2	-	-	-	-	-
453.9	OF UNSPECIFIED SITE		4	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
454	VARICOSE VEINS OF LOWER EXTREMITIES																									
454.0	WITH ULCER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
454.1	WITH INFLAMMATION		5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-
454.2	WITH ULCER AND INFLAMMATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
454.9	WITHOUT MENTION OF ULCER OR INFLAMMATION		6	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	1	-	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
455	HAEMORRHOIDS																									
455.6	UNSPECIFIED HAEMORRHOIDS, WITHOUT MENTION OF COMPLICATION		2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
456	VARICOSE VEINS OF OTHER SITES																									
456.0	OESOPHAGEAL VARICES WITH BLEEDING		25	-	-	-	-	-	-	1	1	-	2	1	-	3	7	2	3	3	1	1	-	-	-	-
		M	21	-	-	-	-	-	-	1	1	-	2	1	-	3	7	2	2	2	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
456.1	OESOPHAGEAL VARICES WITHOUT MENTION OF BLEEDING		8	-	-	-	-	-	-	1	-	-	-	-	2	3	1	-	-	-	-	-	1	-	-	-
		M	6	-	-	-	-	-	-	1	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
456.5	PELVIC VARICES		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
457	NONINFECTIVE DISORDERS OF LYMPHATIC CHANNELS																									
457.1	OTHER LYMPHOEDEMA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
458	HYPOTENSION																									
458.0	ORTHOSTATIC HYPOTENSION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
458.9	UNSPECIFIED		38	2	-	-	-	-	1	-	-	-	-	1	3	6	4	4	3	6	4	2	1	1	-	-
		M	27	2	-	-	-	-	1	-	-	-	-	1	3	5	4	2	3	3	1	2	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	3	-	1	1	-	-
459	OTHER DISORDERS OF CIRCULATORY SYSTEM																									
459.0	HAEMORRHAGE, UNSPECIFIED		10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-	2	-	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-	-	-
459.2	COMPRESSION OF VEIN		2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
459.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
459.9	UNSPECIFIED		12	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	1	3	2	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	3	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	-	-	-	-
460-519	DISEASES OF THE RESPIRATORY SYSTEM		11,000	149	64	16	16	30	35	46	51	58	92	120	271	528	857	1,300	1,580	1,746	1,712	1,294	743	239	48	5
		M	6,457	87	42	10	8	15	23	22	28	29	62	67	168	326	517	813	1,024	1,077	1,006	689	345	81	15	3
		F	4,543	62	22	6	8	15	12	24	23	29	30	53	103	202	340	487	556	669	706	605	398	158	33	2
460-466	ACUTE RESPIRATORY INFECTIONS		132	32	17	4	-	-	1	2	3	-	2	1	7	3	5	4	9	13	12	9	4	3	-	1
		M	75	17	13	2	-	-	1	2	1	-	2	1	4	1	4	3	5	7	7	3	1	1	-	-
		F	57	15	4	2	-	-	-	-	2	-	-	-	3	2	1	1	4	6	5	6	3	2	-	1
460	ACUTE NASOPHARYNGITIS (COMMON COLD)		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
462	ACUTE PHARYNGITIS		3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
463	ACUTE TONSILLITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
464	ACUTE LARYNGITIS AND TRACHEITIS																									
464.0	ACUTE LARYNGITIS		7	1	2	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
		M	6	1	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
464.1	ACUTE TRACHEITIS		2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
464.2	ACUTE LARYNGOTRACHEITIS		8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
464.3	ACUTE EPIGLOTTITIS		13	1	8	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		M	8	1	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
465	ACUTE UPPER RESPIRATORY INFECTIONS OF MULTIPLE OR UNSPECIFIED SITE																									
465.8	OTHER MULTIPLE SITES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
465.9	UNSPECIFIED		20	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	2	2	-	-	-	-
		M	10	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	-	-	-	-	-
		F	10	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS																									
466.0	ACUTE BRONCHITIS		68	8	3	1	-	-	-	2	2	-	2	-	4	2	4	4	9	7	7	6	3	3	-	1
		M	38	4	3	-	-	-	-	2	1	-	2	-	2	1	3	3	5	3	5	2	1	1	-	-
		F	30	4	-	1	-	-	-	-	1	-	-	-	2	1	1	1	4	4	2	4	2	2	-	1
466.1	ACUTE BRONCHIOLITIS		8	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
470-478	OTHER DISEASES OF UPPER RESPIRATORY TRACT		26	2	1	-	-	1	2	-	1	1	-	2	3	1	1	1	2	2	3	3	-	-	-	-
		M	16	2	1	-	-	-	2	-	1	-	-	1	1	-	1	1	1	2	1	2	-	-	-	-
		F	10	-	-	-	-	1	-	-	-	1	-	1	2	1	-	-	1	-	2	1	-	-	-	-
473	CHRONIC SINUSITIS																									
473.9	UNSPECIFIED		4	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
474	CHRONIC DISEASE OF TONSILS AND ADENOIDS																									
474.0	CHRCNIC TONSILLITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
474.9	UNSPECIFIED		2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
475	PERITONSILLAR ABSCESS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
477	ALLERGIC RHINITIS																									
477.9	CAUSE UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
478	OTHER DISEASES OF UPPER RESPIRATORY TRACT																									
478.2	OTHER DISEASES OF PHARYNX, NOT ELSEWHERE CLASSIFIED		6	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	2	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
478.3	PARALYSIS OF VOCAL CORDS OR LARYNX		3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
478.6	OEDEMA OF LARYNX		2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
478.7	OTHER DISEASES OF LARYNX, NOT ELSEWHERE CLASSIFIED		6	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-
		M	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
480-487	PNEUMONIA AND INFLUENZA		4,355	66	26	8	10	14	14	23	27	29	41	42	86	158	195	302	393	599	784	771	543	178	44	2
		M	2,212	35	17	6	6	8	7	9	16	13	25	26	61	100	117	169	231	325	378	361	234	53	13	2
		F	2,143	31	9	2	4	6	7	14	11	16	16	16	25	58	78	133	162	274	406	410	309	125	31	-
480	VIRAL PNEUMONIA																									
480.9	VIRAL PNEUMONIA, UNSPECIFIED		79	7	2	1	1	1	2	2	1	1	4	-	1	5	2	6	6	10	9	9	8	1	-	-
		M	30	4	1	1	-	1	-	1	-	1	-	-	-	4	1	2	1	4	2	2	5	-	-	-
		F	49	3	1	-	1	-	2	1	1	-	4	-	1	1	1	4	5	6	7	7	3	1	-	-
481	PNEUMOCOCCAL PNEUMONIA		229	1	-	-	-	-	1	2	4	3	3	8	9	21	16	25	18	28	31	34	17	3	4	1
		M	117	-	-	-	-	-	1	-	-	-	3	4	5	15	7	15	15	14	14	16	5	1	1	1
		F	112	1	-	-	-	-	-	2	4	3	-	4	4	6	9	10	3	14	17	18	12	2	3	-
482	OTHER BACTERIAL PNEUMONIA																									
482.0	PNEUMONIA DUE TO KLEBSIELLA PNEUMONIAE		26	-	-	-	-	-	-	-	-	-	3	-	-	1	3	4	3	3	3	2	3	1	-	-
		M	16	-	-	-	-	-	-	-	-	-	2	-	-	1	3	1	2	1	2	1	2	1	-	-
		F	10	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	2	1	1	1	-	-	-
482.1	PNEUMONIA DUE TO PSEUDOMONAS		33	-	-	-	-	-	-	-	-	-	-	-	2	3	2	4	7	4	7	2	2	-	-	-
		M	20	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	4	3	4	1	2	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	1	3	1	-	-	-	-
482.2	PNEUMONIA DUE TO HAEMOPHILUS INFLUENZAE (H. INFLUENZAE)		3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
482.3	PNEUMONIA DUE TO STREPTOCOCCUS		5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
		F	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
482.4	PNEUMONIA DUE TO STAPHYLOCOCCUS		48	-	2	-	-	-	-	-	-	-	-	-	-	3	3	8	3	5	6	9	9	-	-	-
		M	27	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	1	4	4	5	4	-	-	-
		F	21	-	2	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	2	4	5	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
482.8	PNEUMONIA DUE TO OTHER SPECIFIED BACTERIA		9	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	2	-	-	2	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	2	-	-	2	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
482.9	BACTERIAL PNEUMONIA, UNSPECIFIED		65	1	-	-	-	-	-	-	1	-	-	1	-	5	2	5	6	9	12	12	9	2	-	-
		M	38	1	-	-	-	-	-	-	1	-	-	1	-	2	1	5	4	5	10	5	2	1	-	-
		F	27	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	4	2	7	7	1	-	-
483	PNEUMONIA DUE TO OTHER SPECIFIED ORGANISM		6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
		M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
485	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED		1,268	25	16	5	3	5	7	4	12	16	11	15	36	55	63	88	110	146	233	195	154	58	10	1
		M	654	12	11	4	3	1	4	2	8	7	7	8	30	37	40	46	64	75	110	97	68	14	5	1
		F	614	13	5	1	-	4	3	2	4	9	4	7	6	18	23	42	46	71	123	98	86	44	5	-
486	PNEUMONIA, ORGANISM UNSPECIFIED		2,515	28	5	2	6	7	4	14	9	8	19	18	38	60	100	160	235	380	470	484	330	110	28	-
		M	1,266	17	5	1	3	5	2	5	7	4	13	13	24	36	62	91	135	213	227	223	139	35	6	-
		F	1,249	11	-	1	3	2	2	9	2	4	6	5	14	24	38	69	100	167	243	261	191	75	22	-
487	INFLUENZA																									
487.0	WITH PNEUMONIA		21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	9	1	2	2	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	1	-	1	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	4	-	2	1	-
487.1	WITH OTHER RESPIRATORY MANIFESTATIONS		46	1	-	-	-	1	-	1	-	-	-	-	-	3	1	1	2	10	8	9	9	-	-	-
		M	20	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	2	4	3	3	5	-	-	-
		F	26	1	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	6	5	6	4	-	-	-
487.8	WITH OTHER MANIFESTATIONS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS		5,338	9	7	1	2	5	9	9	11	15	30	53	136	297	574	856	1,010	970	751	399	149	40	3	2
		M	3,472	7	4	1	2	2	6	3	6	6	20	26	75	181	346	561	679	649	522	267	88	18	2	1
		F	1,866	2	3	-	-	3	3	6	5	9	10	27	61	116	228	295	331	321	229	132	61	22	1	1
490	BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC		44	4	1	-	-	-	-	1	-	1	2	1	3	2	2	1	2	7	5	5	4	3	-	-
		M	22	2	1	-	-	-	-	1	-	-	1	-	2	1	1	1	2	2	1	4	1	2	-	-
		F	22	2	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	5	4	1	3	1	-	-
491	CHRONIC BRONCHITIS																									
491.0	SIMPLE CHRONIC BRONCHITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
491.1	MUCOPURULENT CHRONIC BRONCHITIS		5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	1
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1
491.2	OBSTRUCTIVE CHRONIC BRONCHITIS		313	1	-	-	-	-	1	-	-	-	-	-	9	17	44	60	56	54	44	17	9	1	-	-
		M	217	1	-	-	-	-	-	-	-	-	-	-	4	14	27	42	40	38	31	13	6	1	-	-
		F	96	-	-	-	-	-	1	-	-	-	-	-	5	3	17	18	16	16	13	4	3	-	-	-
491.8	OTHER CHRONIC BRONCHITIS		4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
491.9	UNSPECIFIED		78	3	3	-	-	-	-	1	-	-	1	2	-	3	9	9	9	11	11	8	6	2	-	-
		M	40	3	1	-	-	-	-	-	-	-	1	1	-	2	5	3	5	8	3	5	2	1	-	-
		F	38	-	2	-	-	-	-	1	-	-	-	1	-	1	4	6	4	3	8	3	4	1	-	-
492	EMPHYSEMA		1,545	-	1	-	-	-	2	1	3	3	5	19	33	90	176	278	305	299	'207	84	26	12	1	-
		M	1,049	-	1	-	-	-	2	1	2	2	4	9	18	56	102	201	213	203	153	63	15	4	-	-
		F	496	-	-	-	-	-	-	-	1	1	1	10	15	34	74	77	92	96	54	21	11	8	1	-
493	ASTHMA																									
493.0	EXTRINSIC ASTHMA		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
493.9	ASTHMA, UNSPECIFIED		274	-	2	-	2	4	6	4	6	8	9	11	18	25	32	30	26	32	23	19	6	2	1	-
		M	113	-	1	-	2	2	4	1	4	3	6	5	7	8	12	15	9	15	8	8	1	1	1	-
		F	161	-	1	-	-	2	2	3	2	5	3	6	11	17	20	23	17	17	15	11	5	1	-	-
494	BRONCHIECTASIS		87	-	-	-	-	-	-	1	1	1	1	1	4	15	10	8	12	12	8	6	4	3	-	-
		M	49	-	-	-	-	-	-	-	-	1	-	1	4	6	7	3	6	6	7	6	2	-	-	-
		F	38	-	-	-	-	-	-	1	1	-	1	-	-	9	3	5	6	6	1	-	2	3	-	-
496	CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED		2,985	-	-	1	-	1	-	1	1	2	12	18	69	144	298	461	600	555	451	258	94	17	1	1
		M	1,976	-	-	1	-	-	-	-	-	-	8	9	40	93	191	295	404	377	318	168	61	9	1	1
		F	1,009	-	-	-	-	1	-	1	1	2	4	9	29	51	107	166	196	178	133	90	33	8	-	-
500-508	PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS		205	1	1	-	-	1	-	2	-	3	6	1	3	10	10	17	30	27	46	29	13	5	-	-
		M	139	1	1	-	-	1	-	1	-	3	4	1	2	7	7	14	25	17	29	17	7	2	-	-
		F	66	-	-	-	-	-	-	1	-	-	2	-	1	3	3	3	5	10	17	12	6	3	-	-
500	COALWORKERS' PNEUMOCONIOSIS		9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	1	-	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	1	-	-	-	-	-	-
501	ASBESTOSIS		11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	-	3	-	-	-	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	-	3	-	-	-	-	-
502	PNEUMOCONIOSIS DUE TO OTHER SILICA OR SILICATES		12	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	1	2	2	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	1	2	2	-	-	-	-
503	PNEUMOCONIOSIS DUE TO OTHER INORGANIC DUST		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
505	PNEUMOCONIOSIS, UNSPECIFIED		9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-	1	2	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-	1	2	-	-	-
506	RESPIRATORY CONDITIONS DUE TO CHEMICAL FUMES AND VAPOURS																									
506.4	CHRONIC RESPIRATORY CONDITIONS DUE TO FUMES AND VAPOURS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
507	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS																									
507.0	DUE TO INHALATION OF FOOD OR VOMIT		161	1	1	-	-	1	-	2	-	3	6	-	3	7	6	10	17	22	41	25	11	5	-	-
		M	96	1	1	-	-	1	-	1	-	3	4	-	2	4	3	7	12	12	24	14	5	2	-	-
		F	65	-	-	-	-	-	-	1	-	-	2	-	1	3	3	3	5	10	17	11	6	3	-	-
507.1	DUE TO INHALATION OF OILS AND ESSENCES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
510-519	OTHER DISEASES OF RESPIRATORY SYSTEM		944	39	12	3	4	9	9	10	9	10	13	21	36	59	72	120	136	135	116	83	34	13	1	-
		M	543	25	6	1	-	4	7	7	4	7	11	12	25	37	42	65	83	77	69	39	15	7	-	-
		F	401	14	6	2	4	5	2	3	5	3	2	9	11	22	30	55	53	58	47	44	19	6	1	-
510	EMPYEMA																									
510.0	WITH FISTULA		6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	2	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
510.9	WITHOUT MENTION OF FISTULA		29	-	-	-	-	-	2	2	-	1	2	1	3	2	1	1	2	2	2	5	3	-	-	-
		M	21	-	-	-	-	-	2	1	-	1	2	-	3	2	1	1	1	2	2	1	2	-	-	-
		F	8	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	4	1	-	-	-
511	PLEURISY																									
511.0	WITHOUT MENTION OF EFFUSION OR CURRENT TUBERCULOSIS		7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	2	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	2	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
511.8	OTHER SPECIFIED FORMS OF EFFUSION, EXCEPT TUBERCULOUS		4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
511.9	UNSPECIFIED PLEURAL EFFUSION		22	-	-	-	-	-	-	-	1	1	1	-	-	3	1	2	1	3	1	3	3	2	-	-
		M	8	-	-	-	-	-	-	-	-	1	1	-	-	3	-	-	1	1	-	-	1	-	-	-
		F	14	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	2	1	3	2	2	-	-
512	PNEUMOTHORAX		16	1	-	1	-	-	1	-	-	-	-	-	1	-	2	-	2	1	4	3	-	-	-	-
		M	10	-	-	1	-	-	1	-	-	-	-	-	1	-	2	-	1	1	2	1	-	-	-	-
		F	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-
513	ABSCESS OF LUNG AND MEDIASTINUM																									
513.0	ABSCESS OF LUNG		66	-	-	-	2	-	-	1	1	-	2	7	3	8	4	9	11	12	3	2	1	-	-	-
		M	47	-	-	-	-	-	-	-	1	-	2	6	1	7	2	7	8	10	2	1	-	-	-	-
		F	19	-	-	-	2	-	-	1	-	-	-	1	2	1	2	2	3	2	1	1	1	-	-	-
514	PULMONARY CONGESTION AND HYPOSTASIS		55	4	1	-	-	2	3	4	1	1	-	1	-	6	1	3	3	5	8	4	6	2	-	-
		M	30	2	-	-	-	1	2	4	1	-	-	1	-	4	-	1	2	3	5	1	2	1	-	-
		F	25	2	1	-	-	1	1	-	-	1	-	-	-	2	1	2	1	2	3	3	4	1	-	-
515	POSTINFLAMMATORY PULMONARY FIBROSIS		310	1	1	1	-	-	1	1	2	5	3	4	10	16	22	43	45	63	54	29	6	3	-	-
		M	171	-	-	-	-	-	1	-	-	4	2	1	7	10	12	26	24	35	32	13	2	2	-	-
		F	139	1	1	1	-	-	-	1	2	1	1	3	3	6	10	17	21	28	22	16	4	1	-	-
516	OTHER ALVEOLAR AND PARIETOALVEOLAR PNEUMOPATHY																									
516.0	PULMONARY ALVEOLAR PROTEINOSIS		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
516.3	IDIOPATHIC FIBROSING ALVEOLITIS		18	-	-	-	-	-	-	-	-	-	-	-	-	3	1	7	1	4	1	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	1	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	-	2	1	-	-	-	-	-
516.8	OTHER		48	11	1	-	1	2	-	-	1	-	1	3	2	1	3	6	2	5	3	3	2	1	-	-
		M	27	8	1	-	-	1	-	-	-	-	1	2	2	1	1	2	2	1	1	2	1	1	-	-
		F	21	3	-	-	1	1	-	-	1	-	-	1	-	-	2	4	-	4	2	1	1	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
518	OTHER DISEASES OF LUNG																									
518.0	PULMONARY COLLAPSE		19	-	-	-	1	-	-	-	-	-	-	-	2	-	1	2	2	1	5	3	1	-	1	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	3	-	1	-	-	-
		F	11	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	1	2	3	-	-	1	-
518.1	INTERSTITIAL EMPHYSEMA		3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
518.3	PULMONARY EOSINOPHILIA		15	-	-	-	-	-	-	-	-	-	1	1	1	-	1	5	1	3	1	1	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	1	1	-	-	5	-	1	1	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	-	-	-	-	-
518.4	ACUTE OEDEMA OF LUNG, UNSPECIFIED		9	2	-	-	-	-	-	1	1	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-
		M	6	2	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
518.5	PULMONARY INSUFFICIENCY FOLLOWING TRAUMA AND SURGERY		47	6	-	-	-	1	1	-	1	2	2	1	5	2	5	7	7	3	-	3	-	1	-	-
		M	22	4	-	-	-	-	-	-	-	1	2	1	3	1	1	5	1	2	-	1	-	-	-	-
		F	25	2	-	-	-	1	1	-	1	1	-	-	2	1	4	2	6	1	-	2	-	1	-	-
518.8	OTHER DISEASES OF LUNG, NOT ELSEWHERE CLASSIFIED		210	11	2	-	-	1	1	-	-	-	1	2	5	11	20	23	48	27	26	22	8	2	-	-
		M	128	6	2	-	-	-	1	-	-	-	1	-	5	4	13	9	34	15	17	15	4	2	-	-
		F	82	5	-	-	-	1	-	-	-	-	-	2	-	7	7	14	14	12	9	7	4	-	-	-
519	OTHER DISEASES OF RESPIRATORY SYSTEM																									
519.1	OTHER DISEASES OF TRACHEA AND BRONCHUS, NOT ELSEWHERE CLASSIFIED		14	1	3	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	2	-	-	-	-	-
		M	7	1	1	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-
		F	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-
519.2	MEDIASTINITIS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
519.3	OTHER DISEASES OF MEDIASTINUM, NOT ELSEWHERE CLASSIFIED		3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
519.8	OTHER DISEASES OF RESPIRATORY SYSTEM, NOT ELSEWHERE CLASSIFIED		34	-	3	-	-	3	-	-	1	-	-	-	1	-	5	3	7	3	1	3	2	2	-	-
		M	21	-	2	-	-	2	-	-	1	-	-	-	-	-	3	2	4	3	1	2	-	1	-	-
		F	13	-	1	-	-	1	-	-	-	-	-	-	1	-	2	1	3	-	-	1	2	1	-	-
519.9	UNSPECIFIED		4	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
520-579	DISEASES OF THE DIGESTIVE SYSTEM		8,201	69	19	6	5	8	35	87	147	262	389	554	834	957	957	897	832	726	596	530	236	62	9	4
		M	4,641	44	15	3	4	3	21	52	101	179	246	383	545	616	570	518	445	369	253	170	80	15	5	4
		F	3,560	25	4	3	1	5	14	35	46	83	143	171	289	341	367	379	387	357	343	360	156	47	4	-
520-529	DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS		6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
521	DISEASES OF HARD TISSUES OF TEETH																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
521.0	DENTAL CARIES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
523	GINGIVAL AND PERIODONTAL DISEASES																									
523.3	ACUTE PERIODONTITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
523.4	CHRONIC PERIODONTITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
527	DISEASES OF THE SALIVARY GLANDS																									
527.2	SIALOADENITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
528	DISEASES OF THE ORAL SOFT TISSUES, EXCLUDING LESIONS SPECIFIC FOR GINGIVA AND TONGUE																									
528.3	CELLULITIS AND ABSCESS		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
528.9	OTHER AND UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
530-537	DISEASES OF OESOPHAGUS, STOMACH, AND DUODENUM		1,008	3	2	-	2	1	6	10	5	16	16	29	41	56	86	100	142	166	128	121	62	13	3	-
		M	551	2	1	-	2	1	4	8	4	13	10	23	27	36	49	50	78	92	67	53	27	3	1	-
		F	457	1	1	-	-	-	2	2	1	3	6	6	14	20	37	50	64	74	61	68	35	10	2	-
530	DISEASES OF OESOPHAGUS																									
530.0	ACHALASIA AND CARDIOSPASM		12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	5	3	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	3	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-
530.1	OESOPHAGITIS		28	-	2	-	-	-	-	2	-	1	-	1	-	1	4	1	2	7	4	2	1	-	-	-
		M	16	-	1	-	-	-	-	2	-	-	-	1	-	1	3	-	1	4	2	1	-	-	-	-
		F	12	-	1	-	-	-	-	-	-	1	-	-	-	-	1	1	1	3	2	1	1	-	-	-
530.2	ULCER OF OESOPHAGUS		7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-
530.3	STRICTURE AND STENOSIS OF OESOPHAGUS		14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	3	2	3	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	3	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	-	-	-	-
530.4	PERFORATION OF OESOPHAGUS		13	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	3	1	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	-	1	-	-	-
530.5	DYKINESIA OF OESOPHAGUS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
530.6	DIVERTICULUM OF OESOPHAGUS, ACQUIRED		9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	1	1	2	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-
530.7	GASTRO-OESOPHAGEAL LACERATION-HAEMORRHAGE SYNDROME		10	-	-	-	-	-	-	1	-	-	-	-	2	-	2	-	2	1	2	-	-	-	-	-
		M	7	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	-	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
530.0	OTHER DISORDERS OF OESOPHAGUS		10	1	-	-	-	-	-	-	-	-	-	1	-	-	5	1	2	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-	2	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
530.9	UNSPECIFIED		7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	2	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
531	GASTRIC ULCER																									
531.0	ACUTE WITH HAEMORRHAGE		3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
531.3	ACUTE WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
531.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE		127	-	-	-	-	-	2	-	2	1	4	3	4	10	10	11	19	27	18	10	5	1	-	-
		M	77	-	-	-	-	-	1	-	1	1	2	2	4	5	6	7	10	22	8	5	3	-	-	-
		F	50	-	-	-	-	-	1	-	1	-	2	1	-	5	4	4	9	5	10	5	2	1	-	-
531.5	CHRONIC OR UNSPECIFIED WITH PERFORATION		76	-	-	-	-	-	-	1	-	1	2	1	3	3	10	15	9	12	11	7	1	-	-	-
		M	29	-	-	-	-	-	-	1	-	-	1	1	1	-	4	5	3	4	4	4	1	-	-	-
		F	47	-	-	-	-	-	-	-	-	1	1	-	2	3	6	10	6	8	7	3	-	-	-	-
531.6	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE AND PERFORATION		11	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	2	2	1	-	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	2	-	-	-	-	-	-
531.7	CHRONIC WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
531.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		29	-	-	-	-	-	-	-	-	1	-	2	3	4	-	4	2	5	5	2	-	-	1	-
		M	19	-	-	-	-	-	-	-	-	1	-	2	1	2	-	3	2	3	3	1	-	-	1	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	2	2	1	-	-	-	-
532	DUODENAL ULCER																									
532.0	ACUTE WITH HAEMORRHAGE		3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
532.3	ACUTE WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
532.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE		148	-	-	-	-	-	-	-	-	2	3	3	5	4	13	17	21	23	23	19	11	4	-	-
		M	94	-	-	-	-	-	-	-	-	2	3	3	2	4	9	8	16	16	12	11	7	1	-	-
		F	54	-	-	-	-	-	-	-	-	-	-	-	3	-	4	9	5	7	11	8	4	3	-	-
532.5	CHRONIC OR UNSPECIFIED WITH PERFORATION		101	-	-	-	-	-	1	-	-	-	-	5	5	6	10	10	17	14	13	11	8	1	-	-
		M	53	-	-	-	-	-	1	-	-	-	-	4	2	3	7	6	8	6	9	4	2	1	-	-
		F	48	-	-	-	-	-	-	-	-	-	-	1	3	3	3	4	9	8	4	7	6	-	-	-
532.6	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE AND PERFORATION		24	-	-	-	-	-	1	-	-	1	-	-	3	1	-	2	8	2	5	-	1	-	-	-
		M	16	-	-	-	-	-	1	-	-	1	-	-	3	-	-	1	6	1	3	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	-	1	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
532.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		14	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	4	1	1	1	2	-	-	-
		M	9	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	2	-	1	-	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-
533	PEPTIC ULCER, SITE UNSPECIFIED																									
533.0	ACUTE WITH HAEMORRHAGE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
533.1	ACUTE WITH PERFORATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
533.3	ACUTE WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
533.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE		107	-	-	-	-	-	-	1	-	1	-	2	1	8	2	8	16	22	11	21	12	-	2	-
		M	46	-	-	-	-	-	-	-	-	1	-	2	1	5	-	4	8	9	7	6	3	-	-	-
		F	61	-	-	-	-	-	-	1	-	-	-	-	-	3	2	4	8	13	4	15	9	-	2	-
533.5	CHRONIC OR UNSPECIFIED WITH PERFORATION		53	-	-	-	-	-	1	1	-	-	-	-	3	-	7	5	9	5	5	11	3	3	-	-
		M	23	-	-	-	-	-	-	-	-	-	-	-	2	-	3	3	4	1	3	6	1	-	-	-
		F	30	-	-	-	-	-	1	1	-	-	-	-	1	-	4	2	5	4	2	5	2	3	-	-
533.6	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE AND PERFORATION		6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
533.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		24	1	-	-	-	-	-	-	-	1	2	1	1	-	1	2	3	7	1	1	1	2	-	-
		M	14	1	-	-	-	-	-	-	-	1	1	-	1	-	1	1	2	4	-	1	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	3	1	-	-	2	-	-
534	GASTROJEJUNAL ULCER																									
534.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
534.5	CHRONIC OR UNSPECIFIED WITH PERFORATION		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
535	GASTRITIS AND DUODENITIS																									
535.0	ACUTE GASTRITIS		17	-	-	-	-	-	-	-	-	1	-	2	2	3	2	4	1	-	-	1	1	-	-	-
		M	12	-	-	-	-	-	-	-	-	1	-	2	2	3	1	2	-	-	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	1	-	-	-
535.1	ATROPHIC GASTRITIS		7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	-	-	-	-
535.3	ALCOHOLIC GASTRITIS		9	-	-	-	-	-	-	1	-	1	1	2	1	2	1	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
535.4	OTHER GASTRITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
535.5	UNSPECIFIED GASTRITIS AND GASTRODUODENITIS		56	-	-	-	1	1	1	1	1	1	-	2	3	2	5	7	5	9	5	9	3	-	-	-
		M	33	-	-	-	1	1	1	1	1	1	-	2	3	2	4	4	3	4	2	3	-	-	-	-
		F	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	5	3	6	3	-	-	-
535.6	DUODENITIS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
536	DISORDERS OF FUNCTION OF STOMACH																									
536.1	ACUTE DILATATION OF STOMACH		4	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-
536.8	DYSPEPSIA AND OTHER DISORDERS OF FUNCTION OF STOMACH		5	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
		M	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
536.9	UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
537	OTHER DISEASES OF STOMACH AND DUODENUM																									
537.0	ADULT HYPERTROPHIC PYLORIC STENOSIS		10	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	2	3	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-
537.3	OTHER OBSTRUCTION OF DUODENUM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
537.4	FISTULA OF STOMACH OR DUODENUM		6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-
537.8	OTHER		7	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	2	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-
537.9	UNSPECIFIED		23	1	-	-	-	-	-	-	1	2	-	-	-	4	-	4	4	2	1	3	1	-	-	-
		M	16	1	-	-	-	-	-	-	1	2	-	-	-	4	-	2	3	1	1	1	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	1	-	-	-
540-543	APPENDICITIS		73	1	-	-	2	2	2	3	1	1	-	2	1	7	9	5	10	10	9	5	2	-	1	-
		M	41	1	-	-	1	2	1	2	1	1	-	2	-	5	5	3	5	7	2	2	1	-	-	-
		F	32	-	-	-	1	-	1	1	-	-	-	-	1	2	4	2	5	3	7	3	1	-	1	-
540	ACUTE APPENDICITIS																									
540.0	WITH GENERALIZED PERITONITIS		56	1	-	-	2	2	-	1	1	-	-	2	1	7	8	2	9	7	8	3	1	-	1	-
		M	31	1	-	-	1	2	-	1	1	-	-	2	-	5	4	1	4	6	1	1	1	-	-	-
		F	25	-	-	-	1	-	-	-	-	-	-	-	1	2	4	1	5	1	7	2	-	-	1	-
540.9	WITHOUT MENTION OF PERITONITIS		6	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
		M	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
541	APPENDICITIS, UNQUALIFIED		10	-	-	-	-	-	-	1	-	1	-	-	-	-	1	2	1	2	-	1	1	-	-	-
		M	5	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-
543	OTHER DISEASES OF APPENDIX		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
550-553	HERNIA OF ABDOMINAL CAVITY		147	15	-	1	-	-	-	1	-	1	1	2	2	9	11	11	14	22	27	15	10	4	1	-
		M	75	12	-	-	-	-	-	1	-	1	1	1	2	7	6	7	7	11	9	5	4	-	1	-
		F	72	3	-	1	-	-	-	-	-	-	-	1	-	2	5	4	7	11	18	10	6	4	-	-
550	INGUINAL HERNIA																									
550.1	INGUINAL HERNIA, WITH OBSTRUCTION, WITHOUT MENTION OF GANGRENE		24	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	5	4	6	2	2	1	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	5	3	3	-	2	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	2	-	1	-	-
550.9	INGUINAL HERNIA, WITHOUT MENTION OF OBSTRUCTION OR GANGRENE		3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
551	OTHER HERNIA OF ABDOMINAL CAVITY, WITH GANGRENE																									
551.0	FEMORAL, WITH GANGRENE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
551.1	UMBILICAL, WITH GANGRENE		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
551.2	VENTRAL (INCISIONAL), WITH GANGRENE		4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
551.8	OF OTHER SPECIFIED SITES, WITH GANGRENE		4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
551.9	OF UNSPECIFIED SITE, WITH GANGRENE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
552	OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION, WITHOUT MENTION OF GANGRENE																									
552.0	FEMORAL, WITH OBSTRUCTION		8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	3	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-
552.1	UMBILICAL, WITH OBSTRUCTION		9	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-	2	-	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-
552.2	VENTRAL (INCISIONAL), WITH OBSTRUCTION		9	-	-	1	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	1	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	7	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	1	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
552.3	DIAPHRAGMATIC, WITH OBSTRUCTION		13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	1	1	1	1	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	1	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	1	-	-
552.8	OF OTHER SPECIFIED SITES, WITH OBSTRUCTION		7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-
552.9	OF UNSPECIFIED SITE, WITH OBSTRUCTION		14	1	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	3	3	-	-	1	-	-
		M	8	1	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	2	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	1	-	-
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION OR GANGRENE																									
553.1	UMBILICAL		12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
553.2	VENTRAL (INCISIONAL)		5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
553.3	DIAPHRAGMATIC		25	1	-	-	-	-	-	-	-	1	-	-	1	-	3	3	4	5	3	2	2	-	-	-
		M	11	1	-	-	-	-	-	-	-	1	-	-	1	-	1	2	2	1	-	1	1	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	3	1	1	-	-	-
553.9	OF UNSPECIFIED SITE		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
555-558	NONINFECTIVE ENTERITIS AND COLITIS		609	23	8	-	1	2	6	4	4	6	10	11	24	30	45	53	98	94	84	74	25	6	1	-
		M	235	10	7	-	1	-	3	2	2	4	4	6	9	15	17	27	40	40	25	16	5	2	-	-
		F	374	13	1	-	-	2	3	2	2	2	6	5	15	15	28	26	58	54	59	58	20	4	1	-
555	REGIONAL ENTERITIS																									
555.0	SMALL INTESTINE		4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
555.1	LARGE INTESTINE		5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-
555.2	SMALL INTESTINE WITH LARGE INTESTINE		4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
555.9	UNSPECIFIED SITE		23	-	-	-	-	-	1	-	2	-	1	1	2	3	3	3	3	2	1	1	-	-	-	-
		M	10	-	-	-	-	-	-	-	1	-	-	1	-	2	-	2	2	1	1	-	-	-	-	-
		F	13	-	-	-	-	-	1	-	1	-	1	-	2	1	3	1	1	1	-	1	-	-	-	-
556	IDIOPATHIC PROCTOCOLITIS		48	2	-	-	-	-	3	3	1	4	3	2	-	2	-	6	2	8	6	5	1	-	-	-
		M	23	2	-	-	-	-	2	1	1	3	1	-	-	1	-	5	1	4	2	-	-	-	-	-
		F	25	-	-	-	-	-	1	2	-	1	2	2	-	1	-	1	1	4	4	5	1	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
557	VASCULAR INSUFFICIENCY OF INTESTINE																									
557.0	ACUTE		367	3	2	-	-	1	-	-	1	1	4	2	15	21	30	35	64	59	62	48	14	4	1	-
		M	140	3	2	-	-	-	-	-	-	1	1	2	7	10	12	14	30	26	18	8	4	2	-	-
		F	227	-	-	-	-	1	-	-	1	-	3	-	8	11	18	21	34	33	44	40	10	2	1	-
557.1	CHRONIC		13	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	3	2	1	3	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-
		F	9	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	2	-	2	1	-	-	-
557.9	UNSPECIFIED		50	-	-	-	-	-	-	-	-	-	-	1	2	2	6	3	10	7	5	8	5	1	-	-
		M	19	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	4	2	1	5	1	-	-	-
		F	31	-	-	-	-	-	-	-	-	-	-	1	1	1	4	1	6	5	4	3	4	1	-	-
558	OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS		95	18	6	-	1	1	1	-	-	-	2	3	3	1	5	6	12	14	8	9	4	1	-	-
		M	35	5	5	-	1	-	1	-	-	-	2	2	-	-	2	4	2	7	2	2	-	-	-	-
		F	60	13	1	-	-	1	-	-	-	-	-	1	3	1	3	2	10	7	6	7	4	1	-	-
560-569	OTHER DISEASES OF INTESTINES AND PERITONEUM		893	7	4	2	-	2	5	2	4	10	12	11	27	45	68	93	121	121	126	149	64	20	-	-
		M	334	4	3	-	-	-	5	2	1	2	5	6	16	24	33	38	50	48	46	33	15	3	-	-
		F	559	3	1	2	-	2	-	-	3	8	7	5	11	21	35	55	71	73	80	116	49	17	-	-
560	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA																									
560.0	INTUSSUSCEPTION		9	2	1	1	-	-	2	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
		M	4	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		F	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
560.1	PARALYTIC ILEUS		26	1	-	-	-	1	-	-	-	-	-	-	1	1	3	1	3	3	2	8	2	-	-	-
		M	11	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	1	2	1	-	-	-
		F	15	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	2	1	1	6	1	-	-	-
560.2	VOLVULUS		83	-	1	-	-	-	1	1	-	2	4	-	5	2	3	10	9	10	12	17	5	1	-	-
		M	34	-	1	-	-	-	1	1	-	-	1	-	4	1	3	6	5	3	3	3	1	1	-	-
		F	49	-	-	-	-	-	-	-	-	2	3	-	1	1	-	4	4	7	9	14	4	-	-	-
560.3	IMPACTION OF INTESTINE		16	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	1	3	2	-	3	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	1	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	3	2	-	2	-	-	-
560.8	OTHER INTESTINAL OBSTRUCTION		58	-	-	-	-	-	-	1	-	2	-	-	1	3	3	6	9	9	10	11	1	2	-	-
		M	21	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	3	5	5	2	-	-	-	-
		F	37	-	-	-	-	-	-	-	-	2	-	-	-	1	2	5	6	4	5	9	1	2	-	-
560.9	UNSPECIFIED INTESTINAL OBSTRUCTION		145	-	-	-	-	-	1	-	1	-	1	2	5	6	5	13	16	23	27	21	18	6	-	-
		M	42	-	-	-	-	-	1	-	-	-	1	-	1	1	2	5	9	6	9	5	2	-	-	-
		F	103	-	-	-	-	-	-	-	1	-	-	2	4	5	3	8	7	17	18	16	16	6	-	-
562	DIVERTICULA OF INTESTINE																									
562.0	SMALL INTESTINE		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-
562.1	COLON		302	-	-	-	-	-	-	-	-	-	1	1	6	12	30	29	41	46	47	57	24	8	-	-
		M	97	-	-	-	-	-	-	-	-	-	1	1	3	6	14	10	14	19	14	8	6	1	-	-
		F	205	-	-	-	-	-	-	-	-	-	-	-	3	6	16	19	27	27	33	49	18	7	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
564	FUNCTIONAL DIGESTIVE DISORDERS, NOT ELSEWHERE CLASSIFIED																									
564.0	CONSTIPATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
564.1	IRRITABLE COLON		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
564.7	MEGACOLON, OTHER THAN HIRSCHSPRUNG'S		5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-
564.8	OTHER FUNCTIONAL DISORDERS OF INTESTINE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
565	ANAL FISSURE AND FISTULA																									
565.0	ANAL FISSURE		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
565.1	ANAL FISTULA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
566	ABSCESS OF ANAL AND RECTAL REGIONS		9	-	-	-	-	-	-	-	-	-	1	2	-	-	3	1	-	-	-	1	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-
567	PERITONITIS																									
567.2	OTHER SUPPURATIVE PERITONITIS		34	-	-	-	-	-	-	-	-	1	3	1	1	4	1	7	6	6	3	1	-	-	-	-
		M	20	-	-	-	-	-	-	-	-	-	-	1	1	3	1	4	4	4	2	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	1	3	-	-	1	-	3	2	2	1	1	-	-	-	-
567.9	UNSPECIFIED		41	-	-	1	-	-	-	-	-	2	-	2	1	3	4	6	2	5	5	6	4	-	-	-
		M	23	-	-	-	-	-	-	-	-	1	-	2	-	2	4	1	1	2	4	3	3	-	-	-
		F	18	-	-	1	-	-	-	-	-	1	-	-	1	1	-	5	1	3	1	3	1	-	-	-
568	OTHER DISORDERS OF PERITONEUM																									
568.0	PERITONEAL ADHESIONS		11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	6	-	2	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	-	-	1	-	-	-	-
568.8	OTHER		3	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
569	OTHER DISORDERS OF INTESTINE																									
569.1	RECTAL PROLAPSE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
569.2	STENOSIS OF RECTUM AND ANUS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
569.3	HAEMORRHAGE OF RECTUM AND ANUS		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
569.4	OTHER DISORDERS OF RECTUM AND ANUS		7	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-
		M	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
569.5	ABSCESS OF INTESTINE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
569.8	OTHER		79	-	1	-	-	-	1	-	1	2	-	1	3	8	8	12	15	8	6	9	3	1	-	-
		M	39	-	1	-	-	-	1	-	-	1	-	1	1	6	4	7	6	5	1	5	-	-	-	-
		F	40	-	-	-	-	-	-	-	1	1	-	-	2	2	4	5	9	3	5	4	3	1	-	-
569.9	UNSPECIFIED		43	4	1	-	-	-	-	-	1	-	1	2	2	3	2	5	6	5	4	7	-	-	-	-
		M	18	3	1	-	-	-	-	-	-	-	-	-	2	1	-	3	2	1	3	2	-	-	-	-
		F	25	1	-	-	-	-	-	-	1	-	1	2	-	2	2	2	4	4	1	5	-	-	-	-
570-579	OTHER DISEASES OF DIGESTIVE SYSTEM		5,465	20	5	3	-	1	16	67	132	228	350	499	739	810	717	635	446	313	221	164	73	19	3	4
		M	3,403	15	4	3	-	-	8	37	93	158	226	345	491	529	459	393	264	171	104	61	28	7	3	4
		F	2,062	5	1	-	-	1	8	30	39	70	124	154	248	281	258	242	182	142	117	103	45	12	-	-
570	ACUTE AND SUBACUTE NECROSIS OF LIVER		27	1	-	-	-	-	1	1	1	-	-	3	3	1	-	2	3	7	3	1	-	-	-	-
		M	14	1	-	-	-	-	-	-	-	-	-	2	2	1	-	1	1	5	-	1	-	-	-	-
		F	13	-	-	-	-	-	1	1	1	-	-	1	1	-	-	1	2	2	3	-	-	-	-	-
571	CHRONIC LIVER DISEASE AND CIRRHOSIS																									
571.0	ALCOHOLIC FATTY LIVER		155	-	-	-	-	-	-	9	7	14	15	27	22	28	13	10	8	1	-	1	-	-	-	-
		M	96	-	-	-	-	-	-	5	4	9	9	18	15	17	7	6	6	-	-	-	-	-	-	-
		F	59	-	-	-	-	-	-	4	3	5	6	9	7	11	6	4	2	1	-	1	-	-	-	-
571.1	ACUTE ALCOHOLIC HEPATITIS		123	-	-	-	-	-	-	3	6	9	12	15	17	25	21	8	5	1	1	-	-	-	-	-
		M	81	-	-	-	-	-	-	1	6	7	8	11	11	14	12	5	5	-	1	-	-	-	-	-
		F	42	-	-	-	-	-	-	2	-	2	4	4	6	11	9	3	-	1	-	-	-	-	-	-
571.2	ALCOHOLIC CIRRHOSIS OF LIVER		1,679	-	-	-	-	-	1	19	38	96	133	175	271	304	254	207	108	49	20	3	-	-	-	1
		M	1,160	-	-	-	-	-	1	14	32	68	89	121	198	197	175	138	71	38	16	1	-	-	-	1
		F	519	-	-	-	-	-	-	5	6	28	44	54	73	107	79	69	37	11	4	2	-	-	-	-
571.3	ALCOHOLIC LIVER DAMAGE, UNSPECIFIED		479	-	-	-	-	-	1	5	13	28	42	68	99	93	63	37	16	10	3	1	-	-	-	-
		M	369	-	-	-	-	-	1	2	6	22	30	52	75	75	49	31	13	10	3	-	-	-	-	-
		F	110	-	-	-	-	-	-	3	7	6	12	16	24	18	14	6	3	-	-	1	-	-	-	-
571.4	CHRONIC HEPATITIS		98	1	-	1	-	-	3	4	4	2	6	4	11	3	10	14	12	12	6	5	-	-	-	-
		M	51	1	-	1	-	-	2	2	3	1	4	3	3	2	8	4	4	7	4	2	-	-	-	-
		F	47	-	-	-	-	-	1	2	1	1	2	1	8	1	2	10	8	5	2	3	-	-	-	-
571.5	CIRRHOSIS OF LIVER WITHOUT MENTION OF ALCOHOL		1,339	3	1	-	-	-	2	9	21	44	70	112	170	210	199	199	133	92	43	23	5	2	1	-
		M	794	2	1	-	-	-	-	6	14	29	49	82	105	125	117	118	72	43	20	8	2	-	1	-
		F	545	1	-	-	-	-	2	3	7	15	21	30	65	85	82	81	61	49	23	15	3	2	-	-
571.6	BILIARY CIRRHOSIS		44	-	-	-	-	-	-	1	1	1	1	6	1	8	5	7	5	3	2	1	2	-	-	-
		M	8	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	1	-	1	-	1	-	-	-
		F	36	-	-	-	-	-	-	1	1	-	1	5	1	6	4	7	4	3	1	1	1	-	-	-
571.8	OTHER CHRONIC NONALCOHOLIC LIVER DISEASE		334	3	1	1	-	1	2	5	15	16	36	36	64	49	51	27	15	4	3	-	-	1	-	2
		M	217	2	1	1	-	-	1	3	12	9	19	25	36	35	34	21	10	4	2	-	-	-	-	2
		F	117	1	-	-	-	1	1	2	3	7	17	13	28	14	17	6	5	-	1	-	-	1	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
571.9	UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL		19	-	-	-	-	-	-	-	-	1	-	1	1	2	4	2	4	2	1	1	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	1	-	-	-	2	3	-	2	-	-	1	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	2	1	-	-	-	-	-
572	LIVER ABSCESS AND SEQUELAE OF CHRONIC LIVER DISEASE																									
572.0	ABSCESS OF LIVER		18	-	-	-	-	-	-	1	-	1	1	-	2	4	2	2	2	1	2	-	-	-	-	-
		M	12	-	-	-	-	-	-	1	-	1	1	-	1	1	2	1	1	1	2	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	-	-	-	-	-	-	-
572.2	HEPATIC COMA		27	-	-	-	-	-	-	-	1	-	1	1	8	2	6	5	1	1	-	1	-	-	-	-
		M	22	-	-	-	-	-	-	-	1	-	1	1	7	2	6	1	1	1	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-
572.3	PORTAL HYPERTENSION		11	-	-	1	-	-	-	1	-	-	1	1	2	-	-	2	1	1	1	-	-	-	-	-
		M	8	-	-	1	-	-	-	1	-	-	-	1	2	-	-	1	1	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
572.4	HEPATORENAL SYNDROME		32	2	-	-	-	-	-	-	2	2	-	3	6	4	3	1	5	2	1	1	-	-	-	-
		M	21	1	-	-	-	-	-	-	2	1	-	2	5	3	-	1	5	-	1	-	-	-	-	-
		F	11	1	-	-	-	-	-	-	-	1	-	1	1	1	3	-	-	2	-	1	-	-	-	-
572.8	OTHER SEQUELAE OF CHRONIC LIVER DISEASE		146	7	1	-	-	-	2	2	8	1	4	7	11	20	22	12	16	12	9	9	2	1	-	-
		M	82	5	1	-	-	-	1	-	5	1	3	4	4	13	15	7	9	7	5	2	-	-	-	-
		F	64	2	-	-	-	-	1	2	3	-	1	3	7	7	7	5	7	5	4	7	2	1	-	-
573	OTHER DISORDERS OF LIVER																									
573.0	CHRONIC PASSIVE CONGESTION OF LIVER		5	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
573.3	HEPATITIS UNSPECIFIED		33	-	-	-	-	-	1	1	1	-	3	2	2	3	2	7	3	3	3	1	-	1	-	-
		M	19	-	-	-	-	-	1	1	1	-	2	2	-	1	-	4	1	2	2	1	-	1	-	-
		F	14	-	-	-	-	-	-	-	-	-	1	-	2	2	2	3	2	1	1	-	-	-	-	-
573.4	HEPATIC INFARCTION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
573.8	OTHER		14	-	-	-	-	-	-	-	-	-	2	2	2	1	-	1	2	2	1	1	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	1	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	1	2	1	-	-	-	-	-
573.9	UNSPECIFIED		31	1	-	-	-	-	-	-	1	1	1	3	3	1	6	7	3	1	1	1	1	-	-	-
		M	17	1	-	-	-	-	-	-	-	-	-	3	2	-	2	4	1	1	1	1	1	-	-	-
		F	14	-	-	-	-	-	-	-	1	1	1	-	1	1	4	3	2	-	-	-	-	-	-	-
574	CHOLELITHIASIS																									
574.0	CALCULUS OF GALLBLADDER WITH ACUTE CHOLECYSTITIS		15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	2	4	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	4	-	-	-
574.1	CALCULUS OF GALLBLADDER WITH OTHER CHOLECYSTITIS		29	-	-	-	-	-	-	-	1	-	1	-	1	1	2	1	1	6	6	5	2	2	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	3	1	-	-	-
		F	19	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	3	6	2	1	2	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
574.2	CALCULUS OF GALLBLADDER WITHOUT MENTION OF		51	-	-	-	-	-	-	-	-	-	3	1	1	-	2	5	10	7	7	8	6	1	-	-
	CHOLECYSTITIS	M	22	-	-	-	-	-	-	-	-	-	3	1	1	-	-	3	5	3	2	1	3	-	-	-
		F	29	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	4	5	7	3	1	-	-
574.3	CALCULUS OF BILE DUCT WITH ACUTE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	CHOLECYSTITIS	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
574.4	CALCULUS OF BILE DUCT WITH OTHER		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
	CHOLECYSTITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
574.5	CALCULUS OF BILE DUCT WITHOUT MENTION OF		37	-	-	-	-	-	-	1	-	-	1	1	-	1	1	3	3	7	8	7	4	-	-	-
	CHOLECYSTITIS	M	16	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	3	3	3	1	-	-	-
		F	21	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	4	5	4	3	-	-	-
575	OTHER DISORDERS OF GALLBLADDER																									
575.0	ACUTE CHOLECYSTITIS		55	-	-	-	-	-	-	1	-	-	-	-	1	4	3	2	7	5	13	8	9	1	1	-
		M	28	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	6	2	7	1	4	1	1	-
		F	27	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	1	3	6	7	5	-	-	-
575.1	OTHER CHOLECYSTITIS		48	-	-	-	-	-	-	-	-	-	-	-	1	4	3	4	7	1	15	7	6	-	-	-
		M	20	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	3	1	4	1	3	-	-	-
		F	28	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	-	11	6	3	-	-	-
575.2	OBSTRUCTION OF GALLBLADDER		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
575.4	PERFORATION OF GALLBLADDER		6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	2	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-
575.5	FISTULA OF GALLBLADDER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
575.6	CHOLESTEROLOSIS OF GALLBLADDER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
575.8	OTHER		6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-
		M	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
575.9	UNSPECIFIED		36	-	-	-	-	-	-	-	2	-	2	1	1	1	5	9	1	4	6	3	-	-	1	-
		M	19	-	-	-	-	-	-	-	-	-	1	1	1	1	2	5	1	2	2	2	-	-	1	-
		F	17	-	-	-	-	-	-	-	2	-	1	-	-	-	3	4	-	2	4	1	-	-	-	-
576	OTHER DISORDERS OF BILIARY TRACT																									
576.1	CHOLANGITIS		35	-	-	-	-	-	1	-	-	-	1	-	1	2	6	5	3	5	7	3	-	1	-	-
		M	19	-	-	-	-	-	-	-	-	-	1	-	1	2	4	2	2	2	3	1	-	1	-	-
		F	16	-	-	-	-	-	1	-	-	-	-	-	-	-	2	3	1	3	4	2	-	-	-	-
576.2	OBSTRUCTION OF BILE DUCT		17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	1	3	4	1	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	1	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	2	-	-	-
576.4	FISTULA OF BILE DUCT		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
576.8	OTHER		10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	5	-	1	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	4	-	-	-	-
576.9	UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
577	DISEASES OF PANCREAS																									
577.0	ACUTE PANCREATITIS		204	-	-	-	-	-	1	4	9	9	7	18	22	21	14	26	21	25	11	12	2	1	-	1
		M	123	-	-	-	-	-	-	1	6	5	2	9	11	18	11	19	13	14	7	5	1	-	-	1
		F	81	-	-	-	-	-	1	3	3	4	5	9	11	3	3	7	8	11	4	7	1	1	-	-
577.1	CHRONIC PANCREATITIS		27	-	-	-	-	-	-	-	-	1	2	-	3	8	3	5	2	-	2	1	-	-	-	-
		M	16	-	-	-	-	-	-	-	-	1	2	-	1	6	-	2	1	-	2	1	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	1	-	-	-	-	-	-	-
577.2	CYST AND PSEUDOCYST OF PANCREAS		17	-	-	-	-	-	-	-	-	1	2	3	3	2	1	1	2	1	-	-	1	-	-	-
		M	9	-	-	-	-	-	-	-	-	1	-	2	2	1	-	1	1	1	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	1	-	-	-	1	-	-	-
577.8	OTHER DISEASES OFF PANCREAS		7	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	1	2	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
577.9	UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
578	GASTROINTESTINAL HAEMORRHAGE																									
578.0	HAEMATEMESIS		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
578.9	HAEMORRHAGE OF GASTROINTESTINAL TRACT, UNSPECIFIED		208	-	1	-	-	-	-	-	-	1	2	3	7	6	9	18	27	31	35	38	24	6	-	-
		M	87	-	-	-	-	-	-	-	-	1	1	1	3	1	4	8	13	16	13	15	9	2	-	-
		F	121	-	1	-	-	-	-	-	-	-	1	2	4	5	5	10	14	15	22	23	15	4	-	-
579	INTESTINAL MALABSORPTION																									
579.0	COELIAC DISEASE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
579.1	TROPICAL SPRUE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
579.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
579.9	UNSPECIFIED		12	-	1	-	-	-	-	-	-	-	-	2	-	-	1	1	1	2	2	2	-	-	-	-
		M	4	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	2	2	-	-	-	-
580-629	DISEASES OF THE GENITOURINARY SYSTEM		2,105	21	4	1	2	8	8	10	22	15	27	37	64	77	114	159	247	349	398	315	171	47	9	-
		M	1,066	12	4	-	2	4	5	6	8	8	18	21	37	38	62	87	134	187	200	132	81	18	2	-
		F	1,039	9	-	1	-	4	3	4	14	7	9	16	27	39	52	72	113	162	198	183	90	29	7	-

81—76474

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
580-589	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS		993	20	4	-	2	6	5	5	16	11	18	18	49	46	65	89	111	154	173	122	54	23	2	-
		M	507	11	4	-	2	3	3	3	5	7	13	9	29	24	36	47	58	81	80	55	28	9	-	-
		F	486	9	-	-	-	3	2	2	11	4	5	9	20	22	29	42	53	73	93	67	26	14	2	-
580	ACUTE GLOMERULONEPHRITIS																									
580.9	UNSPECIFIED		14	1	-	-	-	-	-	-	-	-	-	1	-	3	-	1	1	1	1	3	1	1	-	-
		M	9	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	2	1	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	1	-	-	-	-
581	NEPHROTIC SYNDROME																									
581.9	UNSPECIFIED		13	1	-	-	-	1	-	-	-	-	-	-	1	-	2	2	1	-	2	3	-	-	-	-
		M	7	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	1	2	-	-	-	-
		F	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	-	-	-
582	CHRONIC GLOMERULONEPHRITIS																									
582.8	WITH OTHER SPECIFIED PATHOLOGICAL LESION IN KIDNEY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
582.9	UNSPECIFIED		136	-	-	-	-	-	2	1	2	3	5	1	4	7	11	19	10	23	27	11	5	5	-	-
		M	71	-	-	-	-	-	2	1	-	2	5	1	3	4	7	11	6	10	6	6	4	3	-	-
		F	65	-	-	-	-	-	-	-	2	1	-	-	1	3	4	8	4	13	21	5	1	2	-	-
583	NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC																									
583.0	WITH LESION OF PROLIFERATIVE GLOMERULONEPHRITIS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
583.1	WITH LESION OF MEMBRANOUS GLOMERULONEPHRITIS		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
583.4	WITH LESION OF RAPIDLY PROGRESSIVE GLOMERULONEPHRITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
583.6	WITH LESION OF RENAL CORTICAL NECROSIS		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
583.7	WITH LESION OF RENAL MEDULLARY NECROSIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
583.8	WITH OTHER SPECIFIED PATHOLOGICAL LESION IN KIDNEY		10	-	-	-	-	-	-	1	-	-	2	-	-	1	3	1	2	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	1	-	-	2	-	-	1	1	1	-	-	-	-	-	-	-	-
583.9	WITH UNSPECIFIED PATHOLOGICAL LESION IN KIDNEY		35	1	-	-	-	-	-	-	2	-	1	1	1	2	2	7	5	3	4	5	1	-	-	-
		M	18	1	-	-	-	-	-	-	1	-	1	1	-	1	-	3	2	2	2	4	-	-	-	-
		F	17	-	-	-	-	-	-	-	1	-	-	-	1	1	2	4	3	1	2	1	1	-	-	-
584.5	WITH LESION OF TUBULAR NECROSIS		18	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	1	5	-	3	2	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	3	-	1	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	2	-	2	2	-	-	-
584.6	WITH LESION OF RENAL CORTICAL NECROSIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
584.9	UNSPECIFIED		101	-	-	-	-	-	1	1	2	1	1	1	4	6	4	6	14	12	22	15	10	-	1	-
		M	48	-	-	-	-	-	-	1	1	1	-	-	2	2	3	4	4	6	14	5	5	-	-	-
		F	53	-	-	-	-	-	1	-	1	-	1	1	2	4	1	2	10	6	8	10	5	-	1	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
585	CHRONIC RENAL FAILURE		262	1	-	-	1	4	2	-	6	4	6	8	17	15	24	22	36	31	47	22	12	4	-	-
		M	142	-	-	-	1	2	1	-	2	3	4	3	10	10	12	13	10	15	26	14	8	-	-	-
		F	120	1	-	-	-	2	1	-	4	1	2	5	7	5	12	9	18	16	21	8	4	4	-	-
586	RENAL FAILURE, UNSPECIFIED		387	16	2	-	1	-	-	2	4	3	3	3	20	9	18	28	39	76	68	58	23	13	1	-
		M	194	9	2	-	1	-	-	1	1	1	3	2	12	4	11	15	23	42	31	21	10	5	-	-
		F	193	7	-	-	-	-	-	1	3	2	-	1	8	5	7	13	16	34	37	37	13	8	1	-
587	RENAL SCLEROSIS, UNSPECIFIED		6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
		M	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
588	DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION																									
588.0	RENAL OSTEODYSTROPHY		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
588.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
590-599	OTHER DISEASES OF URINARY SYSTEM		978	1	-	1	-	2	3	4	3	3	5	17	12	28	46	67	113	169	200	172	104	21	7	-
		M	462	1	-	-	-	1	2	3	2	1	4	12	6	13	24	37	60	84	100	60	44	6	2	-
		F	516	-	-	1	-	1	1	1	1	2	1	5	6	15	22	30	53	85	100	112	60	15	5	-
590	INFECTIONS OF KIDNEY																									
590.0	CHRONIC PYELONEPHRITIS AND CHRONIC PYONEPHROSIS		112	-	-	-	-	1	1	-	-	1	1	1	-	4	6	8	14	21	18	20	14	1	1	-
		M	35	-	-	-	-	-	1	-	-	1	1	-	-	-	-	2	9	4	6	5	5	-	1	-
		F	77	-	-	-	-	1	-	-	-	-	-	1	-	4	6	6	5	17	12	15	9	1	-	-
590.1	ACUTE PYELONEPHRITIS AND ACUTE PYONEPHROSIS		74	-	-	1	-	-	1	-	1	-	-	1	1	1	5	3	6	15	12	14	9	2	2	-
		M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	5	6	3	1	1	-	-
		F	54	-	-	1	-	-	1	-	1	-	-	1	1	1	3	2	5	10	6	11	8	1	2	-
590.2	RENAL AND PERINEPHRIC ABSCESS		11	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	4	-	2	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	3	-	1	-	-	-	-
590.8	PYELONEPHRITIS OR PYONEPHROSIS, NOT SPECIFIED AS ACUTE OR CHRONIC		96	1	-	-	-	-	-	3	-	-	-	1	-	3	3	6	10	17	21	15	13	2	1	-
		M	35	1	-	-	-	-	-	2	-	-	-	1	-	1	3	2	5	5	10	2	3	-	-	-
		F	61	-	-	-	-	-	-	1	-	-	-	-	-	2	-	4	5	12	11	13	10	2	1	-
590.9	INFECTION OF KIDNEY, UNSPECIFIED		7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	1	-	1	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-
591	HYDRONEPHROSIS		15	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	5	3	1	1	1	-	1	-
		M	8	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	4	-	1	1	1	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	-	-	-	-	1	-
592	CALCULUS OF KIDNEY AND URETER																									
592.0	CALCULUS OF KIDNEY		29	-	-	-	-	-	-	-	1	-	1	2	1	3	1	-	7	6	3	2	2	-	-	-
		M	17	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	5	3	3	1	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	3	-	1	2	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
592.1	CALCULUS OF URETER		2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
592.9	URINARY CALCULUS, UNSPECIFIED		5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
593	OTHER DISORDERS OF KIDNEY AND URETER																									
593.4	OTHER URETERIC OBSTRUCTION		7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	1	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
593.5	HYDROURETER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
593.7	VESICOURETERIC REFLUX		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
593.8	OTHER		15	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	2	2	2	1	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-	-	-	-
593.9	UNSPECIFIED		80	-	-	-	-	-	1	-	1	2	2	6	3	4	7	11	11	4	9	13	5	-	1	-
		M	50	-	-	-	-	-	1	-	1	-	2	6	2	2	4	8	5	3	3	7	5	-	1	-
		F	30	-	-	-	-	-	-	-	-	2	-	-	1	2	3	3	6	1	6	6	-	-	-	-
595	CYSTITIS																									
595.0	ACUTE CYSTITIS		8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	1	-	-	-
595.2	OTHER CHRONIC CYSTITIS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
595.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
595.9	UNSPECIFIED		13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	1	3	1	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-
596	OTHER DISORDERS OF BLADDER																									
596.0	BLADDER-NECK OBSTRUCTION		5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
596.1	INTESTINOVESICAL FISTULA		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
596.2	VESICAL FISTULA, NOT ELSEWHERE CLASSIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
596.3	DIVERTICULUM OF BLADDER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
596.6	RUPTURE OF BLADDER, NONTRAUMATIC		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
596.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
596.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
597	URETHRITIS, NOT SEXUALLY TRANSMITTED, AND URETHRAL SYNDROME																									
597.0	OTHER URETHRITIS		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
598	URETHRAL STRICTURE																									
598.9	UNSPECIFIED		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	-	1	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
599	OTHER DISORDERS OF URETHRA AND URINARY TRACT																									
599.0	URINARY TRACT INFECTION, SITE NOT SPECIFIED		442	-	-	-	-	-	-	1	-	-	1	2	2	6	10	31	48	79	111	91	48	11	1	-
		M	215	-	-	-	-	-	-	1	-	-	1	1	-	5	7	20	24	46	55	31	21	3	-	-
		F	227	-	-	-	-	-	-	-	-	-	-	1	2	1	3	11	24	33	56	60	27	8	1	-
599.6	URINARY OBSTRUCTION, UNSPECIFIED		27	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	-	6	6	2	5	1	-	-
		M	25	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	6	6	2	5	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
599.7	HAEMATURIA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
599.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
599.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
600-608	DISEASES OF MALE GENITAL ORGANS		97	-	-	-	-	-	-	-	1	-	1	-	2	1	2	3	16	22	20	17	9	3	-	-
		M	97	-	-	-	-	-	-	-	1	-	1	-	2	1	2	3	16	22	20	17	9	3	-	-
600	HYPERPLASIA OF PROSTATE		76	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	13	18	18	11	9	3	-	-
		M	76	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	13	18	18	11	9	3	-	-
601	INFLAMMATORY DISEASES OF PROSTATE																									
601.1	CHRONIC PROSTATITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
602	OTHER DISORDERS OF PROSTATE																									
602.0	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
602.9	UNSPECIFIED		15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	2	6	-	-	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	2	6	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
604	ORCHITIS AND EPIDIDYMITIS																									
604.9	ORCHITIS, EPIDIDYMITIS AND EPIDIDYMO-ORCHITIS, WITHOUT MENTION OF ABSCESS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
608	OTHER DISORDERS OF MALE GENITAL ORGANS																									
608.4	OTHER INFLAMMATORY DISORDERS OF MALE GENITAL ORGANS		2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
611	OTHER DISORDERS OF BREAST																									
611.0	INFLAMMATORY DISEASE OF BREAST		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
611.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
614-616	INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS		15	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	2	3	1	3	2	-	-	-
		F	15	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	2	3	1	3	2	-	-	-
614	INFLAMMATORY DISEASE OF OVARY, FALLOPIAN TUBE, PELVIC CELLULAR TISSUE AND PERITONEUM																									
614.2	SALPINGITIS AND OOPHORITIS, NOT SPECIFIED AS ACUTE, SUBACUTE OR CHRONIC		3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-
614.4	CHRONIC OR UNSPECIFIED PARAMETRITIS AND PELVIC CELLULITIS		7	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	2	1	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	2	1	-	-	-
614.6	PELVIC PERITONEAL ADHESIONS, FEMALE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
615	INFLAMMATORY DISEASES OF UTERUS, EXCEPT CERVIX																									
615.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
616	INFLAMMATORY DISEASE OF CERVIX, VAGINA AND VULVA																									
616.1	VAGINITIS AND VULVOVAGINITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
616.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
617-629	OTHER DISORDERS OF FEMALE GENITAL TRACT		20	-	-	-	-	-	-	1	2	-	2	1	-	2	1	-	5	1	2	1	2	-	-	-
		F	20	-	-	-	-	-	-	1	2	-	2	1	-	2	1	-	5	1	2	1	2	-	-	-
617	ENDOMETRIOSIS																									
617.0	UTERUS		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
618	GENITAL PROLAPSE																									
618.0	PROLAPSE OF VAGINAL WALLS, WITHOUT MENTION OF UTERINE PROLAPSE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
618.1	UTERINE PROLAPSE WITHOUT MENTION OF VAGINAL WALL PROLAPSE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
619	FISTULAE INVOLVING FEMALE GENITAL TRACT																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
619.1	DIGESTIVE - GENITAL TRACT FISTULAE, FEMALE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
620	NONINFLAMMATORY DISORDERS OF OVARY, FALLOPIAN TUBE AND BROAD LIGAMENT																									
620.2	OTHER AND UNSPECIFIED OVARIAN CYST		5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	1	-	-	-
620.7	HAEMATOMA OF BROAD LIGAMENT		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
620.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
620.9	UNSPECIFIED		2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
621	DISORDERS OF UTERUS, NOT ELSEWHERE CLASSIFIED																									
621.9	UNSPECIFIED DISORDERS OF UTERUS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
623	NONINFLAMMATORY DISORDERS OF VAGINA																									
623.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
625	PAIN AND OTHER SYMPTOMS ASSOCIATED WITH FEMALE GENITAL ORGANS																									
625.5	PELVIC CONGESTION SYNDROME		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
625.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM		43	-	-	-	-	4	12	13	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	43	-	-	-	-	4	12	13	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
630-638	PREGNANCY WITH ABORTIVE OUTCOME		5	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
633	ECTOPIC PREGNANCY																									
633.0	ABDOMINAL PREGNANCY		2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
633.1	TUBAL PREGNANCY		3	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-648	COMPLICATIONS MAINLY RELATED TO PREGNANCY		20	-	-	-	-	3	3	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	-	-	-	-	3	3	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
641	ANTEPARTUM HAEMORRHAGE, ABRUPTIO PLACENTAE,		4	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	AND PLACENTA PRAEVIA	F	4	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642	HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM																									
642.4	MILD OR UNSPECIFIED PRE-ECLAMPSIA		4	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
642.5	SEVERE PRE-ECLAMPSIA		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642.6	ECLAMPSIA		3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642.9	UNSPECIFIED HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
646	OTHER COMPLICATIONS OF PREGNANCY, NOT ELSEWHERE CLASSIFIED																									
646.6	INFECTIONS OF GENITOURINARY TRACT IN PREGNANCY		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
646.7	LIVER DISORDERS IN PREGNANCY		2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
648	OTHER CURRENT CONDITIONS IN THE MOTHER CLASSIFIABLE ELSEWHERE BUT COMPLICATING PREGNANCY, CHILDBIRTH AND PUERPERIUM																									
648.0	DIABETES MELLITUS		2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
648.6	OTHER CARDIOVASCULAR DISEASES		2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-659	NORMAL DELIVERY, AND OTHER INDICATIONS FOR CARE IN PREGNANCY, LABOUR AND DELIVERY		2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
653	DISPROPORTION		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
656	OTHER FETAL AND PLACENTAL PROBLEMS AFFECTING MANAGEMENT OF MOTHER		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-669	COMPLICATIONS OCCURING MAINLY IN THE COURSE OF LABOUR AND DELIVERY		6	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
666	POSTPARTUM HAEMORRHAGE		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
669	OTHER COMPLICATIONS OF LABOUR AND DELIVERY, NOT ELSEWHERE CLASSIFIED		5	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
670-676	COMPLICATIONS OF THE PUERPERIUM		10	-	-	-	-	1	4	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	1	4	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
670	MAJOR PUERPERAL INFECTION		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
671	VENOUS COMPLICATIONS IN PREGNANCY AND THE PUERPERIUM		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
673	OBSTETRICAL PULMONARY EMBOLISM		6	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
674	OTHER AND UNSPECIFIED COMPLICATIONS OF THE PUERPERIUM, NOT ELSEWHERE CLASSIFIED		2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
680-709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE		166	1	1	2	-	-	2	1	1	-	-	2	7	2	12	12	23	20	22	30	18	10	-	-
		M	72	-	1	1	-	-	-	-	1	-	-	2	5	1	4	5	10	11	8	9	7	7	-	-
		F	94	1	-	1	-	-	2	1	-	-	-	-	2	1	8	7	13	9	14	21	11	3	-	-
680-686	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE		56	1	-	2	-	-	-	-	1	-	-	2	4	2	10	2	6	7	6	4	5	4	-	-
		M	29	-	-	1	-	-	-	-	1	-	-	2	2	1	3	-	2	5	4	1	3	4	-	-
		F	27	1	-	1	-	-	-	-	-	-	-	-	2	1	7	2	4	2	2	3	2	-	-	-
682	OTHER CELLULITIS AND ABSCESS																									
682.0	FACE		3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
682.2	TRUNK		7	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	1	-	-	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
682.3	UPPER ARM AND FOREARM		3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
682.6	LEG, EXCEPT FOOT		15	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	4	1	2	1	1	2	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	-	1	2	-	-
		F	6	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-
682.7	FOOT, EXCEPT TOES		2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
682.9	UNSPECIFIED SITE		19	-	-	-	-	-	-	-	1	-	-	1	-	2	4	1	1	3	2	2	1	1	-	-
		M	6	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	2	-	-	-	1	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	1	2	2	1	-	-	-
686	OTHER LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE																									
686.1	PYOGENIC GRANULOMA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
686.9	UNSPECIFIED LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE		5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
690-698	OTHER INFLAMMATORY CONDITIONS OF SKIN AND SUBCUTANEOUS TISSUE		21	-	1	-	-	-	2	-	-	-	-	-	1	-	1	5	4	1	-	3	1	2	-	-
		M	8	-	1	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	1	1	-	-
		F	13	-	-	-	-	-	2	-	-	-	-	-	-	-	1	2	3	1	-	3	-	1	-	-
692	CONTACT DERMATITIS AND OTHER ECZEMA																									
692.9	UNSPECIFIED CAUSE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
693	DERMATITIS DUE TO SUBSTANCE TAKEN INTERNALLY																									
693.0	DUE TO DRUGS AND MEDICAMENTS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
694	BULLOUS DERMATOSES																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
694.4	PEMPHIGUS		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-
694.5	PEMPHIGOID		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
695	ERYTHEMATOUS CONDITIONS																									
695.1	ERYTHEMA MUITIFORME		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
695.4	LUPUS ERYTHEMATOSUS		3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
695.8	OTHER ERYTHEMATOSUS		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
696	PSORIASIS AND SIMILAR DISORDERS																									
696.1	OTHER PSORIASIS		3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
700-709	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE		89	-	-	-	-	-	-	1	-	-	-	-	2	-	1	5	13	12	16	23	12	4	-	-
		M	35	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	7	6	4	8	3	2	-	-
		F	54	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	6	6	12	15	9	2	-	-
707	CHRONIC ULCER OF SKIN																									
707.0	DECUBITUS ULCER		84	-	-	-	-	-	-	1	-	-	-	-	2	-	1	4	10	12	16	23	11	4	-	-
		M	33	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	7	6	4	8	2	2	-	-
		F	51	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	3	6	12	15	9	2	-	-
707.1	ULCER OF LOWER LIMBS, EXCEPT DECUBITUS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
707.9	CHRONIC ULCER OF UNSPECIFIED SITE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
709	OTHER DISORDERS OF SKIN AND SUBCUTANEOUS TISSUE																									
709.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
710-739	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE		522	2	1	2	7	4	9	19	18	16	15	19	31	30	34	57	63	73	54	40	17	10	1	-
		M	178	1	1	-	2	1	1	3	2	4	7	7	8	11	12	22	30	28	19	13	2	3	1	-
		F	344	1	-	2	5	3	8	16	16	12	8	12	23	19	22	35	33	45	35	27	15	7	-	-
710-719	ARTHROPATHIES AND RELATED DISORDERS		393	-	-	1	5	4	9	18	17	16	12	13	28	23	30	47	50	52	29	21	11	6	1	-
		M	117	-	-	-	1	1	1	2	1	4	5	4	8	7	10	17	21	18	8	6	1	1	1	-
		F	276	-	-	1	4	3	8	16	16	12	7	9	20	16	20	30	29	34	21	15	10	5	-	-
710	DIFFUSE DISEASES OF CONNECTIVE TISSUE																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
710.0	SYSTEMIC LUPUS ERYTHEMATOSUS		108	-	-	1	5	4	7	14	12	9	3	7	9	5	4	8	7	8	4	-	1	-	-	-
		M	14	-	-	-	1	1	1	1	1	2	-	-	-	-	1	1	1	3	1	-	-	-	-	-
		F	94	-	-	1	4	3	6	13	11	7	3	7	9	5	3	7	6	5	3	-	1	-	-	-
710.1	SYSTEMIC SCLEROSIS		59	-	-	-	-	-	1	2	2	3	6	3	9	9	4	10	3	6	1	-	-	-	-	-
		M	21	-	-	-	-	-	-	-	-	-	3	1	3	3	2	7	1	1	-	-	-	-	-	-
		F	38	-	-	-	-	-	1	2	2	3	3	2	6	6	2	3	2	5	1	-	-	-	-	-
710.3	DERMATOMYOSITIS		11	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	2	4	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	4	-	-	-	-	-	-
710.4	POLYMYOSITIS		15	-	-	-	-	-	-	1	-	-	-	2	1	-	1	2	3	3	2	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	2	2	2	-	-	-	-	-
710.9	UNSPECIFIED		12	-	-	-	-	-	1	1	1	2	2	-	1	1	1	1	-	-	-	1	-	-	-	-
		M	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	1	-	1	-	1	-	1	1	1	1	-	-	-	1	-	-	-	-
711	ARTHROPATHY ASSOCIATED WITH INFECTIONS																									
711.0	PYOGENIC ARTHRITIS		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
711.9	UNSPECIFIED INFECTIVE ARTHRITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
714	RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES																									
714.0	RHEUMATOID ARTHRISIS		114	-	-	-	-	-	-	-	2	1	1	-	5	6	14	18	22	20	12	8	4	1	-	-
		M	37	-	-	-	-	-	-	-	-	-	1	-	2	3	2	7	10	6	4	2	-	-	-	-
		F	77	-	-	-	-	-	-	-	2	1	-	-	3	3	12	11	12	14	8	6	4	1	-	-
714.1	FELTY'S SYNDROME		5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
714.2	OTHER RHEUMATOID ARTHRITIS WITH VISCERAL OR SYSTEMIC INVOLVEMENT		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
714.8	OTHER		8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	-	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
715	OSTEOARTHROSIS AND ALLIED DISORDERS																									
715.9	UNSPECIFIED WHETHER GENERALIZED OR LOCALIZED		27	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	2	7	5	3	3	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	2	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	3	3	3	-	-
716	OTHER AND UNSPECIFIED ARTHROPATHIES																									
716.9	UNSPECIFIED		13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	3	3	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	3	2	1	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
717	INTERNAL DERANGEMENT OF KNEE																									
717.6	LOOSE BODY IN KNEE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
718	OTHER DERANGEMENT OF JOINT																									
718.4	CONTRACTURE OF JOINT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
719.9	UNSPECIFIED		10	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	3	1	1	-	-	1	-
		M	10	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	3	1	1	-	-	1	-
720-724	DORSOPATHIES		30	-	-	-	-	-	-	-	-	-	-	1	1	5	2	4	3	3	7	4	-	-	-	-
		M	20	-	-	-	-	-	-	-	-	-	-	1	-	4	1	3	2	2	5	2	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	2	-	-	-	-
720	ANKYLOSING SPONDYLITIS AND OTHER INFLAMMATORY SPONDYLOPATHIES																									
720.0	ANKYLOSING SPONDYLITIS		8	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	1	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
721	SPONDYLOSIS AND ALLIED DISORDERS																									
721.0	CERVICAL SPONDYLOSIS WITHOUT MYELOPATHY		7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
721.1	CERVICAL SPONDYLOSIS WITH MYELOPATHY		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
721.9	SPONDYLOSIS OF UNSPECIFIED SITE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
722	INTERVERTEBRAL DISC DISORDERS																									
722.1	DISPLACEMENT OF THORACIC OR LUMBAR INTERVERTEBRAL DISC WITHOUT MYELOPATHY		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
722.2	DISPLACEMENT OF INTERVERTEBRAL DISC, SITE UNSPECIFIED, WITHOUT MYELOPATHY		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
722.4	DEGENERATION OF CERVICAL INTERVERTEBRAL DISC		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
722.5	DEGENERATION OF THORACIC OR LUMBAR INTERVERTEBRAL DISC		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
722.6	DEGENERATION OF INTERVERTEBRAL DISC, SITE UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
723	OTHER DISEASES OF CERVICAL REGION																									
723.0	SPINAL STENOSIS IN CERVICAL REGION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
724	OTHER AND UNSPECIFIED DISORDERS OF BACK																									
724.0	SPINAL STENOSIS, OTHER THAN CERVICAL		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
724.2	LUMBAGO		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
724.9	UNSPECIFIED BACK DISORDERS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
725-729	RHEUMATISM, EXCLUDING THE BACK		19	1	1	-	-	-	-	-	1	-	1	4	1	-	-	1	3	2	3	1	-	-	-	-
		M	12	-	1	-	-	-	-	-	1	-	1	2	-	-	-	-	3	2	2	-	-	-	-	-
		F	7	1	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	1	1	-	-	-	-
726	PERIPHERAL ENTHESOPATHIES AND ALLIED SYNDROMES																									
726.3	ENTHESOPATHY OF ELBOW REGION		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
728	DISORDERS OF MUSCLE, LIGAMENT AND FASCIA																									
728.2	MUSCULAR WASTING AND DISEASE ATROPHY, NOT ELSEWHERE CLASSIFIED		3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
728.8	OTHER DISORDERS OF MUSCLE, LIGAMENT AND FASCIA		3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
728.9	UNSPECIFIED		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
729	OTHER DISEASES OF SOFT TISSUES																									
729.1	MYALGIA AND MYOSITIS, UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
729.4	FASCIITIS, UNSPECIFIED		8	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	3	-	1	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	3	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
730-739	OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES		80	1	-	1	2	-	-	1	-	-	2	1	1	2	2	5	7	16	15	14	6	4	-	-
		M	29	1	-	-	1	-	-	1	-	-	1	-	-	-	1	2	4	6	4	5	1	2	-	-
		F	51	-	-	1	1	-	-	-	-	-	1	1	1	2	1	3	3	10	11	9	5	2	-	-
730	OSTEOMYELITIS, PERIOSTITIS AND OTHER INFECTIONS INVOLVING BONE																									
730.1	CHRONIC OSTEOMYELITIS		4	-	-	-		-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
730.2	UNSPECIFIED OSTEOMYELITIS		17	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	5	4	3	-	1	-	-
		M	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	2	1	-	1	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	2	-	-	-	-
731	OSTEITIS DEFORMANS AND OSTEOPATHIES ASSOCIATED WITH OTHER DISORDERS CLASSIFIED ELSEWHERE																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
731.0	OSTEITIS DEFORMANS WITHOUT MENTION OF BONE TUMOUR		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
733	OTHER DISORDERS OF BONE AND CARTILAGE																									
733.0	OSTEOPOROSIS		26	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	5	6	4	2	-	-
		M	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-
		F	19	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	4	5	3	1	-	-
733.1	PATHOLOGICAL FRACTURE		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	1	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-
733.9	OTHER AND UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
737	CURVATURE OF SPINE																									
737.1	KYPHOSIS (ACQUIRED)		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
737.3	KYPHOSCOLIOSIS AND SCOLIOSIS		14	-	-	1	2	-	-	1	-	-	1	1	-	-	1	3	-	3	1	-	-	-	-	-
		M	5	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
		F	9	-	-	1	1	-	-	-	-	-	1	1	-	-	-	3	-	2	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES		1,469	978	110	31	22	32	39	24	19	17	17	23	30	20	26	17	26	19	12	4	3	-	-	-
		M	774	519	52	20	11	17	29	13	11	7	12	11	15	5	18	12	10	7	4	-	1	-	-	-
		F	695	459	58	11	11	15	10	11	8	10	5	12	15	15	8	5	16	12	8	4	2	-	-	-
740	ANENCEPHALUS AND SIMILAR ANOMALIES																									
740.0	ANENCEPHALUS		107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
741	SPINA BIFIDA																									
741.0	WITH HYDROCEPHALUS		22	15	4	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	9	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
741.9	WITHOUT MENTION OF HYDROCEPHALUS		9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM																									
742.0	ENCEPHALOCELE		5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.1	MICROCEPHALUS		9	6	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.2	REDUCTION DEFORMITIES OF BRAIN		5	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
742.3	CONGENITAL HYDROCEPHALUS		59	40	4	5	4	1	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	29	18	2	4	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	30	22	2	1	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.4	OTHER SPECIFIED ANOMALIES OF BRAIN		7	3	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
742.5	OTHER SPECIFIED ANOMALIES OF SPINAL CORD		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
742.8	OTHER SPECIFIED ANOMALIES OF NERVOUS SYSTEM		3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.9	UNSPECIFIED ANOMALIES OF BRAIN, SPINAL CORD AND NERVOUS SYSTEM		20	10	3	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	5	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	5	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE																									
745.0	COMMON TRUNCUS		17	10	5	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	6	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745.1	TRANSPOSITION OF GREAT VESSELS		26	15	4	1	-	2	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	16	10	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	5	2	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
745.2	TETRALOGY OF FALLOT		25	13	6	1	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	6	5	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	7	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745.3	COMMON VENTRICLE		7	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745.4	VENTRICULAR SEPTAL DEFECT		63	24	13	1	-	2	6	5	-	1	1	3	3	-	-	3	-	1	-	-	-	-	-	-
		M	28	11	4	1	-	-	6	3	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	35	13	9	-	-	2	-	2	-	1	-	2	3	-	-	2	-	1	-	-	-	-	-	-
745.5	OSTIUM SECUNDUM TYPE ARTRIAL SEPTAL DEFECT		27	5	3	-	-	1	-	1	1	1	-	-	3	3	3	1	3	2	-	-	-	-	-	-
		M	15	3	2	-	-	1	-	1	1	1	-	-	1	1	1	-	1	2	-	-	-	-	-	-
		F	12	2	1	-	-	-	-	-	-	-	-	-	2	2	2	1	2	-	-	-	-	-	-	-
745.6	ENDOCARDIAL CUSHION DEFECTS		36	20	12	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	18	11	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	18	9	6	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
745.8	OTHER		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746	OTHER CONGENITAL ANOMALIES OF HEART																									
746.0	ANOMALIES OF PULMONARY VALVE		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
746.1	TRICUSPID ATRESIA AND STENOSIS, CONGENITAL		6	3	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.2	EBSTEIN'S ANOMALY		6	2	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
746.3	CONGENITAL STENOSIS OF AORTIC VALVE		14	7	1	1	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-
		M	9	5	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
		F	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
746.4	CONTENITAL INSUFFICIENTY OF AORTIC VALVE		8	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	-	1	-	-	1	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
746.5	CONGENITAL MITRAL STENOSIS		2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.6	CONGENITAL MITRAL INSUFFICIENCY		2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
746.7	HYPOPLASTIC LEFT HEART SYNDROME		44	43	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	17	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.8	OTHER SPECIFIED ANOMALIES OF HEART		64	33	3	1	2	2	3	2	1	2	3	2	4	1	1	1	1	1	1	-	-	-	-	-
		M	35	15	2	1	2	1	3	1	1	1	3	1	2	-	1	1	-	-	-	-	-	-	-	-
		F	29	18	1	-	-	1	-	1	-	1	-	1	2	1	-	-	1	1	1	-	-	-	-	-
746.9	UNSPECIFIED ANOMALIES OF HEART		167	107	17	8	3	5	5	4	3	2	2	2	-	3	-	3	2	-	-	-	1	-	-	-
		M	86	54	6	5	2	5	3	2	2	1	1	1	-	1	-	2	1	-	-	-	-	-	-	-
		F	81	53	11	3	1	-	2	2	1	1	1	1	-	2	-	1	1	-	-	-	1	-	-	-
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM																									
747.0	PATENT DUCTUS ARTERIOSUS		33	24	2	-	-	-	1	1	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-
		M	18	12	-	-	-	-	1	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
		F	15	12	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
747.1	COARCTATION OF AORTA		27	21	-	1	-	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	12	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	9	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
747.2	OTHER ANOMALIES OF AORTA		8	5	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	5	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
747.3	ANOMALIES OF PULMONARY ARTERY		22	17	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		M	14	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	5	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
747.4	ANOMALIES OF GREAT VEINS		17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
747.6	OTHER ANOMALIES OF PERIPHERAL VASCULAR SYSTEM		39	4	1	1	-	1	4	2	5	2	1	3	6	2	5	-	2	-	-	-	-	-	-	-
		M	22	1	-	1	-	-	3	1	4	-	1	1	4	-	4	-	2	-	-	-	-	-	-	-
		F	17	3	1	-	-	1	1	1	1	2	-	2	2	2	1	-	-	-	-	-	-	-	-	-
747.8	OTHER SPECIFIED ANOMALIES OF CIRCULATORY SYSTEM		29	3	-	1	1	3	3	-	2	3	2	2	3	1	2	-	3	-	-	-	-	-	-	-
		M	18	1	-	1	-	2	3	-	1	2	2	1	2	1	2	-	-	-	-	-	-	-	-	-
		F	11	2	-	-	1	1	-	-	1	1	-	1	1	-	-	-	3	-	-	-	-	-	-	-
747.9	UNSPECIFIED ANOMALIES OF CIRCULATORY SYSTEM		21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM																									
748.3	OTHER ANOMALIES OF LARYNX, TRACHEA AND BRONCHUS		8	5	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748.4	CONGENITAL CYSTIC LUNG		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
748.5	AGENESIS, HYPOPLASIA AND DYSPLASIA OF LUNG		40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748.6	OTHER ANOMALIES OF LUNG		16	14	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	9	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
749	CLEFT PALATE AND CLEFT LIP																									
749.0	CLEFT PALATE		2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT																									
750.3	TRACHEO-OESOPHAGEAL FISTULA, OESOPHAGEAL ATRESIA AND STENOSIS		5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750.4	OTHER SPECIFIED ANOMALIES OF OESOPHAGUS		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM																									
751.0	MECKEL'S DIVERTICULUM		6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
		M	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
751.1	ATRESIA AND STENOSIS OF SMALL INTESTINE		4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.2	ATRESIA AND STENOSIS OF LARGE INTESTINE, RECTUM AND ANAL CANAL		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
751.3	HIRSCHSPRUNG'S DISEASE AND OTHER CONGENITAL		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FUNCTIONAL DISORDERS OF COLON	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.4	ANOMALIES OF INTESTINAL FIXATION		3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.5	OTHER ANOMALIES OF INTESTINE		3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
751.6	ANOMALIES OF GALLBLADDER, BILE DUCTS		19	8	7	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	AND LIVER	M	7	3	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	12	5	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.9	UNSPECIFIED ANOMALIES OF DIGESTIVE SYSTEM		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
752	CONGENITAL ANOMALIES OF GENITAL ORGANS																									
752.9	UNSPECIFIED ANOMALIES OF GENITAL ORGANS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
753	CONGENITAL ANOMALIES OF URINARY SYSTEM																									
753.0	RENAL AGENESIS AND DYSGENESIS		41	36	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	2	-	-	-	-	-
		M	29	26	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
		F	12	10	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
753.1	CYSTIC KIDNEY DISEASE		30	5	-	-	-	1	1	-	-	-	1	1	3	2	6	-	1	6	2	-	1	-	-	-
		M	17	5	-	-	-	-	-	-	-	-	1	1	1	-	4	-	1	2	2	-	-	-	-	-
		F	13	-	-	-	-	1	1	-	-	-	-	-	2	2	2	-	-	4	-	-	1	-	-	-
753.3	OTHER SPECIFIED ANOMALIES OF KIDNEY		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
753.4	OTHER SPECIFIED ANOMALIES OF URETER		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
753.9	UNSPECIFIED ANOMALIES OF URINARY SYSTEM		6	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
754	CERTAIN CONGENITAL MUSCULOSKELETAL DEFORMITIES																									
754.2	OF SPINE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
754.8	OTHER SPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
755	OTHER CONGENITAL ANOMALIES OF LIMBS																									
755.5	OTHER ANOMALIES OF UPPER LIMB, INCLUDING		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SHOULDER GIRDLE	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
755.9	UNSPECIFIED ANOMALIES OF UNSPECIFIED LIMB		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES																									
756.0	ANOMALIES OF SKULL AND FACE BONES		4	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
756.1	ANOMALIES OF SPINE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
756.3	OTHER ANOMALIES OF RIBS AND STERNUM		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.4	CHONDRODYSTROPHY		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.5	OSTEODYSTROPHIES		10	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
756.6	ANOMALIES OF DIAPHRAGM		29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.7	ANOMALIES OF ABDOMINAL WALL		17	16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
756.8	OTHER SPECIFIED ANOMALIES OF MUSCLE, TENDON, FASCIA AND CONNECTIVE TISSUE		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.9	UNSPECIFIED ANOMALIES OF MUSCULOSKELETAL SYSTEM		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
757	CONGENITAL ANOMALIES OF THE INTEGUMENT																									
757.3	OTHER SPECIFIED ANOMALIES OF SKIN		7	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-
		M	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
758	CHROMOSOMAL ANOMALIES																									
758.0	DOWN'S SYNDROME		33	19	2	-	2	-	-	1	-	1	-	3	2	2	1	-	-	-	-	-	-	-	-	-
		M	14	11	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	19	8	2	-	2	-	-	-	-	1	-	2	2	2	-	-	-	-	-	-	-	-	-	-
758.1	PATAU'S SYNDROME		15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
758.2	EDWARDS'S SYNDROME		41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
758.3	AUTOSOMAL DELETION SYNDROMES		2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
758.5	OTHER CONDITIONS DUE TO AUTOSOMAL ANOMALIES		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
758.9	CONDITIONS DUE TO ANOMALY OF UNSPECIFIED CHROMOSOME		10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES																									
759.3	SITUS INVERSUS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.4	CONJOINED TWINS		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.5	TUBEROUS SCLEROSIS		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.6	OTHER HAMARTOSES, NOT ELSEWHERE CLASSIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
759.7	MULTIPLE CONGENITAL ANOMALIES, SO DESCRIBED		69	66	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	37	36	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	32	30	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.8	OTHER SPECIFIED ANOMALIES		33	17	2	1	-	2	3	1	2	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-
		M	13	6	-	1	-	1	1	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		F	20	11	2	-	-	1	2	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
759.9	CONGENITAL ANOMALY, UNSPECIFIED		8	6	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD		1,959	1,957	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,121	1,120	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	838	837	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760	FETUS OR NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY																									
760.0	MATERNAL HYPERTENSIVE DISORDERS		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.2	MATERNAL INFECTIONS		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.5	MATERNAL INJURY		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.8	OTHER		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761	FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
761.0	INCOMPETENT CERVIX		15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.1	PREMATURE RUPTURE OF MEMBRANES		35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.3	POLYHYDRAMNIOS		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.5	MULTIPLE PREGNANCY		64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.8	OTHER		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.9	UNSPECIFIED		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762	FETUS OR NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES																									
762.0	PLACENTA PRAEVIA		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.1	OTHER FORMS OF PLACENTAL SEPARATION AND HAEMORRHAGE		32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.2	OTHER AND UNSPECIFIED MORPHOLOGICAL AND FUNCTIONAL ABNORMALITIES OF PLACENTA		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.3	PLACENTAL TRANSFUSION SYNDROMES		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.4	PROLAPSED CORD		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.5	OTHER COMPRESSION OF UMBILICAL CORD		9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.6	OTHER AND UNSPECIFIED CONDITIONS OF UMBILICAL CORD		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.7	CHORIOAMNIONITIS		12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
762.9	UNSPECIFIED ABNORMALITY OF CHORION AND AMNION		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763	FETUS OR NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY																									
763.0	BREECH DELIVERY AND EXTRACTION		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.6	PRECIPITATE DELIVERY		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.8	OTHER COMPLICATIONS OF LABOUR AND DELIVERY		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION																									
764.9	FETAL GROWTH RETARDATION, UNSPECIFIED		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT																									
765.0	EXTREME IMMATURITY		108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765.1	OTHER PRETERM INFANTS		126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767	BIRTH TRAUMA																									
767.0	SUBDURAL AND CEREBRAL HAEMORRHAGE		133	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767.4	INJURY TO SPINE AND SPINAL CORD		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767.8	OTHER		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																									
768.4	FETAL DISTRES, UNSPECIFIED, IN LIVEBORN INFANT		15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768.9	UNSPECIFIED BIRTH ASPHYXIA AND IN LIVEBORN INFANT		138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769	RESPIRATORY DISTRES SYNDROME		459	458	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	278	278	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	181	180	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN																									
770.0	CONGENITAL PNEUMONIA		30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.1	MASSIVE ASPIRATION SYNDROME		46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.2	INTERSTITIAL EMPHYSEMA AND RELATED CONDITIONS		13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.3	PULMONARY HAEMORRHAGE		19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.4	PRIMARY ATELECTASIS		57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.5	OTHER AND UNSPECIFIED ATELECTASIS		22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.7	CHRONIC RESPIRATORY DISEASE ARISING IN THE PERINATAL PERIOD		25	24	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.8	OTHER RESPIRATORY PROBLEMS AFTER BIRTH		134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771	INFECTIONS SPECIFIEC TO THE PERINATAL PERIOD																									
771.1	CONGENITAL CYTOMEGALOVIRUS INFECTION		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.4	OMPHALITIS OF NEWBORN		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.7	NEONATAL CANDIDA INFECTION		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.8	OTHER INFECTION SPECIFIC TO THE PERINATAL PERIOD		60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772	FETAL AND NEONATAL HAEMORRHAGE																									
772.1	INTRAVENTRICULAR HAEMORRHAGE		40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.2	SUBARACHNOID HAEMORRHAGE		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
772.3	UMBILICAL HAEMORRHAGE AFTER BIRTH		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.4	GASTROINTESTINAL HAEMORRHAGE		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.8	OTHER		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.9	UNSPECIFIED		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773	HAEMOLYTIC DISEASE OF FETUS OR NEWBORN, DUE TO ISOIMMUNIZATION																									
773.0	HAEMOLYTIC DISEASE DUE TO RH ISOIMMUNIZATION		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773.2	HAEMOLYTIC DISEASE DUE TO OTHER AND UNSPECIFIED ISOIMMUNIZATION		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773.3	HYDROPS FETALIS DUE TO ISOIMMUNIZATION		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
774	OTHER PERINATAL JAUNDICE																									
774.2	NEONATAL JAUNDICE ASSOCIATED WITH PRETERM DELIVERY		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
775	ENDOCRINE AND METABOLIC DISTURBANCES SPECIFIC TO THE FETUS AND NEWBORN																									
775.0	SYNDROME OF "INFANT OF A DIABETIC MOTHER"		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
775.4	HYPOCALCAEMIA AND HYPOMAGNESAEMIA OF NEWBORN		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
775.5	OTHER TRANSITORY NEONATAL ELECTROLYTE DISTURBANCES		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
775.7	LATE METABOLIC ACIDOSIS OF NEWBORN		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776	HAEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN																									
776.0	HAEMORRHAGIC DISEASE OF NEWBORN		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776.1	TRANSIENT NEONATAL THROMBOCYTOPENIA		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776.2	DISSEMINATED INTRAVASCULAR COAGULATION IN NEWBORN		9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
776.3	OTHER TRANSIENT NEONATAL DISORDERS OF COAGULATION		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
777	PERINATAL DISORDERS OF DIGESTIVE SYSTEM																									
777.5	NECROTIZING ENTEROCOLITIS IN FETUS OR NEWBORN		25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
777.6	PERINATAL INTESTINAL PERFORATION		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
778	CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS AND NEWBORN																									
778.0	HYDROPS FETALIS NOT DUE TO ISOIMMUNIZATION		8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
778.9	UNSPECIFIED		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779	OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																									
779.6	TERMINATION OF PREGNANCY (FETUS)		7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779.8	OTHER		221	221	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779.9	UNSPECIFIED		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS		110	3	-	1	-	6	12	13	10	6	8	3	5	5	8	4	4	3	9	4	5	1	-	-
		M	64	-	-	-	-	4	9	10	6	5	3	1	4	2	5	2	3	2	6	-	2	-	-	-
		F	46	3	-	1	-	2	3	3	4	1	5	2	1	3	3	2	1	1	3	4	3	1	-	-
780-789	SYMPTOMS		109	3	-	1	-	6	12	13	10	6	8	3	5	5	8	4	4	2	9	4	5	1	-	-
		M	64	-	-	-	-	4	9	10	6	5	3	1	4	2	5	2	3	2	6	-	2	-	-	-
		F	45	3	-	1	-	2	3	3	4	1	5	2	1	3	3	2	1	-	3	4	3	1	-	-
780	GENERAL SYMPTOMS AND SPECIAL SENSES																									
780.3	CONVULSIONS		68	-	-	1	-	6	11	13	10	5	8	2	3	4	3	1	-	1	-	-	-	-	-	-
		M	43	-	-	-	-	4	8	10	6	4	3	-	2	2	3	-	-	1	-	-	-	-	-	-
		F	25	-	-	1	-	2	3	3	4	1	5	2	1	2	-	1	-	-	-	-	-	-	-	-
780.6	PYREXIA OF UNKNOWN ORIGIN		2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
781	SYMPTOMS INVOLVING NERVOUS AND MUSCULOSKELETAL SYSTEMS																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
781.9	OTHER		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
785	SYMPTOMS INVOLVING CARDIOVASCULAR SYSTEM																									
785.4	GANGRENE		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
785.5	SHOCK WITHOUT MENTION OF TRAUMA		27	-	-	-	-	-	1	-	-	-	-	-	1	-	5	1	4	1	6	4	4	-	-	-
		M	15	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1	3	1	4	-	2	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	2	4	2	-	-	-
786	SYMPTOMS INVOLVING RESPIRATORY AND OTHER CHEST SYMPTOMS																									
786.0	DYSPNOEA AND RESPIRATORY ABNORMALITIES		4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
789	OTHER SYMPTOMS INVOLVING ABDOMEN AND PELVIS																									
789.0	ABDOMINAL PAIN		2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
789.9	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
790-796	NONSPECIFIC ABNORMAL FINDINGS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
790	NONSPECIFIC FINDINGS ON EXAMINATION OF BLOOD																									
790.6	OTHER ABNORMAL BLOOD CHEMISTRY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
797-799	ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY		1,097	633	22	2	1	17	35	38	34	26	23	17	28	28	30	28	23	17	25	18	15	7	3	27
		M	656	390	13	-	-	12	20	26	20	19	13	7	17	18	15	20	11	11	10	7	6	3	-	18
		F	441	243	9	2	1	5	15	12	14	7	10	10	11	10	15	8	12	6	15	11	9	4	3	9
797	SENILITY WITHOUT MENTION OF PSYCHOSIS		38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	5	10	11	4	1	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	5	4	1	-	-
		F	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	7	3	1	-
798	SUDDEN DEATH, CAUSE UNKNOWN																									
798.0	SUDDEN INFANT DEATH SYNDROME		620	620	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	381	381	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	239	239	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.1	INSTANTANEOUS DEATH		17	-	14	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
		M	11	-	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
798.2	DEATH OCCURRING IN LESS THAN 24 HOURS FROM ONSET OF SYMPTOMS, NOT OTHERWISE EXPLAINED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
798.9	UNATTENDED DEATH		3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Table 7—16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
799	OTHER ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY																									
799.0	ASPHYXIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
799.1	RESPIRATORY FAILURE		50	1	1	-	-	1	1	1	-	1	1	1	2	3	10	4	6	3	7	3	1	2	1	-
		M	29	1	-	-	-	1	-	1	-	-	-	1	2	2	7	3	2	2	4	1	1	1	-	-
		F	21	-	1	-	-	-	1	-	-	1	1	-	-	1	3	1	4	1	3	2	-	1	1	-
799.3	DEBILITY, UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
799.9	OTHER UNKNOWN AND UNSPECIFIED CAUSE		364	12	7	2	1	16	33	37	34	25	22	16	26	24	19	20	14	9	12	3	3	1	1	27
		M	217	8	3	-	-	11	19	25	20	19	13	6	15	15	8	15	7	7	5	1	1	1	-	18
		F	147	4	4	2	1	5	14	12	14	6	9	10	11	9	11	5	7	2	7	2	2	-	1	9
800-999	INJURY AND POISONING (EXTERNAL CAUSE)		17,753	130	402	257	311	1,899	2,683	2,242	1,602	1,168	913	922	872	858	712	659	583	540	442	307	133	41	3	74
		M	12,852	79	235	173	222	1,484	2,145	1,788	1,228	864	666	666	607	583	475	428	365	314	240	149	65	13	1	62
		F	4,901	51	167	84	89	415	538	454	374	304	247	256	265	275	237	231	218	226	202	158	68	28	2	12
800-807	RAILWAY ACCIDENTS		43	-	-	1	2	5	4	7	5	1	1	3	2	1	-	3	3	2	1	1	-	-	-	1
		M	39	-	-	1	1	5	4	7	5	1	1	3	2	1	-	2	2	1	1	1	-	-	-	1
		F	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
800	RAILWAY ACCIDENT INVOLVING COLLISION WITH ROLLING STOCK																									
800.0	RAILWAY EMPLOYEE		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
801	RAILWAY ACCIDENT INVOLVING COLLISION WITH OTHER OBJECT																									
801.2	PEDESTRIAN		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
801.3	PEDAL CYCLIST		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802	RAILWAY ACCIDENT INVOLVING DERAILMENT WITHOUT ANTECEDENT COLLISION																									
802.9	UNSPECIFIED PERSON		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
804	FALL IN, ON, OR FROM RAILWAY TRAIN																									
804.0	RAILWAY EMPLOYEE		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
804.9	UNSPECIFIED PERSON		4	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	4	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
805	HIT BY ROLLING STOCK																									
805.0	RAILWAY EMPLOYEE		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
805.2	PEDESTRIAN		31	-	-	1	2	3	2	3	4	1	1	2	2	1	-	3	3	2	1	-	-	-	-	-
		M	27	-	-	1	1	3	2	3	4	1	1	2	2	1	-	2	2	1	1	-	-	-	-	-
		F	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
805.9	UNSPECIFIED PERSON		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
807	RAILWAY ACCIDENT OF UNSPECIFIED NATURE																									
807.9	UNSPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS		5,799	25	119	161	154	1,005	1,127	756	477	311	251	214	201	213	184	169	148	125	94	46	9	1	-	9
		M	4,240	18	69	109	105	748	886	596	365	242	175	162	146	145	129	103	91	62	51	23	7	-	-	8
		F	1,559	7	50	52	49	257	241	160	112	69	76	52	55	68	55	66	57	63	43	23	2	1	-	1
810	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN																									
810.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		21	-	-	-	-	2	7	2	3	1	1	-	-	-	1	1	1	-	1	1	-	-	-	-
		M	19	-	-	-	-	2	6	2	3	1	1	-	-	-	1	1	1	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
810.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		7	-	-	-	-	2	1	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		M	5	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
810.2	MOTORCYCLIST		3	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
810.9	UNSPECIFIED PERSON		11	-	-	-	-	3	4	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	10	-	-	-	-	2	4	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
811	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING RE-ENTRANT COLLISION WITH ANOTHER MOTOR VEHICLE																									
811.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
812	OTHER MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE																									
812.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		923	-	-	-	1	103	166	139	95	62	57	36	51	48	45	37	43	22	15	2	1	-	-	-
		M	691	-	-	-	1	81	123	100	70	45	44	30	41	36	39	25	30	14	9	2	1	-	-	-
		F	232	-	-	-	-	22	43	39	25	17	13	6	10	12	6	12	13	8	6	-	-	-	-	-
812.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		536	15	33	32	23	108	73	50	32	15	18	18	15	24	16	16	10	14	16	6	-	1	-	1
		M	261	9	16	21	16	61	38	27	20	10	4	7	4	6	1	7	3	3	5	2	-	-	-	1
		F	275	6	17	11	7	47	35	23	12	5	14	11	11	18	15	9	7	11	11	4	-	1	-	-
812.2	MOTORCYCLIST		371	-	-	-	8	99	117	65	35	22	6	3	5	4	3	1	1	2	-	-	-	-	-	-
		M	361	-	-	-	8	95	113	65	35	22	6	2	5	4	2	1	1	2	-	-	-	-	-	-
		F	10	-	-	-	-	4	4	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
812.3	PASSENGER ON MOTORCYCLE		67	-	-	-	3	21	21	12	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	33	-	-	-	1	9	12	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	34	-	-	-	2	12	9	6	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
812.7	PEDESTRIAN		3	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
812.9	UNSPECIFIED PERSON		385	1	3	2	3	77	75	54	24	23	19	14	14	19	15	14	14	8	2	2	2	-	-	-
		M	283	1	1	2	2	58	61	40	17	21	13	11	8	14	10	5	11	4	1	2	1	-	-	-
		F	102	-	2	-	1	19	14	14	7	2	6	3	6	5	5	9	3	4	1	-	1	-	-	-
813	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH OTHER VEHICLE																									
813.2	MOTORCYCLIST		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
813.6	PEDAL CYCLIST		126	-	2	23	35	19	12	6	7	1	3	3	1	2	1	2	3	6	-	-	-	-	-	-
		M	99	-	1	16	27	16	10	6	6	1	2	2	-	1	1	2	2	6	-	-	-	-	-	-
		F	27	-	1	7	8	3	2	-	1	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-
814	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN																									
814.7	PEDESTRIAN		930	-	61	79	40	54	78	72	46	40	48	36	46	50	50	59	44	46	47	26	5	-	-	3
		M	619	-	37	56	24	34	62	50	31	30	35	28	34	36	37	35	24	22	26	11	4	-	-	3
		F	311	-	24	23	16	20	16	22	15	10	13	8	12	14	13	24	20	24	21	15	1	-	-	-
814.9	UNSPECIFIED PERSON		2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
815	OTHER MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION ON THE HIGHWAY																									
815.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		412	-	-	-	1	74	93	74	39	25	15	26	13	15	12	5	9	5	4	1	-	-	-	1
		M	327	-	-	-	1	59	80	63	33	18	7	21	9	13	7	2	5	3	4	1	-	-	-	1
		F	85	-	-	-	-	15	13	11	6	7	8	5	4	2	5	3	4	2	-	-	-	-	-	-
815.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		179	3	2	3	8	59	37	17	12	6	7	3	1	3	5	4	2	4	1	2	-	-	-	-
		M	112	3	-	2	6	34	31	13	6	3	3	3	1	2	2	1	-	-	1	1	-	-	-	-
		F	67	-	2	1	2	25	6	4	6	3	4	-	-	1	3	3	2	4	-	1	-	-	-	-
815.2	MOTORCYCLIST		122	-	-	-	1	35	31	27	11	9	1	4	2	1	-	-	-	-	-	-	-	-	-	-
		M	121	-	-	-	1	34	31	27	11	9	1	4	2	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
815.3	PASSENGER ON MOTORCYCLE		13	-	-	-	1	5	1	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	1	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
815.6	OTHER SPECIFIED PERSON		2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
815.9	UNSPECIFIED PERSON		164	-	-	-	1	37	43	20	21	7	8	9	5	5	2	3	2	-	1	-	-	-	-	-
		M	134	-	-	-	1	33	35	18	16	5	7	5	4	4	1	2	2	-	1	-	-	-	-	-
		F	30	-	-	-	-	4	8	2	5	2	1	4	1	1	1	1	-	-	-	-	-	-	-	-
816	MOTOR VEHICLE TRAFFIC ACCIDENT DUE TO LOSS OF CONTROL, WITHOUT COLLISION ON THE HIGHWAY																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
816.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		471	-	-	-	-	83	108	77	54	32	18	21	21	17	13	9	7	6	2	2	1	-	-	-
		M	391	-	-	-	-	66	94	62	46	29	14	17	19	11	12	9	6	1	2	2	1	-	-	-
		F	80	-	-	-	-	17	14	15	8	3	4	4	2	6	1	-	1	5	-	-	-	-	-	-
816.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		262	3	9	13	14	79	58	25	13	6	10	6	6	5	5	1	3	1	1	2	-	-	-	2
		M	164	3	6	6	5	52	41	20	6	4	6	4	2	2	3	1	1	1	-	-	-	-	-	1
		F	98	-	3	7	9	27	17	5	7	2	4	2	4	3	2	-	2	-	1	2	-	-	-	1
816.2	MOTORCYCLIST		111	-	-	-	2	21	33	24	15	7	6	2	-	-	-	1	-	-	-	-	-	-	-	-
		M	110	-	-	-	2	21	32	24	15	7	6	2	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
816.3	PASSENGER ON MOTORCYCLE		21	-	-	1	-	8	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	-	-	1	-	5	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
816.7	PEDESTRIAN		3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
816.9	UNSPECIFIED PERSON		226	-	-	-	3	37	62	35	18	15	12	13	4	6	5	7	4	4	1	-	-	-	-	-
		M	166	-	-	-	2	24	43	31	14	9	11	10	4	3	5	5	2	2	1	-	-	-	-	-
		F	60	-	-	-	1	13	19	4	4	6	1	3	-	3	-	2	2	2	-	-	-	-	-	-
817	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT, WHILE BOARDING OR ALIGHTING																									
817.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
817.9	UNSPECIFIED PERSON		3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
818	OTHER NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT																									
818.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		7	-	-	-	-	-	1	-	2	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-
		M	6	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
818.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		32	2	7	1	2	9	5	-	1	2	-	-	1	1	-	1	-	-	-	-	-	-	-	-
		M	23	1	6	1	2	5	4	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
		F	9	1	1	-	-	4	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
818.2	MOTORCYCLIST		2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
818.3	PASSENGER ON MOTORCYCLE		3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
818.8	OTHER SPECIFIED PERSON		2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
818.9	UNSPECIFIED PERSON		43	-	-	-	-	12	10	2	4	5	1	4	-	1	1	1	-	-	-	1	-	-	-	1
		M	33	-	-	-	-	10	7	1	2	5	1	3	-	1	1	-	-	-	-	1	-	-	-	1
		F	10	-	-	-	-	2	3	1	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
819	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE																									
819.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		49	-	-	-	-	7	9	3	8	2	5	3	5	2	2	-	2	-	-	1	-	-	-	-
		M	32	-	-	-	-	6	4	2	6	2	3	2	4	1	1	-	1	-	-	-	-	-	-	-
		F	17	-	-	-	-	1	5	1	2	-	2	1	1	1	1	-	1	-	-	1	-	-	-	-
819.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		47	1	1	4	4	11	11	5	2	2	2	-	-	1	-	-	1	1	1	-	-	-	-	-
		M	21	1	1	4	2	5	4	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	26	-	-	-	2	6	7	3	2	1	2	-	-	-	-	-	1	1	1	-	-	-	-	-
819.2	MOTORCYCLIST		22	-	-	-	1	8	4	3	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	22	-	-	-	1	8	4	3	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
819.3	PASSENGER ON MOTORCYCLE		4	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
819.7	PEDESTRIAN		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
819.9	UNSPECIFIED PERSON		209	-	1	2	1	27	54	28	22	16	12	8	10	9	7	6	2	3	-	-	-	-	-	1
		M	158	-	1	-	1	19	38	21	17	13	9	8	7	8	6	5	2	2	-	-	-	-	-	1
		F	51	-	-	2	-	8	16	7	5	3	3	-	3	1	1	1	-	1	-	-	-	-	-	-
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS		235	1	36	3	4	34	30	25	17	14	11	5	9	13	6	7	5	5	6	4	-	-	-	-
		M	185	1	20	1	4	29	29	21	15	10	10	5	9	10	6	4	2	2	4	3	-	-	-	-
		F	50	-	16	2	-	5	1	4	2	4	1	-	-	3	-	3	3	3	2	1	-	-	-	-
820	NONTRAFFIC ACCIDENT INVOLVING MOTOR-DRIVEN SNOW VEHICLE																									
820.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
821	NONTRAFFIC ACCIDENT INVOLVING OTHER OFF-ROAD MOTOR VEHICLE																									
821.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		7	-	-	-	-	1	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	1	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
821.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTOR-CYCLE		6	-	-	-	-	-	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
821.2	MOTOR CYCLIST		3	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
821.9	UNSPECIFIED		3	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
822	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH MOVING OBJECT																									
822.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		5	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
822.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTOR-CYCLE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
822.2	MOTOR CYCLIST		6	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
822.3	PASSENGER ON MOTORCYCLE		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
822.7	PEDESTRIAN		82	1	35	2	-	3	-	3	5	2	2	1	5	3	2	4	3	4	4	3	-	-	-	-
		M	52	1	20	-	-	3	-	2	5	-	2	1	5	2	2	1	1	2	3	2	-	-	-	-
		F	30	-	15	2	-	-	-	1	-	2	-	-	-	1	-	3	2	2	1	1	-	-	-	-
822.9	UNSPECIFIED		8	-	-	-	1	2	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	1	1	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
823	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH STATIONARY OBJECT																									
823.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		8	-	-	-	-	1	1	1	-	1	-	-	1	2	-	1	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	1	1	1	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
823.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTOR-CYCLE		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
823.2	MOTOR CYCLIST		10	-	-	-	-	4	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	4	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
823.3	PASSENGER ON MOTORCYCLE		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
823.9	UNSPECIFIED		8	-	-	-	-	3	1	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	3	1	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
825	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT OF OTHER AND UNSPECIFIED NATURE																									
825.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		27	-	-	-	-	3	7	6	1	2	2	-	1	4	-	-	-	-	1	-	-	-	-	-
		M	26	-	-	-	-	3	7	5	1	2	2	-	1	4	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
825.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTOR-CYCLE		28	-	1	-	1	12	8	2	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
		M	20	-	-	-	1	8	8	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	8	-	1	-	-	4	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
825.2	MOTOR CYCLIST		7	-	-	-	1	1	2	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	1	1	2	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
825.3	PASSENGER ON MOTORCYCLE		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
825.9	UNSPECIFIED		21	-	-	-	-	-	1	6	4	1	1	2	-	1	1	2	2	-	-	-	-	-	-	-
		M	16	-	-	-	-	-	-	5	3	-	1	2	-	1	1	2	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
826-829	OTHER ROAD VEHICLE ACCIDENTS		34	-	-	2	5	4	4	1	3	1	1	3	1	1	-	2	1	1	2	2	-	-	-	-
		M	16	-	-	2	2	1	2	-	2	-	-	1	-	1	-	1	1	-	1	2	-	-	-	-
		F	18	-	-	-	3	3	2	1	1	1	1	2	1	-	-	1	-	1	1	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
826	PEDAL CYCLE ACCIDENT																									
826.0	PEDESTRIAN		2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
826.1	PEDAL CYCLIST		14	-	-	1	4	1	1	-	1	1	-	-	-	-	-	1	1	-	1	2	-	-	-	-
		M	11	-	-	1	2	1	1	-	1	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-
		F	3	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
828	ACCIDENT INVOLVING ANIMAL BEING RIDDEN																									
828.2	RIDER OF ANIMAL		14	-	-	1	1	3	2	1	1	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	1	3	2	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
829	OTHER ROAD VEHICLE ACCIDENTS																									
829.0	PEDESTRIAN		4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
830-838	WATER TRANSPORT ACCIDENTS		113	-	2	1	2	11	21	10	14	16	8	5	7	3	9	4	-	-	-	-	-	-	-	-
		M	101	-	2	-	1	10	20	8	13	15	8	5	4	3	8	4	-	-	-	-	-	-	-	-
		F	12	-	-	1	1	1	1	2	1	1	-	-	3	-	1	-	-	-	-	-	-	-	-	-
830	ACCIDENT TO WATERCRAFT CAUSING SUBMERSION																									
830.0	OCCUPANT OF SMALL BOAT, UNPOWERED		3	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
830.1	OCCUPANT OF SMALL BOAT, POWERED		6	-	-	-	-	-	-	1	-	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	1	-	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
830.2	OCCUPANT OF OTHER WATERCRAFT -- CREW		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
830.8	OTHER SPECIFIED PERSON		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
830.9	UNSPECIFIED PERSON		37	-	-	-	1	3	5	3	6	8	1	3	4	2	1	-	-	-	-	-	-	-	-	-
		M	34	-	-	-	1	3	5	2	6	8	1	3	2	2	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
831	ACCIDENT TO WATERCRAFT CAUSING OTHER INJURY																									
831.1	OCCUPANT OF SMALL BOAT, POWERED		5	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
831.9	UNSPECIFIED PERSON		2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
832	OTHER ACCIDENTAL SUBMERSION OR DROWNING IN WATER TRANSPORT																									
832.0	OCCUPANT OF SMALL BOAT, UNPOWERED		3	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
832.3	OCCUPANT OF OTHER WATERCRAFT -- OTHER THAN CREW		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

83—76474

Table 7—16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
832.9	UNSPECIFIED PERSON		32	-	2	1	1	1	7	2	3	4	3	2	1	-	4	1	-	-	-	-	-	-	-	-
		M	27	-	2	-	-	1	6	1	3	4	3	2	1	-	3	1	-	-	-	-	-	-	-	-
		F	5	-	-	1	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
834	OTHER FALL FROM ONE LEVEL TO ANOTHER IN WATER TRANSPORT																									
834.8	OTHER SPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
834.9	UNSPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
835	OTHER AND UNSPECIFIED FALL IN WATER TRANSPORT																									
835.2	OCCUPANT OF OTHER WATERCRAFT -- CREW		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
835.4	WATER SKIER		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
835.9	UNSPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
837	EXPLOSION, FIRE, OR BURNING IN WATERCRAFT																									
837.2	OCCUPANT OF OTHER WATERCRAFT -- CREW		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
838	OTHER AND UNSPECIFIED WATER TRANSPORT ACCIDENT																									
838.0	OCCUPANT OF SMALL BOAT, UNPOWERED		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
838.1	OCCUPANT OF SMALL BOAT, POWERED		2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
838.2	OCCUPANT OF OTHER WATERCRAFT -- CREW		2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
838.4	WATER SKIER		5	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
838.8	OTHER SPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
838.9	UNSPECIFIED PERSON		5	-	-	-	-	-	2	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	2	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
840-845	AIR AND SPACE TRANSPORT ACCIDENTS		390	1	-	1	4	12	37	60	65	47	36	41	40	26	12	6	1	-	1	-	-	-	-	-
		M	321	1	-	-	2	7	29	47	51	41	32	38	38	20	9	5	1	-	-	-	-	-	-	-
		F	69	-	-	1	2	5	8	13	14	6	4	3	2	6	3	1	-	-	1	-	-	-	-	-
840	ACCIDENT TO POWERED AIRCRAFT AT TAKEOFF OR LANDING																									
840.5	OCCUPANT OF OTHER POWERED AIRCRAFT		6	-	-	-	-	-	1	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	1	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
841	ACCIDENT TO POWERED AIRCRAFT, OTHER AND UNSPECIFIED																									
841.1	OCCUPANT OF MILITARY AIRCRAFT, ANY		16	-	-	-	-	-	3	5	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	-	-	-	-	-	3	5	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
841.2	CREW OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO SURFACE TRANSPORT		20	-	-	-	-	-	1	4	5	4	2	-	3	1	-	-	-	-	-	-	-	-	-	-
		M	13	-	-	-	-	-	1	3	-	3	2	-	3	1	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	1	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
841.3	OTHER OCCUPANT OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO SURFACE TRANSPORT		177	-	-	-	-	5	15	14	30	27	18	24	20	12	7	3	1	-	1	-	-	-	-	-
		M	148	-	-	-	-	4	10	10	23	23	18	22	20	9	5	3	1	-	-	-	-	-	-	-
		F	29	-	-	-	-	1	5	4	7	4	-	2	-	3	2	-	-	-	1	-	-	-	-	-
841.4	OCCUPANT OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO AIR TRANSPORT		7	-	-	-	-	-	1	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	1	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
841.5	OCCUPANT OF OTHER POWERED AIRCRAFT		139	1	-	1	4	6	12	24	20	10	13	14	15	11	5	3	-	-	-	-	-	-	-	-
		M	109	1	-	-	2	3	9	16	19	10	9	13	13	8	4	2	-	-	-	-	-	-	-	-
		F	30	-	-	1	2	3	3	8	1	-	4	1	2	3	1	1	-	-	-	-	-	-	-	-
842	ACCIDENT TO UNPOWERED AIRCRAFT																									
842.6	OCCUPANT OF UNPOWERED AIRCRAFT, EXCEPT PARACHUTIST		12	-	-	-	-	-	2	6	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	12	-	-	-	-	-	2	6	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
842.9	OTHER PERSON		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
844	OTHER SPECIFIED AIR TRANSPORT ACCIDENTS																									
844.7	PARACHUTIST (MILITARY) (OTHER)		12	-	-	-	-	1	2	4	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	11	-	-	-	-	-	2	4	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
846-848	VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE		4	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
846	ACCIDENTS INVOLVING POWERED VEHICLES USED SOLELY WITHIN THE BUILDINGS AND PREMISES OF AN INDUSTRIAL OR COMMERCIAL ESTABLISHMENT		2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
848	ACCIDENTS INVOLVING OTHER VEHICLES NOT ELSEWHERE CLASSIFIABLE		2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS		626	1	5	1	2	23	86	146	101	49	34	45	23	32	30	10	14	11	8	3	-	-	-	2
		M	363	-	-	-	2	17	55	106	68	20	18	21	9	12	10	5	8	9	1	1	-	-	-	1
		F	263	1	5	1	-	6	31	40	33	29	16	24	14	20	20	5	6	2	7	2	-	-	-	1
850	ACCIDENTAL POISONING BY ANALGESICS, ANTIPYRETICS, ANTIRHEUMATICS																									
850.0	OPIATES AND RELATED NARCOTICS		153	-	-	-	-	4	20	53	33	10	9	8	4	4	6	-	-	1	-	-	-	-	-	1
		M	117	-	-	-	-	3	14	44	25	7	7	6	4	2	4	-	-	1	-	-	-	-	-	-
		F	36	-	-	-	-	1	6	9	8	3	2	2	-	2	2	-	-	-	-	-	-	-	-	1

Table 7—16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
850.1	SALICYLATES		11	-	1	1	-	-	-	1	1	1	1	-	1	-	2	1	-	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	8	-	1	1	-	-	-	1	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-
850.2	AROMATIC ANALGESICS, NOT ELSEWHERE CLASSIFIED		4	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-
850.5	OTHER NON-NARCOTIC ANALGESICS		23	-	-	-	-	2	4	4	4	2	4	-	-	3	-	-	-	-	-	-	-	-	-	-
		M	14	-	-	-	-	-	4	3	3	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	2	-	1	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
850.8	OTHER		10	-	-	-	-	-	1	4	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	2	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
851	ACCIDENTAL POISONING BY BARBITURATES		74	-	-	-	-	3	8	13	8	4	5	9	2	5	6	1	3	4	2	-	-	-	-	1
		M	32	-	-	-	-	3	5	5	6	-	2	2	1	2	1	-	1	3	-	-	-	-	-	1
		F	42	-	-	-	-	-	3	8	2	4	3	7	1	3	5	1	2	1	2	-	-	-	-	-
852	ACCIDENTAL POISONING BY OTHER SEDATIVES AND HYPNOTICS																									
852.0	CHLORAL HYDRATE GROUP		5	-	1	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
852.3	METHAQUALONE COMPOUNDS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
852.4	GLUTETHIMIDE GROUP		6	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
852.5	MIXED SEDATIVES, NOT ELSEWHERE CLASSIFIED		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
852.8	OTHER		5	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
852.9	UNSPECIFIED		5	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
853	ACCIDENTAL POISONING BY TRANQUILLIZERS																									
853.0	PHENOTHIAZINE-BASED TRANQUILLIZERS		8	-	-	-	-	-	-	2	-	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	2	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
853.2	BENZODIAZEPINE BASED		13	-	-	-	-	-	-	6	1	-	1	-	-	1	2	1	1	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	6	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-
853.8	OTHER		17	-	-	-	-	1	3	5	3	2	-	-	1	-	-	-	-	-	1	1	-	-	-	-
		M	10	-	-	-	-	-	2	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-

Table 7—16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
853.9	UNSPECIFIED		5	-	-	-	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
854	ACCIDENTAL POISONING BY OTHER PSYCHOTROPIC AGENTS																									
854.0	ANTIDEPRESSANTS		32	-	-	-	-	-	1	2	5	4	1	3	7	3	2	2	1	-	1	-	-	-	-	-
		M	7	-	-	-	-	-	1	2	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
		F	25	-	-	-	-	-	-	-	4	4	1	3	6	2	2	2	-	-	1	-	-	-	-	-
854.2	PSYCHOSTIMULANTS		12	-	-	-	-	-	7	2	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		M	8	-	-	-	-	-	4	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
854.3	CENTRAL NERVOUS SYSTEM STIMULANTS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
855	ACCIDENTAL POISONING BY OTHER DRUGS ACTING ON CENTRAL AND AUTONOMIC NERVOUS SYSTEMS																									
855.1	OTHER CENTRAL NERVO'S SYSTEM DEPRESSANTS		9	-	-	-	-	5	1	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	9	-	-	-	-	5	1	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
855.2	LOCAL ANAESTHETICS		20	-	-	-	-	1	4	7	5	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
		M	14	-	-	-	-	-	1	5	5	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
855.3	PARASYMPATHOMIMETICS (CHOLINERGICS)		4	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
855.8	OTHER		2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
856	ACCIDENTAL POISONING BY ANTIBIOTICS		4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
858	ACCIDENTAL POISONING BY OTHER DRUGS																									
858.0	HORMONES AND SYNTHETIC SUBSTITUTES		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
858.1	PRIMARILY SYSTEMIC AGENTS		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
858.3	AGENTS PRIMARILY AFFECTING CARDIOVASCULAR SYSTEM		12	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	1	2	2	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-
		F	8	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	2	1	-	-	-	-
858.5	WATER, MINERAL AND URIC ACID METABOLISM DRUGS		3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
858.7	AGENTS PRIMARILY AFFECTING SKIN AND MUCOUS MEMBRANE, OPHTHALMOLOGICAL, OTORHINOLARYNGOLOGICAL AND DENTAL DRUGS		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
858.8	OTHER		137	-	1	-	-	1	23	32	25	18	8	8	5	6	5	3	1	-	1	-	-	-	-	-
		M	66	-	-	-	-	1	12	19	15	6	3	3	2	3	1	1	-	-	-	-	-	-	-	-
		F	71	-	1	-	-	-	11	13	10	12	5	5	3	3	4	2	1	-	1	-	-	-	-	-
858.9	UNSPECIFIED		45	-	-	-	-	1	9	7	10	3	-	5	2	4	2	-	2	-	-	-	-	-	-	-
		M	31	-	-	-	-	1	7	6	7	2	-	3	-	1	2	-	2	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	2	1	3	1	-	2	2	3	-	-	-	-	-	-	-	-	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS		129	-	5	1	3	14	15	15	7	12	7	10	13	14	2	4	2	1	3	1	-	-	-	-
		M	93	-	2	1	1	9	12	14	7	10	5	7	11	7	1	3	1	-	2	-	-	-	-	-
		F	36	-	3	-	2	5	3	1	-	2	2	3	2	7	1	1	1	1	1	1	-	-	-	-
860	ACCIDENTAL POISONING BY ALCOHOL, NOT ELSEWHERE CLASSIFIED																									
860.1	OTHER AND UNSPECIFIED ETHYL ALCOHOL AND ITS PRODUCTS		28	-	-	-	-	-	1	4	2	3	3	2	5	5	1	2	-	-	-	-	-	-	-	-
		M	22	-	-	-	-	-	1	3	2	2	2	2	5	3	-	2	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	1	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-
860.2	METHYL ALCOHOL		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
860.3	ISOPROPYL ALCOHOL		3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
860.9	UNSPECIFIED		11	-	-	-	-	1	-	2	-	-	2	2	1	2	1	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	1	-	2	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
862	ACCIDENTAL POISONING BY PETROLEUM PRODUCTS, OTHER SOLVENTS AND THEIR VAPOURS, NOT ELSEWHERE CLASSIFIED																									
862.1	PETROLEUM FUELS AND CLEANERS		3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
862.4	OTHER SOLVENTS		8	-	-	-	-	2	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	2	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
863	ACCIDENTAL POISONING BY AGRICULTURAL AND HORTICULTURAL CHEMICAL AND PHARMACEUTICAL OTHER THAN PLANT FOOD AND FERTILIZER																									
863.4	OTHER AND UNSPECIFIED INSECTICIDES		2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
863.8	FUMIGANTS		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
864	ACCIDENTAL POISONING BY CORROSIVES AND CAUSTICS, NOT ELSEWHERE CLASSIFIED																									
864.1	ACIDS		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
864.2	CAUSTIC ALKALIS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
864.4	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
866	ACCIDENTAL POISONING BY OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES																									
866.6	GLUES AND ADHESIVES		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
866.8	OTHER		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
866.9	UNSPECIFIED		3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
867	ACCIDENTAL POISONING BY GAS DISTRIBUTED BY PIPELINE		12	-	2	-	-	2	2	-	1	1	1	-	-	-	-	1	-	-	1	1	-	-	-	-
		M	6	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	6	-	2	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
868	ACCIDENTAL POISONING BY OTHER UTILITY GAS AND OTHER CARBON MONOXIDE																									
868.0	LIQUEFIED PETROLEUM GAS DISTRIBUTED IN MOBILE CONTAINERS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
868.1	OTHER AND UNSPECIFIED UTILITY GAS		2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
868.2	MOTOR VEHICLE EXHAUST GAS		16	-	-	-	-	2	3	1	-	-	1	1	2	4	-	-	1	1	-	-	-	-	-	-
		M	10	-	-	-	-	1	3	1	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	1	1	-	-	-	-	-	-
868.3	CARBON MONOXIDE FROM INCOMPLETE COMBUSTION OF OTHER DOMESTIC FUELS		11	-	-	-	-	1	2	2	1	1	-	-	1	1	-	-	-	-	2	-	-	-	-	-
		M	9	-	-	-	-	1	1	2	1	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
868.8	CARBON MONOXIDE FROM OTHER SOURCES		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
868.9	UNSPECIFIED CARBON MONOXIDE		9	-	-	-	2	-	-	-	1	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	1	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		F	4	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
869	ACCIDENTAL POISONING BY OTHER GASES AND VAPOURS																									
869.2	FREON		6	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
869.8	OTHER SPECIFIED GASES AND VAPOURS		3	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7—16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
869.9	UNSPECIFIED GASES AND VAPOURS		3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE		41	-	1	2	-	1	2	1	3	3	-	1	5	5	5	-	4	1	2	4	-	-	-	1
		M	17	-	1	1	-	1	-	-	2	-	-	-	-	2	3	-	3	-	1	2	-	-	-	1
		F	24	-	-	1	-	-	2	1	1	3	-	1	5	3	2	-	1	1	1	2	-	-	-	-
870	ACCIDENTAL CUT, PUNCTURE, PERFORATION OR HAEMORRHAGE DURING MEDICAL CARE																									
870.0	SURGICAL OPERATION		15	-	-	1	-	1	1	1	2	1	-	-	2	1	3	-	-	-	-	2	-	-	-	-
		M	4	-	-	-	-	1	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		F	11	-	-	1	-	-	1	1	1	1	-	-	2	1	1	-	-	-	-	2	-	-	-	-
870.2	KIDNEY DIALYSIS OR OTHER PERFUSION		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
870.4	ENDOSCOPIC EXAMINATION		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
870.5	ASPIRATION OF FLUID OR TISSUE, PUNCTURE AND CATHETERIZATION (ANY, EXCEPT HEART CATHETERIZATION)		5	-	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1
		M	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
870.6	HEART CATHETERIZATION		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
870.7	ADMINISTRATION OF ENEMA		3	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
870.8	OTHER		5	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
874	MECHANICAL FAILURE OF INSTRUMENT OR APPARATUS DURING PROCEDURE																									
874.5	HEART CATHETERIZATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
874.8	OTHER		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
874.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
376	OTHER AND UNSPECIFIED MISADVENTURES DURING MEDICAL CARE																									
876.3	ENDOTRACHEAL TUBE WRONGLY PLACED DURING ANAESTHETIC PROCEDURE		3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
876.8	OTHER SPECIFIED MISADVENTURES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
876.9	UNSPECIFIED MISADVENTURE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
878-879	SURGICAL MEDIC PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT TIME		119	6	1	2	-	1	3	2	2	1	1	5	7	8	11	16	15	15	10	9	2	2	-	-
		M	58	3	-	2	-	-	2	-	1	-	1	3	4	6	3	7	5	11	6	4	-	-	-	-
		F	61	3	1	-	-	1	1	2	1	1	-	2	3	2	8	9	10	4	4	5	2	2	-	-
878	SURGICAL PROCEDURE AS CAUSE OF ABNORMAL REACTION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF OPERATION																									
878.1	SURGICAL OPERATION WITH IMPLANT OF ARTIFICIAL INTERNAL DEVICE		4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
878.2	SURGICAL OPERATION WITH ANASTOMOSIS, BYPASS OR GRAFT, WITH NATURAL OR ARTIFICIAL TISSUES USED AS IMPLANT		10	-	1	-	-	-	-	-	1	1	-	-	1	-	2	-	2	1	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		F	7	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	1	-	-	-	-
878.3	SURGICAL OPERATION WITH FORMATION OF EXTERNAL STOMA		6	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
878.4	OTHER RESTORATIVE SURGERY		6	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	-	-	-
		M	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
878.5	AMPUTATION OF LIMB(S)		12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	1	3	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	-	-	-	-
878.6	REMOVAL OF OTHER ORGAN (PARTIAL) (TOTAL)		4	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
878.8	OTHER		31	1	-	1	-	-	1	-	1	-	-	1	1	3	3	4	5	6	4	-	-	-	-	-
		M	17	1	-	1	-	-	-	-	-	-	-	-	-	2	1	3	1	6	2	-	-	-	-	-
		F	14	-	-	-	-	-	1	-	1	-	-	1	1	1	2	1	4	-	2	-	-	-	-	-
878.9	UNSPECIFIED		31	1	-	-	-	-	-	2	-	-	1	3	3	1	2	6	1	2	3	2	2	2	-	-
		M	14	1	-	-	-	-	-	-	-	-	1	3	2	1	2	2	-	-	2	-	-	-	-	-
		F	17	-	-	-	-	-	-	2	-	-	-	-	1	-	-	4	1	2	1	2	2	2	-	-
879	OTHER PROCEDURES, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE, AS CAUSE OF ABNORMAL REACTION OF PATIENT, OR OF LATER																								
879.2	RADIOLOGICAL PROCEDURE AND RADIOTHERAPY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
879.6	URINARY CATHETERIZATION		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
879.8	OTHER		11	3	-	-	-	1	-	-	-	-	-	-	2	1	-	2	2	-	-	-	-	-	-	-
		M	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
		F	7	2	-	-	-	1	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
880-888	ACCIDENTAL FALLS		1,055	6	10	3	12	26	34	25	25	36	32	34	54	63	49	76	87	119	131	129	74	28	2	-
		M	611	3	7	3	10	26	33	23	18	26	29	27	37	41	35	46	42	56	59	53	29	7	1	-
		F	444	3	3	-	2	-	1	2	7	10	3	7	17	22	14	30	45	63	72	76	45	21	1	-
880	FALL ON OR FROM STAIRS OR STEPS																									
880.9	OTHER STAIRS OR STEPS		76	1	3	-	-	-	1	2	3	2	3	2	4	4	2	8	10	13	7	7	3	1	-	-
		M	44	1	1	-	-	-	1	2	2	2	3	2	3	2	1	3	4	6	5	5	1	-	-	-
		F	32	-	2	-	-	-	-	-	1	-	-	-	1	2	1	5	6	7	2	2	2	1	-	-
881	FALL ON OR FROM LADDERS OR SCAFFOLDING																									
881.0	FALL FROM LADDER		25	-	-	-	-	-	-	-	-	1	3	3	4	2	3	1	1	2	2	2	1	-	-	-
		M	25	-	-	-	-	-	-	-	-	1	3	3	4	2	3	1	1	2	2	2	1	-	-	-
881.1	FALL FROM SCAFFOLDING		7	-	-	-	-	-	-	1	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	1	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
882	FALL FROM OR OUT OF BUILDING OR OTHER STRUCTURE		73	-	3	2	1	2	7	7	5	3	4	7	5	5	3	5	10	2	1	1	-	-	-	-
		M	65	-	3	2	1	2	6	6	4	2	4	6	5	5	3	5	7	2	1	1	-	-	-	-
		F	8	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	3	-	-	-	-	-	-	-
883	FALL INTO HOLE OR OTHER OPENING IN SURFACE																									
883.0	ACCIDENT FROM DIVING OR JUMPING INTO WATER (SWIMMING POOL)		4	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
883.9	FALL INTO OTHER HOLE OR OTHER OPENING IN SURFACE		7	-	1	-	-	1	-	-	-	2	-	1	1	-	-	1	-	-	-	-	-	-	-	-
		M	7	-	1	-	-	1	-	-	-	2	-	1	1	-	-	1	-	-	-	-	-	-	-	-
884	OTHER FALL FROM ONE LEVEL TO ANOTHER																									
884.1	FALL FROM CLIFF		39	-	-	1	2	13	11	3	1	2	1	1	2	1	-	-	-	-	1	-	-	-	-	-
		M	35	-	-	1	1	13	11	3	-	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
884.2	FALL FROM CHAIR OR BED		48	3	1	-	-	1	-	-	1	1	-	1	1	5	-	3	2	10	5	4	7	3	-	-
		M	27	1	1	-	-	1	-	-	1	1	-	1	1	3	-	2	1	5	1	3	5	-	-	-
		F	21	2	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	5	4	1	2	3	-	-
884.9	OTHER FALL FROM ONE LEVEL TO ANOTHER		44	2	2	-	5	6	6	3	5	-	-	1	1	2	3	1	1	2	1	3	-	-	-	-
		M	33	1	1	-	5	6	6	3	1	-	-	-	1	2	3	1	1	2	-	-	-	-	-	-
		F	11	1	1	-	-	-	-	-	4	-	-	1	-	-	-	-	-	-	1	3	-	-	-	-
885	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING OR STUMBLING		40	-	-	-	-	-	1	-	-	-	2	-	-	1	2	3	3	9	4	8	4	3	-	-
		M	18	-	-	-	-	-	1	-	-	-	2	-	-	-	2	2	2	3	2	2	1	1	-	-
		F	22	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	6	2	6	3	2	-	-
886	FALL ON SAME LEVEL FROM COLLISION, PUSHING OR SHOVING, BY OR WITH OTHER PERSON																									
886.0	IN SPORTS		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
886.9	OTHER AND UNSPECIFIED		2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
887	FRACTURE, CAUSE UNSPECIFIED		65	-	-	-	-	-	1	1	-	-	-	1	1	-	1	3	3	11	14	12	13	2	2	-
		M	28	-	-	-	-	-	1	1	-	-	-	1	-	-	1	1	-	3	9	4	5	1	1	-
		F	37	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	8	5	8	8	1	1	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
888	OTHER AND UNSPECIFIED FALL		624	-	-	-	4	2	4	8	6	24	19	16	34	42	35	51	57	70	96	91	46	19	-	-
		M	315	-	-	-	3	2	4	7	6	15	16	12	19	25	22	30	26	33	39	35	16	5	-	-
		F	309	-	-	-	1	-	-	1	-	9	3	4	15	17	13	21	31	37	57	56	30	14	-	-
890-899	ACCIDENTS CAUSED BY FIRE AND FLAMES		377	4	24	13	7	7	29	31	19	21	15	18	22	29	22	27	35	21	16	8	5	2	-	2
		M	230	3	14	6	3	4	19	23	13	16	10	10	13	18	15	13	20	13	9	5	1	-	-	2
		F	147	1	10	7	4	3	10	8	6	5	5	8	9	11	7	14	15	8	7	3	4	2	-	-
890	CONFLAGRATION IN PRIVATE DWELLING																									
890.2	OTHER SMOKE AND FUMES FROM CONFLAGRATION		148	2	15	11	4	5	16	16	9	6	8	9	6	5	5	10	7	6	3	2	3	-	-	-
		M	87	1	8	5	2	3	10	13	5	2	6	4	3	2	4	6	5	2	3	2	1	-	-	-
		F	61	1	7	6	2	2	6	3	4	4	2	5	3	3	1	4	2	4	-	-	2	-	-	-
890.3	BURNING CAUSED BY CONFLAGRATION		130	2	7	2	1	1	7	12	7	10	2	4	5	11	13	9	14	7	6	6	1	1	-	2
		M	72	2	4	1	-	-	4	7	5	9	1	2	1	5	9	2	9	5	1	3	-	-	-	2
		F	58	-	3	1	1	1	3	5	2	1	1	2	4	6	4	7	5	2	5	3	1	1	-	-
890.8	OTHER ACCIDENT RESULTING FROM CONFLAGRATION		3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
890.9	UNSPECIFIED		3	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
891	CONFLAGRATION IN OTHER AND UNSPECIFIED BUILDING OR STRUCTURE																									
891.2	OTHER SMOKE AND FUMES FROM CONFLAGRATION		4	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
891.3	BURNING CAUSED BY CONFLAGRATION		9	-	-	-	-	-	-	-	2	2	-	-	2	2	-	-	-	1	-	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	2	2	-	-	2	2	-	-	-	1	-	-	-	-	-	-
892	CONFLAGRATION NOT IN BUILDING OR STRUCTURE		11	-	1	-	-	-	3	-	-	1	1	-	2	2	-	-	-	-	1	-	-	-	-	-
		M	10	-	1	-	-	-	3	-	-	1	1	-	2	1	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
893	ACCIDENT CAUSED BY IGNITION OF CLOTHING																									
893.0	FROM CONTROLLED FIRE IN PRIVATE DWELLING		5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
893.2	FROM CONTROLLED FIRE NOT IN BUILDING OR STRUCTURE		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
893.8	FROM OTHER SOURCES		14	-	-	-	-	-	-	-	-	-	1	1	1	1	-	4	2	1	3	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	1	3	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-
893.9	UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
894	IGNITION OF HIGHLY INFLAMMABLE MATERIAL		11	-	-	-	1	-	-	-	1	1	-	-	2	3	-	-	2	1	-	-	-	-	-	-
		M	9	-	-	-	1	-	-	-	1	1	-	-	1	3	-	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-

Table 7—16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
895	ACCIDENT CAUSED BY CONTROLLED FIRE IN PRIVATE DWELLING		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
897	ACCIDENT CAUSED BY CONTROLLED FIRE NOT IN BUILDING OR STRUCTURE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
898	ACCIDENT CAUSED BY OTHER SPECIFIED FIRE AND FLAMES																									
898.0	BURNING BEDCLOTHES		8	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	1	-	-	-	1	-	-
		M	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
898.1	OTHER		14	-	-	-	-	-	-	1	-	-	1	3	1	2	-	2	2	1	1	-	-	-	-	-
		M	7	-	-	-	-	-	-	1	-	-	-	2	1	1	-	1	1	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	1	-	-	-	-	-
899	ACCIDENT CAUSED BY UNSPECIFIED FIRE		9	-	1	-	-	-	1	1	-	1	1	-	1	1	-	-	-	2	-	-	-	-	-	-
		M	7	-	1	-	-	-	-	1	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
900-909	ACCIDENTS DUE TO NATURAL AND ENVIRONMENTAL FACTORS		85	1	1	-	1	1	8	11	4	4	4	2	5	6	5	6	5	4	5	5	4	-	-	3
		M	66	1	1	-	1	1	7	10	2	3	4	1	3	5	5	4	5	3	4	1	3	-	-	2
		F	19	-	-	-	-	-	1	1	2	1	-	1	2	1	-	2	-	1	1	4	1	-	-	1
900	EXCESSIVE HEAT																									
900.0	DUE TO WEATHER CONDITIONS		19	-	1	-	1	1	2	2	-	-	1	-	1	2	1	1	1	1	-	3	-	-	-	1
		M	13	-	1	-	1	1	1	2	-	-	1	-	-	1	1	1	1	1	-	-	-	-	-	1
		F	6	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-
900.1	OF MANMADE ORIGIN		2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
900.9	OF UNSPECIFIED ORIGIN		14	-	-	-	-	-	1	2	1	1	1	1	-	-	1	1	-	-	1	1	3	-	-	-
		M	8	-	-	-	-	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	2	-	-	-
		F	6	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	1	1	-	-	-
901	EXCESSIVE COLD																									
901.0	DUE TO WEATHER CONDITIONS		6	-	-	-	-	-	1	-	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
		M	6	-	-	-	-	-	1	-	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
901.9	OF UNSPECIFIED ORIGIN		8	-	-	-	-	-	1	1	-	-	1	-	-	1	1	-	-	1	1	-	1	-	-	-
		M	8	-	-	-	-	-	1	1	-	-	1	-	-	1	1	-	-	1	1	-	1	-	-	-
902	HIGH AND LOW AIR PRESSURE AND CHANGES IN AIR PRESSURE																									
902.2	DUE TO DIVING		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
904	HUNGER, THIRST, EXPOSURE, NEGLECT																									
904.0	ABANDONMENT OR NEGLECT OF INFANTS AND HELPLESS PERSONS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
904.1	LACK OF FOOD		2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
904.3	EXPOSURE (TO WEATHER CONDITIONS) NOT ELSEWHERE CLASSIFIABLE		14	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	3	1	1	1	-	-	-	2
		M	13	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	3	1	1	1	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
905	VENOMOUS ANIMALS AND PLANTS AS THE CAUSE OF POISONING AND TOXIC REACTIONS																									
905.0	VENOMOUS SNAKES AND LIZARDS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
905.3	HORNETS, WASPS AND BEES		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
906	OTHER INJURY CAUSED BY ANIMALS																									
906.3	BITE OF OTHER ANIMAL EXCEPT ARTHROPOD		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
906.8	OTHER SPECIFIED INJURY CAUSED BY ANIMAL		9	-	-	-	-	-	-	2	1	1	1	-	-	1	1	-	-	1	1	-	-	-	-	-
		M	6	-	-	-	-	-	-	2	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
908	CATACLYSMIC STORMS, AND FLOODS RESULTING FROM STORMS		4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
909	CATACLYSMIC EARTH SURFACE MOVEMENTS AND ERUPTIONS		2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
910-915	ACCIDENTS CAUSED BY SUBMERSION, SUFFOCATION AND FOREIGN BODIES		1,037	51	136	32	30	97	108	71	51	43	38	37	34	36	30	45	54	45	36	30	12	2	1	18
		M	746	27	89	24	24	79	97	58	39	33	32	25	23	24	16	32	34	26	22	17	6	1	-	18
		F	291	24	47	8	6	18	11	13	12	10	6	12	11	12	14	13	20	19	14	13	6	1	1	-
910	ACCIDENTAL DROWNING AND SUBMERSION																									
910.1	WHILE ENGAGED IN OTHER SPORT OR RECREATIONAL ACTIVITY WITH DIVING EQUIPMENT		22	-	-	-	-	3	8	2	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	-	-	-	-	2	8	1	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
910.2	WHILE ENGAGED IN OTHER SPORT OR RECREATIONAL ACTIVITY WITHOUT DIVING EQUIPMENT		143	-	-	5	8	37	34	15	6	9	7	8	2	4	4	-	2	2	-	-	-	-	-	-
		M	126	-	-	4	6	31	32	15	6	7	7	5	2	3	4	-	2	2	-	-	-	-	-	-
		F	17	-	-	1	2	6	2	-	-	2	-	3	-	1	-	-	-	-	-	-	-	-	-	-
910.3	WHILE SWIMMING OR DIVING FOR PURPOSES OTHER THAN RECREATION OR SPORT		4	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
910.4	IN BATHTUB		62	4	7	1	3	3	2	3	2	5	3	1	-	3	4	3	3	6	4	4	1	-	-	-
		M	25	2	3	1	2	1	1	3	-	3	1	-	-	2	1	2	1	-	1	1	-	-	-	-
		F	37	2	4	-	1	2	1	-	2	2	2	1	-	1	3	1	2	6	3	3	1	-	-	-
910.8	OTHER		320	6	67	17	9	30	46	36	12	13	8	11	13	8	3	7	5	4	5	2	2	-	-	16
		M	252	4	43	13	8	25	42	27	11	12	8	9	7	7	1	6	5	3	3	1	1	-	-	16
		F	68	2	24	4	1	5	4	9	1	1	-	2	6	1	2	1	-	1	2	1	1	-	-	-
910.9	UNSPECIFIED		97	1	43	2	3	7	7	4	3	4	-	2	3	3	2	4	2	3	1	1	-	-	-	2
		M	70	1	32	1	1	6	6	3	2	2	-	1	1	2	2	3	2	2	1	-	-	-	-	2
		F	27	-	11	1	2	1	1	1	1	2	-	1	2	1	-	1	-	1	-	1	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
911	INHALATION AND INGESTION OF FOOD CAUSING		242	12	6	-	-	5	3	4	14	6	13	11	9	17	13	28	37	19	20	15	9	-	1	-
	OBSTRUCTION OF RESPIRATORY TRACT OR	M	145	6	4	-	-	2	2	3	9	4	10	6	6	10	8	19	20	11	11	9	5	-	-	-
	SUFFOCATION	F	97	6	2	-	-	3	1	1	5	2	3	5	3	7	5	9	17	8	9	6	4	-	1	-
912	INHALATION AND INGESTION OF OTHER OBJECT		41	6	4	3	1	-	-	-	3	-	2	-	1	-	1	2	2	4	5	5	-	2	-	-
	CAUSING OBSTRUCTION OF RESPIRATORY TRACT	M	32	4	2	2	1	-	-	-	3	-	2	-	1	-	-	1	2	4	5	4	-	1	-	-
	OR SUFFOCATION	F	9	2	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-
913	ACCIDENTAL MECHANICAL SUFFOCATION																									
913.0	IN BED OR CRADLE		16	11	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	-	-	-	-
		M	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
		F	8	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
913.1	BY PLASTIC BAG		5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
913.2	DUE TO LACK OF AIR (IN CLOSED PLACE)		2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
913.3	BY FALLING EARTH OR OTHER SUBSTANCE		10	-	-	-	2	2	1	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	2	2	1	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
913.8	OTHER SPECIFIED MEANS		44	4	6	3	3	7	4	3	4	1	2	-	4	-	-	-	2	1	-	-	-	-	-	-
		M	35	2	3	3	3	7	2	2	4	1	1	-	4	-	-	-	2	1	-	-	-	-	-	-
		F	9	2	3	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
913.9	UNSPECIFIED		19	4	-	-	1	2	1	2	1	-	2	-	1	-	2	-	-	3	-	-	-	-	-	-
		M	12	1	-	-	1	2	1	2	1	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-
		F	7	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
915	FOREIGN BODY ACCIDENTALLY ENTERING OTHER		10	-	-	1	-	1	-	-	1	-	-	-	-	1	1	-	-	2	1	2	-	-	-	-
	ORIFICE	M	5	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
		F	5	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-
916-928	OTHER ACCIDENTS		584	5	18	14	21	54	82	50	38	42	33	33	32	33	41	21	21	15	12	11	7	-	-	1
		M	492	2	12	11	19	51	76	48	33	35	31	31	27	28	35	12	17	8	7	4	4	-	-	1
		F	92	3	6	3	2	3	6	2	5	7	2	2	5	5	6	9	4	7	5	7	3	-	-	-
916	STRUCK ACCIDENTALLY BY FALLING OBJECT		58	-	1	4	-	1	9	6	5	6	4	4	4	6	4	1	3	-	-	-	-	-	-	-
		M	54	-	1	3	-	-	9	6	5	6	3	4	3	6	4	1	3	-	-	-	-	-	-	-
		F	4	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
917	STRIKING AGAINST OR STRUCK ACCIDENTALLY BY OBJECTS OR PERSONS																									
917.0	IN SPORTS		4	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
917.9	OTHER		27	-	3	1	-	2	2	1	1	3	2	4	-	4	2	-	-	1	-	1	-	-	-	-
		M	24	-	2	1	-	2	2	1	1	3	2	4	-	4	2	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
918	CAUGHT ACCIDENTALLY IN OR BETWEEN OBJECTS		3	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
919	ACCIDENTS CAUSED BY MACHINERY		39	-	3	1	-	3	2	5	4	3	2	4	2	2	4	4	-	-	-	-	-	-	-	-
919.0	AGRICULTURAL MACHINES	M	37	-	3	-	-	3	2	5	4	3	2	4	2	1	4	4	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
919.1	MINING AND EARTH-DRILLING MACHINERY		2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
919.2	LIFTING MACHINES AND APPLIANCES		31	-	-	-	-	3	6	2	2	2	2	2	1	4	4	1	-	-	-	-	2	-	-	-
		M	29	-	-	-	-	3	6	2	2	2	2	2	1	4	3	1	-	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
919.3	METALWORKING MACHINES		2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
919.4	WOODWORKING AND FORMING MACHINES		2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
919.6	TRANSMISSION MACHINERY		3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
919.7	EARTH MOVING, SCRAPING AND OTHER EXCAVATING MACHINES		17	-	-	-	1	1	7	1	1	-	2	1	2	1	-	-	-	-	-	-	-	-	-	-
		M	17	-	-	-	1	1	7	1	1	-	2	1	2	1	-	-	-	-	-	-	-	-	-	-
919.8	OTHER		16	-	-	-	1	2	5	2	-	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-
		M	15	-	-	-	1	2	5	1	-	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
919.9	UNSPECIFIED		4	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
920	ACCIDENTS CAUSED BY CUTTING AND PIERCING INSTRUMENTS OR OBJECTS																									
920.1	OTHER POWERED HAND TOOLS		2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
920.2	POWERED HOUSEHOLD APPLIANCES AND IMPLEMENTS		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
920.3	KNIVES, SWORDS AND DAGGERS		3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
920.8	OTHER		10	-	1	-	-	-	1	3	-	2	-	1	-	-	-	2	-	-	-	-	-	-	-	-
		M	8	-	1	-	-	-	1	3	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
920.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
921	ACCIDENT CAUSED BY EXPLOSION OF PRESSURE VESSEL		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
921.0	BOILERS	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
921.8	OTHER		2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
922	ACCIDENT CAUSED BY FIREARM MISSILE																									
922.0	HAND GUN		33	-	-	4	5	4	5	4	6	2	-	-	1	-	1	-	1	-	-	-	-	-	-	-
		M	29	-	-	4	3	4	5	4	6	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
922.1	SHOTGUN (AUTOMATIC)		8	-	-	-	2	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922.2	HUNTING RIFLE		4	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
922.9	UNSPECIFIED		60	-	2	1	8	16	12	7	3	3	1	4	2	-	-	-	1	-	-	-	-	-	-	-
		M	55	-	2	1	8	15	11	7	3	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
923	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL																									
923.2	EXPLOSIVE GASES		10	-	-	-	-	2	-	2	-	-	1	1	1	-	2	-	-	-	1	-	-	-	-	-
		M	6	-	-	-	-	1	-	2	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
		F	4	-	-	-	-	1	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
923.8	OTHER		10	-	-	-	-	-	2	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	2	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-
923.9	UNSPECIFIED		6	-	-	-	-	2	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	2	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
924	ACCIDENT CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL AND STEAM																									
924.0	HOT LIQUIDS AND VAPOURS, INCLUDING STEAM		19	-	-	-	-	-	-	-	1	1	2	-	-	2	2	4	-	4	1	2	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	1	2	-	-	2	2	1	-	2	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	2	1	2	-	-	-	-
924.1	CAUSTIC AND CORROSIVE SUBSTANCES		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
924.8	OTHER		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
925	ACCIDENT CAUSED BY ELECTRIC CURRENT																									
925.0	DOMESTIC WIRING AND APPLIANCES		16	-	2	-	1	1	3	-	2	-	1	-	3	-	1	1	-	1	-	-	-	-	-	-
		M	13	-	-	-	1	1	2	-	2	-	1	-	3	-	1	1	-	1	-	-	-	-	-	-
		F	3	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
925.1	ELECTRIC POWER GENERATING PLANTS, DISTRIBUTION STATIONS, TRANSMISSION LINES		18	-	-	1	-	3	6	2	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	16	-	-	-	-	3	5	2	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
925.2	INDUSTRIAL WIRING, APPLIANCES AND ELECTRICAL MACHINERY		3	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
925.8	OTHER		18	-	-	-	1	2	6	4	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	-	-	-	1	2	6	4	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
925.9	UNSPECIFIED		4	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
927	OVEREXERTION AND STRENUOUS MOVEMENTS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
928	OTHER AND UNSPECIFIED ENVIRONMENTAL AND ACCIDENTAL CAUSES																									
928.8	OTHER		2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
928.9	UNSPECIFIED ACCIDENTS		138	4	4	1	-	3	5	4	8	7	7	6	12	8	16	8	14	9	10	8	3	-	-	1
		M	94	2	2	1	-	3	4	3	5	4	6	5	9	4	13	3	12	5	6	4	2	-	-	1
		F	44	2	2	-	-	-	1	1	3	3	1	1	3	4	3	5	2	4	4	4	1	-	-	-
929	LATE EFFECTS OF ACCIDENTAL INJURY																									
929.0	LATE EFFECTS OF MOTOR VEHICLE ACCIDENT		44	-	1	1	4	4	9	5	3	4	1	-	2	2	-	1	3	2	1	1	-	-	-	-
		M	36	-	-	1	4	3	7	4	3	3	1	-	1	2	-	1	3	1	1	1	-	-	-	-
		F	8	-	1	-	-	1	2	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
929.1	LATE EFFECTS OF OTHER TRANSPORT ACCIDENT		4	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
929.2	LATE EFFECTS OF ACCIDENTAL POISONING		3	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
929.3	LATE EFFECTS OF ACCIDENTAL FALL		31	-	-	-	-	1	1	-	1	-	2	1	-	3	3	4	4	5	2	2	1	1	-	-
		M	21	-	-	-	-	1	1	-	1	-	1	1	-	2	2	4	1	2	1	2	1	1	-	-
		F	10	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	3	1	-	-	-	-	-
929.4	LATE EFFECTS OF ACCIDENT CAUSED BY FIRE		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
929.5	LATE EFFECTS OF ACCIDENT DUE TO NATURAL AND ENVIRONMENTAL FACTORS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
929.8	LATE EFFECTS OF OTHER ACCIDENTS		12	-	-	-	-	2	2	1	1	-	2	-	1	-	-	1	-	1	1	-	-	-	-	-
		M	12	-	-	-	-	2	2	1	1	-	2	-	1	-	-	1	-	1	1	-	-	-	-	-
929.9	LATE EFFECTS OF UNSPECIFIED ACCIDENT		23	-	-	-	-	-	-	-	1	1	2	5	2	2	2	1	3	-	1	1	1	1	-	-
		M	18	-	-	-	-	-	-	-	1	-	2	4	2	1	2	-	2	-	1	1	1	1	-	-
		F	5	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE		18	-	-	-	-	-	1	2	2	-	1	-	2	4	2	-	1	1	2	-	-	-	-	-
		M	4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	1	1	2	-	1	-	2	3	1	-	-	1	2	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
930	ANTIBIOTICS																									
930.0	PENICILLINS		5	-	-	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
935	ANALGESICS, ANTIPYRETICS AND ANTIRHEUMATICS																									
935.2	AROMATIC ANALGESICS, NOT ELSEWHERE CLASSIFIED		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
935.4	ANTIRHEUMATICS (ANTIPHLOGISTICS)		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
938	OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS																									
938.6	PERIPHERAL NERVE- AND PLEXUS-BLOCKING ANAESTHETICS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
938.7	SPINAL ANAESTHETICS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
947	OTHER AND UNSPECIFIED DRUGS AND MEDICAMENTS																									
947.8	OTHER DRUGS AND MEDICAMENTS		4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
947.9	UNSPECIFIED DRUG OR MEDICAMENT		4	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
950-959	SUICIDE AND SELFINFLICTED INJURY		3,534	-	-	-	13	193	425	470	365	295	227	237	263	242	206	173	140	134	85	39	14	3	-	10
		M	2,477	-	-	-	9	157	313	371	259	200	141	153	160	162	129	122	99	96	59	24	11	3	-	9
		F	1,057	-	-	-	4	36	112	99	106	95	86	84	103	80	77	51	41	38	26	15	3	-	-	1
950	SUICIDE AND SELFINFLICTED POISONING BY SOLID OR LIQUID SUBSTANCES																									
950.0	ANALGESICS, ANTIPYRETICS AND ANTIRHEUMATICS		74	-	-	-	-	3	4	8	8	6	9	13	7	2	3	2	2	4	1	2	-	-	-	-
		M	32	-	-	-	-	1	-	6	4	2	4	6	4	1	-	1	2	1	-	-	-	-	-	-
		F	42	-	-	-	-	2	4	2	4	4	5	7	3	1	3	1	-	3	1	2	-	-	-	-
950.1	BARBITURATES		221	-	-	-	-	4	10	26	11	17	18	18	20	12	17	13	20	10	13	9	3	-	-	-
		M	91	-	-	-	-	2	5	18	5	6	7	8	8	2	8	5	8	-	4	4	1	-	-	-
		F	130	-	-	-	-	2	5	8	6	11	11	10	12	10	9	8	12	10	9	5	2	-	-	-
950.2	OTHER SEDATIVES AND HYPNOTICS		53	-	-	-	-	1	4	11	10	5	3	3	2	4	4	2	1	1	-	1	-	-	-	1
		M	24	-	-	-	-	-	1	8	2	3	2	2	1	2	2	1	-	-	-	-	-	-	-	-
		F	29	-	-	-	-	1	3	3	8	2	1	1	1	2	2	1	1	1	-	1	-	-	-	1
950.3	TRANQUILLIZERS AND OTHER PSYCHOTROPIC AGENTS		207	-	-	-	-	2	27	29	27	24	18	18	22	12	11	11	2	2	1	1	-	-	-	-
		M	78	-	-	-	-	1	9	16	10	9	4	10	4	5	3	4	1	-	1	1	-	-	-	-
		F	129	-	-	-	-	1	18	13	17	15	14	8	18	7	8	7	1	2	-	-	-	-	-	-
950.4	OTHER SPECIFIED DRUGS AND MEDICAMENTS		142	-	-	-	1	8	14	20	17	15	9	14	8	8	9	4	6	3	5	1	-	-	-	-
		M	66	-	-	-	-	3	7	14	11	5	5	7	1	3	4	1	1	2	2	-	-	-	-	-
		F	76	-	-	-	1	5	7	6	6	10	4	7	7	5	5	3	5	1	3	1	-	-	-	-
950.5	UNSPECIFIED DRUG OR MEDICAMENT		61	-	-	-	-	3	8	12	7	7	4	4	3	5	3	-	2	1	1	1	-	-	-	-
		M	26	-	-	-	-	1	3	7	3	4	2	-	1	3	-	-	1	1	-	-	-	-	-	-
		F	35	-	-	-	-	2	5	5	4	3	2	4	2	2	3	-	1	-	1	1	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
950.6	AGRICULTURAL AND HORTICULTURAL CHEMICAL AND PHARMACEUTICAL PREPARATIONS OTHER THAN PLANT FOODS AND FERTILIZERS		9	-	-	-	-	-	-	3	1	-	-	-	1	1	-	-	-	3	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
950.7	CORROSIVE AND CAUSTIC SUBSTANCES		5	-	-	-	-	-	1	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	1	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
950.8	ARSENIC AND ITS COMPOUNDS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
950.9	OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES		30	-	-	-	-	-	5	4	4	-	3	3	2	1	2	2	-	4	-	-	-	-	-	-
		M	21	-	-	-	-	-	5	3	2	-	2	2	2	-	1	2	-	2	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	1	2	-	1	1	-	1	1	-	-	2	-	-	-	-	-	
951	SUICIDE AND SELFINFLICTED POISONING BY GASES IN DOMESTIC USE																									
951.0	GAS DISTRIBUTED BY PIPELINE		6	-	-	-	-	-	2	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
951.1	LIQUEFIED PETROLEUM GAS DISTRIBUTED IN MOBILE CONTAINERS		4	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
951.8	OTHER UTILITY GAS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
952	SUICIDE AND SELFINFLICTED POISONING BY OTHER GASES AND VAPOURS																									
952.0	MOTOR VEHICLE EXHAUST GAS		159	-	-	-	-	4	9	18	19	17	14	11	17	17	15	5	6	4	2	1	-	-	-	-
		M	123	-	-	-	-	3	7	14	19	13	11	7	13	13	12	1	5	4	-	1	-	-	-	-
		F	36	-	-	-	-	1	2	4	-	4	3	4	4	4	3	4	1	-	2	-	-	-	-	-
952.1	OTHER CARBON MONOXIDE		14	-	-	-	-	1	2	2	2	3	-	-	1	1	1	1	-	-	-	-	-	-	-	-
		M	11	-	-	-	-	1	2	2	1	2	-	-	-	1	1	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
952.8	OTHER SPECIFIED GASES AND VAPOURS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
953	SUICIDE AND SELFINFLICTED INJURY BY HANGING, STRANGULATION AND SUFFOCATION																									
953.0	HANGING		419	-	-	-	6	36	68	62	42	32	30	19	21	27	21	14	11	14	8	2	3	1	-	2
		M	327	-	-	-	5	31	59	54	30	25	20	12	15	19	14	11	7	11	7	1	3	1	-	2
		F	92	-	-	-	1	5	9	8	12	7	10	7	6	8	7	3	4	3	1	1	-	-	-	-
953.1	SUFFOCATION BY PLASTIC BAG		46	-	-	-	-	1	2	1	3	1	2	2	5	2	3	5	1	7	7	3	1	-	-	-
		M	14	-	-	-	-	-	2	1	1	-	1	-	1	1	-	1	1	3	2	-	-	-	-	-
		F	32	-	-	-	-	1	-	-	2	1	1	2	4	1	3	4	-	4	5	3	1	-	-	-
953.8	OTHER SPECIFIED MEANS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
954	SUICIDE AND SELFINFLICTED INJURY BY SUBMERSION (DROWNING)		53	-	-	-	-	-	4	8	4	5	6	5	3	3	5	-	-	5	2	2	-	-	-	1
		M	31	-	-	-	-	-	4	7	2	2	3	2	2	1	3	-	-	1	2	1	-	-	-	1
		F	22	-	-	-	-	-	-	1	2	3	3	3	1	2	2	-	-	4	-	1	-	-	-	-
955	SUICIDE AND SELFINFLICTED INJURY BY FIREARMS AND EXPLOSIVES																									
955.0	HAND GUN		478	-	-	-	2	21	48	55	55	42	29	25	46	38	24	34	23	21	9	3	1	1	-	1
		M	375	-	-	-	1	17	32	45	47	35	21	19	28	25	17	30	23	20	9	3	1	1	-	1
		F	103	-	-	-	1	4	16	10	8	7	8	6	18	13	7	4	-	1	-	-	-	-	-	-
955.1	SHOT GUN		177	-	-	-	-	19	32	26	14	9	11	8	11	10	10	5	9	7	5	1	-	-	-	-
		M	163	-	-	-	-	19	26	25	13	8	11	7	9	9	10	4	9	7	5	1	-	-	-	-
		F	14	-	-	-	-	-	6	1	1	1	-	1	2	1	-	1	-	-	-	-	-	-	-	-
955.2	HUNTING RIFLE		139	-	-	-	-	11	25	26	8	14	7	7	8	9	10	8	2	2	1	-	1	-	-	-
		M	125	-	-	-	-	11	21	23	7	11	7	5	8	9	9	8	2	2	1	-	1	-	-	-
		F	14	-	-	-	-	-	4	3	1	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-
955.4	OTHER AND UNSPECIFIED FIREARM		932	-	-	-	4	63	116	115	91	73	52	70	62	70	50	57	38	33	22	10	5	-	-	1
		M	739	-	-	-	3	55	89	92	70	56	35	52	48	57	34	48	31	32	21	10	5	-	-	1
		F	193	-	-	-	1	8	27	23	21	17	17	18	14	13	16	9	7	1	1	-	-	-	-	-
955.9	UNSPECIFIED		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
956	SUICIDE AND SELFINFLICTED INJURY BY CUTTING AND PIERCING INSTRUMENTS		73	-	-	-	-	2	6	10	10	4	2	5	8	7	8	3	2	5	1	-	-	-	-	-
		M	56	-	-	-	-	2	6	9	9	4	1	4	5	3	4	2	2	4	1	-	-	-	-	-
		F	17	-	-	-	-	-	-	1	1	-	1	1	3	4	4	1	-	1	-	-	-	-	-	-
957	SUICIDE AND SELFINFLICTED INJURY BY JUMPING FROM HIGH PLACE																									
957.0	RESIDENTIAL PREMISES		32	-	-	-	-	3	6	2	-	3	1	2	1	1	1	1	6	2	2	-	-	-	-	1
		M	19	-	-	-	-	2	5	1	-	3	1	2	-	1	-	-	2	-	1	-	-	-	-	1
		F	13	-	-	-	-	1	1	1	-	-	-	-	1	-	1	1	4	2	1	-	-	-	-	-
957.1	OTHER MANMADE STRUCTURES		106	-	-	-	-	3	14	16	19	11	5	5	6	6	5	2	5	3	3	1	-	-	-	2
		M	76	-	-	-	-	2	12	11	14	7	3	4	4	5	4	1	2	2	2	1	-	-	-	2
		F	30	-	-	-	-	1	2	5	5	4	2	1	2	1	1	1	3	1	1	-	-	-	-	-
957.2	NATURAL SITES		6	-	-	-	-	-	2	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
		M	6	-	-	-	-	-	2	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
957.9	UNSPECIFIED		4	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
958	SUICIDE AND SELFINFLICTED INJURY BY OTHER AND UNSPECIFIED MEANS																									
958.0	JUMPING OR LYING BEFORE MOVING OBJECT		30	-	-	-	-	3	8	4	7	2	1	-	2	-	2	-	-	-	-	-	-	-	-	1
		M	23	-	-	-	-	2	7	4	5	1	1	-	1	-	1	-	-	-	-	-	-	-	-	1
		F	7	-	-	-	-	1	1	-	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
958.1	BURNS, FIRE		18	-	-	-	-	-	4	2	1	1	2	1	1	3	-	1	-	2	-	-	-	-	-	-
		M	10	-	-	-	-	-	4	2	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	2	1	1	2	-	1	-	1	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
958.4	ELECTROCUTION		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
958.5	CRASHING OF MOTOR VEHICLE		9	-	-	-	-	3	-	2	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	3	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
958.8	OTHER SPECIFIED MEANS		2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
958.9	UNSPECIFIED MEANS		11	-	-	-	-	1	1	1	2	1	1	1	-	-	1	1	-	-	-	1	-	-	-	-
		M	6	-	-	-	-	-	1	-	1	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-
		F	5	-	-	-	-	1	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
959	LATE EFFECTS OF SELFINFLICTED INJURY		6	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	2	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
960-969	HOMICIDE AND INJURY PURPOSELY INFLICTED BY OTHER PERSONS		2,966	21	42	17	35	376	584	495	343	238	179	188	117	92	68	66	27	25	18	9	3	1	-	22
		M	2,375	17	18	10	26	310	487	406	285	193	143	149	98	71	52	47	17	19	7	5	1	-	-	14
		F	591	4	24	7	9	66	97	89	58	45	36	39	19	21	16	19	10	6	11	4	2	1	-	8
960	FIGHT, BRAWL, RAPE																									
960.0	UNARMED FIGHT OR BRAWL		11	-	-	-	-	2	-	1	-	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	2	-	1	-	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
960.1	RAPE		2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
962	ASSAULT BY POISONING																									
962.0	DRUGS AND MEDICAMENTS		3	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
962.1	OTHER SOLID AND LIQUID SUBSTANCES		2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
963	ASSAULT BY HANGING AND STRANGULATION		140	2	3	3	4	22	22	16	12	7	7	9	4	6	7	7	4	-	1	-	-	-	-	4
		M	48	1	1	2	-	9	4	3	5	3	3	3	2	2	4	3	1	-	-	-	-	-	-	2
		F	92	1	2	1	4	13	18	13	7	4	4	6	2	4	3	4	3	-	1	-	-	-	-	2
964	ASSAULT BY SUBMERSION (DROWNING)		5	1	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
965	ASSAULT BY FIREARMS AND EXPLOSIVES																									
965.0	HAND GUN		136	-	-	1	2	7	22	25	22	22	5	7	5	5	5	6	1	-	1	-	-	-	-	-
		M	107	-	-	1	2	5	20	21	19	15	3	5	4	3	4	5	-	-	-	-	-	-	-	-
		F	29	-	-	-	-	2	2	4	3	7	2	2	1	2	1	1	1	-	1	-	-	-	-	-
965.1	SHOT GUN		177	-	1	-	3	23	37	39	15	17	8	14	6	6	5	1	1	1	-	-	-	-	-	-
		M	148	-	-	-	3	18	33	30	13	16	7	12	4	5	4	1	1	1	-	-	-	-	-	-
		F	29	-	1	-	-	5	4	9	2	1	1	2	2	1	1	-	-	-	-	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
965.2	HUNTING RIFLE		16	-	-	-	-	3	5	3	-	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
		I	10	-	-	-	-	3	2	2	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
965.4	OTHER AND UNSPECIFIED FIREARM		1,470	-	2	8	16	199	343	273	186	106	85	92	46	40	26	21	11	6	2	1	-	-	-	7
		M	1,259	-	-	6	13	178	295	244	161	89	67	75	42	31	21	15	9	5	2	1	-	-	-	5
		F	211	-	2	2	3	21	48	29	25	17	18	17	4	9	5	6	2	1	-	-	-	-	-	2
965.8	OTHER SPECIFIED EXPLOSIVE		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
965.9	UNSPECIFIED EXPLOSIVE		3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
966	ASSAULT BY CUTTING AND PIERCING INSTRUMENT		639	1	2	1	4	94	122	104	82	55	46	36	29	17	16	14	-	5	3	1	-	-	-	7
		M	540	1	1	-	3	84	111	85	67	46	40	33	23	15	12	12	-	1	-	-	-	-	-	6
		F	99	-	1	1	1	10	11	19	15	9	6	3	6	2	4	2	-	4	3	1	-	-	-	1
967	CHILD BATTERING AND OTHER MALTREATMENT																									
967.0	BY PARENT		2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
967.9	BY UNSPECIFIED PERSON		42	14	25	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	13	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	17	1	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
968	ASSAULT BY OTHER AND UNSPECIFIED MEANS																									
968.0	FIRE		20	-	1	-	2	1	2	5	1	1	1	-	1	1	-	1	-	2	-	-	1	-	-	-
		M	13	-	-	-	2	1	2	2	1	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-
		F	7	-	1	-	-	-	-	3	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
968.1	PUSHING FROM HIGH PLACE		3	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
968.2	STRIKING BY BLUNT OR THROWN OBJECT		40	-	-	-	1	2	3	6	3	5	1	5	3	4	1	2	-	1	1	1	1	-	-	-
		M	31	-	-	-	1	1	3	3	2	4	1	4	3	3	1	2	-	1	1	-	1	-	-	-
		F	9	-	-	-	-	1	-	3	1	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-
968.4	CRIMINAL NEGLECT		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
968.8	OTHER SPECIFIED MEANS		65	-	1	1	-	5	4	4	6	4	6	7	5	3	2	3	4	3	1	3	1	-	-	2
		M	46	-	1	1	-	1	4	2	5	3	6	4	5	3	1	2	2	3	-	2	-	-	-	1
		F	19	-	-	-	-	4	-	2	1	1	-	3	-	-	1	1	2	-	1	1	1	-	-	1
968.9	UNSPECIFIED MEANS		178	1	5	-	2	18	21	17	15	12	13	17	16	7	5	8	3	6	8	2	-	1	-	1
		M	117	-	2	-	1	8	13	11	11	9	9	12	12	5	4	6	2	6	4	2	-	-	-	-
		F	61	1	3	-	1	10	8	6	4	3	4	5	4	2	1	2	1	-	4	-	-	1	-	1
969	LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON		9	1	-	-	1	-	-	-	-	2	-	-	-	1	-	-	2	1	1	-	-	-	-	-
		M	8	1	-	-	1	-	-	-	-	2	-	-	-	1	-	-	2	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
970-978	LEGAL INTERVENTION		35	-	-	-	-	5	11	6	5	2	1	3	-	-	-	1	-	-	1	-	-	-	-	-
		M	35	-	-	-	-	5	11	6	5	2	1	3	-	-	-	1	-	-	1	-	-	-	-	-
970	INJURY DUE TO LEGAL INTERVENTION BY FIREARMS		34	-	-	-	-	5	10	6	5	2	1	3	-	-	-	1	-	-	1	-	-	-	-	-
		M	34	-	-	-	-	5	10	6	5	2	1	3	-	-	-	1	-	-	1	-	-	-	-	-
975	INJURY DUE TO LEGAL INTERVENTION BY OTHER SPECIFIED MEANS		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED		407	8	1	1	12	22	60	50	49	26	26	30	25	28	25	16	10	7	4	1	1	-	-	5
		M	285	3	-	1	8	17	53	36	38	13	19	16	15	20	14	11	10	4	1	-	1	-	-	5
		F	122	5	1	-	4	5	7	14	11	13	7	14	10	8	11	5	-	3	3	1	-	-	-	-
980	POISONING BY SOLID OR LIQUID SUBSTANCES, UNDETERMINED WHETHER ACCIDENTLY OR PURPOSELY INFLICTED																									
980.0	ANALGESICS, ANTIPYRETICS AND ANTIRHEUMATICS		20	-	-	-	1	-	2	2	6	2	2	2	2	1	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	1	1	4	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	1	-	1	1	2	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-
980.1	BARBITURATES		20	-	-	-	-	1	1	2	3	3	1	1	2	1	1	2	-	-	2	-	-	-	-	-
		M	9	-	-	-	-	1	1	1	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	1	1	1	-	1	2	-	1	2	-	-	2	-	-	-	-	-
980.2	OTHER SEDATIVES AND HYPNOTICS		8	-	-	-	-	1	1	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
980.3	TRANQUILLIZERS AND OTHER PSYCHOTROPHIC AGENTS		19	-	-	-	-	1	1	4	4	1	1	-	2	4	1	-	-	-	-	-	-	-	-	-
		M	11	-	-	-	-	1	1	3	2	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	1	2	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-
980.4	OTHER SPECIFIED DRUGS AND MEDICAMENTS		28	-	-	-	-	2	8	2	2	4	-	1	1	1	1	5	1	-	-	-	-	-	-	-
		M	13	-	-	-	-	1	6	1	1	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-
		F	15	-	-	-	-	1	2	1	1	4	-	-	1	1	1	3	-	-	-	-	-	-	-	-
980.5	UNSPECIFIED DRUG OR MEDICAMENT		14	-	-	-	-	-	2	2	1	1	3	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	2	1	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-
980.9	OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES		9	-	-	-	-	-	-	1	-	-	2	-	-	5	-	-	-	1	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
982	POISONING BY OTHER GASES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED																									
982.0	MOTOR VEHICLE EXHAUST GAS		2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
982.1	OTHER CARBON MONOXIDE		2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
983	HANGING, STRANGULATION OR SUFFOCATION, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
983.0	HANGING		8	-	-	-	5	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	5	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
983.8	OTHER SPECIFIED MEANS		2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
984	SUBMERSION (DROWNING), UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED		40	3	1	1	-	5	11	2	-	2	5	1	-	-	5	-	1	-	1	-	1	-	-	1
		M	27	2	-	1	-	4	8	1	-	2	3	1	-	-	2	-	1	-	-	-	1	-	-	1
		F	13	1	1	-	-	1	3	1	-	-	2	-	-	-	3	-	-	-	1	-	-	-	-	-
985	INJURY BY FIREARMS AND EXPLOSIVES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED																									
985.0	HAND GUN		32	-	-	-	1	1	8	7	6	-	2	1	1	2	1	1	1	-	-	-	-	-	-	-
		M	31	-	-	-	1	1	8	6	6	-	2	1	1	2	1	1	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
985.1	SHOT GUN		18	-	-	-	1	5	1	3	2	2	1	-	-	1	1	-	-	1	-	-	-	-	-	-
		M	17	-	-	-	1	5	1	2	2	2	1	-	-	1	1	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
985.2	HUNTING RIFLE		6	-	-	-	-	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
985.4	OTHER AND UNSPECIFIED FIREARM		46	-	-	-	1	2	14	11	7	2	1	-	-	3	-	1	2	2	-	-	-	-	-	-
		M	40	-	-	-	-	1	13	9	7	1	1	-	-	3	-	1	2	2	-	-	-	-	-	-
		F	6	-	-	-	1	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
985.5	EXPLOSIVES		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
986	INJURY BY CUTTING AND PIERCING INSTRUMENTS, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED		3	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
987	FALLING FROM HIGH PLACE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED																									
987.0	RESIDENTIAL PREMISES		3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
987.1	OTHER MAN-MADE STRUCTURES		6	-	-	-	-	1	2	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
987.2	NATURAL SITES		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
987.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
988	INJURY BY OTHER AND UNSPECIFIED MEANS, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED																									

Table 7–16 (Continued)

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1979

(By place of residence)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25 -29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
988.0	JUMPING OR LYING BEFORE MOVING OBJECT		8	-	-	-	-	-	-	2	1	-	-	2	-	1	-	1	1	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
988.1	BURNS, FIRE		11	-	-	-	-	-	-	1	1	1	-	1	3	-	3	-	1	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	1	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-
988.5	CRASHING OF MOTOR VEHICLE		6	-	-	-	1	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
988.8	OTHER SPECIFIED MEANS		29	2	-	-	-	-	2	2	5	1	1	2	2	2	3	1	1	2	1	1	-	-	-	1
		M	20	-	-	-	-	-	2	1	4	1	-	1	1	2	3	1	1	1	1	-	-	-	-	1
		F	9	2	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	1	-	1	-	-	-	-
988.9	UNSPECIFIED MEANS		58	1	-	-	2	1	2	2	4	3	5	11	8	5	6	4	2	-	-	-	-	-	-	2
		M	41	-	-	-	-	-	2	2	4	2	4	6	6	4	3	4	2	-	-	-	-	-	-	2
		F	17	1	-	-	2	1	-	-	-	1	1	5	2	1	3	-	-	-	-	-	-	-	-	-
989	LATE EFFECT OF INJURY, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED		6	-	-	-	-	-	-	1	1	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
999	LATE EFFECTS OF INJURY DUE TO WAR OPERATIONS		3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-

8. SOURCES, QUALITY, DEFINITIONS AND LIMITATIONS OF DATA

VITAL STATISTICS REGISTRATION

History of Vital Statistics Registration

Less than a decade after the formation of California State Government in 1850, a law was enacted requiring the state registration of vital events. The law was repealed in 1860; registration of births and deaths was then done by local offices and was incomplete.

Effective statewide registration of births, deaths, and marriages began in California in 1905 when the Bureau of Vital Statistics was established to direct the maintenance of a statewide registration and reporting system. Statewide registration and reporting of births, deaths, and marriages has continued without interruption since that date. California was admitted to the United States Death Registration Area in 1906, to the Birth Registration Area in 1919, to the Marriage Registration Area in 1957, and to the Divorce Registration Area in 1968. California was dropped from the Divorce Registration Area in 1978 because legislation, implemented January 1, 1978, sharply curtailed the information reported on California divorces.

From 1905 through 1939, a stillbirth required filing both a birth and a death certificate. The birth certificate contained an item requiring the attendant at birth to indicate whether or not the child was born alive. Processing of these birth certificates was exactly the same as for certificates of live birth, except that they were excluded from the live birth tabulations. Beginning in 1940, stillbirths were registered on a Certificate of Stillbirth, which has been known as a Certificate of Fetal Death since 1952.

In 1962, a statewide reporting system for divorces and annulments was established. Because the report of final decree contained very few items of information, only a limited index and simple counts by county were available. In 1966, a more extensive divorce reporting system went into effect, requiring that initial complaints and final decrees be reported. The Family Law Act of 1969 removed adversary proceedings, changed the name of the decrees of marital dissolution, and reduced the waiting period from initial filing to final decree. In 1978 the Legislature sharply reduced the scope of California's marriage dissolution reporting system. Since that year, county clerks report to the State Registrar only type of final decree, county case number, spouses' names, and date decree granted.

Registration Systems at Present

In California, the registration of vital events is uniformly governed by statutory provisions set forth in Division 9 of the California Health and Safety Code. The Director of Health Services is the State Registrar of Vital Statistics. Forms, standards, and guidelines are provided by the State Department of Health Services. (See "The Vital Statistics System in California," p. *i*., for further functional definitions.)

Live Birth, Death, and Fetal Death Registration

Births, deaths, and fetal deaths are registered with the local registrar in the county where the event took place. Registration forms are furnished by the State Registrar. Local registrars prepare and maintain copies of original certificates; original certificates are then mailed to the State Registrar, indexed, and filed as permanent records.

The Health and Safety Code names local health officers of approved full-time local health departments as local registrars. Forty-three of California's 58 counties have approved full-time local health departments. In the 15 counties (Alpine, Amador, Calaveras, Glenn, Lake, Lassen, Modoc, Mono, Nevada, San Benito, Sierra, Siskiyou, Tehama, Trinity, and Tuolumne) without approved full-time health departments, local registrars are appointed by the State Registrar.

Each live birth must be registered with the local registrar within ten days following the birth. For births occurring in a hospital, the hospital administrator or designee is responsible for registering the birth. For out-of-hospital births, the physician in attendance is responsible for the registration; if no physician is present, one of the parents must complete the registration (Health and Safety Code, Division 9, Chapter 3, Article 1).

Each fetal death in which the fetus has advanced to or beyond the 20th week of uterogestation must be registered with the local registrar within five days following delivery, prior to any disposition of the fetus (Health and Safety Code, Division 9, Chapter 4, Article 1). It is the responsibility of the attending physician or the coroner to certify the cause of death. It is the responsibility of the funeral director, or person acting in lieu thereof, to obtain all information other than that in the medical and health section, and to register the certificate.

Each death must be registered with the local registrar within five days after the death occurs, prior to any disposition of the human remains. The persons charged with this responsibility are the funeral director, or person acting in lieu thereof, and the physician in attendance or the coroner (Health and Safety Code, Division 9, Chapter 5, Article 1).

It is the responsibility of the physician last in attendance to complete the medical and health section of the death certificate, including the cause of death. However, in the event that no physician was in attendance, or the physician is unable to state the cause of death, the death becomes a coroner's case. In all cases where suicide or homicide is suspected, or where there was an accident or injury, it is the coroner's duty to investigate the death.

Marriage and Marriage Dissolution Registration

Licensed marriages are registered in the county in which the marriage license was issued; the county recorder is the local registrar of marriages. The county clerk is responsible for issuing the license to marry and obtaining information required on the Certificate of Registry of Marriage, which is furnished by the State Registrar. Each marriage must be registered with the local registrar by the person performing the ceremony within four days after the ceremony (Health and Safety Code, Division 9, Chapter 6, Article 2). The county recorder is responsible for transmitting the Certificate of Registry of Marriage to the State Registrar.

Nonlicensed marriages (Section 4213, California Civil Code) are registered in the county in which the marriage took place. The person officiating at the marriage must file a Certificate of Confidential Marriage with the county clerk within four days of the ceremony. The Certificate is provided by the State Registrar. It is filed by the county clerk as a ". . .permanent record which shall not be open to public inspection except upon order of the superior court issued upon a showing of good cause." The number of certificates filed is reported by the county clerk to the State Registrar on forms provided by the Registrar. (Legislation which took effect January 1, 1982 changed procedures for Section 4213 marriages. See Data Matters Topical Report, *California Nonlicensed Marriages—A First Look at Their Characteristics*, No. 81-10037, December, 1981, State of California, Department of Health Services, Center for Health Statistics).

Certificates of Final Decree of Dissolution of Marriage, Judgment of Nullity, or Legal Separation are transmitted to the State Registrar by the county clerk of the county in which the decree was granted.

SOURCES AND QUALITY OF VITAL STATISTICS DATA

Records

Vital statistics records of the State Department of Health Services are the source of data presented in this report. These records include certificates of live birth, death, fetal death, registry of marriage, and reports of marriage dissolution granted.

Births, Deaths, and Fetal Deaths

Certificates of live birth, death, and fetal death that occur out of state are reallocated to the state of residence. In this report, events occurring out of state to California residents are included in tables subtitled "by place of residence." Mortality and natality data have been tabulated by place of residence since 1945; in all years since then, except 1947, reallocated certificates have been included in California residence data.

Reallocation of birth, death, and fetal death certificates to the state of residence has been virtually complete within the United States since 1955. This was made possible by a cooperative program among the states to exchange copies of certificates for nonresident events. There is no reallocation of records for events occurring in foreign countries.

California birth registration is considered to be complete for births occurring in California, and nearly so for out-of-state births to California residents. The most recent extensive study of the completeness of birth registration was conducted by the Bureau of the Census.[9] It found that during a five-year period in the United States, birth registration was 99.2 percent complete.

Death registration is considered to be almost 100 percent complete because a death certificate must be filed before a burial permit is issued. Some underregistration may occur for deaths of children under one year of age, and particularly to children dying in the first day of life.

Though no thorough study of the completeness of California's fetal death registration has been conducted recently, it appears that the legally mandated death registration of fetuses that have advanced to or beyond the 20th week of gestation is not complete. Additionally, it is probable that the 1979 and 1980 fetal death data include some counts of induced terminations of pregnancy which have been reported as fetal deaths. The extent and consistency of such reporting is unknown at this time. While legislative initiatives have been introduced recently to clarify California's reporting of fetal deaths and induced terminations of pregnancy, none have been enacted.

California Birth Cohort File

In population research, a cohort is a group of individuals who have experienced the same significant demographic event during a specified period of time (usually a year), and who may be identified as a group at successive later dates by this common demographic experience. Cohort studies enable accurate descriptions of changes occurring in a specific group of individuals over time. The most common and important cohort is a birth cohort, persons born during the same year or years.

---

[9] U. S., Department of Commerce, Bureau of the Census, *Test of Birth Registration Completeness, 1964–1968*, PHC (E)–2, 1973.

Since 1965, The Center for Health Statistics has linked California's live births and infant deaths on computer tapes to create the California Birth Cohort File. Each cohort consists of records of all the live births and fetal deaths of 20 or more weeks' gestation that occur in a calendar year. The death records of infants in the cohort who die during their first year of life are then matched and linked to their live birth records to complete the California Birth Cohort File. Rates computed from this file are a direct measure of the incidence of infant loss because they represent a follow-up of the mortality experience of a particular group (cohort) of infants from birth to one year of age.

The Birth Cohort File may be used to compute fetal, neonatal, perinatal, postneonatal, and infant mortality rates for a number of characteristics of the mother and child that are only available on the birth and fetal death certificates, such as age of mother, age of father, birth order, place of delivery, trimester prenatal care began, birthweight, and gestational age.

Studies have shown that the designation of race/ethnicity for the birth certificate is more accurate than for the death certificate.[10] The Birth Cohort File enables more accurate death rates by race of child, since race for both the numerator and the denominator are taken from the birth certificate information. The category "White Spanish" for race of child in the Birth Cohort data is not strictly comparable to "Mexican-American" used in this report for live births and fetal deaths. The Birth Cohort assignment is made by computer identification of Spanish surname,[11] while for live births and fetal deaths, race of child is generated from mothers' and/or fathers' identification of their own race/ethnicity from multiple-choice lists.

Marriages and Marriage Dissolutions

In this report, marriages, dissolutions of marriage, judgments of nullity, and legal separations are presented only for events which occurred in California. There is no interstate exchange of records for events that occur out of state to California residents. Marriages are shown by county of occurrence. Tabulations of licensed marriages by county issuing license are available upon request.

Marriage dissolutions are tabulated "by place of occurrence," meaning the county in which the decree was granted. A petitioner in a dissolution action must have resided in the county in which the action was filed for 90 days, and in California for 6 months. (Prior to 1970 the petitioner must have resided in California for one year.) The county where the decree is granted is, thus, the usual residence of the petitioner, except in rare cases of a change of venue.

Quality Control Procedures

Because about a million California certificates are processed annually, errors can be introduced into vital statistics data unless provisions are made for appropriate quality control measures. Selected certificate information is key-entered onto computer tapes which are then edited for completeness and accuracy. Finally, a sample of records is reviewed to identify random errors. Error rates in the aggregate are less than one percent, and identified errors are corrected.

---

[10] Frank D. Norris and Paul W. Shipley, "A Closer Look at Race Differentials in California's Infant Mortality, 1965–67," Health Services and Mental Health Administration Health Reports, Vol. 86, No. 9: 810–814, September 1971; Frost, F. and Shy, K. K.: "Racial Differences Between Linked Birth and Infant Death Records in Washington State," American Journal of Public Health, Vol. 70, No. 9: 974–976, September 1980.

[11] For method used to classify Spanish, see Robert W. Buechley, "A Reproducible Method of Counting Persons of Spanish Surname," Journal of the American Statistical Association, 55:88–97, 1961. Blacks with Spanish surnames included in "Black" race category.

DEFINITIONS

Following is a glossary of technical terms used in this report:

Place of occurrence:	The place where the event occurred (regardless of place of residence).
Place of residence:	The place where a person lives or maintains his legal residence. For live births and fetal deaths, the mother's residence is used.

Births

Childbearing age:	Women 15 through 44 years of age.
Fetal death:	A death prior to the complete expulsion or extraction from its mother of a product of conception (irrespective of the duration of pregnancy); the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. If the fetus is of 20 weeks or more gestational age, the death must be registered with the local registrar. This definition was promulgated by the World Health Organization in 1950 and is set forth in the California Administrative Code, Title 17, Chapter 1, Article 3.
Live birth:	The complete expulsion or extraction from its mother of a product of conception (irrespective of the duration of pregnancy) which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. This definition was promulgated by the World Health Organization in 1950 and is set forth in the California Administrative Code, Title 17, Chapter 1, Article 3.
Total births:	Total deliveries: live births plus fetal deaths.
Live birth order:	The number of live births delivered by this mother including the current birth.
Low birthweight:	A live birth or fetal death weighing less than 2,500 grams (5 pounds, 8 ounces). (Prior to 1979, low birthweight was 2,500 grams or less. The new definition complies with a change adopted by the National Center for Health Statistics, beginning with 1979 data.)
Premature:	A live birth or fetal death occurring before the 37th week of gestation.
Nonmarital:	A live birth to a mother who is inferred to be unmarried at the time of the birth.[12]

---

[12] For statistical purposes, marital status is estimated by an inferential method. For discussion of the inferential method, see J. Sklar and B. Berkov, "The Effects of Legal Abortion on Birth Rates: The California Experience," *Studies in Family Planning*, Vol. 4, No. 11, November 1973, p. 288.

Deaths

Maternal death:	A death resulting from complications of pregnancy or childbirth.
Fetal death:	(See Births.)
Neonatal death:	A death occurring during the first 27 days of life.
Postneonatal death:	A death occurring between the 28th day and the end of the first year of life.
Perinatal deaths:	All fetal deaths of 20 or more weeks' gestation, plus neonatal deaths.
Infant death:	A death occurring during the first year of life.

Marriages

Primary marriage:	First marriage for both the bride and the groom.
Nonprimary marriage:	A marriage wherein one or both partners has been previously married.
Youthful marriage:	A primary marriage wherein the bride is under age 20 and the groom is under 21.
Nonlicensed marriage:	A confidential marriage performed under provisions of Section 4213 of the California Civil Code, which allow cohabiting couples to marry without obtaining a license or health certificate.

Marriage Dissolutions

Dissolution of marriage:	A judicial decree which dissolves a marriage.
Divorce:	Same as dissolution of marriage. In California, the term "divorce" was replaced by "dissolution of marriage" by the Family Law Act, effective January 1, 1970.
Judgment of nullity:	A judicial decree pronouncing a marriage null and void, and that it was invalid from the beginning.
Annulment:	Same as judgment of nullity. In California, the term "annulment" was replaced with "judgment of nullity" by the Family Law Act, effective January 1, 1970.
Legal separation:	A separation, or cessation of cohabitation of husband and wife ordered by a court decree, which usually provides for spousal support. (Unlike dissolutions of marriage or judgments of nullity, the husband and wife are *not* free to remarry; their marriage remains legally intact.)
Separate maintenance:	Same as legal separation. In California, the term "separate maintenance" was replaced by "legal separation" by the Family Law Act, effective January 1, 1970.

RATES AND RATIOS

Population

Vital statistics provide better measures of health status when they are related to the characteristics of the population. Because human populations vary in size and composition, and the number of vital events that occur depends on both these factors, *rates* or *ratios* are used to make accurate comparisons. These control for population variability by reporting the number of events *per unit of population* (or other standard denominator).

The population estimates used as denominators for calculating rates of vital events per unit of population are prepared by the Population Research Unit of the California Department of Finance. The estimates employed include the resident military and civilian populations, as of July 1, for each year.

The 1980 U. S. Census counts for California have shown that the previous State population estimates for the years 1970–1980 were too low. The Population Research Unit has prepared new estimates for the decade, which are adjusted upward to the 1980 Census. All vital rates in this publication were calculated with the new population estimates in the denominators. Consequently, they may differ from, and generally are lower than, rates previously published by the Center for Health Statistics for the years 1970 through 1980.

Calculation of Rates and Ratios

Birth Rates and Ratios

$$\text{Age-specific birth rate} = \frac{\text{number of live births to women in specific age group}}{\text{estimated female population in that age group}} \times 1{,}000$$

$$\text{Fetal death ratio} = \frac{\text{number of reportable fetal deaths}}{\text{total number of live births}} \times 1{,}000$$

$$\text{General fertility rate} = \frac{\text{number of live births}}{\text{estimated female population 15–44 years old}} \times 1{,}000$$

$$\begin{array}{l}\text{Live birth rate}\\ \quad\text{(crude birth rate)}\end{array} = \frac{\text{number of live births}}{\text{estimated total population}} \times 1{,}000$$

Total fertility rate = sum of each age-specific birth rate multiplied by the number of years in each age group (e.g., for 5-year groups, 15–19, 20–24, . . . 40–44, the sum of the birth rates for each age group is multiplied by 5).

Death Rates and Ratios

Age-adjusted death rate (direct method)

$$= \frac{\text{total number of expected deaths in a standard population (if the persons in this population had experienced the same age-specific death rates as the population being adjusted)}}{\text{total standard population}} \times 100{,}000$$

Age-specific death rate

$$= \frac{\text{number of deaths in specific age group}}{\text{estimated population in that age group}} \times 1{,}000 \text{ (or 100,000, as specified)}$$

Death rate (crude death rate)

$$= \frac{\text{number of deaths}}{\text{estimated total population}} \times 1{,}000$$

Death rate from a specific cause

$$= \frac{\text{number of deaths from a specific cause}}{\text{estimated total population}} \times 100{,}000$$

Fetal death ratio = (See Births)

Infant death rate

$$= \frac{\text{number of deaths under 1 year of age}}{\text{total number of live births}} \times 1{,}000 \text{ (or 100,000, as specified)}$$

Maternal death rate

$$= \frac{\text{number of deaths due to complications of pregnancy and childbirth}}{\text{total number of live births}} \times 10{,}000$$

Neonatal death rate

$$= \frac{\text{number of deaths under 28 days of age}}{\text{total number of live births}} \times 1{,}000 \text{ (or 100,000, as specified)}$$

Postneonatal death rate

$$= \frac{\text{number of deaths between 28 days of age and 1 year of age}}{\text{total number of live births}} \times 1{,}000 \text{ (or 100,000, as specified)}$$

Perinatal death rate

$$= \frac{\text{number of fetal deaths of 20 or more weeks' gestation, plus neonatal deaths}}{\text{total number of births}} \times 1{,}000 \text{ (or 100,000, as specified)}$$

Marriage Rate

$$\text{Marriage rate (crude marriage rate)} = \frac{\text{number of marriages}}{\text{estimated population}} \times 1{,}000$$

Marriage Dissolution Rate

$$\text{Marriage dissolution rate (crude marriage dissolution rate)} = \frac{\text{number of final decrees of dissolution of marriage and judgment of nullity combined}}{\text{estimated population}} \times 1{,}000$$

LIMITATIONS OF DATA

Limitations of the data must be recognized before valid interpretation is possible. For vital statistics data these limitations are related to difficulties in reporting and classifying information and to some underregistration of events. It is necessary to exercise particular caution when evaluating vital statistics trend data because medical concepts, legal codes, definitions concerning vital statistics events, estimates of the population, and methods of assigning causes of death change over time.

Cause of Death

One of the most important uses of vital statistics data is the study of trends over time in the number and rate of deaths, by cause of death. Vital statistics trend research yields invaluable information on the health status of the population, and discloses which health and medical programs are succeeding. Even more important, studies of cause-of-death trends help identify emerging public health problems, so that remedial strategies can be developed and needed resources focused and applied.

However, vital statistics trend research is complicated by technical difficulties which limit the comparability of data over time. Changes in the method of assigning or coding causes of death are perhaps the greatest concern.

Cause-of-death statistics are derived from the medical certification information reported on the death or fetal death certificate by the attending physician or coroner. The medical certification item on certificates of death and fetal death makes provision for the reporting of three causes of death—immediate, intervening, and underlying—plus additional information related to the cause of death. The cause of death selected for coding and tabulating is the "underlying cause of death," which is generally defined as the disease or injury which initiated the sequence of morbid events leading directly to death.

The cause of death used in this report for 1979 and 1980 is the underlying cause coded according to the *Ninth Revision International Classification of Diseases (ICD)*, and the *Vital Statistics Instruction Manual Part 2a, Instructions for Classifying the Underlying Cause of Death, 1979–1980.* For the years 1969–1978, the cause of death was coded using the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA).*

Since its inception in 1898, the classification of diseases has been revised approximately every ten years. Each of the decennial revisions has produced some break in the comparability of cause-of-death statistics. These discontinuities have complicated the interpretation of trends in cause-of-death statistics over time. To facilitate trend analyses, comparability ratios between consecutive revisions of the *International Classification* may be calculated and applied. Ratios between the *Ninth Revision* and the *Eighth Revision* have not yet been calculated for California mortality data. However, the National Center for Health Statistics has published comparability ratios between the *Ninth* and the *Eighth Revisions* for deaths in the United States as a whole.[13] For an approximation, the ratios for the United States may be used to adjust California data for comparability between coding to the *Ninth Revision* (1979 and 1980), and coding by the *Eighth Revision* (1969–1978). For comparing the latter to 1960–1968 California deaths, see Data Matters Topical Report, *Comparability Between 7th and 8th Revisions, International Classification of Diseases*, No. 725-0192-601, March 1976, State of California, Department of Health Services, Center for Health Statistics.

Tabulations of Cause of Death

Deaths by cause are presented in this report in several levels of detail. The table headed "Deaths from Each Cause by Sex and Age" presents the frequency of deaths assigned to each underlying cause of death in the Ninth Revision of the ICD for which there were one or more deaths in 1979 or 1980. All fourth-digit subcategories are included.

Variability of Rates

Vital statistics rates are sensitive to variations in the size of both the numerator (the number of vital events that occurred), and the denominator (the estimated population, or the number of births). For example, in small counties a variation of only a few cases in the numerator can cause a relatively large shift in a rate, while in a large county, it may cause no change at all.

Alternatively, a minor revision in the estimate of the population in a small county may cause a relatively major change in a vital rate in that county.

As described on page iii, all vital rates for the years 1970 through 1980 in this publication have been recalculated, using revised population estimates, adjusted upward to the 1980 Census. This resulted in noticeably lower rates than those previously published for California, for the later years of the 1970–1980 decade. Recalculated rates for some counties may differ from those previously published even more than the statewide rates do.

Rates and ratios based on the number of births, instead of the population, are not subject to variability caused by changes in the size of estimated denominators. However, in small counties, these rates are just as sensitive to small shifts in the numerator as are rates based on the population, since few births occur in counties with small populations, and the denominator is correspondingly small.

---

[13] NCHS, *"Estimates of Selected Comparability Ratios Based on Dual Coding of 1976 Death Certificates by the Eighth and Ninth Revisions of the International Classification of Diseases,"* Monthly Vital Statistics Report, Vol. 28, No. 11, Supplement, February 29, 1980.

Time Periods and Geographic Bases

Before 1947, births and deaths were tabulated by year of registration. In 1947 births were tabulated by year of occurrence, while deaths were tabulated by year of registration. Beginning in 1948, births, deaths, fetal deaths, marriages, and marriage dissolutions have been tabulated by the calendar year in which the event occurred.

Since 1968, deaths occurring in hospitals, sanitariums, and other resident institutions have been allocated to the last previous residence, unless the decedent resided in the institution for at least one year. All deaths in penal institutions and mental hospitals are allocated to the previous place of residence regardless of the length of stay in the institution. From 1949 through 1967, deaths in hospitals, sanitariums, and all other institutions were allocated to the previous residence regardless of the decedent's length of stay in the institution.

Race and Ethnicity

Information on the race and ethnicity of the father and mother is reported voluntarily on the birth certificates for 1979 and 1980. Prior to 1979, this information was mandatory. The percent of birth certificates with race and ethnicity reported was 96.5 percent in 1979, increasing to 98.3 percent in 1980. The information obtained from the race and ethnicity items on both the birth and death certificates reflects the certificate informant's own responses.

From 1970 to 1977, the race of father and mother on the birth certificate was coded independently, and the race of child was generated from the parents' codes. Since 1978, both race and ethnicity of both parents have been used to generate the race and ethnicity of the newborn child.

For purposes of statistical classification, entries of "Race Not Specified" and "Unknown" on death certificates are included in the mortality data as "White." Also, entries of "Mexican" are classified as "White" in death tabulations because there are indications that the "Mexican" category was underreported.

Age

The licensed marriage certificate contains both the date of birth and the age at last birthday of the bride and groom; the age at last birthday is used in tabulating age data.

The death certificate also contains both the age and the date of birth of the decedent; for computer tabulations, the age at death is generated from the difference between the date of birth and the date of death. For infants living less than 24 hours and for other deaths where date of birth is not reported, the stated age is accepted.

Length of Gestation

Length of gestation is calculated for live births and fetal deaths by subtracting the date the last normal menses began from the date of birth. The accuracy of this calculation is contingent upon the mother's recall of her last menstrual period. If only the month and year are given, the day is imputed. If a date is not reported, no calculation is made. The calculation is made in completed weeks of gestation.

Marital Status

Marital status of the mother is not recorded on the California Birth Certificate. This variable is statistically imputed for each birth, based upon analysis of the mother's maiden name, and surnames of the mother, father (if reported), and child.[14]

---

[14] For discussion of the inferential method, see J. Sklar and B. Berkov, "The Effects of Legal Abortion on Birth Rates: The California Experience," *Studies in Family Planning*, Vol. 4, No. 11, November 1973, p. 288.

9. APPENDIX

CERTIFICATES AND LISTS OF VARIABLES

The vital statistics data presented in this report constitute only a part of the information reported on vital records. Other variables which were processed for births, deaths, fetal deaths, and licensed marriages are shown in this section. Tabulations and cross-tabulations for most of these items can be provided for cost, upon request.



104- STATE BIRTH CERTIFICATE NUMBER

CERTIFICATE OF LIVE BIRTH
STATE OF CALIFORNIA

LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

THIS CHILD

1A. NAME OF CHILD—FIRST
1B. MIDDLE
1C. LAST
2. SEX
3A. THIS BIRTH, SINGLE, TWIN, ETC.
3B. IF MULTIPLE, THIS CHILD 1ST, 2ND, ETC.
4A. DATE OF BIRTH—MONTH, DAY, YEAR
4B. HOUR (24 HOUR CLOCK TIME)

PLACE OF BIRTH

5A. PLACE OF BIRTH—NAME OF HOSPITAL
5B. STREET ADDRESS (STREET, NUMBER, OR LOCATION)
5C. CITY OR TOWN
5D. COUNTY

FATHER OF CHILD

6A. NAME OF FATHER—FIRST
6B. MIDDLE
6C. LAST
7. STATE OF BIRTH
8. AGE OF FATHER

MOTHER OF CHILD

9A. BIRTH NAME OF MOTHER—FIRST
9B. MIDDLE
9C. LAST
10. STATE OF BIRTH
11. AGE OF MOTHER

PARENT'S CERTIFICATION

I CERTIFY THAT I HAVE REVIEWED THE STATED INFORMATION AND THAT IT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE
12A. PARENT OR OTHER INFORMANT—SIGNATURE ►
12B. RELATIONSHIP TO CHILD
12C. DATE SIGNED

ATTENDANT'S CERTIFICATION

I CERTIFY THAT I ATTENDED THIS BIRTH AND THAT THE CHILD WAS BORN ALIVE AT THE HOUR, DATE AND PLACE STATED.
13A. PHYSICIAN OR OTHER ATTENDANT—SIGNATURE—DEGREE OR TITLE ►
13B. LICENSE NUMBER
13C. DATE SIGNED
14.
13D. TYPED NAME AND ADDRESS

LOCAL REGISTRAR

15. DEATH—ENTER DATE OF DEATH
16. LOCAL REGISTRAR—SIGNATURE
17. DATE ACCEPTED FOR REGISTRATION

CONFIDENTIAL INFORMATION FOR PUBLIC HEALTH USE ONLY

FATHER

18. RACE
19. ETHNICITY
20A. USUAL OCCUPATION
20B. KIND OF BUSINESS OR INDUSTRY

MOTHER

21. RACE
22. ETHNICITY
23A. USUAL OCCUPATION
23B. KIND OF BUSINESS OR INDUSTRY
24A. RESIDENCE (STREET, NUMBER OR LOCATION)
24B. (CENSUS TRACT)
24C. COUNTY
24D. CITY OR TOWN
24E. STATE

25. PREGNANCY HISTORY (COMPLETE EACH SECTION)

LIVE BIRTHS (DO NOT INCLUDE THIS CHILD)		OTHER TERMINATIONS (MISCARRIAGES)	
NOW LIVING	NOW DEAD	BEFORE 20 WKS	AFTER 20 WKS
A NUMBER	B NUMBER	C NUMBER	D NUMBER
DATE OF LAST LIVE BIRTH (MONTH, YEAR) E		DATE OF LAST TERMINATION (MONTH, YEAR) F	

MEDICAL DATA

26A. DATE LAST NORMAL MENSES BEGAN MONTH, DAY, YEAR
26B. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1ST, 2ND, 3RD)
27. BIRTHWEIGHT GRAMS

ENTER THE APPROPRIATE CODE OR CODES FOR EACH ITEM 28 THRU 31 FROM THE VS 10A SUPPLEMENTAL WORKSHEET. IF NONE CHECK—NONE.

28. COMPLICATION OF PREGNANCY AND CONCURRENT ILLNESSES NONE ☐
29A. COMPLICATIONS OF LABOR AND DELIVERY NONE ☐
29B. CAESAREAN SECTION NO ☐
30. BIRTH INJURY TO CHILD NONE ☐
31. CONGENITAL MALFORMATION NONE ☐

STATE REGISTRAR

A.
B.
C.
D.
E.
F.

NOTICE: THE INFORMATION YOU PROVIDE IN COMPLETING THE BOTTOM HALF OF THE BIRTH CERTIFICATE WILL BE KEPT STRICTLY CONFIDENTIAL AND WILL BE USED FOR HEALTH AND MEDICAL PURPOSES ONLY.

VS 10 (REV. 1-80)

71885-449 7-79 600M OSP

Figure 1

CERTIFICATE OF LIFE BIRTH, 1980

STATISTICAL INFORMATION AVAILABLE FOR LIVE BIRTHS, 1980

6

VARIABLE	CERTIFICATE ITEM NUMBER
THIS CHILD	
Name of child (first, middle, last)	1A,B,C
Sex of child	2
Single, twin, triplet, quadruplet, quintuplet or more	3A
If multiple birth, birth order	3B
Date of birth (month, day, year)	4A
Race/ethnicity of child	18,19,21,22
Birthweight	27
PLACE OF BIRTH	
Maternity hospital	5A
Type of hospital	5A
County of Occurrence	5D
MOTHER OF CHILD	
Maiden surname	9C
Birthplace	10
Age	11
Race/ethnicity	21,22
Usual residence	24C,E
Request omission from solicitation lists	14
FATHER OF CHILD	
Age	8
Race/ethnicity	18,19
ATTENDANT'S CERTIFICATION	
Type of certifier	13A
LOCAL REGISTRAR	
Date of death if infant died	15
MEDICAL DATA	
First day of last normal menses	26A
Completed days of gestation	4A,26A
Month of pregnancy prenatal care began	26B
Previous deliveries to this mother	25
Date of last live birth	25

STATISTICAL INFORMATION AVAILABLE FOR LIVE BIRTHS, 1980

VARIABLE	CERTIFICATE ITEM NUMBER
MEDICAL DATA (continued)	
Date of last termination	25
Complications of pregnancy	28
Complications of labor and delivery	29A
Caesarean section	29B
Birth injury to child	30
Congenital malformation	31

Figure 2

CERTIFICATE OF LIFE BIRTH
MEDICAL DATA SUPPLEMENTAL WORKSHEET
For Hospital Use Only

IF ANY OF ITEMS 28 THROUGH 31 ON CERTIFICATE OF LIVE BIRTH (FORM VS-10) ARE ANSWERED YES, USE THE CODES INDICATED ON THIS WORKSHEET FOR THE APPROPRIATE ITEM NUMBER.

Item 28. COMPLICATIONS OF PREGNANCY AND CONCURRENT ILLNESSES (Use as Many Codes as are Appropriate)

01	Placental Complications
02	Pre-Eclampsia/Eclampsia/Toxemia
03	Hemoglobinopathy
04	Urinary Tract/Kidney Infection
05	Anemia Less Than 10 GM HB
07	Heart Disease/Essential Hypertension
08	Diabetes
09	Pulmonary
10	Syphilis
11	Rubella
12	RH_0(D) Iso-Immunization
13	Unspecified Uterine Bleeding Not Associated with Labor
14	Renal Disease
15	Other

Item 29A. COMPLICATIONS OF LABOR AND DELIVERY (Use as Many Codes as are Appropriate)

1	Amnionitis/Sepsis
2	Hemorrhage Associated with Labor
3	Cephalopelvic Disproportion
4	Breech or Other Abnormal Presentation
5	Fetal Distress
6	Maternal Blood Transfusion
7	Postpartum Hemorrhage
8	Other

Item 29B. IF CAESAREAN SECTION WAS PERFORMED, ENTER APPROPRIATE CODE:

1	Emergency Primary
2	Emergency Repeat
3	Elective Primary
4	Elective Repeat

Item 30. BIRTH INJURY TO CHILD (Use as Many Codes as are Appropriate)

1	To Brain
2	To Spinal Cord
3	To Bone or Nerve
4	Other

Item 31. CONGENITAL MALFORMATION (Use as Many Codes as are Appropriate)

01	Anencephalus/Spina Bifida (ICD 740-741)
02	Congenital Hydrocephalus (ICD 742.3)
03	Other Nervous System Anomalies (ICD 742, excluding 742.3)
04	Eyes (ICD 743)
05	Cleft Lip/Palate (ICD 749)
06	Other Ear, Face, Neck (ICD 744)
07	Heart/Circulatory System (ICD 745-747)
08	Respiratory System (ICD 748)
09	Digestive System (ICD 750-751)
10	Genito-Urinary System (ICD 752-753)
11	Musculoskeletal System (ICD 754-756)
12	Skin, Hair, Nails (ICD 757)
13	Down's Syndrome (ICD 758.0)
14	Other (ICD 758-759, Excluding 758.0)

Do not enter any identification by name or number of the patient on this worksheet.

VS-10A
(Rev. 1/80)



104-

STATE BIRTH CERTIFICATE NUMBER

CERTIFICATE OF LIVE BIRTH

STATE OF CALIFORNIA

LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

THIS CHILD

1A. NAME OF CHILD—FIRST

1B. MIDDLE

1C. LAST

2. SEX

3A. THIS BIRTH, SINGLE, TWIN, ETC.

3B. IF MULTIPLE, THIS CHILD 1ST, 2ND, ETC.

5A. DATE OF BIRTH—MONTH, DAY, YEAR

5B. HOUR

PLACE OF BIRTH

6A. PLACE OF BIRTH—NAME OF HOSPITAL

6B. STREET ADDRESS (STREET, NUMBER, OR LOCATION)

6C. CITY OR TOWN

6D. COUNTY

MOTHER OF CHILD

7A. BIRTH NAME OF MOTHER—FIRST

7B. MIDDLE

7C. LAST

8. STATE OF BIRTH

9. AGE OF MOTHER

FATHER OF CHILD

10A. NAME OF FATHER—FIRST

10B. MIDDLE

10C. LAST

11. STATE OF BIRTH

12. AGE OF FATHER

PARENT'S CERTIFICATION

I CERTIFY THAT I HAVE REVIEWED THE STATED INFORMATION AND THAT IT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE.

13A. PARENT OR OTHER INFORMANT—SIGNATURE ►

13B. RELATIONSHIP TO CHILD

13C. DATE REVIEWED AND SIGNED

ATTENDANT'S CERTIFICATION

I CERTIFY THAT I ATTENDED THIS BIRTH AND THAT THE CHILD WAS BORN ALIVE AT THE HOUR, DATE AND PLACE STATED.

14A. PHYSICIAN (OR OTHER PERSON WHO ATTENDED THIS BIRTH)—DEGREE OR TITLE AND TYPED NAME ►

SIGNATURE

14B. DATE SIGNED

14.

14C. ADDRESS ►

14D. ATTENDANT'S LICENSE NUMBER

LOCAL REGISTRAR

15. DEATH—ENTER DATE OF DEATH

16. LOCAL REGISTRAR—SIGNATURE

17. DATE ACCEPTED FOR REGISTRATION

CONFIDENTIAL INFORMATION FOR PUBLIC HEALTH USE ONLY

FATHER

19. RACE

20. ETHNICITY

21A. USUAL OCCUPATION

21B. KIND OF BUSINESS OR INDUSTRY

MOTHER

23. RACE

24. ETHNICITY

25A. USUAL OCCUPATION

25B. KIND OF BUSINESS OR INDUSTRY

26A. RESIDENCE (STREET, NUMBER OR LOCATION)

26B. CITY OR TOWN

26C.

26D. COUNTY

26E. STATE

27. PREGNANCY HISTORY (COMPLETE EACH SECTION)

LIVE BIRTHS (DO NOT INCLUDE THIS CHILD)

NOW LIVING NUMBER

NOW DEAD NUMBER

DATE OF LAST LIVE BIRTH (MONTH, YEAR)

OTHER TERMINATIONS (MISCARRIAGES)

BEFORE 20 WKS NUMBER

AFTER 20 WKS NUMBER

DATE OF LAST TERMINATION (MONTH, YEAR)

MEDICAL DATA

28A. DATE LAST NORMAL MENSES BEGAN MONTH, DAY, YEAR

28B. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1ST, 2ND, 3RD)

29. BIRTHWEIGHT GRAMS

ENTER THE APPROPRIATE CODE OR CODES FOR EACH ITEM 32 THRU 35 FROM THE VS 10A SUPPLEMENTAL WORKSHEET. IF NONE ENTER—NONE.

32. COMPLICATION OF PREGNANCY AND CONCURRENT ILLNESSES

33A. COMPLICATIONS OF LABOR AND DELIVERY

33B. CAESAREAN SECTION

34. BIRTH INJURY TO CHILD

35. CONGENITAL MALFORMATION

STATE REGISTRAR

A.

B.

C.

D.

E.

F.

NOTICE: THE INFORMATION YOU PROVIDE IN COMPLETING THE BOTTOM HALF OF THE BIRTH CERTIFICATE WILL BE KEPT STRICTLY CONFIDENTIAL AND WILL BE USED FOR HEALTH AND MEDICAL PURPOSES ONLY.

VS 10 (REV. 11-78)

69062-449 10-78 600M ①D OSP

Figure 3

CERTIFICATE OF LIFE BIRTH, 1979

STATISTICAL INFORMATION AVAILABLE FOR LIVE BIRTHS, 1979

VARIABLE	CERTIFICATE ITEM NUMBER
THIS CHILD	
Name of child (first, middle, last)	1A,B,C
Sex of child	2
Single, twin, triplet, quadruplet, quintuplet or more	3A
If multiple birth, birth order	3B
Date of birth (month, day, year)	5A
Race/ethnicity of child	19,20,23,24
Birthweight	29
PLACE OF BIRTH	
Maternity hospital	6A
Type of hospital	6A
County of Occurrence	6D
MOTHER OF CHILD	
Maiden surname	7C
Birthplace	8
Age	9
Race/ethnicity	23,24
Farming occupation	25A
Usual residence	26D,E
Request omission from solicitation lists	14
FATHER OF CHILD	
Age	12
Race/ethnicity	19,20
Farming occupation	21A
ATTENDANT'S CERTIFICATION	
Type of certifier	14A
LOCAL REGISTRAR	
Date of death if infant died	15
MEDICAL DATA	
First day of last normal menses	28A
Completed days of gestation	5A,28A
Month of pregnancy prenatal care began	28B
Previous deliveries to this mother	27
Date of last live birth	27

STATISTICAL INFORMATION AVAILABLE
FOR LIVE BIRTHS, 1979

VARIABLE	CERTIFICATE ITEM NUMBER
MEDICAL DATA (continued)	
Date of last termination	27
Complications of pregnancy	32
Complications of labor and delivery	33A
Caesarean section	33B
Birth injury to child	34
Congenital malformation	35

Figure 4

CERTIFICATE OF LIVE BIRTH
MEDICAL DATA SUPPLEMENTAL WORKSHEET
For Hospital Use Only

IF ANY OF ITEMS 32 THROUGH 35 ON CERTIFICATE OF LIVE BIRTH (FORM VS-10) ARE ANSWERED YES, USE THE CODES INDICATED ON THIS WORKSHEET FOR THE APPROPRIATE ITEM NUMBER.

Item 32. COMPLICATIONS OF PREGNANCY AND CONCURRENT ILLNESSES (Use as Many Codes as are Appropriate)

01	Placental Complications	10	Syphilis
02	Pre-Eclampsia/Eclampsia/Toxemia	11	Rubella
03	Hemoglobinopathy	12	RH_0(D) Iso-Immunization
04	Urinary Tract/Kidney Infection	13	Unspecified Uterine Bleeding Not Associated with Labor
05	Anemia Less Than 10 GM HB	14	Renal Disease
07	Heart Disease/Essential Hypertension	15	Other
08	Diabetes		
09	Pulmonary		

Item 33A. COMPLICATIONS OF LABOR AND DELIVERY (Use as Many Codes as are Appropriate)

1	Amnionitis/Sepsis	5	Fetal Distress
2	Hemorrhage Associated with Labor	6	Maternal Blood Transfusion
3	Cephalopelvic Disproportion	7	Postpartum Hemorrhage
4	Breech or Other Abnormal Presentation	8	Other

Item 33B. IF CAESAREAN SECTION WAS PERFORMED, ENTER APPROPRIATE CODE:

1	Emergency Primary	3	Elective Primary
2	Emergency Repeat	4	Elective Repeat

Item 34. BIRTH INJURY TO CHILD (Use as Many Codes as are Appropriate)

1	To Brain	3	To Bone or Nerve
2	To Spinal Cord	4	Other

Item 35. CONGENITAL MALFORMATION (Use as Many Codes as are Appropriate)

01	Anencephalus/Spina Bifida (ICD 740-741)	08	Respiratory System (ICD 748)
02	Congenital Hydrocephalus (ICD 742.3)	09	Digestive System (ICD 750-751)
03	Other Nervous System Anomalies (ICD 742, excluding 742.3)	10	Genito-Urinary System (ICD 752-753)
04	Eyes (ICD 743)	11	Musculoskeletal System (ICD 754-756)
05	Cleft Lip/Palate (ICD 749)	12	Skin, Hair, Nails (ICD 757)
06	Other Ear, Face, Neck (ICD 744)	13	Down's Syndrome (ICD 758.0)
07	Heart/Circulatory System (ICD 745-747)	14	Other (ICD 758-759, Excluding 758.0)

Do not enter any identification by name or number of the patient on this worksheet.

VS-10A
(Rev. 10/78)



CERTIFICATE OF DEATH
STATE OF CALIFORNIA

STATE FILE NUMBER

LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

DECEDENT PERSONAL DATA

1A. NAME OF DECEDENT—FIRST
1B. MIDDLE
1C. LAST
2A. DATE OF DEATH (MONTH, DAY, YEAR)
2B. HOUR
3. SEX
4. RACE
5. ETHNICITY
6. DATE OF BIRTH
7. AGE YEARS | IF UNDER 1 YEAR MONTHS | DAYS | IF UNDER 24 HOURS HOURS | MINUTES
8. BIRTHPLACE OF DECEDENT (STATE OR FOREIGN COUNTRY)
9. NAME AND BIRTHPLACE OF FATHER
10. BIRTH NAME AND BIRTHPLACE OF MOTHER
11. CITIZEN OF WHAT COUNTRY
12. SOCIAL SECURITY NUMBER
13. MARITAL STATUS
14. NAME OF SURVIVING SPOUSE (IF WIFE, ENTER BIRTH NAME)
15. PRIMARY OCCUPATION
16. NUMBER OF YEARS THIS OCCUPATION
17. EMPLOYER (IF SELF-EMPLOYED, SO STATE)
18. KIND OF INDUSTRY OR BUSINESS

USUAL RESIDENCE

19A. USUAL RESIDENCE—STREET ADDRESS (STREET AND NUMBER OR LOCATION)
19B.
19C. CITY OR TOWN
19D. COUNTY
19E. STATE
20. NAME AND ADDRESS OF INFORMANT—RELATIONSHIP

PLACE OF DEATH

21A. PLACE OF DEATH
21B. STREET ADDRESS (STREET AND NUMBER OR LOCATION)
21C. CITY OR TOWN
21D. COUNTY

CAUSE OF DEATH

22. DEATH WAS CAUSED BY: (ENTER ONLY ONE CAUSE PER LINE FOR A, B, AND C)
IMMEDIATE CAUSE
(A)
CONDITIONS, IF ANY, WHICH GAVE RISE TO THE IMMEDIATE CAUSE, STATING THE UNDERLYING CAUSE LAST.
DUE TO, OR AS A CONSEQUENCE OF
(B)
DUE TO, OR AS A CONSEQUENCE OF
(C)
* APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH
24. WAS DEATH REPORTED TO CORONER?
25. WAS BIOPSY PERFORMED?
26. WAS AUTOPSY PERFORMED?
23. OTHER CONDITIONS CONTRIBUTING BUT NOT RELATED TO THE IMMEDIATE CAUSE OF DEATH
27. WAS OPERATION PERFORMED FOR ANY CONDITION IN ITEMS 22 OR 23? OPERATION DATE

PHYSICIAN'S CERTIFICATION

28A. I CERTIFY THAT DEATH OCCURRED AT THE HOUR, DATE AND PLACE STATED FROM THE CAUSES STATED.
I ATTENDED DECEDENT SINCE (ENTER MO. DA. YR.) | I LAST SAW DECEDENT ALIVE (ENTER MO. DA. YR.)
28B. PHYSICIAN—SIGNATURE AND DEGREE OR TITLE
28C. DATE SIGNED
28D. PHYSICIAN'S LICENSE NUMBER
28E. TYPE PHYSICIAN'S NAME AND ADDRESS

INJURY INFORMATION

29. SPECIFY ACCIDENT, SUICIDE, ETC.
30. PLACE OF INJURY
31. INJURY AT WORK
32A. DATE OF INJURY—MONTH, DAY, YEAR
32B. HOUR
33. LOCATION (STREET AND NUMBER OR LOCATION AND CITY OR TOWN)
34. DESCRIBE HOW INJURY OCCURRED (EVENTS WHICH RESULTED IN INJURY)

CORONER'S USE ONLY

35A. I CERTIFY THAT DEATH OCCURRED AT THE HOUR, DATE AND PLACE STATED FROM THE CAUSES STATED. AS REQUIRED BY LAW I HAVE HELD AN (INQUEST-INVESTIGATION)
35B. CORONER—SIGNATURE AND DEGREE OR TITLE
35C. DATE SIGNED

FUNERAL DIRECTOR AND LOCAL REGISTRAR

36. DISPOSITION
37. DATE—MONTH, DAY, YEAR
38. NAME AND ADDRESS OF CEMETERY OR CREMATORY
39. EMBALMER'S LICENSE NUMBER
40. NAME OF FUNERAL DIRECTOR (OR PERSON ACTING AS SUCH)
41. LOCAL REGISTRAR—SIGNATURE
42. DATE ACCEPTED BY LOCAL REGISTRAR

STATE REGISTRAR

A. | B. | C. | D. | E. | F.

VS-11 (1-78)

Figure 5

CERTIFICATE OF DEATH, 1979 AND 1980

STATISTICAL INFORMATION AVAILABLE FOR DEATHS, 1979 AND 1980

VARIABLE	CERTIFICATE ITEM NUMBER
DECEDENT PERSONAL DATA	
Name of decedent (first, middle, last)	1A,B,C
Date of death (month, day, year)	2A
Sex	3
Race/ethnicity	4,5
Date of birth	6
Age	7
Birthplace	8
Father's surname	9
Mother's maiden surname	10
Social security number	12
Marital status	13
Initials of surviving spouse	14
Occupation code	15
Years in occupation	16
USUAL RESIDENCE	
County of residence	19D
PLACE OF DEATH	
Type of facility	21A
County of occurrence	21D
MEDICAL AND HEALTH DATA	
Underlying cause of death	22
Special medical indicator	22,23
Reported to coroner	24
Biopsy performed	25
Autopsy performed	26
Operation performed	27
Accident, suicide, or homicide	29
Place of injury	30
Work injury	31
Date of injury	32A
County where injury occurred	33
Type of certifier	28B,35B
Cause of death group code	22
Days between injury and death	2A, 32A



CERTIFICATE OF FETAL DEATH

STATE OF CALIFORNIA

STATE FILE NUMBER

LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

THIS FETUS

1A. NAME—FIRST
1B. MIDDLE
1C. LAST

2. SEX
3A. THIS DELIVERY, SINGLE, TWIN, ETC.
3B. IF MULTIPLE, THIS FETUS 1ST, 2ND, ETC.
4A. DATE OF DELIVERY—MONTH, DAY, YEAR
4B. HOUR (24 HOUR CLOCK TIME)

PLACE OF DELIVERY

5A. PLACE OF DELIVERY—NAME OF HOSPITAL
5B. STREET ADDRESS (STREET, NUMBER, OR LOCATION)
5C. CITY OR TOWN
5D. COUNTY

FATHER

6A. NAME OF FATHER—FIRST
6B. MIDDLE
6C. LAST
7. STATE OF BIRTH
8. AGE OF FATHER

MOTHER

9A. BIRTH NAME OF MOTHER—FIRST
9B. MIDDLE
9C. LAST (BIRTH NAME)
10. STATE OF BIRTH
11. AGE OF MOTHER

CERTIFICATION

I CERTIFY THAT THIS FETUS WAS BORN DEAD AT THE HOUR, DATE AND PLACE STATED AND FROM THE CAUSES STATED.

12A. PHYSICIAN OR CORONER—DEGREE OR TITLE AND TYPED NAME
12B. DATE SIGNED

FUNERAL DIRECTOR AND LOCAL REGISTRAR

13. DISPOSITION
14. DATE (MONTH, DAY, YEAR)
15. NAME AND ADDRESS OF CEMETERY OR CREMATORY
16. NAME OF FUNERAL DIRECTOR (OR PERSON ACTING AS SUCH)
17. LOCAL REGISTRAR—SIGNATURE
18. DATE ACCEPTED BY LOCAL REGISTRAR

CONFIDENTIAL HEALTH AND MEDICAL INFORMATION

CAUSE OF DEATH

19. FETAL DEATH WAS CAUSED BY:
ENTER ONLY ONE CAUSE PER LINE FOR A, B AND C

FETAL OR MATERNAL CONDITION DIRECTLY CAUSING FETAL DEATH. } IMMEDIATE CAUSE (A)

FETAL AND/OR MATERNAL CONDITIONS, IF ANY, WHICH GAVE RISE TO THE IMMEDIATE CAUSE, STATING THE UNDERLYING CAUSE LAST. } DUE TO, OR AS A CONSEQUENCE OF (B)
DUE TO, OR AS A CONSEQUENCE OF (C)

20. OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER—CONTRIBUTING TO FETAL DEATH BUT NOT RELATED TO CAUSE GIVEN IN 19A.
21. AUTOPSY (SPECIFY YES OR NO)

FATHER

22. RACE
23. ETHNICITY
24A. USUAL OCCUPATION
24B. KIND OF BUSINESS OR INDUSTRY

MOTHER

25. RACE
26. ETHNICITY
27A. USUAL OCCUPATION
27B. KIND OF BUSINESS OR INDUSTRY
28A. RESIDENCE (STREET, NUMBER OR LOCATION)
28B. CITY OR TOWN
28C. (CENSUS TR.)
28D. STATE
28E. COUNTY

MEDICAL DATA

29. DATE LAST NORMAL MENSES BEGAN (MONTH, DAY, YEAR)
30. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1ST, 2ND, 3RD)
31. BIRTHWEIGHT GRAMS

32. PREGNANCY HISTORY

LIVE BIRTHS (DO NOT INCLUDE THIS CHILD)		OTHER TERMINATIONS (MISCARRIAGES)	
NOW LIVING	NOW DEAD	BEFORE 20 WKS	AFTER 20 WKS
A NUMBER	B NUMBER	C NUMBER	D NUMBER
DATE OF LAST LIVE BIRTH (MONTH, YEAR) E		DATE OF LAST TERMINATION (MONTH, YEAR) F	

ENTER THE APPROPRIATE CODE OR CODES FOR EACH ITEM 33 THRU 36 FROM THE VS 10A SUPPLEMENTAL WORKSHEET — IF NONE CHECK NONE.

33. COMPLICATION OF PREGNANCY AND CONCURRENT ILLNESSES NONE ☐
34A. COMPLICATION OF LABOR AND DELIVERY NONE ☐
34B. CAESAREAN SECTION NO ☐
35. BIRTH INJURY TO CHILD NONE ☐
36. CONGENITAL MALFORMATION NONE ☐

STATE REGISTRAR

A. B. C. D. E. F.

VS 12 (1-80)

Figure 6

CERTIFICATE OF FETAL DEATH, 1980

STATISTICAL INFORMATION AVAILABLE
FOR FETAL DEATHS, 1980

VARIABLE	CERTIFICATE ITEM NUMBER
THIS FETUS	
Name (first, middle, last)	1A,B,C
Sex	2
Single, twin, triplet, quadruplet, quintuplet, or more	3A
If multiple birth, birth order	3B
Date of delivery (month, day, year)	4A
Race/Ethnicity of child	22,23,25,26
Birthweight	31
PLACE OF DELIVERY	
Maternity hospital code	5A
Type of hospital	5A
County of occurrence	5D
MOTHER OF CHILD	
Maiden surname	9C
Birthplace	10
Age	11
Race/Ethnicity	25,26
County of residence	28E
FATHER OF CHILD	
Age	8
Race/Ethnicity	22,23
MEDICAL AND HEALTH DATA	
Type of certifier	12A
Underlying cause of death	19
Autopsy	21
Date last normal menses began	29
Completed days of gestation	4A,29
Month of pregnancy prenatal care began	30

STATISTICAL INFORMATION AVAILABLE FOR FETAL DEATHS, 1980

VARIABLE	CERTIFICATE ITEM NUMBER
MEDICAL AND HEALTH DATA (continued)	
Previous deliveries to this mother	32
Date of last live birth	32
Date of last termination	32
Complications of pregnancy	33
Complications of labor and delivery	34A
Caesarean section	34B
Birth injury	35
Congenital malformations	36

Figure 7

CERTIFICATE OF FETAL DEATH
MEDICAL DATA SUPPLEMENTAL WORKSHEET
For Hospital Use Only

IF ANY OF ITEMS 33 THROUGH 36 ON CERTIFICATE OF FETAL DEATH (FORM VS-12) ARE ANSWERED YES, USE THE CODES INDICATED ON THIS WORKSHEET FOR THE APPROPRIATE ITEM NUMBER.

Item 33. COMPLICATIONS OF PREGNANCY AND CONCURRENT ILLNESSES (Use as Many Codes as are Appropriate)

01 Placental Complications
02 Pre-Eclampsia/Eclampsia/Toxemia
03 Hemoglobinopathy
04 Urinary Tract/Kidney Infection
05 Anemia Less Than 10 GM HB
07 Heart Disease/Essential Hypertension
08 Diabetes
09 Pulmonary
10 Syphilis
11 Rubella
12 RH_0(D) Iso-Immunization
13 Unspecified Uterine Bleeding Not Associated with Labor
14 Renal Disease
15 Other

Item 34A. COMPLICATIONS OF LABOR AND DELIVERY (Use as Many Codes as are Appropriate)

1 Amnionitis/Sepsis
2 Hemorrhage Associated with Labor
3 Cephalopelvic Disproportion
4 Breech or Other Abnormal Presentation
5 Fetal Distress
6 Maternal Blood Transfusion
7 Postpartum Hemorrhage
8 Other

Item 34B. IF CAESAREAN SECTION WAS PERFORMED, ENTER APPROPRIATE CODE:

1 Emergency Primary
2 Emergency Repeat
3 Elective Primary
4 Elective Repeat

Item 35. BIRTH INJURY TO CHILD (Use as Many Codes as are Appropriate)

1 To Brain
2 To Spinal Cord
3 To Bone or Nerve
4 Other

Item 36. CONGENITAL MALFORMATION (Use as Many Codes as are Appropriate)

01 Anencephalus/Spina Bifida (ICD 740-741)
02 Congenital Hydrocephalus (ICD 742.3)
03 Other Nervous System Anomalies (ICD 742, excluding 742.3)
04 Eyes (ICD 743)
05 Cleft Lip/Palate (ICD 749)
06 Other Ear, Face, Neck (ICD 744)
07 Heart/Circulatory System (ICD 745-747)
08 Respiratory System (ICD 748)
09 Digestive System (ICD 750-751)
10 Genito-Urinary System (ICD 752-753)
11 Musculoskeletal System (ICD 754-756)
12 Skin, Hair, Nails (ICD 757)
13 Down's Syndrome (ICD 758.0)
14 Other (ICD 758-759, Excluding 758.0)

Do not enter any identification by name or number of the patient on this worksheet.

VS-12A
(Rev. 1/80)



CERTIFICATE OF FETAL DEATH

STATE OF CALIFORNIA

STATE FILE NUMBER

LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

THIS FETUS

1A. NAME—FIRST
1B. MIDDLE
1C. LAST
2. SEX
3A. THIS DELIVERY, SINGLE, TWIN, ETC.
3B. IF MULTIPLE, THIS FETUS 1ST, 2ND, ETC.
5A. DATE OF DELIVERY—MONTH, DAY, YEAR
5B. HOUR

PLACE OF DELIVERY

6A. PLACE OF DELIVERY—NAME OF HOSPITAL
6B. STREET ADDRESS (STREET, NUMBER, OR LOCATION)
6C. CITY OR TOWN
6D. COUNTY

MOTHER

7A. BIRTH NAME OF MOTHER—FIRST
7B. MIDDLE
7C. LAST
8. STATE OF BIRTH
9. AGE OF MOTHER

FATHER

10A. NAME OF FATHER—FIRST
10B. MIDDLE
10C. LAST
11. STATE OF BIRTH
12. AGE OF FATHER

CERTIFICATION

I CERTIFY THAT THIS FETUS WAS BORN DEAD AT THE HOUR, DATE AND PLACE STATED AND FROM THE CAUSES STATED.
13A. PHYSICIAN OR CORONER—DEGREE OR TITLE AND TYPED NAME
13B. DATE SIGNED

FUNERAL DIRECTOR AND LOCAL REGISTRAR

14. DISPOSITION
15. DATE (MONTH, DAY, YEAR)
16. NAME AND ADDRESS OF CEMETERY OR CREMATORY
17. NAME OF FUNERAL DIRECTOR (OR PERSON ACTING AS SUCH)
18. LOCAL REGISTRAR—SIGNATURE
19. DATE ACCEPTED BY LOCAL REGISTRAR

CONFIDENTIAL HEALTH AND MEDICAL INFORMATION

CAUSE OF DEATH

20. FETAL DEATH WAS CAUSED BY:
ENTER ONLY ONE CAUSE PER LINE FOR A, B AND C
FETAL OR MATERNAL CONDITION DIRECTLY CAUSING FETAL DEATH. IMMEDIATE CAUSE (A)
DUE TO, OR AS A CONSEQUENCE OF (B)
FETAL AND/OR MATERNAL CONDITIONS, IF ANY, WHICH GAVE RISE TO THE IMMEDIATE CAUSE, STATING THE UNDERLYING CAUSE LAST.
DUE TO, OR AS A CONSEQUENCE OF (C)
21. OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER—CONTRIBUTING TO FETAL DEATH BUT NOT RELATED TO CAUSE GIVEN IN 20A.
22. AUTOPSY (SPECIFY YES OR NO)

FATHER

24. RACE
25. ETHNICITY
26A. USUAL OCCUPATION
26B. KIND OF BUSINESS OR INDUSTRY

MOTHER

28. RACE
29. ETHNICITY
30A. USUAL OCCUPATION
30B. KIND OF BUSINESS OR INDUSTRY
31A. RESIDENCE (STREET, NUMBER OR LOCATION)
31B. CITY OR TOWN
31C.
31D. COUNTY
31E. STATE

MEDICAL DATA

32A. DATE LAST NORMAL MENSES BEGAN (MONTH, DAY, YEAR)
32B. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1ST, 2ND, 3RD)
32C. BIRTHWEIGHT GRAMS

33. PREGNANCY HISTORY

LIVE BIRTHS (DO NOT INCLUDE THIS CHILD)		OTHER TERMINATIONS (MISCARRIAGES)	
NOW LIVING	NOW DEAD	BEFORE 20 WKS	AFTER 20 WKS
NUMBER	NUMBER	NUMBER	NUMBER
DATE OF LAST LIVE BIRTH (MONTH, YEAR)		DATE OF LAST TERMINATION (MONTH, YEAR)	

ENTER THE APPROPRIATE CODE OR CODES FOR EACH ITEM 34 THRU 37 FROM THE VS 10A SUPPLEMENTAL WORKSHEET — IF NONE ENTER NONE.

34. COMPLICATION OF PREGNANCY AND CONCURRENT ILLNESSES
35A. COMPLICATION OF LABOR AND DELIVERY
35B. CAESAREAN SECTION
36. BIRTH INJURY TO CHILD
37. CONGENITAL MALFORMATION

STATE REGISTRAR

A. B. C. D. E. F.

VS 12 (11-78)

65120-449 10-78 15M O OSP

Figure 8

CERTIFICATE OF FETAL DEATH, 1979

STATISTICAL INFORMATION AVAILABLE FOR FETAL DEATHS, 1979

VARIABLE	CERTIFICATE ITEM NUMBER
THIS FETUS	
Name (first, middle, last)	1A,B,C
Sex	2
Single, twin, triplet, quadruplet, quintuplet or more	3A
If multiple birth, birth order	3B
Date of delivery (month, day, year)	5A
Race/Ethnicity of child	24,25,28,29
Birthweight	32C
PLACE OF DELIVERY	
Maternity hospital code	6A
Type of hospital	6A
County of occurrence	6D
MOTHER OF CHILD	
Maiden surname	7C
Birthplace	8
Age	9
Race/Ethnicity	28,29
Farming occupation	30A
County of residence	31D
FATHER OF CHILD	
Age	12
Race/Ethnicity	24,25
Farming occupation	26A
MEDICAL AND HEALTH DATA	
Type of certifier	13A
Underlying cause of death	20
Autopsy	22
Date last normal menses began	32A
Completed days of gestation	5A,32A
Month of pregnancy prenatal care began	32B

STATISTICAL INFORMATION AVAILABLE FOR FETAL DEATHS, 1979

VARIABLE	CERTIFICATE ITEM NUMBER
MEDICAL AND HEALTH DATA (continued)	
Previous deliveries to this mother	33
Date of last live birth	33
Date of last termination	33
Complications of pregnancy	34
Complications of labor and delivery	35A
Caesarean section	35B
Birth injury	36
Congenital malformations	37

Figure 9

CERTIFICATE OF FETAL DEATH
MEDICAL DATA SUPPLEMENTAL WORKSHEET
For Hospital Use Only

IF ANY OF ITEMS 34 THROUGH 37 ON CERTIFICATE OF FETAL DEATH (FORM VS-12) ARE ANSWERED YES, USE THE CODES INDICATED ON THIS WORKSHEET FOR THE APPROPRIATE ITEM NUMBER.

Item 34. COMPLICATIONS OF PREGNANCY AND CONCURRENT ILLNESSES (Use as Many Codes as are Appropriate)

01 Placental Complications
02 Pre-Eclampsia/Eclampsia/Toxemia
03 Hemoglobinopathy
04 Urinary Tract/Kidney Infection
05 Anemia Less Than 10 GM HB
07 Heart Disease/Essential Hypertension
08 Diabetes
09 Pulmonary
10 Syphilis
11 Rubella
12 RH_O(D) Iso-Immunization
13 Unspecified Uterine Bleeding Not Associated with Labor
14 Renal Disease
15 Other

Item 35A. COMPLICATIONS OF LABOR AND DELIVERY (Use as Many Codes as are Appropriate)

1 Amnionitis/Sepsis
2 Hemorrhage Associated with Labor
3 Cephalopelvic Disproportion
4 Breech or Other Abnormal Presentation
5 Fetal Distress
6 Maternal Blood Transfusion
7 Postpartum Hemorrhage
8 Other

Item 35B. IF CAESAREAN SECTION WAS PERFORMED, ENTER APPROPRIATE CODE:

1 Emergency Primary
2 Emergency Repeat
3 Elective Primary
4 Elective Repeat

Item 36. BIRTH INJURY TO CHILD (Use as Many Codes as are Appropriate)

1 To Brain
2 To Spinal Cord
3 To Bone or Nerve
4 Other

Item 37. CONGENITAL MALFORMATION (Use as Many Codes as are Appropriate)

01 Anencephalus/Spina Bifida (ICD 740-741)
02 Congenital Hydrocephalus (ICD 742.3)
03 Other Nervous System Anomalies (ICD 742, excluding 742.3)
04 Eyes (ICD 743)
05 Cleft Lip/Palate (ICD 749)
06 Other Ear, Face, Neck (ICD 744)
07 Heart/Circulatory System (ICD 745-747)
08 Respiratory System (ICD 748)
09 Digestive System (ICD 750-751)
10 Genito-Urinary System (ICD 752-753)
11 Musculoskeletal System (ICD 754-756)
12 Skin, Hair, Nails (ICD 757)
13 Down's Syndrome (ICD 758.0)
14 Other (ICD 758-759, Excluding 758.0)

Do not enter any identification by name or number of the patient on this worksheet.

VS-12A
(Rev. 11/78)



CERTIFICATE OF REGISTRY OF MARRIAGE

(PERSONAL DATA. LICENSE TO MARRY. CERTIFICATION OF MARRIAGE)

STATE FILE NUMBER

LOCAL REGISTRAR'S NUMBER

GROOM PERSONAL DATA

1A. NAME OF GROOM—FIRST NAME | 1B. MIDDLE NAME | 1C. LAST NAME | 2. DATE OF BIRTH—MONTH DAY YEAR

3. AGE (LAST BIRTHDAY) YEARS | 4. NUMBER OF THIS MARRIAGE | IF PREVIOUSLY MARRIED: 5A. DATE LAST MARRIAGE ENDED | 5B. LAST MARRIAGE ENDED BY (SPECIFY DEATH DIVORCE OR ANNULMENT) | 6. BIRTHPLACE (STATE OR FOREIGN COUNTRY)

7A. RESIDENCE OF GROOM—STREET ADDRESS (STREET AND NUMBER RURAL ADDRESS OR LOCATION) | 7B. CITY OR TOWN | 7C. COUNTY (IF OUTSIDE CALIFORNIA ENTER STATE)

8A. PRESENT OR LAST OCCUPATION | 8B. KIND OF INDUSTRY OR BUSINESS | 9. HIGHEST SCHOOL GRADE COMPLETED

10A. NAME OF FATHER OF GROOM | 10B. BIRTHPLACE OF FATHER (STATE OR FOREIGN COUNTRY) | 11A. MAIDEN NAME OF MOTHER OF GROOM | 11B. BIRTHPLACE OF MOTHER (STATE OR FOREIGN COUNTRY)

BRIDE PERSONAL DATA

12A. NAME OF BRIDE—FIRST NAME | 12B. MIDDLE NAME | 12C. LAST NAME | 13. DATE OF BIRTH—MONTH DAY YEAR

14. AGE (LAST BIRTHDAY) YEARS | 15. NUMBER OF THIS MARRIAGE | IF PREVIOUSLY MARRIED: 16A. DATE LAST MARRIAGE ENDED | 16B. LAST MARRIAGE ENDED BY (SPECIFY DEATH DIVORCE OR ANNULMENT) | 17. BIRTHPLACE (STATE OR FOREIGN COUNTRY)

18A. RESIDENCE OF BRIDE—STREET ADDRESS (STREET AND NUMBER RURAL ADDRESS OR LOCATION) | 18B. CITY OR TOWN | 18C. COUNTY (IF OUTSIDE CALIFORNIA ENTER STATE)

19A. PRESENT OR LAST OCCUPATION | 19B. KIND OF INDUSTRY OR BUSINESS | 20. HIGHEST SCHOOL GRADE COMPLETED | 21. MAIDEN NAME OF BRIDE (IF PREVIOUSLY MARRIED)

22A. NAME OF FATHER OF BRIDE | 22B. BIRTHPLACE OF FATHER (STATE OR FOREIGN COUNTRY) | 23A. MAIDEN NAME OF MOTHER OF BRIDE | 23B. BIRTHPLACE OF MOTHER (STATE OR FOREIGN COUNTRY)

AFFIDAVIT OF BRIDE AND GROOM

WE THE BRIDE AND GROOM NAMED IN THIS CERTIFICATE, EACH FOR HIMSELF, STATE THAT THE FOREGOING INFORMATION IS CORRECT TO THE BEST OF OUR KNOWLEDGE AND BELIEF, THAT NO LEGAL OBJECTION TO THE MARRIAGE NOR TO THE ISSUANCE OF A LICENSE TO AUTHORIZE THE SAME IS KNOWN TO US AND HEREBY APPLY FOR LICENSE TO MARRY.

24A. BRIDE (SIGNATURE) ▶ | 24B. GROOM (SIGNATURE) ▶

LICENSE TO MARRY

AUTHORIZATION AND LICENSE IS HEREBY GIVEN TO ANY PERSON DULY AUTHORIZED BY THE LAWS OF THE STATE OF CALIFORNIA TO PERFORM A MARRIAGE CEREMONY WITHIN THE STATE OF CALIFORNIA TO SOLEMNIZE THE MARRIAGE OF THE ABOVE NAMED PERSONS. REQUIRED CONSENTS FOR THE ISSUANCE OF THIS LICENSE ARE ON FILE

25A. SUBSCRIBED AND SWORN TO BEFORE ME ON | 25B. DATE LICENSE ISSUED | 25C. LICENSE NUMBER | 25D. COUNTY CLERK ▶

25E. EXPIRATION DATE | 25F. COUNTY OF ISSUE OF LICENSE | BY ▶ DEPUTY

WITNESSES

26A. SIGNATURE OF WITNESS ▶ | 26B. ADDRESS OF WITNESS—STREET ADDRESS | 26C. ADDRESS OF WITNESS—CITY OR TOWN AND STATE

27A. SIGNATURE OF WITNESS ▶ | 27B. ADDRESS OF WITNESS—STREET ADDRESS | 27C. ADDRESS OF WITNESS—CITY OR TOWN AND STATE

CERTIFICATION OF PERSON PERFORMING CEREMONY

28. I HEREBY CERTIFY THAT THE ABOVE NAMED BRIDE AND GROOM WERE JOINED BY ME IN MARRIAGE IN ACCORDANCE WITH THE LAWS OF THE STATE OF CALIFORNIA

ON ________ MONTH ________ DAY ________ 19____ YEAR

AT ________ CITY OR TOWN ________ CALIFORNIA

29A. SIGNATURE OF PERSON PERFORMING CEREMONY AND OFFICIAL TITLE ▶

29B. NAME OF PERSON PERFORMING CEREMONY (TYPE OR PRINT) | 29C. DENOMINATION IF PRIEST, MINISTER OR RABBI

29D. ADDRESS—STREET ADDRESS, CITY OR TOWN, AND STATE

LOCAL REGISTRAR OF MARRIAGES (COUNTY RECORDER)

30. DATE ACCEPTED FOR REGISTRATION | 31. LOCAL REGISTRAR—SIGNATURE ▶

STATE OF CALIFORNIA, DEPARTMENT OF HEALTH, OFFICE OF THE STATE REGISTRAR OF VITAL STATISTICS

AT OSP

VS-117A (4-74)

Figure 10

CERTIFICATE OF LICENSED MARRIAGE, 1979 AND 1980

STATISTICAL INFORMATION AVAILABLE FOR LICENSED MARRIAGES, 1979 AND 1980

VARIABLE	CERTIFICATE ITEM NUMBER
GROOM PERSONAL DATA	
Name of groom (first, middle initial, last)	1A,B,C
Age of groom	3
Number of this marriage	4
Type of dissolution of last marriage	5B
Birthplace of groom	6
Residence of groom	7C
BRIDE PERSONAL DATA	
Name of bride (first, middle initial, last)	12A,B,C
Age of bride	14
Number of this marriage	15
Type of dissolution of last marriage	16B
Birthplace of bride	17
Residence of bride	18C
LICENSE TO MARRY	
County issuing license	25F
CERTIFICATION	
Date of marriage (month, day, year)	28
County of marriage	28

76474-449 10-82 800 LDA